

Assignment

Week-02 – Day-02 – June 14

1. S01 – Text to Audio

Example 1

GenAI-June-HomeAssignment Copy / S01-Text to Audio

POST <https://api.groq.com/openai/v1/audio/speech> Send

Body
 raw JSON Schema Beautify

```
1 {  
2   "model": "canopylabs/orpheus-v1-english",  
3   "input": "[HAPPY] TestLeaf tandakke nanna  
    hrutpoorvaka shubhaashayagalu.Nimma  
    samstheyu aneka vidyarthigalige  
    gunamattada tarabeti nidi avara  
    vuttijeevanada belavanigegE  
    sahakaariyagide.Mundina  
    dinagalalliyoo innashtu yashassu  
    mattu pragatiyannu saadhisali endu  
    haaraisuttene.",  
4   "voice": "diana",  
5   "response_format": "wav"  
6 }
```

Body 200 [Download] [Share] [More]

0x Hex [Play] [Image]

0:07 / 0:31 [Volume] [More]

Example – 2

GenAI-June-HomeAssignment Copy / S01-Text to Audio

POST <https://api.groq.com/openai/v1/audio/speech> Send

Body
 raw JSON Schema Beautify

```
1 {  
2   "model": "canopylabs/orpheus-v1-english",  
3   "input": "TestLeaf kuzhuvukku en  
    manamaarntha vaazhthukkal.Ungal  
    niruvanam pala maanavargalukku  
    tharamana payirchi alithu avargalin  
    thozhil valarchikku perum uthavi  
    seithulladhu.Innum pala vettrigalai  
    adaindu menmelum valara en  
    vaazhthukkal.",  
4   "voice": "diana",  
5   "response_format": "wav"  
6 }
```

Body 200 [Download] [Share] [More]

0x Hex [Play] [Image]

0:07 / 0:22 [Volume] [More]

S02 – MultiLingual

Example-1

GenAI-June-HomeAssignment Copy / S02- MultiLingual

POST https://api.groq.com/openai/v1/chat/completions

Send

Body raw JSON Schema Beautify

```
1 {
2   "model": "llama-3.3-70b-versatile",
3   "messages": [
4     {
5       "role": "system",
6       "content": "You are an API
7         Specialist. Always respond in
8         the same language as the user.
9     },
10    {
11      "role": "user",
12      "content": "மிகவும் நன்றி! இந்த
13        API-ஐ எப்படி பயன்படுத்துவது
14        என்று சொல்லுங்கள்."
15    }
16  ]
17 }
```

Body {} JSON

```
1 {
2   "id": "chatcmpl-1383239e-b9cd-46f9-95bb-ed
3     177c068d56",
4   "object": "chat.completion",
5   "created": 1781805981,
6   "model": "llama-3.3-70b-versatile",
7   "choices": [
8     {
9       "index": 0,
10      "message": {
11        "role": "assistant",
12        "content": "வணக்கம்! நன்றி
13          மிக்கது. இந்த API-ஐ
14          பயன்படுத்துவதற்கு,
15          நீங்கள் கீழ்க்காணும்
16          படிகளைப் பின்பற்ற
17          வேண்டும்:\n\n1. **API
18          சரிபார்ப்பு**:\n- முதலில்,
19          நீங்கள் பயன்படுத்த
20          விரும்பும் API-ஐ
```

Example-2

GenAI-June-HomeAssignment Copy / S02- MultiLingual

POST https://api.groq.com/openai/v1/chat/completions

Send

Body raw JSON Schema Beautify

```
1 {
2   "model": "llama-3.3-70b-versatile",
3   "messages": [
4     {
5       "role": "system",
6       "content": "You are an API
7         Specialist. Always respond in
8         the same language as the user.
9     },
10    {
11      "role": "user",
12      "content": "ತುಂಬಾ ಧನ್ಯವಾದಗಳು! ಈ
13        API ಅನ್ನು ಹೇಗೆ ಬಳಸುವುದು ಎಂದು
14        ತಿಳಿಸಿ."
15    }
16  ]
17 }
```

Body {} JSON

```
1 {
2   "id": "chatcmpl-b3059c62-6496-446a-856f-95d
3     1781806109",
4   "object": "chat.completion",
5   "created": 1781806109,
6   "model": "llama-3.3-70b-versatile",
7   "choices": [
8     {
9       "index": 0,
10      "message": {
11        "role": "assistant",
12        "content": "ಕೃತಜ್ಞತೆಗಳು! ಈ API ಅ
13      },
14      "logprobs": null,
15      "finish_reason": "stop"
16    }
17  ],
18  "usage": {
19    "queue_time": 0.161461354,
20    "prompt_tokens": 140,
21    "prompt_time": 0.006918723,
22    "completion_tokens": 1485,
```

S03 – Generate API test case from swaggercode

The screenshot displays a REST client interface with a POST request to `https://api.groq.com/openai/v1/chat/completions`. The request body is a JSON object with the following structure:

```
1 {
2   "model": "openai/gpt-oss-120b",
3   "messages": [
4     {
5       "role": "system",
6       "content": "You are a Senior API Test
7         Automation Architect with strong
8         expertise in Java, Rest Assured,
9         TestNG, Maven, and API schema-driven
10        test generation."
11     },
12     {
13       "role": "user",
14       "content": "I - INSTRUCTION\nGenerate
15         Rest Assured Java code for Swagger
16         Petstore APIs.\n\nMANDATORY
17         RULES:\n1) Generate ONLY Java Rest
18         Assured code.\n2) Do NOT include
19         explanations, markdown, or extra text.
20         \n3) Use TestNG as the test runner."
21     }
22   ]
23 }
```

The response is a JSON object with a status of 200. The response body includes the following fields:

```
13 {
14   "logprobs": null,
15   "finish_reason": "stop"
16 },
17 {
18   "usage": {
19     "queue_time": 0.158088421,
20     "prompt_tokens": 396,
21     "prompt_time": 0.016179005,
22     "completion_tokens": 1111,
23     "completion_time": 2.295077489,
24     "total_tokens": 1507,
25     "total_time": 2.311256494,
26     "completion_tokens_details": {
27       "reasoning_tokens": 346
28     }
29   }
30 }
```

The interface also shows a sidebar with tabs for Overview, POST S03-Genera, POST S01-Text to, POST S02- MultiLi, and POST S03-Genera. The bottom status bar indicates 'inal 2 Import Complete' and includes buttons for Runner, Start Proxy, Cookies, Vault, Trash, and a help icon.