



CUSTOMER		SPECIFICATION FOR APPROVAL	REVISION	A/0
CUSTOMER.NO	5617		PAGE	1 OF 4
CODACA NO.	SPRHS127-121M		SAMPLE NO	S1603040118
CUS.P/N			DATE	2016-3-4

I、DIMENSION (UNIT:mm)

ASSEMBLY




SCHEMATIC:



Marking: 121(油墨印字或镭射刻字 Stencil Marking or Laser Marking)

A	B	C	F	E	J
12.0±0.5	12.0±0.5	8.0 Max	3.0Ref	5.0Ref	6.0Ref

II、PRODUCT IDENTIFICATION



- 1.Product type: SPRH Series
- 2.Dimension: Width×Height
- 3.Inductance value: 121 for 120μH
- 4.Inductance tolerance: M=±20%
- 5.Packaging Style B: In Bulk T/R: Carrier tape reel

III、ELECTRONIC CHARACTERISTICS:

ITEM	L(μH)	DCR (mΩ)	Isat	Irms
Condition	100kHz/0.1V	20±5℃	100kHz/0.1V	ΔT:40℃ MAX
Spec	120 ± 20%	250 Max	3.0A	2.5A



REACH ROHS
ISO9001:2008
ISO14001:2004

CODACA 科达嘉 深圳市科达嘉电子有限公司
SHENZHEN CODACA ELECTRONIC CO.,LTD

ADD: 深圳市龙岗区坂田街道上雪科技城科技二路永创科技园2栋

Building 2, Yongchuang Technology Area, Technology Rd 2, Shangxue Technology Park, Bantian Street, Longgang District, Shenzhen, China.

TEL: 0755-89585372 FAX: 0755-89585280 Http://www.codaca.com.cn

PREPARED	CHECKED	APPROVED
陈辉	吴强	王

CUSTOMER				SPECIFICATION FOR APPROVAL	REVISION	A/0		
CUSTOMER.NO	5617				PAGE	2 OF 4		
CODACA NO.	SPRHS127-121M				SAMPLE NO	S1603040118		
CUS.P/N					DATE	2016-3-4		

DESCRIPTION	SMD POWER INDUCTOR			DIMENSION (UNIT:mm) 				
QUANTITY	10 PCS							
COIL SPEC	2UEW-H/Φ0.35mm							
CORE	DR9.85*7.0							
TEST FREQ	100kHz/0.1V							
OPERATING TEMPERATURE	-40℃~+125℃							
TEMPERATURE	25 °C	HUMIDIT	75%					


ELECTRICAL TEST DATA					OVERALL DIMENSTON(UNIT:mm)			
	L (μH)	DCR (mΩ)	Isat+3.0A (μH)	Irms:2.5A	A	B	C	J
SPC	120 ±20%	250 Max	ΔL≤20%	ΔT<40℃	12.0 ±0.5	12.0 ±0.5	8.0 Max	6.0 Ref
1	117.0	179	107.7	OK	11.91	11.91	7.55	OK
2	110.6	181	103.6	OK	11.93	11.93	7.52	OK
3	114.5	181	106.8	OK	11.95	11.95	7.53	OK
4	115.1	180	107.5	OK	11.94	11.94	7.54	OK
5	116.1	182	108.0	OK	11.96	11.96	7.52	OK
6	118.9	179	107.5	OK	11.95	11.96	7.56	OK
7	116.3	178	106.9	OK	11.97	11.95	7.52	OK
8	114.5	186	105.8	OK	11.98	11.97	7.54	OK
9	117.8	178	108.7	OK	11.93	11.94	7.55	OK
10	112.3	185	103.5	OK	11.99	11.97	7.53	OK
X								
R								

	CODACA科达嘉 深圳市科达嘉电子有限公司 SHENZHEN CODACA ELECTRONIC CO.,LTD ADD: 深圳市龙岗区坂田街道上雪科技城科技二路永创科技园2栋 Building 2, Yongchuang Technology Area, Technology Rd 2, Shangxue Technology Park, Bantian Street, Longgang District, Shenzhen, China. TEL: 0755-89585372 FAX: 0755-89585280 Http://www.codaca.com.cn	PREPARED	CHECKED	APPROVED

CUSTOMER		SPECIFICATION FOR APPROVAL	REVISION	A/0
CUSTOMER.NO	5617		PAGE	3 OF 4
CODACA NO.	SPRHS127-121M		SAMPLE NO	S1603040118
CUS.P/N			DATE	2016-3-4

IV、L VS Isat:


L Vs Isat



V、MATERIAL LIST:

NO.	MATERIAL	SPECIFICATION
1	Core	DL5 DR 9.85*7.0 B6.2 F4.9 DL5 SRI 12*10.65*6.7
2	Copper wire	2UEW-H/φ0.35mm*41.5T(Ref)
3	Carrier tape	SPRH127/24.00mm
4	Cover tape	21.3mm
5	Baes	SC-DR9.8-4 LCP+P2

VI、DIMENSIONS FOR CARRIER TAPES(mm):



PARTNO.	W	A0	B0	K0	P	F	PACKING/REEL	WEIGHT UNITS (g/R)
SPRH127	24	12.6	12.6	8.4	16	11.5	500PCS/R	2353g/R(N.W)



REACH ROHS
ISO9001:2008
ISO14001:2004

CODACA 科达嘉 深圳市科达嘉电子有限公司
SHENZHEN CODACA ELECTRONIC CO., LTD
ADD: 深圳市龙岗区坂田街道上雪科技城科技二路永创科技园2栋
Building 2, Yongchuang Technology Area, Technology Rd 2, Shengxue Technology
Park, Bantian Street, Longgang District, Shenzhen, China.
TEL: 0755-89585372 FAX: 0755-89585280 Http://www.codaco.com.cn


PREPARED CHECKED APPROVED

张辉 吴强 王成


CUSTOMER		SPECIFICATION FOR APPROVAL	REVISION	A/0
CUSTOMER.NO	5617		PAGE	4 OF 4
CODACA NO.	SPRHS127-121M		SAMPLE NO	S1603040118
CUS.P/N			DATE	2016-3-4

VII、PACKAGING AUTOMATIC INSERTION

(I)DIMENSIONS OF REEL(UNIT:MM)




(II)TAPING FIGURES AND DRAWING DIRECTION



TYPE	A	B	C	D	T
24mm	330	100	13.5	24.4	28.4

(III)BOX AND CASE DIMENSIONS (UNIT: MM)



(IV)PACKAGING QUANTITIES AND WEIGNT UNITS

TYPE	QUANTITIES (PCS)	QUANTITIES (PCS)	WEIGNT UNITS (KG)	WEIGNT UNITS (KG)
	INNER CARION BOX	OUTER CARTON BOX	INNER CARION BOX	OUTER CARTON BOX
SPRH127	3/1500	2/3K	7.0kg/(G.W)	14.5kg/(G.W)



REACH ROHS
ISO9001:2008
ISO14001:2004

CODACA科达嘉 深圳市科达嘉电子有限公司
SHENZHEN CODACA ELECTRONIC CO.,LTD

ADD:深圳市龙岗区坂田街道上雪科技城科技二路永创科技园2栋

Building 2, Yongchuang Technology Area, Technology Rd 2, Shongxue Technology
Park, Bantian Street, Longgang District, Shenzhen, China.

TEL: 0755 - 89585372 FAX: 0755 - 89585280 Http://www.codaca.com.cn

PREPARED CHECKED APPROVED

张辉

美强

王成