

## Preparation

**Part Number: PT420-03023**  
**PT420-00220**

**Kit Contents**

Item #	Quantity Req'd.	Description
1	1	First Aid Kit
2		
3		

**Hardware Bag Contents**

Item #	Quantity Req'd.	Description
1		
2		
3		

**Additional Items Required For Installation**

Item #	Quantity Req'd.	Description
1		
2		
3		

**Conflicts**

None
------

**Recommended Tools**

<b>Personal &amp; Vehicle Protection</b>	<b>Notes</b>
None	
<b>Special Tools</b>	<b>Notes</b>
None	
<b>Installation Tools</b>	<b>Notes</b>
None	
<b>Special Chemicals</b>	<b>Notes</b>
None	

**General Applicability**

All Toyota Vehicles
---------------------

**Recommended Sequence of Application**

Item #	Accessory
1	
2	

\*Mandatory

**Vehicle Service Parts** (may be required for reassembly)

Item #	Quantity Req'd.	Description
1		
2		
3		

\*Part number of this accessory may not be the same as the part number shown.

**Legend**

**STOP:** Damage to the vehicle may occur. Do not proceed until process has been complied with.



**OPERATOR SAFETY:** Use caution to avoid risk of injury.



**CAUTION:** A process that must be carefully observed in order to reduce the risk of damage to the accessory/vehicle and to ensure a quality installation.



**TOOLS & EQUIPMENT:** Used in Figures calls out the specific tools and equipment recommended for this process.



**REVISION MARK:** This mark highlights a change in installation with respect to previous issue.



**SAFETY TORQUE:** This mark indicates that torque is related to safety.



**REGULATORY MARK:** This mark indicates the component is related to regulatory compliance

## Procedure

Care must be taken when installing this accessory to ensure damage does not occur to the vehicle. The installation of this accessory should follow approved guidelines to ensure a quality installation.

These guidelines can be found in the "Accessory Installation Practices" document.

This document covers such items as:-

- Vehicle Protection (use of covers and blankets, cleaning chemicals, etc.).
- Safety (eye protection, rechecking torque procedure, etc.).
- Vehicle Disassembly/Reassembly (panel removal, part storage, etc.).
- Electrical Component Disassembly/Reassembly (battery disconnection, connector removal, etc.).

Please see your Toyota dealer for a copy of this document.

## 1. Install the First Aid Kit.

### (a) Cars / SUVs / VAN:

- (1) If there is storage under deck board, place First Aid Kit under deck board (Fig. 1-1).

**⚠ NOTE:** Do **NOT** remove the First Aid Kit from the package.




Fig. 1-1

- (2) If there is no storage under the deck board, place First Aid Kit in the right rear corner of the trunk/cargo area of the vehicle (Fig. 1-2).

**⚠ NOTE:** Do **NOT** remove the First Aid Kit from the package.




Fig. 1-2

### (b) Trucks:

- (1) Place the First Aid Kit on the passenger front floor of the vehicle (Fig. 1-3).

**STOP NOTE:** Confirm that the First Aid Kit is **NOT** installed on the driver's side front floor pan.

**⚠ NOTE:** Do **NOT** remove the First Aid Kit from the package.




Fig. 1-3

Checklist - these points **MUST** be checked to ensure a quality installation.

Check:	Look For:
<p><u>Accessory Function Checks</u></p> <p><input type="checkbox"/> Confirm proper placement of the First Aid Kit.</p> <p><input type="checkbox"/> Confirm the First Aid Kit is <b><u>NOT</u></b> installed on the driver's side floor pan.</p>	<p>Whenever possible, "Toyota" name is visible and upright.</p> <p>Confirm the First Aid Kit is placed on the passenger front floor</p>
<p><u>Vehicle Function Checks</u></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p>	
<p><u>Vehicle Appearance Check</u></p> <p><input type="checkbox"/> After accessory installation and removal of protective cover(s), perform a visual inspection.</p>	<p>Ensure no damage (including scuffs and scratches) was caused during the installation process. (For PPO installations, refer to TMNA Accessory Quality Shipping Standard.)</p>