

Part Number: PT944-35242**Kit Contents**

| Item # | Quantity Req'd. | Description |
|--------|-----------------|-------------|
| 1 | 1 | Organizer |
| 1 | 1 | Case |
| | | |

Hardware Bag Contents

| Item # | Quantity Req'd. | Description |
|--------|-----------------|-------------|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |

Additional Items Required For Installation

| Item # | Quantity Req'd. | Description |
|--------|-----------------|-------------|
| 1 | | |
| 2 | | |
| 3 | | |

Conflicts

| |
|------|
| None |
|------|

Recommended Tools

| | |
|--|-------------------------------|
| Personal & Vehicle Protection | No need any protection |
| | |
| | |
| | |
| Special Tools | No tool needed. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

General Applicability

| |
|--|
| MY24 and newer Tacoma/HV, 4Runner models |
|--|

Recommended Sequence of Application

| Item # | Accessory |
|--------|-----------|
| 1 | |
| 2 | |
| | |

*Mandatory

Vehicle Service Parts (may be required for reassembly)


| Item # | Quantity Req'd. | Description |
|--------|-----------------|-------------|
| 1 | | |
| 2 | | |
| 3 | | |
| | | |

Legend**STOP:** Damage to the vehicle may occur. Do not proceed until process has been complied with.**OPERATOR SAFETY:** Use caution to avoid risk of injury.**CAUTION:** A process that must be carefully observed in order to reduce the risk of damage to the accessory/vehicle and to ensure a quality installation.**TOOLS & EQUIPMENT:** Used in Figures calls out the specific tools and equipment recommended for this process.**REVISION MARK:** This mark highlights a change in installation with respect to previous issue.**SAFETY TORQUE:** This mark indicates that torque is related to safety.



1. Preparation before fit.


- (a) Twist the Case to remove it from the Organizer (fig.3-1).





2. Remove the Cover at Driver side Instrument panel and Install the Organizer

- (a) Remove the Cover at driver side Instrument panel by pulling the Cover / disengaging the hooks located at the Cover and (Fig. 3-2).

|| (b) Place cover in glove box




- (c) Install the Organizer to the vehicle. With the  mark on the back facing upward, fix the four hooks (Fig.3-3)



(d) Check that the four hooks are fit (Fig.3-4).

3. Mounting the Case.

(d) Locate case and twist to lock into the position (Fig3-5).



Accessory Function Checks

- ☐ Ensure that the part is secure to the IP
- ☐ Ensure that the Toyota Logo is upright
- ☐ Ensure removed panel is placed in glove box

Vehicle Function Check

Vehicle Appearance Check