

# Automation-APS\_Salsabila Bahhas

## Execution Environment

|                 |                  |
|-----------------|------------------|
| Host name       | Asus - SALSABILA |
| Local OS        | Windows 10 64bit |
| Katalon version | 8.5.2.208        |
| Browser         | Chrome 110.0.0.0 |

## Summary

|             |   |            |                     |
|-------------|---|------------|---------------------|
| ID          | Test Suites/Automation-APS_Salsabila Bahhas |            |                     |
| Description |   |            |                     |
| Total       | 25  |            |                     |
| Passed      | 22  | Failed     | 3                   |
| Error       | 0   | Incomplete | 0                   |
| Skipped     | 0   |            |                     |
| Start       | 2023-02-24 20:15:33                         | End        | 2023-02-24 20:25:52 |
| Elapsed     | 10m - 18.957s                               |            |                     |

| #  | ID  | Description | Status |
|----|---|-------------|--------|
| 1  | Test Cases/APS/Login/Login_Empty                    |             | FAILED |
| 2  | Test Cases/APS/Login/Login_Negative                 |             | FAILED |
| 3  | Test Cases/APS/Login/Login_Positive                 |             | PASSED |
| 4  | Test Cases/APS/Lihat Menu Pemilih Tetap             |             | PASSED |
| 5  | Test Cases/APS/Tambah Data Pemilih/Tambah_EmptyA    |             | PASSED |
| 6  | Test Cases/APS/Tambah Data Pemilih/Tambah_EmptyB    |             | PASSED |
| 7  | Test Cases/APS/Tambah Data Pemilih/Tambah_NegativeA |             | PASSED |
| 8  | Test Cases/APS/Tambah Data Pemilih/Tambah_NegativeB |             | PASSED |
| 9  | Test Cases/APS/Tambah Data Pemilih/Tambah_NegativeC |             | PASSED |
| 10 | Test Cases/APS/Tambah Data Pemilih/Tambah_Positive  |             | PASSED |
| 11 | Test Cases/APS/Edit Data Pemilih/Edit_Tanpa Ubah    |             | PASSED |
| 12 | Test Cases/APS/Edit Data Pemilih/Edit_Ubah          |             | PASSED |
| 13 | Test Cases/APS/Edit Data Pemilih/Edit_Ubah Kosong   |             | PASSED |
| 14 | Test Cases/APS/Lihat Log Update                     |             | PASSED |
| 15 | Test Cases/APS/Import Excel/Import Excel_Empty      |             | PASSED |

# Automation-APS\_Salsabila Bahhas

---

| #  | ID  | Description | Status |
|----|---|-------------|--------|
| 16 | Test Cases/APS/Import Excel/Import Excel_Negative |             | FAILED |
| 17 | Test Cases/APS/Import Excel/Import Excel_Positive |             | PASSED |
| 18 | Test Cases/APS/Search/Search_Ada 1 Char           |             | PASSED |
| 19 | Test Cases/APS/Search/Search_Ada 1 Word           |             | PASSED |
| 20 | Test Cases/APS/Search/Search_Empty                |             | PASSED |
| 21 | Test Cases/APS/Search/Search_Tdk Ada 1 Char       |             | PASSED |
| 22 | Test Cases/APS/Search/Search_Tdk Ada 1 Word       |             | PASSED |
| 23 | Test Cases/APS/Filter Data/Filter_Empty           |             | PASSED |
| 24 | Test Cases/APS/Filter Data/Filter_Negative        |             | PASSED |
| 25 | Test Cases/APS/Filter Data/Filter_Positive        |             | PASSED |

# Login\_Empty

## Information

|             |                                  |     |                     |
|-------------|----------------------------------|-----|---------------------|
| ID          | Test Cases/APS/Login/Login_Empty |     |                     |
| Description |                                  |     |                     |
| Tag         |                                  |     |                     |
| Start       | 2023-02-24 20:15:34              | End | 2023-02-24 20:15:47 |
| Elapsed     | 13.258s                          |     |                     |
| Status      | FAILED                           |     |                     |

## Details

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login' | 12.294s | PASSED |
| 2 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on     | 0.469s  | PASSED |

# Login\_Empty

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 3 | username = verifyMatch("", "candidat", true)<br><br>Unable to verify match between actual text "" and expected text 'candidat' using regular expression (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text "" and expected text 'candidat' are not matched using regular expression<br>at com.kms.katalon.core.keyword.builtin.<br>VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57)<br>at com.kms.katalon.core.keyword.builtin.<br>VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy)<br>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br>(KeywordMain.groovy:74)<br>at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch<br>(VerifyMatchKeyword.groovy:60)<br>at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute<br>(VerifyMatchKeyword.groovy:45)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords.<br>groovy:73)<br>at Login_Empty.run(Login_Empty:27)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br>java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:448)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br>java:439)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:418)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:410)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:285)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:151)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br>106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br>185)<br>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown<br>Source)<br>at TempTestSuite1677244523118.run(TempTestSuite1677244523118.groovy:36)<br>) | 0.059s  | FAILED |

# Login\_Negative

## Information

|             |                                     |     |                     |
|-------------|-------------------------------------|-----|---------------------|
| ID          | Test Cases/APS/Login/Login_Negative |     |                     |
| Description |                                     |     |                     |
| Tag         |                                     |     |                     |
| Start       | 2023-02-24 20:15:47                 | End | 2023-02-24 20:15:54 |
| Elapsed     | 6.678s                              |     |                     |
| Status      | FAILED                              |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 4.336s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidaet")<br><br>Text 'candidaet' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'     | 0.801s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.740s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.385s  | PASSED |

# Login\_Negative

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 5 | username = verifyMatch("candidaet", "candidat", false)<br><br>Unable to verify match between actual text 'candidaet' and expected text 'candidat' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text 'candidaet' and expected text 'candidat' are not matched<br>at com.kms.katalon.core.keyword.builtin.<br>VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57)<br>at com.kms.katalon.core.keyword.builtin.<br>VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy)<br>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br>(KeywordMain.groovy:74)<br>at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch<br>(VerifyMatchKeyword.groovy:60)<br>at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute<br>(VerifyMatchKeyword.groovy:45)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords.<br>groovy:73)<br>at Login_Negative.run(Login_Negative:52)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br>java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:448)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br>java:439)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:418)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:410)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:285)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:151)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br>106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br>185)<br>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown<br>Source)<br>at TempTestSuite1677244523118.run(TempTestSuite1677244523118.groovy:36)<br>) | 0.006s  | FAILED |

# Login\_Positive

## Information

|             |                                     |     |                     |
|-------------|-------------------------------------|-----|---------------------|
| ID          | Test Cases/APS/Login/Login_Positive |     |                     |
| Description |                                     |     |                     |
| Tag         |                                     |     |                     |
| Start       | 2023-02-24 20:15:54                 | End | 2023-02-24 20:16:02 |
| Elapsed     | 8.443s                              |     |                     |
| Status      | PASSED                              |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.033s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.706s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.744s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.396s  | PASSED |
| 5 | username = verifyMatch("candidat", "candidat", true)<br><br>Actual text 'candidat' and expected text 'candidat' are matched using regular expression   | 0.003s  | PASSED |
| 6 | password = verifyMatch("password123", "password123", true)<br><br>Actual text 'password123' and expected text 'password123' are matched using regular expression   | 0.003s  | PASSED |

## Login\_Positive

---

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 7 | if (username == true && password == true)<br><a href="#">Browser is closed</a> | 1.166s  | PASSED |



# Lihat Menu Pemilih Tetap

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Lihat Menu Pemilih Tetap |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:16:02                     | End | 2023-02-24 20:16:17 |
| Elapsed     | 14.509s                                 |     |                     |
| Status      | PASSED                                  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 10.546s | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.723s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.723s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.383s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.613s  | PASSED |
| 6 | closeBrowser()<br><br>Browser is closed  | 1.191s  | PASSED |

# Tambah\_EmptyA

## Information

|             |  |     |                     |
|-------------|--|-----|---------------------|
| ID          | Test Cases/APS/Tambah Data Pemilih/Tambah_EmptyA |     |                     |
| Description |  |     |                     |
| Tag         |  |     |                     |
| Start       | 2023-02-24 20:16:17                              | End | 2023-02-24 20:16:30 |
| Elapsed     | 13.571s  |     |                     |
| Status      | PASSED   |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 3.629s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.749s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.709s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.377s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 3.809s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.028s  | PASSED |

# Tambah\_EmptyA

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/button_Tambah"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/button_Tambah' is clicked on                            | 2.549s  | PASSED |
| 8  | verifyElementClickable(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))<br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clickable | 0.372s  | PASSED |
| 9  | verifyElementPresent(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"), 3)<br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is present  | 0.581s  | PASSED |
| 10 | enhancedClick(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))<br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clicked on        | 0.428s  | PASSED |

# Tambah\_EmptyB

## Information

|             |  |     |                     |
|-------------|--|-----|---------------------|
| ID          | Test Cases/APS/Tambah Data Pemilih/Tambah_EmptyB |     |                     |
| Description |  |     |                     |
| Tag         |  |     |                     |
| Start       | 2023-02-24 20:16:30                              | End | 2023-02-24 20:16:31 |
| Elapsed     | 0.358s   |     |                     |
| Status      | PASSED   |     |                     |

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | return null | 0.000s  | PASSED |

# Tambah\_NegativeA

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Tambah Data Pemilih/Tambah_NegativeA |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:16:31                                 | End | 2023-02-24 20:17:10 |
| Elapsed     | 39.810s   |     |                     |
| Status      | PASSED  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.591s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.728s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.736s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.394s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 1.002s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.020s  | PASSED |

## Tambah\_NegativeA

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/button_Tambah"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/button_Tambah' is clicked on  | 9.999s  | PASSED |
| 8  | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_kk"), "1011121314151617")<br><br>Text '1011121314151617' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_kk'               | 0.955s  | PASSED |
| 9  | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_nik"), "12345")<br><br>Text '12345' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_nik'                                   | 1.023s  | PASSED |
| 10 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_nama"), "Salsabila")<br><br>Text 'Salsabila' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_nama'                         | 0.925s  | PASSED |
| 11 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/textarea__pilih_alamat"), "Rajasa Residence")<br><br>Text 'Rajasa Residence' is set on object 'Object Repository/APS/Page_APS_Form Tambah/textarea__pilih_alamat' | 1.029s  | PASSED |
| 12 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_rt"), "1")<br><br>Text '1' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_rt'   | 1.155s  | PASSED |
| 13 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_rw"), "3")<br><br>Text '3' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_rw'   | 0.798s  | PASSED |

## Tambah\_NegativeA

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 14 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -' is clicked on   | 0.398s  | PASSED |
| 15 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Kelurahan"), "Tasik Malaya", false)<br><br>All options with label 'Tasik Malaya' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Kelurahan' | 0.963s  | PASSED |
| 16 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -' is clicked on   | 0.799s  | PASSED |
| 17 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_tempat_lahir"), "Jakarta")<br><br>Text 'Jakarta' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_tempat_lahir'  | 1.228s  | PASSED |
| 18 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir"), "12/07/2000")<br><br>Text '12/07/2000' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir'  | 1.152s  | PASSED |
| 19 | sendKeys(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir"), Keys.chord(TAB))<br><br>Keys 'TAB + ' sent to object: 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir'   | 0.500s  | PASSED |
| 20 | check(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_laki"))<br><br>Object 'Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_laki' is checked   | 0.497s  | PASSED |

## Tambah\_NegativeA

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 21 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -' is clicked on   | 0.489s  | PASSED |
| 22 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Status Kawin"), "B - Belum Kawin", false)<br><br>All options with label 'B - Belum Kawin' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Status Kawin' | 0.991s  | PASSED |
| 23 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -' is clicked on   | 0.467s  | PASSED |
| 24 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -' is clicked on   | 0.634s  | PASSED |
| 25 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Caleg"), "Dummy", false)<br><br>All options with label 'Dummy' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Caleg'                                   | 1.214s  | PASSED |
| 26 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -' is clicked on   | 0.713s  | PASSED |
| 27 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih TPS -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih TPS -' is clicked on   | 0.515s  | PASSED |



## Tambah\_NegativeA

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 28 | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih TPS"), "Testing TPS", false)</code><br><br>All options with label 'Testing TPS' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih TPS' | 0.827s  | PASSED |
| 29 | <code>click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_- Pilih TPS -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_- Pilih TPS -' is clicked on   | 0.718s  | PASSED |
| 30 | <code>check(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_pemilih"))</code><br><br>Object 'Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_pemilih' is checked   | 0.950s  | PASSED |
| 31 | <code>verifyElementClickable(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))</code><br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clickable  | 0.354s  | PASSED |
| 32 | <code>verifyElementPresent(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"), 3)</code><br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is present   | 0.571s  | PASSED |
| 33 | <code>enhancedClick(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clicked on   | 0.394s  | PASSED |
| 34 | <code>closeBrowser()</code><br><br>Browser is closed   | 0.660s  | PASSED |

# Tambah\_NegativeB

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Tambah Data Pemilih/Tambah_NegativeB |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:17:11                                 | End | 2023-02-24 20:17:46 |
| Elapsed     | 35.096s   |     |                     |
| Status      | PASSED  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.217s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.697s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.715s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.372s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 4.587s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.022s  | PASSED |

## Tambah\_NegativeB

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/button_Tambah"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/button_Tambah' is clicked on  | 2.377s  | PASSED |
| 8  | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_kk"), "1011121314151617")<br><br>Text '1011121314151617' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_kk'               | 0.928s  | PASSED |
| 9  | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_nik"), "1716151413121110")<br><br>Text '1716151413121110' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_nik'             | 0.972s  | PASSED |
| 10 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_nama"), "Salsabila")<br><br>Text 'Salsabila' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_nama'                         | 0.947s  | PASSED |
| 11 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/textarea__pilih_alamat"), "Rajasa Residence")<br><br>Text 'Rajasa Residence' is set on object 'Object Repository/APS/Page_APS_Form Tambah/textarea__pilih_alamat' | 1.068s  | PASSED |
| 12 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_rt"), "-1")<br><br>Text '-1' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_rt'   | 1.170s  | PASSED |
| 13 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_rw"), "-3")<br><br>Text '-3' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_rw'   | 1.060s  | PASSED |

## Tambah\_NegativeB

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 14 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -' is clicked on   | 0.710s  | PASSED |
| 15 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Select/Select_Pilih Kelurahan"), "Tasik Malaya", false)<br><br>All options with label 'Tasik Malaya' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Select/Select_Pilih Kelurahan' | 1.009s  | PASSED |
| 16 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -' is clicked on   | 1.022s  | PASSED |
| 17 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_tempat_lahir"), "Jakarta")<br><br>Text 'Jakarta' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_tempat_lahir'  | 0.966s  | PASSED |
| 18 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir"), "12/07/2000")<br><br>Text '12/07/2000' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir'  | 1.417s  | PASSED |
| 19 | sendKeys(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir"), Keys.chord(TAB))<br><br>Keys 'TAB + ' sent to object: 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir'   | 0.584s  | PASSED |
| 20 | check(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_laki"))<br><br>Object 'Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_laki' is checked   | 0.517s  | PASSED |

## Tambah\_NegativeB

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 21 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -' is clicked on   | 0.485s  | PASSED |
| 22 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Status Kawin"), "B - Belum Kawin", false)<br><br>All options with label 'B - Belum Kawin' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Status Kawin' | 1.012s  | PASSED |
| 23 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -' is clicked on   | 0.472s  | PASSED |
| 24 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -' is clicked on   | 0.505s  | PASSED |
| 25 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Caleg"), "Dummy", false)<br><br>All options with label 'Dummy' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Caleg'                                   | 0.995s  | PASSED |
| 26 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -' is clicked on   | 0.468s  | PASSED |
| 27 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih TPS -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih TPS -' is clicked on   | 0.510s  | PASSED |

## Tambah\_NegativeB

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 28 | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih TPS"), "Testing TPS", false)</code><br><br>All options with label 'Testing TPS' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih TPS' | 0.999s  | PASSED |
| 29 | <code>click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_- Pilih TPS -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_- Pilih TPS -' is clicked on   | 0.481s  | PASSED |
| 30 | <code>check(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_pemilih"))</code><br><br>Object 'Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_pemilih' is checked   | 0.597s  | PASSED |
| 31 | <code>verifyElementClickable(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))</code><br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clickable  | 0.342s  | PASSED |
| 32 | <code>verifyElementPresent(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"), 3)</code><br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is present   | 0.528s  | PASSED |
| 33 | <code>enhancedClick(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clicked on   | 0.363s  | PASSED |
| 34 | <code>closeBrowser()</code><br><br>Browser is closed   | 0.647s  | PASSED |

# Tambah\_NegativeC

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Tambah Data Pemilih/Tambah_NegativeC |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:17:46                                 | End | 2023-02-24 20:18:31 |
| Elapsed     | 44.963s   |     |                     |
| Status      | PASSED  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 6.522s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.747s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.760s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.378s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.690s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.029s  | PASSED |

## Tambah\_NegativeC

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/button_Tambah"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/button_Tambah' is clicked on  | 14.189s | PASSED |
| 8  | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_kk"), "1011121314151617")<br><br>Text '1011121314151617' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_kk'               | 1.624s  | PASSED |
| 9  | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_nik"), "1716151413121110")<br><br>Text '1716151413121110' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_nik'             | 0.919s  | PASSED |
| 10 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_nama"), "Salsabila")<br><br>Text 'Salsabila' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_nama'                         | 1.035s  | PASSED |
| 11 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/textarea__pilih_alamat"), "Rajasa Residence")<br><br>Text 'Rajasa Residence' is set on object 'Object Repository/APS/Page_APS_Form Tambah/textarea__pilih_alamat' | 0.976s  | PASSED |
| 12 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_rt"), "1")<br><br>Text '1' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_rt'   | 1.666s  | PASSED |
| 13 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_rw"), "3")<br><br>Text '3' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_rw'   | 1.008s  | PASSED |



## Tambah\_NegativeC

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 14 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -' is clicked on   | 0.389s  | PASSED |
| 15 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Kelurahan"), "Tasik Malaya", false)<br><br>All options with label 'Tasik Malaya' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Kelurahan' | 0.915s  | PASSED |
| 16 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -' is clicked on   | 0.819s  | PASSED |
| 17 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pemilih_tempat_lahir"), "Jakarta")<br><br>Text 'Jakarta' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pemilih_tempat_lahir'  | 1.296s  | PASSED |
| 18 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pemilih_tgl_lahir"), "12/07/2025")<br><br>Text '12/07/2025' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pemilih_tgl_lahir'  | 1.059s  | PASSED |
| 19 | sendKeys(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pemilih_tgl_lahir"), Keys.chord(TAB))<br><br>Keys 'TAB + ' sent to object: 'Object Repository/APS/Page_APS_Form Tambah/input__pemilih_tgl_lahir'   | 0.512s  | PASSED |
| 20 | check(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_laki"))<br><br>Object 'Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_laki' is checked   | 0.503s  | PASSED |

## Tambah\_NegativeC

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 21 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -' is clicked on   | 0.495s  | PASSED |
| 22 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Status Kawin"), "B - Belum Kawin", false)<br><br>All options with label 'B - Belum Kawin' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Status Kawin' | 1.044s  | PASSED |
| 23 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -' is clicked on   | 0.493s  | PASSED |
| 24 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -' is clicked on   | 0.529s  | PASSED |
| 25 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Caleg"), "Dummy", false)<br><br>All options with label 'Dummy' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Caleg'                                   | 0.923s  | PASSED |
| 26 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -' is clicked on   | 0.529s  | PASSED |
| 27 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih TPS -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih TPS -' is clicked on   | 0.505s  | PASSED |

## Tambah\_NegativeC

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 28 | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih TPS"), "Testing TPS", false)</code><br><br>All options with label 'Testing TPS' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih TPS' | 1.038s  | PASSED |
| 29 | <code>click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_- Pilih TPS -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_- Pilih TPS -' is clicked on   | 0.509s  | PASSED |
| 30 | <code>check(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_pemilih"))</code><br><br>Object 'Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_pemilih' is checked   | 0.523s  | PASSED |
| 31 | <code>verifyElementClickable(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))</code><br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clickable  | 0.340s  | PASSED |
| 32 | <code>verifyElementPresent(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"), 3)</code><br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is present   | 0.575s  | PASSED |
| 33 | <code>enhancedClick(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clicked on   | 0.409s  | PASSED |
| 34 | <code>closeBrowser()</code><br><br>Browser is closed   | 0.665s  | PASSED |

# Tambah\_Positive

## Information

|             |  |     |                     |
|-------------|--|-----|---------------------|
| ID          | Test Cases/APS/Tambah Data Pemilih/Tambah_Positive |     |                     |
| Description |  |     |                     |
| Tag         |  |     |                     |
| Start       | 2023-02-24 20:18:31                                | End | 2023-02-24 20:19:09 |
| Elapsed     | 38.495s  |     |                     |
| Status      | PASSED   |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 4.735s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.749s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.702s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.363s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.933s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.020s  | PASSED |

## Tambah\_Positive

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/button_Tambah"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/button_Tambah' is clicked on  | 9.815s  | PASSED |
| 8  | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_kk"), "1011121314151617")<br><br>Text '1011121314151617' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_kk'               | 0.996s  | PASSED |
| 9  | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_nik"), "1716151413121110")<br><br>Text '1716151413121110' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_nik'             | 0.955s  | PASSED |
| 10 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_nama"), "Salsabila")<br><br>Text 'Salsabila' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_nama'                         | 0.997s  | PASSED |
| 11 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/textarea__pilih_alamat"), "Rajasa Residence")<br><br>Text 'Rajasa Residence' is set on object 'Object Repository/APS/Page_APS_Form Tambah/textarea__pilih_alamat' | 1.062s  | PASSED |
| 12 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_rt"), "1")<br><br>Text '1' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_rt'   | 1.184s  | PASSED |
| 13 | setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_rw"), "3")<br><br>Text '3' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_rw'   | 1.036s  | PASSED |

## Tambah\_Positive

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 14 | <code>click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -' is clicked on   | 0.728s  | PASSED |
| 15 | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Select/Select_Pilih Kelurahan"), "Tasik Malaya", false)</code><br><br>All options with label 'Tasik Malaya' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Select/Select_Pilih Kelurahan' | 1.240s  | PASSED |
| 16 | <code>click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Kelurahan -' is clicked on   | 0.687s  | PASSED |
| 17 | <code>setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_tempat_lahir"), "Jakarta")</code><br><br>Text 'Jakarta' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_tempat_lahir'  | 1.038s  | PASSED |
| 18 | <code>setText(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir"), "12/07/2000")</code><br><br>Text '12/07/2000' is set on object 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir'  | 1.434s  | PASSED |
| 19 | <code>sendKeys(findTestObject("Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir"), Keys.chord(TAB))</code><br><br>Keys 'TAB + ' sent to object: 'Object Repository/APS/Page_APS_Form Tambah/input__pilih_tgl_lahir'   | 0.480s  | PASSED |
| 20 | <code>check(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_laki"))</code><br><br>Object 'Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_laki' is checked   | 0.523s  | PASSED |

## Tambah\_Positive

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 21 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -' is clicked on   | 0.533s  | PASSED |
| 22 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Status Kawin"), "B - Belum Kawin", false)<br><br>All options with label 'B - Belum Kawin' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Status Kawin' | 1.006s  | PASSED |
| 23 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Status Kawin -' is clicked on   | 0.487s  | PASSED |
| 24 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -' is clicked on   | 0.503s  | PASSED |
| 25 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Caleg"), "Dummy", false)<br><br>All options with label 'Dummy' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih Caleg'                                   | 1.035s  | PASSED |
| 26 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih Caleg -' is clicked on   | 0.493s  | PASSED |
| 27 | click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih TPS -"))<br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_ - Pilih TPS -' is clicked on   | 0.494s  | PASSED |

## Tambah\_Positive

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 28 | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih TPS"), "Testing TPS", false)</code><br><br>All options with label 'Testing TPS' are selected in object 'Object Repository/APS/Page_APS_Form Tambah/Span-Select/Select_Pilih TPS' | 1.017s  | PASSED |
| 29 | <code>click(findTestObject("Object Repository/APS/Page_APS_Form Tambah/span_- Pilih TPS -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Form Tambah/span_- Pilih TPS -' is clicked on   | 0.492s  | PASSED |
| 30 | <code>check(findTestObject("Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_pemilih"))</code><br><br>Object 'Object Repository/APS/Page_APS_Form Tambah/Page_APS_RadioButton/span_pemilih' is checked   | 0.498s  | PASSED |
| 31 | <code>verifyElementClickable(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))</code><br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clickable  | 0.347s  | PASSED |
| 32 | <code>verifyElementPresent(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"), 3)</code><br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is present   | 0.570s  | PASSED |
| 33 | <code>enhancedClick(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clicked on   | 0.362s  | PASSED |
| 34 | <code>closeBrowser()</code><br><br>Browser is closed   | 0.654s  | PASSED |



# Edit\_Tanpa Ubah

## Information

|             |  |     |                     |
|-------------|--|-----|---------------------|
| ID          | Test Cases/APS/Edit Data Pemilih/Edit_Tanpa Ubah |     |                     |
| Description |  |     |                     |
| Tag         |  |     |                     |
| Start       | 2023-02-24 20:19:09                              | End | 2023-02-24 20:19:29 |
| Elapsed     | 19.746s  |     |                     |
| Status      | PASSED   |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.628s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.752s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.729s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.369s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.533s  | PASSED |
| 6 | scrollToPosition(60, 30)<br><br>Browser is scrolled to position x = 60, y = 30   | 0.023s  | PASSED |

# Edit\_Tanpa Ubah

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/i_PEMILIH_icon far fa-edit"))<br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/i_PEMILIH_icon far fa-edit' is clicked on | 8.657s  | PASSED |
| 8  | verifyElementClickable(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))<br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clickable            | 0.771s  | PASSED |
| 9  | verifyElementPresent(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"), 3)<br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is present             | 0.774s  | PASSED |
| 10 | enhancedClick(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))<br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clicked on                   | 0.447s  | PASSED |
| 11 | closeBrowser()<br><br>Browser is closed   | 0.754s  | PASSED |

# Edit\_Ubah

## Information

|             |  |     |                     |
|-------------|--|-----|---------------------|
| ID          | Test Cases/APS/Edit Data Pemilih/Edit_Ubah |     |                     |
| Description |  |     |                     |
| Tag         |  |     |                     |
| Start       | 2023-02-24 20:19:29                        | End | 2023-02-24 20:19:54 |
| Elapsed     | 24.725s                                    |     |                     |
| Status      | PASSED                                     |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 6.208s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.928s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.821s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.380s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 7.635s  | PASSED |
| 6 | scrollToPosition(60, 30)<br><br>Browser is scrolled to position x = 60, y = 30   | 0.021s  | PASSED |

## Edit\_Ubah

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/i_PEMILIH_icon far fa-edit"))<br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/i_PEMILIH_icon far fa-edit' is clicked on  | 2.990s  | PASSED |
| 8  | clearText(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_nik"))<br><br>Text of object 'Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_nik' is cleared                              | 1.828s  | PASSED |
| 9  | setText(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_nik"), "01010101010101")<br><br>Text '01010101010101' is set on object 'Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_nik' | 1.147s  | PASSED |
| 10 | verifyElementClickable(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))<br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clickable   | 0.571s  | PASSED |
| 11 | verifyElementPresent(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"), 3)<br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is present  | 0.373s  | PASSED |
| 12 | enhancedClick(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))<br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clicked on  | 0.746s  | PASSED |
| 13 | closeBrowser()<br><br>Browser is closed  | 0.710s  | PASSED |

# Edit\_Ubah Kosong

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Edit Data Pemilih/Edit_Ubah Kosong |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:19:54                               | End | 2023-02-24 20:20:20 |
| Elapsed     | 26.675s   |     |                     |
| Status      | PASSED  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 6.116s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.895s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.817s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.430s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.624s  | PASSED |
| 6 | scrollToPosition(60, 30)<br><br>Browser is scrolled to position x = 60, y = 30   | 0.023s  | PASSED |

## Edit\_Ubah Kosong

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/i_PEMILIH_icon far fa-edit"))<br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/i_PEMILIH_icon far fa-edit' is clicked on  | 10.577s | PASSED |
| 8  | clearText(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_nik"))<br><br>Text of object 'Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_nik' is cleared                                  | 1.074s  | PASSED |
| 9  | setText(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_nik"), "")<br><br>Text " " is set on object 'Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_nik'                                | 1.206s  | PASSED |
| 10 | scrollToPosition(30, 125)<br><br>Browser is scrolled to position x = 30, y = 125   | 0.022s  | PASSED |
| 11 | click(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_tgl_lahir"))<br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_tgl_lahir' is clicked on                              | 0.681s  | PASSED |
| 12 | setText(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_tgl_lahir"), "dd/mm/yyyy")<br><br>Text 'dd/mm/yyyy' is set on object 'Object Repository/APS/Page_APS_Edit Data Pemilih/Edit Data_Form/APS_Edit Kosong/input__pemilih_tgl_lahir' | 1.242s  | PASSED |
| 13 | verifyElementClickable(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"))<br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clickable   | 0.748s  | PASSED |
| 14 | verifyElementPresent(findTestObject("Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan"), 3)<br><br>Object 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is present  | 0.345s  | PASSED |

# Edit\_Ubah Kosong

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 15 | enhancedClick(findTestObject("Object Repository/APS/Page_APS_Edit Data<br>Pemilih/button_Simpan"))<br><br>Object: 'Object Repository/APS/Page_APS_Edit Data Pemilih/button_Simpan' is clicked on | 0.649s  | PASSED |
| 16 | closeBrowser()<br><br>Browser is closed  | 0.695s  | PASSED |

# Lihat Log Update

## Information

|             |                                 |     |                     |
|-------------|---------------------------------|-----|---------------------|
| ID          | Test Cases/APS/Lihat Log Update |     |                     |
| Description |                                 |     |                     |
| Tag         |                                 |     |                     |
| Start       | 2023-02-24 20:20:20             | End | 2023-02-24 20:20:43 |
| Elapsed     | 22.553s                         |     |                     |
| Status      | PASSED                          |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 6.443s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.877s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.743s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.406s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 9.068s  | PASSED |
| 6 | scrollToPosition(60, 30)<br><br>Browser is scrolled to position x = 60, y = 30   | 0.034s  | PASSED |



# Lihat Log Update

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 7 | click(findTestObject("Object Repository/APS/Page_APS_Log Update/i_PEMILIH_icon fas fa-history"))<br><br>Object: 'Object Repository/APS/Page_APS_Log Update/i_PEMILIH_icon fas fa-history' is clicked on | 2.807s  | PASSED |
| 8 | click(findTestObject("Object Repository/APS/Page_APS_Log Update/i_Log Update_ki ki-close"))<br><br>Object: 'Object Repository/APS/Page_APS_Log Update/i_Log Update_ki ki-close' is clicked on           | 1.015s  | PASSED |
| 9 | closeBrowser()<br><br>Browser is closed   | 0.768s  | PASSED |

# Import Excel\_Empty

## Information

|             |  |     |                     |
|-------------|--|-----|---------------------|
| ID          | Test Cases/APS/Import Excel/Import Excel_Empty |     |                     |
| Description |  |     |                     |
| Tag         |  |     |                     |
| Start       | 2023-02-24 20:20:43                            | End | 2023-02-24 20:21:06 |
| Elapsed     | 23.386s  |     |                     |
| Status      | PASSED   |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.731s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.839s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.807s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.495s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.869s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.028s  | PASSED |

## Import Excel\_Empty

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/button_Toggle Dropdown"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/button_Toggle Dropdown' is clicked on                                   | 9.964s  | PASSED |
| 8  | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/a_Import Excel"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/a_Import Excel' is clicked on   | 0.980s  | PASSED |
| 9  | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/button_Upload"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/button_Upload' is clicked on   | 0.989s  | PASSED |
| 10 | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_Yes"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_Yes' is clicked on | 0.507s  | PASSED |
| 11 | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_OK"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_OK' is clicked on   | 0.894s  | PASSED |
| 12 | closeBrowser()<br><br>Browser is closed   | 0.754s  | PASSED |

# Import Excel\_Negative

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Import Excel/Import Excel_Negative |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:21:06                               | End | 2023-02-24 20:22:07 |
| Elapsed     | 1m - 0.989s                                       |     |                     |
| Status      | FAILED  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 10.311s | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.873s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.742s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.394s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.991s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.049s  | PASSED |


## Import Excel\_Negative

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/button_Toggle Dropdown"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/button_Toggle Dropdown' is clicked on  | 12.723s | PASSED |
| 8  | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/a_Import Excel"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/a_Import Excel' is clicked on  | 1.488s  | PASSED |
| 9  | uploadFile(findTestObject("Object Repository/APS/Page_APS_Import Excel/input_Pilih File_excel_file"), "D:\\Data Pemilih 2023-02-23 16_16_54.png")<br><br>File 'D:\\Data Pemilih 2023-02-23 16_16_54.png' sent to object: 'Object Repository/APS/Page_APS_Import Excel/input_Pilih File_excel_file' | 0.666s  | PASSED |
| 10 | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/button_Upload"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/button_Upload' is clicked on  | 0.465s  | PASSED |
| 11 | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_Yes"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_Yes' is clicked on  | 0.535s  | PASSED |

## Import Excel\_Negative

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 12 | <p>click(findTestObject("Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_OK"))</p> <p>Unable to click on object 'Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_OK' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_OK' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call (Unknown Source) at Import Excel_Negative.run (Import Excel_Negative:48) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1677244523118.run (TempTestSuite1677244523118.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_OK' located by '//*[@type='button']'[9]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall (ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p> | 31.334s | FAILED |

# Import Excel\_Negative

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | <pre>(WebUIKeywordMain.groovy:20)   at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)   at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)   at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:620)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call(Unknown Source)   at Script1677151257055.run(Script1677151257055.groovy:48)   ... 13 more )</pre> |         |        |
|   |    |         |        |

# Import Excel\_Positive

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Import Excel/Import Excel_Positive |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:22:07                               | End | 2023-02-24 20:22:37 |
| Elapsed     | 29.943s   |     |                     |
| Status      | PASSED  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 7.949s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.862s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.716s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.386s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 9.880s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.019s  | PASSED |



## Import Excel\_Positive

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/button_Toggle Dropdown"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/button_Toggle Dropdown' is clicked on  | 4.572s  | PASSED |
| 8  | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/a_Import Excel"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/a_Import Excel' is clicked on  | 0.569s  | PASSED |
| 9  | uploadFile(findTestObject("Object Repository/APS/Page_APS_Import Excel/input_Pilih File_excel_file"), "D:\\Data Pemilihan 2023-02-23 16_16_54.xlsx")<br><br>File 'D:\\Data Pemilihan 2023-02-23 16_16_54.xlsx' sent to object: 'Object Repository/APS/Page_APS_Import Excel/input_Pilih File_excel_file' | 0.678s  | PASSED |
| 10 | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/button_Upload"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/button_Upload' is clicked on  | 0.762s  | PASSED |
| 11 | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_Yes"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_Yes' is clicked on  | 0.518s  | PASSED |
| 12 | click(findTestObject("Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_OK"))<br><br>Object: 'Object Repository/APS/Page_APS_Import Excel/Page_APS_Validasi YES Upload/button_OK' is clicked on  | 1.932s  | PASSED |
| 13 | closeBrowser()<br><br>Browser is closed  | 0.670s  | PASSED |

# Search\_Ada 1 Char

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Search/Search_Ada 1 Char |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:22:37                     | End | 2023-02-24 20:22:56 |
| Elapsed     | 18.372s                                 |     |                     |
| Status      | PASSED                                  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.574s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.770s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.729s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.389s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.675s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.015s  | PASSED |

## Search\_Ada 1 Char

---

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 7 | <code>click(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"))</code><br><br>Object: 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' is clicked on              | 8.985s  | PASSED |
| 8 | <code>setText(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"), "**")</code><br><br>Text '**' is set on object 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' | 0.910s  | PASSED |

# Search\_Ada 1 Word

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Search/Search_Ada 1 Word |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:22:56                     | End | 2023-02-24 20:23:15 |
| Elapsed     | 18.954s                                 |     |                     |
| Status      | PASSED                                  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 7.083s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.819s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.752s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.382s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 5.929s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.023s  | PASSED |

## Search\_Ada 1 Word

---

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 7 | click(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"))<br><br>Object: 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' is clicked on                    | 2.705s  | PASSED |
| 8 | setText(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"), "Elvia")<br><br>Text 'Elvia' is set on object 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' | 0.907s  | PASSED |

# Search\_Empty

## Information

|             |                                    |     |                     |
|-------------|------------------------------------|-----|---------------------|
| ID          | Test Cases/APS/Search/Search_Empty |     |                     |
| Description |                                    |     |                     |
| Tag         |                                    |     |                     |
| Start       | 2023-02-24 20:23:15                | End | 2023-02-24 20:23:38 |
| Elapsed     | 23.692s                            |     |                     |
| Status      | PASSED                             |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.820s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.733s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.737s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.374s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.693s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.032s  | PASSED |

## Search\_Empty

---

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 7 | click(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"))<br><br>Object: 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' is clicked on           | 14.094s | PASSED |
| 8 | setText(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"), "")<br><br>Text " " is set on object 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' | 0.859s  | PASSED |

# Search\_Tdk Ada 1 Char

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Search/Search_Tdk Ada 1 Char |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:23:38                         | End | 2023-02-24 20:23:59 |
| Elapsed     | 20.940s                                     |     |                     |
| Status      | PASSED                                      |     |                     |

## Details

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | <div>openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")</div> <div>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'</div>  | 5.699s  | PASSED |
| 2 | <div>setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")</div> <div>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'</div>       | 0.714s  | PASSED |
| 3 | <div>setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")</div> <div>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password'</div> | 0.710s  | PASSED |
| 4 | <div>click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))</div> <div>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on</div>  | 0.364s  | PASSED |
| 5 | <div>click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))</div> <div>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on</div>                          | 0.640s  | PASSED |
| 6 | <div>scrollToPosition(30, 30)</div> <div>Browser is scrolled to position x = 30, y = 30</div>   | 0.048s  | PASSED |



## Search\_Tdk Ada 1 Char

---

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 7 | click(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"))<br><br>Object: 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' is clicked on          | 11.578s | PASSED |
| 8 | setText(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"), "")<br><br>Text "" is set on object 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' | 0.864s  | PASSED |

# Search\_Tdk Ada 1 Word

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Search/Search_Tdk Ada 1 Word |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:23:59                         | End | 2023-02-24 20:24:18 |
| Elapsed     | 18.467s                                     |     |                     |
| Status      | PASSED                                      |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.938s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.816s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.711s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.378s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.654s  | PASSED |
| 6 | scrollToPosition(30, 30)<br><br>Browser is scrolled to position x = 30, y = 30   | 0.049s  | PASSED |

## Search\_Tdk Ada 1 Word

---

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 7 | click(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"))<br><br>Object: 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' is clicked on                  | 8.666s  | PASSED |
| 8 | setText(findTestObject("Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch"), "oreo")<br><br>Text 'oreo' is set on object 'Object Repository/APS/Page_APS _Search/input_Data Pemilih_table-inputpemilih_dtSearch' | 0.921s  | PASSED |

# Filter\_Empty

## Information

|             |   |     |                     |
|-------------|---|-----|---------------------|
| ID          | Test Cases/APS/Filter Data/Filter_Empty |     |                     |
| Description |   |     |                     |
| Tag         |   |     |                     |
| Start       | 2023-02-24 20:24:18                     | End | 2023-02-24 20:24:48 |
| Elapsed     | 29.913s                                 |     |                     |
| Status      | PASSED                                  |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.394s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.735s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.727s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.378s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 5.001s  | PASSED |
| 6 | scrollToPosition(30, 60)<br><br>Browser is scrolled to position x = 30, y = 60   | 0.013s  | PASSED |

## Filter\_Empty

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/button_Data Pemilih_btn btn-sm btn-light-aps d-flex justify-content-center"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/button_Data Pemilih_btn btn-sm btn-light-aps d-flex justify-content-center' is clicked on       | 2.669s  | PASSED |
| 8  | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan Suara/span_- Pilih Provinsi -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan Suara/span_- Pilih Provinsi -' is clicked on                                       | 0.960s  | PASSED |
| 9  | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan Suara/Select_x"), "Bengkulu", false)</code><br><br>All options with label 'Bengkulu' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan Suara/Select_x' | 1.269s  | PASSED |
| 10 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan Suara/span_- Pilih Provinsi -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan Suara/span_- Pilih Provinsi -' is clicked on                                       | 0.699s  | PASSED |
| 11 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_- Pilih KotaKabupaten -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_- Pilih KotaKabupaten -' is clicked on   | 0.936s  | PASSED |
| 12 | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/select_KotaKabupaten_filter_kota_id"), "Rejang Lebong", false)</code><br><br>All options with label 'Rejang Lebong' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/select_KotaKabupaten_filter_kota_id'       | 0.999s  | PASSED |
| 13 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_- Pilih KotaKabupaten -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_- Pilih KotaKabupaten -' is clicked on   | 1.000s  | PASSED |

## Filter\_Empty

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 14 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -' is clicked on   | 0.481s  | PASSED |
| 15 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/select_Kecamatan_filter_kecamatan_id"), "Curup", false)<br><br>All options with label 'Curup' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/select_Kecamatan_filter_kecamatan_id'           | 0.803s  | PASSED |
| 16 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -' is clicked on   | 1.128s  | PASSED |
| 17 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -' is clicked on   | 0.625s  | PASSED |
| 18 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/select_Kelurahan_filter_kelurahan_id"), "Jalan Baru", false)<br><br>All options with label 'Jalan Baru' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/select_Kelurahan_filter_kelurahan_id' | 0.905s  | PASSED |
| 19 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -' is clicked on   | 1.009s  | PASSED |
| 20 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih TPS -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih TPS -' is clicked on   | 0.504s  | PASSED |

## Filter\_Empty

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 21 | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/select_TPS_filter_tps_id"), "Baru", false)</code><br><br>All options with label 'Baru' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/select_TPS_filter_tps_id' | 0.802s  | PASSED |
| 22 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_- Pilih TPS -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_- Pilih TPS -' is clicked on   | 0.694s  | PASSED |
| 23 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Negative/Page_APS_Del1/span_delprov"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Negative/Page_APS_Del1/span_delprov' is clicked on   | 0.478s  | PASSED |
| 24 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/button_Apply"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/button_Apply' is clicked on   | 0.697s  | PASSED |
| 25 | <code>closeBrowser()</code><br><br>Browser is closed   | 0.656s  | PASSED |

# Filter\_Negative

## Information

|             |  |     |                     |
|-------------|--|-----|---------------------|
| ID          | Test Cases/APS/Filter Data/Filter_Negative |     |                     |
| Description |  |     |                     |
| Tag         |  |     |                     |
| Start       | 2023-02-24 20:24:48                        | End | 2023-02-24 20:25:16 |
| Elapsed     | 28.822s                                    |     |                     |
| Status      | PASSED                                     |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 4.662s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.737s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.727s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.388s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 0.638s  | PASSED |
| 6 | scrollToPosition(30, 60)<br><br>Browser is scrolled to position x = 30, y = 60   | 0.012s  | PASSED |



## Filter\_Negative

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/button_Data<br/>Pemilih_btn btn-sm btn-light-aps d-flex justify-content-center"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/button_Data Pemilih_btn btn-sm<br>btn-light-aps d-flex justify-content-center' is clicked on          | 9.407s  | PASSED |
| 8  | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi<br/>Pemungutan Suara/span_- Pilih Provinsi -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan<br>Suara/span_- Pilih Provinsi -' is clicked on  | 0.857s  | PASSED |
| 9  | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter<br/>Positive/Page_APS Aplikasi Pemungutan Suara/Select_x"), "Bengkulu", false)</code><br><br>All options with label 'Bengkulu' are selected in object 'Object<br>Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan<br>Suara/Select_x' | 1.276s  | PASSED |
| 10 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi<br/>Pemungutan Suara/span_- Pilih Provinsi -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan<br>Suara/span_- Pilih Provinsi -' is clicked on  | 1.024s  | PASSED |
| 11 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_- Pilih<br/>KotaKabupaten -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_- Pilih KotaKabupaten -' is<br>clicked on  | 0.587s  | PASSED |
| 12 | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter<br/>Positive/select_KotaKabupaten_filter_kota_id"), "Rejang Lebong", false)</code><br><br>All options with label 'Rejang Lebong' are selected in object 'Object<br>Repository/APS/Page_APS_Filter Positive/select_KotaKabupaten_filter_kota_id'          | 0.993s  | PASSED |
| 13 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_- Pilih<br/>KotaKabupaten -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_- Pilih KotaKabupaten -' is<br>clicked on  | 1.028s  | PASSED |

## Filter\_Negative

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 14 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -' is clicked on   | 0.483s  | PASSED |
| 15 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/select_Kecamatan_filter_kecamatan_id"), "Curup", false)<br><br>All options with label 'Curup' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/select_Kecamatan_filter_kecamatan_id'                   | 0.797s  | PASSED |
| 16 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -' is clicked on   | 1.141s  | PASSED |
| 17 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -' is clicked on   | 0.601s  | PASSED |
| 18 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/select_Kelurahan_filter_kelurahan_id"), "Air Putih Lama", false)<br><br>All options with label 'Air Putih Lama' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/select_Kelurahan_filter_kelurahan_id' | 1.026s  | PASSED |
| 19 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -' is clicked on   | 0.902s  | PASSED |
| 20 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/button_Apply"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/button_Apply' is clicked on   | 0.578s  | PASSED |
| 21 | closeBrowser()<br><br>Browser is closed   | 0.647s  | PASSED |

# Filter\_Positive

## Information

|             |  |     |                     |
|-------------|--|-----|---------------------|
| ID          | Test Cases/APS/Filter Data/Filter_Positive |     |                     |
| Description |  |     |                     |
| Tag         |  |     |                     |
| Start       | 2023-02-24 20:25:16                        | End | 2023-02-24 20:25:51 |
| Elapsed     | 35.092s                                    |     |                     |
| Status      | PASSED                                     |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("https://aps-rejanglebong.skwn.dev/dev/index.php/login")<br><br>Browser is opened with url: 'https://aps-rejanglebong.skwn.dev/dev/index.php/login'  | 5.973s  | PASSED |
| 2 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Username_username"), "candidat")<br><br>Text 'candidat' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Username_username'       | 0.706s  | PASSED |
| 3 | setText(findTestObject("Object Repository/APS/Page_APS_LOGIN/input_Password_password"), "password123")<br><br>Text 'password123' is set on object 'Object Repository/APS/Page_APS_LOGIN/input_Password_password' | 0.708s  | PASSED |
| 4 | click(findTestObject("Object Repository/APS/Page_APS_LOGIN/button_Masuk"))<br><br>Object: 'Object Repository/APS/Page_APS_LOGIN/button_Masuk' is clicked on  | 0.374s  | PASSED |
| 5 | click(findTestObject("Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap"))<br><br>Object: 'Object Repository/APS/Page_APS_Pemilih Tetap/span_Pemilih Tetap' is clicked on                          | 1.741s  | PASSED |
| 6 | scrollToPosition(30, 60)<br><br>Browser is scrolled to position x = 30, y = 60   | 0.036s  | PASSED |

## Filter\_Positive

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/button_Data<br/>Pemilih_btn btn-sm btn-light-aps d-flex justify-content-center"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/button_Data Pemilih_btn btn-sm<br>btn-light-aps d-flex justify-content-center' is clicked on          | 9.563s  | PASSED |
| 8  | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi<br/>Pemungutan Suara/span_- Pilih Provinsi -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan<br>Suara/span_- Pilih Provinsi -' is clicked on  | 1.055s  | PASSED |
| 9  | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter<br/>Positive/Page_APS Aplikasi Pemungutan Suara/Select_x"), "Bengkulu", false)</code><br><br>All options with label 'Bengkulu' are selected in object 'Object<br>Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan<br>Suara/Select_x' | 1.224s  | PASSED |
| 10 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi<br/>Pemungutan Suara/span_- Pilih Provinsi -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/Page_APS Aplikasi Pemungutan<br>Suara/span_- Pilih Provinsi -' is clicked on  | 0.794s  | PASSED |
| 11 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_- Pilih<br/>KotaKabupaten -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_- Pilih KotaKabupaten -' is<br>clicked on  | 0.949s  | PASSED |
| 12 | <code>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter<br/>Positive/select_KotaKabupaten_filter_kota_id"), "Rejang Lebong", false)</code><br><br>All options with label 'Rejang Lebong' are selected in object 'Object<br>Repository/APS/Page_APS_Filter Positive/select_KotaKabupaten_filter_kota_id'          | 1.231s  | PASSED |
| 13 | <code>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_- Pilih<br/>KotaKabupaten -"))</code><br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_- Pilih KotaKabupaten -' is<br>clicked on  | 1.659s  | PASSED |

## Filter\_Positive

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 14 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -' is clicked on   | 0.491s  | PASSED |
| 15 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/select_Kecamatan_filter_kecamatan_id"), "Curup", false)<br><br>All options with label 'Curup' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/select_Kecamatan_filter_kecamatan_id'           | 0.880s  | PASSED |
| 16 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kecamatan -' is clicked on   | 0.921s  | PASSED |
| 17 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -' is clicked on   | 0.804s  | PASSED |
| 18 | selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/select_Kelurahan_filter_kelurahan_id"), "Jalan Baru", false)<br><br>All options with label 'Jalan Baru' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/select_Kelurahan_filter_kelurahan_id' | 0.994s  | PASSED |
| 19 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih Kelurahan -' is clicked on   | 1.458s  | PASSED |
| 20 | click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih TPS -"))<br><br>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_ - Pilih TPS -' is clicked on   | 0.510s  | PASSED |

# Filter\_Positive

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 21 | <div>selectOptionByLabel(findTestObject("Object Repository/APS/Page_APS_Filter Positive/select_TPS_filter_tps_id"), "Baru", false)</div> <div>All options with label 'Baru' are selected in object 'Object Repository/APS/Page_APS_Filter Positive/select_TPS_filter_tps_id'</div> | 1.020s  | PASSED |
| 22 | <div>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/span_- Pilih TPS -"))</div> <div>Object: 'Object Repository/APS/Page_APS_Filter Positive/span_- Pilih TPS -' is clicked on</div>   | 0.455s  | PASSED |
| 23 | <div>click(findTestObject("Object Repository/APS/Page_APS_Filter Positive/button_Apply"))</div> <div>Object: 'Object Repository/APS/Page_APS_Filter Positive/button_Apply' is clicked on</div>   | 0.571s  | PASSED |
| 24 | <div>closeBrowser()</div> <div>Browser is closed</div>   | 0.659s  | PASSED |