







CUMULATIVE COVID-19 CASES per 100,000 between Mar 01, 2020 - Jun 13, 2020




PROJECTED COVID-19 HOSPITALIZATIONS IN THE SOUTHEAST REGION



CUMULATIVE COVID-19 CASES AND DEATHS IN THE SOUTHEAST REGION




GOOGLE MOBILITY INDEX: RECREATION AND RETAIL TRAVEL IN THE SOUTHEAST REGION



Indicator Label: % increase/decrease in mobility compared to baseline; above baseline = red up arrow; below baseline = green down arrow.

ONE WEEK DIFFERENCE IN THE SOUTHEAST REGION




Sources: *NHSN, **DHSS

DHSS data shows change in totals; NHSN data shows average changes.

New admissions is a recently added NHSN measure, and the data are not yet available.

COVID-19 HOSPITALIZED AND VENTILATED PATIENTS IN THE SOUTHEAST REGION



Indicator Label: Green arrow if "Days of Consecutive Decline" is greater than or equal to 7; otherwise, no indicator. Note: Definition of consecutive 7-day decline is across the most current 7 days included in the report. Data includes both confirmed and suspected COVID-19 cases.



STATEWIDE AND REGIONAL VENTILATOR AVAILABILITY

	STATE		REGIONAL	
	% AVAIL	Total	% AVAIL	Total
Mechanical Ventilators	79% ↑	2,913	93% ↑	204

Ventilator availability indicator is based on a published online COVID-19-associated supply target of 22.66 vents per 100,000 population. <https://www.nsmedicaldevices.com/analysis/coronavirus-ventilators-global-demand/>



STATEWIDE AND REGIONAL BED AVAILABILITY

	STATE		REGIONAL	
	% AVAIL	Total	% AVAIL	Total
Total Inpatient Capacity	32% ↑	16,853	35% ↑	754
Intensive Care Units	41% ↑	2,780	61% ↑	122

IP and ICU beds indicator is based on CDC Phases. Phase 1 (<80% full), Phase 2 (<75% full), Phase 3 (<70% full) = green up arrow. Red down arrows for everything else.




AVERAGE STATEWIDE AND REGIONAL PPE AVAILABILITY

Categories	15+ DAYS ON HAND		4-14 DAYS ON HAND		1-3 DAYS ON HAND		0 DAYS ON HAND		REUSE		ABLE TO OBTAIN		# of Hospitals Reporting	
	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL
N95 Particulate Respirators	67%	60%	30%	40.0%	3%	0%	0%	0%	92%	100%	64%	70%	96	10
Surgical Masks	72%	56%	21%	44.4%	6%	0%	0%	0%	62%	89%	80%	100%	94	9
Face Shields & Goggles	72%	70%	25%	30.0%	4%	0%	0%	0%	86%	80%	69%	90%	85	10
Gloves	76%	80%	23%	20.0%	1%	0%	0%	0%	6%	0%	82%	90%	95	10
Single-Use Gowns	57%	56%	30%	44.4%	13%	0%	0%	0%	34%	22%	72%	78%	94	9

Percent of hospitals reporting.



CUMULATIVE COVID-19 TESTING IN THE SOUTHEAST REGION



STATEWIDE TESTING TARGETS BY REGION DASHBOARD — June 07, 2020 - June 13, 2020

REGION	TESTS	POSITIVE RATE	AVERAGE DAILY TESTS	RECOMMENDED DAILY TESTS	TESTS OVER/UNDER
Central Region	4,648	↓ 1.0%	664	791	-127 ↓
Kansas City, MO Region	11,167	↓ 4.3%	1,595	2,183	-588 ↓
Northeast Region	925	↓ 3.6%	132	286	-154 ↓
Northwest Region	1,990	↓ 4.2%	284	374	-90 ↓
Saint Louis, MO Region	17,555	↓ 2.7%	2,508	3,538	-1,030 ↓
Southeast Region	2,466	↓ 5.2%	352	584	-232 ↓
Southwest Region	5,687	↓ 3.1%	812	1,926	-1,114 ↓
Missouri	44,438	↓ 3.3%	6,348	9,682	-3,334 ↓

Indicators:

Positive rate greater than or equal to 10% = red up arrow; all else = green down arrow.

Tests Over/Under: 0 and above = green up arrow; all else = red down arrow.



NOTES AND DATA SOURCES

Notes: This dashboard, with a state and regional focus, along with the element of predictive understanding, serves as a tool for better awareness of the COVID-19 pandemic and intends to complement other available information currently used for decision-making. Because the data are reported in near real time, every effort has been made to ensure the completeness and accuracy of this data.

Sources:

Confirmed COVID-19 Cases per 100,000, Cumulative Cases and Deaths, Cumulative COVID-19 Testing Results and Targets sourced by the Missouri Department of Health and Senior Services to include WebSurf and global testing data.

Reproductive Rates and Projected COVID-19 Hospitalizations are modeled by the Institute for Public Health at Washington University. The effective reproductive rate, R_e , represents the effective transmission rate for COVID-19. R_e calculations consider individuals with potential immunity as well as community wide preventative measures such as social distancing policies. Missouri's model uses a standard SEIR (susceptible, exposed, infectious, recovered) compartmental structure that is based upon a tool called LEMMA (Local Epidemiological Modeling for Management & Action), which was developed by experts from UMass Amherst, UC Berkeley, UCSF and WUSTL. The model focuses on COVID-19 hospitalized cases to directly address the question of hospital capacity and provide a more accurate picture of COVID-19's impact on the health care system.

Confirmed or Suspected Hospitalized and Ventilated Patients, New Admissions, Bed and Ventilator Availability, and PPE Availability sourced by the National Healthcare Safety Network. NHSN data is manually reported by hospitals and sourced weekly on Tuesday afternoons to reflect the previous week of data (Sun-Sat). Bed, ventilator and PPE data is averaged by reporting hospitals over the most recent seven days.

Google Mobility Index sourced by "Google COVID-19 Community Mobility Reports."