





CUMULATIVE COVID-19 CASES per 100,000 between Mar 01, 2020 - Jun 20, 2020



STATEWIDE AND REGIONAL PREVALENCE
CASE RATE per 100,000

STATEWIDE

313.9

SAINT LOUIS, MO REGION

452.1




REPRODUCTIVE
RATE (Re)

GOAL RATE: < 1.00


CURRENT: 1.123




PROJECTED COVID-19 HOSPITALIZATIONS IN THE SAINT LOUIS, MO REGION




CUMULATIVE COVID-19 CASES AND DEATHS IN THE SAINT LOUIS, MO REGION



GOOGLE MOBILITY INDEX: RECREATION AND RETAIL TRAVEL IN THE SAINT LOUIS, MO REGION



ONE WEEK DIFFERENCE IN THE SAINT LOUIS, MO REGION




Sources: *NHSN, **DHSS

DHSS data shows change in totals; NHSN data shows average changes.

New admissions is a recently added NHSN measure, and the data are not yet available.



COVID-19 HOSPITALIZED AND VENTILATED PATIENTS IN THE SAINT LOUIS, MO REGION



Indicator Label: Green arrow if "Days of Consecutive Decline" is greater than or equal to 7; otherwise, no indicator. Note: Definition of consecutive 7-day decline is across the most current 7 days included in the report. Data includes both confirmed and suspected COVID-19 cases.

STATEWIDE AND REGIONAL VENTILATOR AVAILABILITY

	STATE		REGIONAL	
	% AVAIL	Total	% AVAIL	Total
Mechanical Ventilators	79% ↑	2,874	72% ↑	1,124

Ventilator availability indicator is based on a published online COVID-19-associated supply target of 22.66 vents per 100,000 population. <https://www.nsmedicaldevices.com/analysis/coronavirus-ventilators-global-demand/>

STATEWIDE AND REGIONAL BED AVAILABILITY

	STATE		REGIONAL	
	% AVAIL	Total	% AVAIL	Total
Total Inpatient Capacity	33% ↑	16,840	36% ↑	7,488
Intensive Care Units	45% ↑	2,890	45% ↑	1,164


IP and ICU beds indicator is based on CDC Phases. Phase 1 (<80% full), Phase 2 (<75% full), Phase 3 (<70% full) = green up arrow. Red down arrows for everything else.

AVERAGE STATEWIDE AND REGIONAL PPE AVAILABILITY

Categories	15+ DAYS ON HAND		4-14 DAYS ON HAND		1-3 DAYS ON HAND		0 DAYS ON HAND		REUSE		ABLE TO OBTAIN		# of Hospitals Reporting	
	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL	STATE	REGIONAL
N95 Particulate Respirators	73%	94%	24%	6%	3%	0%	0%	0%	91%	97%	70%	90%	101	31
Surgical Masks	75%	90%	19%	10%	6%	0%	0%	0%	59%	42%	59%	42%	102	31
Face Shields & Goggles	67%	78%	29%	17%	3%	4%	0%	0%	87%	96%	66%	74%	91	23
Gloves	79%	97%	20%	3%	1%	0%	0%	0%	5%	0%	84%	100%	100	30
Single-Use Gowns	55%	71%	33%	26%	10%	0%	1%	3%	34%	19%	67%	77%	102	31

Percent of hospitals reporting.

CUMULATIVE COVID-19 TESTING IN THE SAINT LOUIS, MO REGION



STATEWIDE TESTING TARGETS BY REGION DASHBOARD — Jun 14, 2020 - Jun 20, 2020

REGION	TESTS	POSITIVE RATE	AVERAGE DAILY TESTS	RECOMMENDED DAILY TESTS	TESTS OVER/UNDER
Central Region	6,888	↓ 1.3%	984	791	193 ↑
Kansas City, MO Region	9,759	↓ 4.6%	1,394	2,183	-789 ↓
Northeast Region	781	↓ 3.3%	112	286	-174 ↓
Northwest Region	1,582	↓ 3.2%	226	374	-148 ↓
Saint Louis, MO Region	14,168	↓ 3.1%	2,024	3,538	-1,514 ↓
Southeast Region	1,696	↓ 6.7%	242	584	-342 ↓
Southwest Region	6,544	↓ 8.4%	935	1,926	-991 ↓
Missouri	41,418	↓ 4.3%	5,917	9,682	-3,765 ↓

Indicators:

Positive rate greater than or equal to 10% = red up arrow; all else = green down arrow.

Tests Over/Under: 0 and above = green up arrow; all else = red down arrow.

NOTES AND DATA SOURCES

Notes: This dashboard, with a state and regional focus, along with the element of predictive understanding, serves as a tool for better awareness of the COVID-19 pandemic and intends to complement other available information currently used for decision-making. Because the data are reported in near real time, every effort has been made to ensure the completeness and accuracy of this data.

Sources:

Cumulative COVID-19 cases per 100,000, cumulative cases and deaths and cumulative COVID-19 testing results sourced from the Missouri Department of Health and Senior Services WebSurv and global testing data. Daily testing per 100,000 and positivity rate targets sourced from the Harvard [Global Health Institute](https://www.hs-nlm.nih.gov/health/global-health-institute/). Displaying Cumulative COVID-19 Cases per 100,000 allows for the comparison of cases by county, region and state, by removing the population variance.

Reproductive Rates and Projected COVID-19 Hospitalizations are modeled by the Institute for Public Health at Washington University. The effective reproductive rate, R_e , represents the effective transmission rate for COVID-19. R_e calculations consider individuals with potential immunity as well as community wide preventative measures such as social distancing policies. Missouri's model uses a standard SEIR (susceptible, exposed, infectious, recovered) compartmental structure that is based upon a tool called LEMMA (Local Epidemiological Modeling for Management & Action), which was developed by experts from UMass Amherst, UC Berkeley, UCSF and WUSTL. The model focuses on COVID-19 hospitalized cases to directly address the question of hospital capacity and provide a more accurate picture of COVID-19's impact on the health care system.

Confirmed or Suspected Hospitalized and Ventilated Patients, New Admissions, Bed and Ventilator Availability, and PPE Availability sourced by the National Healthcare Safety Network. NHSN data is manually reported by hospitals and sourced weekly on Tuesday afternoons to reflect the previous week of data (Sun-Sat). Bed, ventilator and PPE data is averaged by reporting hospitals over the most recent seven days.

Google Mobility Index sourced by "Google COVID-19 Community Mobility Reports."