Assessing PVA Predictions

John D. Robinson

2025-12-22

Contents

Background **1**

Observed mortalities in central Georgia **2**

Dataset 2

Visualize trends 3

Average mortality numbers 14

Assess PVA predictions **20**

Re-fit the Hooker model 20

Forecast abundance 34

Compare forecasted abundance 445

Background

Hooker et al. (2020) used noninvasive sampling and spatial capture-recapture models to estimate the abundance of female black bears in central Georgia. Their analysis yielded point estimates of N_t between 106 and 166 using samples collected between 2012 and 2016. Using the parameterized model, Hooker et al. (2020) also conducted population viability analyses (PVA) for the central GA black bear population. They projected abundance 50 years into the future using survival and density-dependent recruitment rates under management scenarios where a Poisson-distributed number of additional females (above current levels) were removed from the population by harvest. They evaluated *status quo* simulations (no additional harvest) and four alternatives where the mean of the Poisson was set to $h = 5$, 10, 15, or 20 females (above *status quo* levels) were removed from the population by harvest. They found that 50-year extinction risk remained <1% in both the *status quo* and $h = 5$ simulations (see Figure 6 of Hooker et al. 2020).

In this markdown, we will revisit predictions from these simulations and use data for *known* female mortalities (which likely underestimates total mortality) to assess i) which scenario considered in the PVA from Hooker et al. (2020) is most similar to the recent past in central GA and ii) whether estimates of abundance from the present study (see `23_fitHooker_bothSexes2`) align with simulation predictions under this scenario.

This markdown will cover the following analyses:

i. Characterize observed mortality levels in central Georgia (for comparison to alternative scenarios considered in Hooker et al. (2020))
ii.

Observed mortalities in central Georgia

The Georgia Department of Natural Resources retains records of central GA black bear mortalities due to legal harvest, illegal take, and vehicular collisions. We will use those records to:

i. Visualize trends in mortality from these sources over time
ii. Calculate average numbers of deaths for several time windows
    - pre-2012: before the Hooker et al. (2020) study period
    - 2012-2016: the Hooker et al. (2020) study period, corresponding most closely to rates in their PVA
    - 2017-2024: prior to, and including, the current study period
iii. Assess predictions from the PVA in Hooker et al. (2020), given female abundance estimates from our model (`14_fitHooker`) and observed female mortalities

Dataset

First load the dataset. The `.csv` file in the repository transposes data from this spreadsheet (see the `CGA Trends` tab). Below, we read the data into R, and create subsets for the two sexes and the different sources of mortality.

```
mort <- read.csv("../input/CGAmortalities.csv", header = TRUE)
mort
```

```
##    year harvestM harvestF harvestU illegalM illegalF illegalU roadM roadF roadU
## 1  2003        0        0        0        0        0        0     0     2     0
## 2  2004        0        0        0        0        1        0     1     1     0
## 3  2005        0        0        0        0        0        0     8     3     0
## 4  2006        0        0        0        1        0        0     4     1     0
## 5  2007        0        0        0        0        0        0     5     1     1
## 6  2008        0        0        0        0        0        1     5     1     3
## 7  2009        1        0        0        0        1        0     7     3     1
## 8  2010        0        2        0        0        2        0     3     1     1
## 9  2011       15       17        0        2        0        0     2     1     2
## 10 2012        4        7        0        2        2        0     5     2     0
## 11 2013        0        1        0        0        0        0     4     1     0
## 12 2014        1        3        0        0        0        0     7     1     0
## 13 2015        3        9        0        2        1        0     7     2     1
## 14 2016        5        5        0        3        0        0     6     4     1
## 15 2017        0        0        0        1        0        0    13     3     0
## 16 2018        1        1        0        1        0        0    14     4     2
## 17 2019        1        0        0        1        1        0     6     3     2
## 18 2020        2        3        0        0        3        0     8     1     1
## 19 2021        1        5        0        0        1        0    12     4     3
## 20 2022        4       10        0        1        0        0     5     1     0
## 21 2023        2        1        0        0        3        0    12     6     1
## 22 2024        2        3        0        0        4        0     8     2     1
## 23 2025        0        0        0        0        0        0     0     1     0
```

```
#total mortality by sex
total.male <- rowSums(mort[,which(colnames(mort) %in% c("harvestM",
                                                         "illegalM",
```

```r
                                                                "roadM"))])

total.female <- rowSums(mort[,which(colnames(mort) %in% c("harvestF",
                                                            "illegalF",
                                                            "roadF"))])
#Combined
all.mort <- data.frame(year = mort$year,
                       harvest = mort$harvestM+mort$harvestF+mort$harvestU,
                       illegal = mort$illegalM+mort$illegalF+mort$illegalU,
                       road = mort$roadM+mort$roadF+mort$roadU)
total.all <- rowSums(all.mort[,-1])
```

Visualize trends

Now to visualize trends through time in the different sources.

Both sexes

First, for all black bears in central GA.

```r
all.mort
```

```
##    year harvest illegal road
## 1  2003       0       0    2
## 2  2004       0       1    2
## 3  2005       0       0   11
## 4  2006       0       1    5
## 5  2007       0       0    7
## 6  2008       0       1    9
## 7  2009       1       1   11
## 8  2010       2       2    5
## 9  2011      32       2    5
## 10 2012      11       4    7
## 11 2013       1       0    5
## 12 2014       4       0    8
## 13 2015      12       3   10
## 14 2016      10       3   11
## 15 2017       0       1   16
## 16 2018       2       1   20
## 17 2019       1       2   11
## 18 2020       5       3   10
## 19 2021       6       1   19
## 20 2022      14       1    6
## 21 2023       3       3   19
## 22 2024       5       4   11
## 23 2025       0       0    1
```

```r
library(scales)
color.pal <- c(alpha("black", 0.6),
               alpha("royalblue", 0.6),
               alpha("orange", 0.6),
```

```
                alpha("darkred",0.6))

#As a scatter plot
plot(total.all ~ all.mort$year,
     type = "b", lwd = 1.5, pch=19, col = color.pal[1],
     ylim = c(-2.5,(max(total.all)+5)),
     xlab = "Year", ylab = "Mortalities", main = "All Bears")
lines(all.mort$harvest ~ all.mort$year,
      pch=19, type = "b", col = color.pal[2])
lines(all.mort$illegal ~ all.mort$year,
      pch=19, type = "b", col = color.pal[3])
lines(all.mort$road ~ all.mort$year,
      pch=19, type = "b", col = color.pal[4])
legend("topleft", cex = 0.75, bty="n",
       lty=1, pch=19, col=color.pal,
       legend=c("Total","Legal Harvest","Illegal Take","Roadkill"))
```




```
#As an area chart
library(areaplot)
?areaplot()
areaplot(x=mort$year,
         y=all.mort[,-1],
         col=color.pal[2:4],
         xlab = "Year", ylab = "Mortalities", main = "All Bears")
legend("topleft", cex = 0.75, bty="n",
```

```
        fill=color.pal[2:4],
        legend=c("Legal Harvest","Illegal Take","Roadkill"))
```



Females

Now for females only…

```
mort[,which(colnames(mort) %in% c("year","harvestF","illegalF","roadF"))]
```

```
##    year harvestF illegalF roadF
## 1  2003        0        0     2
## 2  2004        0        1     1
## 3  2005        0        0     3
## 4  2006        0        0     1
## 5  2007        0        0     1
## 6  2008        0        0     1
## 7  2009        0        1     3
## 8  2010        2        2     1
## 9  2011       17        0     1
## 10 2012        7        2     2
## 11 2013        1        0     1
## 12 2014        3        0     1
## 13 2015        9        1     2
## 14 2016        5        0     4
```

```
## 15 2017        0        0     3
## 16 2018        1        0     4
## 17 2019        0        1     3
## 18 2020        3        3     1
## 19 2021        5        1     4
## 20 2022       10        0     1
## 21 2023        1        3     6
## 22 2024        3        4     2
## 23 2025        0        0     1
```

```r
mean(total.female)
```

```
## [1] 5.869565
```

```r
#Scatter plot
plot(total.female ~ mort$year,
     type = "b", lwd = 1.5, pch=19, col = color.pal[1],
     ylim = c(-2.5,(max(total.female)+5)),
     xlab = "Year", ylab = "Mortalities", main = "Females")
lines(mort$harvestF ~ mort$year,
      pch=19, type = "b", col = color.pal[2])
lines(mort$illegalF ~ mort$year,
      pch=19, type = "b", col = color.pal[3])
lines(mort$roadF ~ mort$year,
      pch=19, type = "b", col = color.pal[4])
legend("topleft", cex = 0.75, bty="n",
       lty=1, pch=19, col=color.pal,
       legend=c("Total","Legal Harvest","Illegal Take","Roadkill"))
```




```r
#Area chart
areaplot(x=mort$year,
         y=cbind(mort$harvestF, mort$illegalF, mort$roadF),
         col=color.pal[2:4],
         xlab = "Year", ylab = "Mortalities", main = "Females")
legend("topleft", cex = 0.75, bty="n",
       fill=color.pal[2:4],
       legend=c("Legal Harvest","Illegal Take","Roadkill"))
```



Notice from this plot that vehicular collisions are fairly rare in females.

Males

```
mort[,which(colnames(mort) %in% c("year","harvestM","illegalM","roadM"))]
```

```
##    year harvestM illegalM roadM
## 1  2003        0        0     0
## 2  2004        0        0     1
## 3  2005        0        0     8
## 4  2006        0        1     4
## 5  2007        0        0     5
## 6  2008        0        0     5
## 7  2009        1        0     7
## 8  2010        0        0     3
## 9  2011       15        2     2
## 10 2012        4        2     5
## 11 2013        0        0     4
## 12 2014        1        0     7
## 13 2015        3        2     7
## 14 2016        5        3     6
## 15 2017        0        1    13
## 16 2018        1        1    14
## 17 2019        1        1     6
```

```
## 18 2020         2         0      8
## 19 2021         1         0     12
## 20 2022         4         1      5
## 21 2023         2         0     12
## 22 2024         2         0      8
## 23 2025         0         0      0
```

```r
mean(total.male)
```

```
## [1] 8.608696
```

```r
#Scatter plot
plot(total.male ~ mort$year,
     type = "b", lwd = 1.5, pch=19, col = color.pal[1],
     ylim = c(-2.5,(max(total.male)+5)),
     xlab = "Year", ylab = "Mortalities", main = "Males")
lines(mort$harvestM ~ mort$year,
      pch=19, type = "b", col = color.pal[2])
lines(mort$illegalM ~ mort$year,
      pch=19, type = "b", col = color.pal[3])
lines(mort$roadM ~ mort$year,
      pch=19, type = "b", col = color.pal[4])
legend("topleft", cex = 0.75, bty="n",
       lty=1, pch=19, col=color.pal,
       legend=c("Total","Legal Harvest","Illegal Take","Roadkill"))
```



```r
#Area chart
areaplot(x=mort$year,
         y=cbind(mort$harvestM, mort$illegalM, mort$roadM),
         col=color.pal[2:4],
         xlab = "Year", ylab = "Mortalities", main = "Males")
legend("topleft", cex = 0.75, bty="n",
       fill=color.pal[2:4],
       legend=c("Legal Harvest","Illegal Take","Roadkill"))
```



Notice from the plot above that the vast majority of male mortality is due to vehicular collisions.

Out of curiosity, we can look for differences in mortality rates for males and females.

```r
#Total
t.test(total.female, total.male, paired="T")
```

```
##
##  Paired t-test
##
## data:  total.female and total.male
## t = -3.7748, df = 22, p-value = 0.001043
## alternative hypothesis: true mean difference is not equal to 0
## 95 percent confidence interval:
##  -4.244012 -1.234249
## sample estimates:
## mean difference
```

```
##        -2.73913
```

```r
boxplot(total.female, total.male,
        names = c("F","M"),
        ylab = "Total Mortalities")
```




```r
#Legal Harvest
t.test(mort$harvestF, mort$harvestM, paired = "T")
```

```
##
##  Paired t-test
##
## data:  mort$harvestF and mort$harvestM
## t = 2.609, df = 22, p-value = 0.01602
## alternative hypothesis: true mean difference is not equal to 0
## 95 percent confidence interval:
##  0.2229467 1.9509663
## sample estimates:
## mean difference
##        1.086957
```

```r
boxplot(mort$harvestF, mort$harvestM,
        names = c("F","M"),
        ylab = "Legal Harvest")
```




```r
#Illegal Take
t.test(mort$illegalF, mort$illegalM, paired = "T")
```

```
##
##  Paired t-test
##
## data:  mort$illegalF and mort$illegalM
## t = 0.64258, df = 22, p-value = 0.5271
## alternative hypothesis: true mean difference is not equal to 0
## 95 percent confidence interval:
##  -0.4842176  0.9190002
## sample estimates:
## mean difference
##       0.2173913
```

```r
boxplot(mort$illegalF, mort$illegalM,
        names=c("F","M"),
        ylab = "Illegal Take")
```




```r
#Roadkill
t.test(mort$roadF, mort$roadM, paired = "T")
```

```
##
##  Paired t-test
##
## data:  mort$roadF and mort$roadM
## t = -6.2922, df = 22, p-value = 2.478e-06
## alternative hypothesis: true mean difference is not equal to 0
## 95 percent confidence interval:
##  -5.376186 -2.710771
## sample estimates:
## mean difference
##       -4.043478
```

```r
boxplot(mort$roadF, mort$roadM,
        names = c("F","M"),
        ylab = "Roadkill")
```



From the quick comparisons above, it appears that total mortality is higher in males. However, legal harvest numbers are higher in females than in males, possibly due to male bears leaving the study area during the winter. This difference is more than offset by the large difference in mortality due to vehicular collisions.

Average mortality numbers

To compare our abundance estimates to the predictions from simulations in Hooker et al. (2020), we first need to characterize the average total mortalities for a few different periods. This way we can say that mortality since the period covered by the Hooker et al. (2020) analysis represents their baseline +/- n additional females.

Pre 2012

These numbers won't be directly used, they're included only for the sake of completeness.

```
#Combined
total.all[which(mort$year < 2012)]
```

```
## [1]  2  3 11  6  7 10 13  9 39
```

```
mean(total.all[which(mort$year < 2012)])
```

```
## [1] 11.11111
```

```r
median(total.all[which(mort$year < 2012)])
```

```
## [1] 9
```

```r
#Females
total.female[which(mort$year < 2012)]
```

```
## [1]  2  2  3  1  1  1  4  5 18
```

```r
mean(total.female[which(mort$year < 2012)])
```

```
## [1] 4.111111
```

```r
median(total.female[which(mort$year < 2012)])
```

```
## [1] 2
```

```r
#Males
total.male[which(mort$year < 2012)]
```

```
## [1]  0  1  8  5  5  5  8  3 19
```

```r
mean(total.male[which(mort$year < 2012)])
```

```
## [1] 6
```

```r
median(total.male[which(mort$year < 2012)])
```

```
## [1] 5
```

2012-2016

Now mortalities for the Hooker et al. (2020) study period.

```r
#Combined
total.all[which(mort$year %in% c(2012:2016))]
```

```
## [1] 22  6 12 25 24
```

```r
mean(total.all[which(mort$year %in% c(2012:2016))])
```

```
## [1] 17.8
```

```r
median(total.all[which(mort$year %in% c(2012:2016))])
```

```
## [1] 22
```

```r
#Females
total.female[which(mort$year %in% c(2012:2016))]
```

```
## [1] 11  2  4 12  9
```

```r
mean(total.female[which(mort$year %in% c(2012:2016))])
```

```
## [1] 7.6
```

```r
median(total.female[which(mort$year %in% c(2012:2016))])
```

```
## [1] 9
```

```r
#Males
total.male[which(mort$year %in% c(2012:2016))]
```

```
## [1] 11  4  8 12 14
```

```r
mean(total.male[which(mort$year %in% c(2012:2016))])
```

```
## [1] 9.8
```

```r
median(total.male[which(mort$year %in% c(2012:2016))])
```

```
## [1] 11
```

2016-2024

And for the period since the Hooker study…

```r
#Combined
total.all[which(mort$year %in% c(2017:2024))]
```

```
## [1] 17 23 14 18 26 21 25 20
```

```r
mean(total.all[which(mort$year %in% c(2017:2024))])
```

```
## [1] 20.5
```

```r
median(total.all[which(mort$year %in% c(2017:2024))])
```

```
## [1] 20.5
```

```r
#Females
total.female[which(mort$year %in% c(2017:2024))]
```

```
## [1]  3  5  4  7 10 11 10  9
```

```r
mean(total.female[which(mort$year %in% c(2017:2024))])
```

```
## [1] 7.375
```

```r
median(total.female[which(mort$year %in% c(2017:2024))])
```

```
## [1] 8
```

```r
#Males
total.male[which(mort$year %in% c(2017:2024))]
```

```
## [1] 14 16  8 10 13 10 14 10
```

```r
mean(total.male[which(mort$year %in% c(2017:2024))])
```

```
## [1] 11.875
```

```r
median(total.male[which(mort$year %in% c(2017:2024))])
```

```
## [1] 11.5
```

How many additional mortalities?

Comparing recent female mortality numbers to the Hooker et al. (2020) study period…

```r
#Hooker period
mean(total.female[which(mort$year %in% c(2012:2016))])
```

```
## [1] 7.6
```

```r
median(total.female[which(mort$year %in% c(2012:2016))])
```

```
## [1] 9
```

```r
#post-Hooker period
mean(total.female[which(mort$year %in% c(2017:2024))])
```

```
## [1] 7.375
```

```r
median(total.female[which(mort$year %in% c(2017:2024))])
```

```
## [1] 8
```

```r
#In comparisons below
# positive numbers mean lower contemporary mortality!

#Difference b/w '12-'16 mean & recent mean
mean(total.female[which(mort$year %in% c(2012:2016))]) -
  mean(total.female[which(mort$year %in% c(2017:2024))])
```

```
## [1] 0.225
```

```r
median(total.female[which(mort$year %in% c(2012:2016))]) -
  median(total.female[which(mort$year %in% c(2017:2024))])
```

```
## [1] 1
```

```r
#Difference b/w '12-'16 mean & max recent annual mortality?
mean(total.female[which(mort$year %in% c(2012:2016))]) -
  max(total.female[which(mort$year %in% c(2017:2024))])
```

```
## [1] -3.4
```

```r
median(total.female[which(mort$year %in% c(2012:2016))]) -
  max(total.female[which(mort$year %in% c(2017:2024))])
```

```
## [1] -2
```

```r
#Annual difference to '12-'16 means
mean(total.female[which(mort$year %in% c(2012:2016))]) -
  total.female[which(mort$year %in% c(2017:2024))]
```

```
## [1]  4.6  2.6  3.6  0.6 -2.4 -3.4 -2.4 -1.4
```

```r
median(total.female[which(mort$year %in% c(2012:2016))]) -
  total.female[which(mort$year %in% c(2017:2024))] -


#Individual sources
#Legal harvest?
mean(mort$harvestF[which(mort$year %in% c(2012:2016))]) -
  mean(mort$harvestF[which(mort$year %in% c(2017:2024))])
```

```
## [1] -1.875 -3.875 -2.875 -5.875 -8.875 -9.875 -8.875 -7.875
```

```r
median(mort$harvestF[which(mort$year %in% c(2012:2016))]) -
  median(mort$harvestF[which(mort$year %in% c(2017:2024))])
```

```
## [1] 3
```

```r
#Roadkill?
mean(mort$roadF[which(mort$year %in% c(2012:2016))]) -
  mean(mort$roadF[which(mort$year %in% c(2017:2024))])
```

```
## [1] -1
```

```r
median(mort$roadF[which(mort$year %in% c(2012:2016))]) -
  median(mort$roadF[which(mort$year %in% c(2017:2024))])
```

```
## [1] -1
```

In fact, mean and median female mortality numbers are lower than they were during the Hooker et al. (2020) study period. The *maximum* single year total mortality of females since the Hooker et al. (2020) study is **3.4 bears** above the mean for their study period. Annual female mortality since 2017 has exceeded the average from the Hooker et al. (2020) study period in 4 years (2021-2024).

```r
plot(total.female[which(mort$year < 2025)] ~ mort$year[which(mort$year < 2025)],
     type = "b", lwd = 1, col="black", pch=19,
     xlab = "Year", ylab = "Total Mortality", main = "Females")
abline(h = mean(total.female[which(mort$year %in% c(2012:2016))]),
       lty = 3, col="red", lwd = 2)
legend("topleft", bty="n", cex = 0.75,
       lty=c(1,3), pch=c(19,19), pt.cex=c(1,0), lwd = c(1,2),
       col = c("black","red"),
       legend = c("Observed","Mean: 2012-2016"))
polygon(x=c(2011.75,2011.75,2016.25,2016.25),y=c(-100,100,100,-100),
        col=alpha("grey",0.2), lty=2, lwd = 0.5)
text(x=2012, y=17, labels="Hooker et al. (2020)", cex=0.65, adj=0)
polygon(x=c(2016.75,2016.75,2024.25,2024.25),y=c(-100,100,100,-100),
        col=alpha("lightgreen",0.2), lty=2, lwd = 0.5)
text(x=2024, y=17, labels="Assessment period", cex=0.65, adj=1)
```



```r
#Number of additional mortalities, above 2012-2016 average, for 2021-2024
total.female[which(mort$year %in% c(2021:2024))] -
  mean(total.female[which(mort$year %in% c(2012:2016))])
```

```
## [1] 2.4 3.4 2.4 1.4
```

In terms of the two major sources of mortality, average legal harvests since 2017 are down by 2.125 bears, while average vehicular collision mortalities are up by 1 bear.

Assess PVA predictions

Given the female mortalities observed since the Hooker et al. (2020) study period, and the lower mean annual harvest numbers, management of the central GA black bear harvest has been effective at limiting annual female mortality.

The average total *known* female mortality since the Hooker et al. (2020) study (7.375) was below the average total mortality from the Hooker et al. (2020) study period (7.6), while the maximum single-year mortality since 2016 (11 females in 2022) was slightly higher. Thus, observed total *known* female mortalities in the central GA are most consistent with the two most optimistic harvest scenarios from Hooker et al. (2020), *status quo* or $h = 5$ expected additional females harvested per year.

Under both of these scenarios, 50-year extinction risks in the PVA remained below 1%, and population size was relatively stable (Hooker et al. 2020). Quoting from their Discussion section:

From an abundance of 165 (95% CI = 134–206) in 2016, the 50-year population forecasts (i.e., estimated abundance in the year 2067) for each of the 5 harvest scenarios in order of lowest to highest harvest were 169 (95% CI = 134–268), 159 (95% CI = 124–243), 147 (95% CI = 103–223), 132 (95% CI = 0–197), and 105 (95% CI = 0–174). Extinction probabilities for the status quo scenario (i.e., the lowest level of harvest of any of the scenarios) was negligible at <0.001% with no abundance projections falling to zero during the 50-year timeline. Similarly, the scenario in which the status quo harvest was increased by 5 females had few projections in which abundance dropped to zero, resulting in an extinction risk of <1%. –Hooker et al. (2020)

As expected from simulations conducted by Hooker et al. (2020), population size in central GA appears to be stable or increasing. In our analysis of a model very similar to that fit in Hooker et al. (2020), female abundance was estimated at 138 (95% HPD: 101-188) in 2023 and 166 (95% HPD: 133-208) in 2024 (see `23_fitHooker_bothSexes2`). Thus, our data are consistent with a female population that is approximately stable, or increasing, in central Georgia.

Re-fit the Hooker model

To quantify the degree to which our estimates of female abundance align with predictions from the population viability analyses of Hooker et al. (2020), we will first re-fit the model to capture data for female bears. The files needed to do this are available on the Hooker et al. (2020) GitHub repository: `dT-s0-rPDD2-phi0-pYB-sig0.jag`, `fit.R`, `ga_bear_data_females.gzip`, and `state-space360.tif`.

```r
#Code below is copied from fit.R
# paths to the JAGS model, capture history data, and state space file
# are modified slightly
```

```r
## Fit open population SCR models to central GA black bear data
## Female-only analysis

library(rjags)
```

```
## Loading required package: coda

## Linked to JAGS 4.3.2

## Loaded modules: basemod,bugs
```

```r
library(lattice)
library(raster)
```

```
## Loading required package: sp
```

```r
list.files()
```

```
##  [1] "24_assessPVA_files"     "24_assessPVA.Rmd"       "24_revisitingPVA.pdf"
##  [4] "24_revisitingPVA.Rmd"   "assessPVA.o"            "assessPVA.sh"
##  [7] "fromRepo"               "render_assessPVA.R"     "render_revisitingPVA.R"
## [10] "revisitingPVA.o"        "revisitingPVA.sh"
```

```r
## Load SCR data
#load("../data/ga_bear_data_females.gzip")
load("fromRepo/ga_bear_data_females.gzip")

## Inspect the loaded data objects
str(ch4d.f)
```

```
##  num [1:141, 1:173, 1:8, 1:5] 0 0 0 0 0 0 0 0 0 0 ...
##  - attr(*, "dimnames")=List of 4
##   ..$ : chr [1:141] "GA1-01-031-01T" "GA1-01-056-01T" "GA1-01-066-02B" "GA1-01-075-02B" ...
##   ..$ : chr [1:173] "x258787-y3600079" "x260710-y3599587" "x265200-y3601052" "x266238-y3600529" ...
##   ..$ : NULL
##   ..$ : chr [1:5] "2012" "2013" "2014" "2015" ...
```

```r
str(traps)
```

```
##  int [1:173, 1:2] 258787 260710 265200 266238 267777 269347 271377 272584 274249 265076 ...
##  - attr(*, "dimnames")=List of 2
##   ..$ : chr [1:173] "x258787-y3600079" "x260710-y3599587" "x265200-y3601052" "x266238-y3600529" ...
##   ..$ : chr [1:2] "x" "y"
```

```r
## Check that traps are in the same order in both objects
## Must be TRUE
all(rownames(traps)==dimnames(ch4d.f)[[3]])
```

```
## [1] TRUE
```

```r
all(rownames(oper)==rownames(traps))
```

```
## [1] TRUE
```

```r
## Format data

y <- ch4d.f ## 4D encounter histories
str(y)
```

```
##  num [1:141, 1:173, 1:8, 1:5] 0 0 0 0 0 0 0 0 0 0 ...
##  - attr(*, "dimnames")=List of 4
##   ..$ : chr [1:141] "GA1-01-031-01T" "GA1-01-056-01T" "GA1-01-066-02B" "GA1-01-075-02B" ...
##   ..$ : chr [1:173] "x258787-y3600079" "x260710-y3599587" "x265200-y3601052" "x266238-y3600529" ...
##   ..$ : NULL
##   ..$ : chr [1:5] "2012" "2013" "2014" "2015" ...
```

```r
y.dim <- dim(y)
nBears <- y.dim[1]
nTraps <- y.dim[2]
nWeeks <- y.dim[3]
nYears <- y.dim[4]
M <- 500 # Data aug. Maximum number of bears that could have been alive

all(rownames(prevcap.f)==rownames(y)) ## Must be TRUE
```

```
## [1] TRUE
```

```r
## Non-spatial, robust design format
y.nonsp.robust <- apply(y>0, c(1,3,4), any)*1L
str(y.nonsp.robust)
```

```
##  int [1:141, 1:8, 1:5] 1 1 1 1 1 1 1 0 0 0 ...
##  - attr(*, "dimnames")=List of 3
##   ..$ : chr [1:141] "GA1-01-031-01T" "GA1-01-056-01T" "GA1-01-066-02B" "GA1-01-075-02B" ...
##   ..$ : NULL
##   ..$ : chr [1:5] "2012" "2013" "2014" "2015" ...
```

```r
## Non-spatial, non-robust format
y.nonsp.nonrobust <- apply(y.nonsp.robust>0,
                           c(1,3), any)*1L
str(y.nonsp.nonrobust)
```

```
##  int [1:141, 1:5] 1 1 1 1 1 1 1 1 1 1 ...
##  - attr(*, "dimnames")=List of 2
##   ..$ : chr [1:141] "GA1-01-031-01T" "GA1-01-056-01T" "GA1-01-066-02B" "GA1-01-075-02B" ...
##   ..$ : chr [1:5] "2012" "2013" "2014" "2015" ...
```

```r
## Spatial, non-robust format
y.sp.nonrobust <- apply(y>0, c(1,2,4), any)*1L
str(y.sp.nonrobust)
```

```
##  int [1:141, 1:173, 1:5] 0 0 0 0 0 0 0 0 0 0 ...
##  - attr(*, "dimnames")=List of 3
##   ..$ : chr [1:141] "GA1-01-031-01T" "GA1-01-056-01T" "GA1-01-066-02B" "GA1-01-075-02B" ...
##   ..$ : chr [1:173] "x258787-y3600079" "x260710-y3599587" "x265200-y3601052" "x266238-y3600529" ...
##   ..$ : chr [1:5] "2012" "2013" "2014" "2015" ...
```

```r
## First and last detections
first.det <- apply(y.nonsp.nonrobust>0, 1, function(x) min(which(x)))
last.det <- apply(y.nonsp.nonrobust>0, 1, function(x) max(which(x)))
known.alive <- last.det-first.det+1
table(known.alive)
```

```
## known.alive
##  1  2  3  4  5
## 80 17 13 17 14
```

```r
## Data augmentation
yaug <- array(0, c(M, nTraps, nWeeks, nYears))
yaug[1:nBears,,,] <- y

str(yaug)
```

```
##  num [1:500, 1:173, 1:8, 1:5] 0 0 0 0 0 0 0 0 0 0 ...
```

```r
## Known values of the alive/dead state matrix
zdata.aug <- matrix(NA, M, nYears)
for(i in 1:nBears) {
    zdata.aug[i,first.det[i]:last.det[i]] <- 1
}

## Visualize the observed information about lifetime
image(t(zdata.aug[1:nBears,]))
```




```r
## Bears known to be alive in each year
colSums(zdata.aug[1:nBears,], na.rm=TRUE)
```

```
## [1] 49 60 58 63 61
```

```r
## Operational status of traps
nTrapsYr <- colSums(oper)
nTrapsYr
```

```
## 2012 2013 2014 2015 2016
##  126  129  135  135  134
```

```r
oper.traps <- matrix(0L, nTraps, nYears)
for(i in 1:nYears) {
    oper.traps[1:nTrapsYr[i],i] <- which(oper[,i]==1)
}



## State-space
x.range <- range(traps[,1])
y.range <- range(traps[,2])
buffer <- 4000
xlim0 <- x.range+c(-buffer, buffer)
```

```r
ylim0 <- y.range+c(-buffer, buffer)

#S360 <- raster("../data/state-space360.tif")
S360 <- raster("fromRepo/state-space360.tif")

traps.in <- extract(S360, traps)

plot(S360)
```




```r
## Convert raster to a data.frame
S360dat <- as.data.frame(S360, xy=TRUE)
names(S360dat) <- c("x", "y", "S360")
S360dat$x <- floor(S360dat$x)
S360dat$y <- floor(S360dat$y)
table(diff(S360dat$x))
```

```
##
## -39240    360
##    129  14170
```

```r
table(diff(S360dat$y))
```

```
##
##  -360     0
##   129 14170
```

```r
nPix360 <- nrow(S360dat)
dist360 <- matrix(NA, nPix360, nTraps)
for(j in 1:nTraps) {
    dist360[,j] <- sqrt((S360dat$x-traps[j,1])^2 +
                        (S360dat$y-traps[j,2])^2)
}

S360dat$pixIn <- (rowSums(dist360<buffer)>0)*1L
table(S360dat$pixIn)
```

```
##
##    0    1
## 7621 6679
```

```r
dim.S360 <- dim(S360)

S360dat$habitat <- ifelse((S360dat$S360>0) &
                           (S360dat$pixIn>0),
                           1L, 0L)

## Visualize traps and state space
levelplot(habitat ~ x+y, S360dat, aspect='iso',
          panel=function(...) {
              panel.levelplot(...)
              lpoints(traps, pch=3)
          })
```




```
delta <- res(S360)[1]
xseq <- sort(unique(S360dat$x))
yseq <- sort(unique(S360dat$y), decreasing=TRUE)
xlim <- range(xseq)+c(-delta/2,delta/2)
ylim <- range(yseq)+c(-delta/2,delta/2)

dim.S360
```

```
## [1] 130 110   1
```

```
range(ceiling((runif(1e5, xlim[1], xlim[2])-xlim[1])/delta))
```

```
## [1]   1 110
```

```
range(ceiling((ylim[2]-runif(1e5, ylim[1], ylim[2]))/delta))
```

```
## [1]   1 130
```

```
S <- matrix(S360dat$habitat, dim.S360[1], dim.S360[2],
            dimnames=list(yseq, xseq), byrow=TRUE)
str(S)
```

```
##  int [1:130, 1:110] 0 0 0 0 0 0 0 0 0 0 ...
```

```
##  - attr(*, "dimnames")=List of 2
##   ..$ : chr [1:130] "3622355" "3621995" "3621635" "3621275" ...
##   ..$ : chr [1:110] "243204" "243564" "243924" "244284" ...
```

```r
plot(raster(S))
```




```r
sum(S)*delta^2 / 1e6 ## Area in km-sq
```

```
## [1] 622.5984
```

```r
## JAGS
## Models are slow. About 450 iter/hr

library(rjags)



### Put the data in a list
jd <- list(y=y, y.zero=matrix(0, M, nYears),
           z=zdata.aug,
           nBears=nBears, M=M,
           nTrapsYr=as.integer(nTrapsYr),
           nWeeks=nWeeks, nYears=nYears, nFuture=0,
           oper.traps=oper.traps,
```

```r
           prevcap=prevcap.f+1,
           S=S, delta=delta,
           ones=matrix(1, M, nYears),
           x=traps, xlim=xlim, ylim=ylim)
jd$z=cbind(zdata.aug, matrix(NA, M, jd$nFuture))

str(jd)
```

```
## List of 17
##  $ y         : num [1:141, 1:173, 1:8, 1:5] 0 0 0 0 0 0 0 0 0 0 ...
##   ..- attr(*, "dimnames")=List of 4
##   .. ..$ : chr [1:141] "GA1-01-031-01T" "GA1-01-056-01T" "GA1-01-066-02B" "GA1-01-075-02B" ...
##   .. ..$ : chr [1:173] "x258787-y3600079" "x260710-y3599587" "x265200-y3601052" "x266238-y3600529" .
##   .. ..$ : NULL
##   .. ..$ : chr [1:5] "2012" "2013" "2014" "2015" ...
##  $ y.zero    : num [1:500, 1:5] 0 0 0 0 0 0 0 0 0 0 ...
##  $ z         : num [1:500, 1:5] 1 1 1 1 1 1 1 1 1 1 ...
##  $ nBears    : int 141
##  $ M         : num 500
##  $ nTrapsYr  : int [1:5] 126 129 135 135 134
##  $ nWeeks    : int 8
##  $ nYears    : int 5
##  $ nFuture   : num 0
##  $ oper.traps: int [1:173, 1:5] 1 2 3 4 5 6 7 8 9 10 ...
##  $ prevcap   : num [1:141, 1:173, 1:8, 1:5] 1 1 1 1 1 1 1 1 1 1 ...
##   ..- attr(*, "dimnames")=List of 4
##   .. ..$ : chr [1:141] "GA1-01-031-01T" "GA1-01-056-01T" "GA1-01-066-02B" "GA1-01-075-02B" ...
##   .. ..$ : chr [1:173] "x258787-y3600079" "x260710-y3599587" "x265200-y3601052" "x266238-y3600529" .
##   .. ..$ : NULL
##   .. ..$ : chr [1:5] "2012" "2013" "2014" "2015" ...
##  $ S         : int [1:130, 1:110] 0 0 0 0 0 0 0 0 0 0 ...
##   ..- attr(*, "dimnames")=List of 2
##   .. ..$ : chr [1:130] "3622355" "3621995" "3621635" "3621275" ...
##   .. ..$ : chr [1:110] "243204" "243564" "243924" "244284" ...
##  $ delta     : num 360
##  $ ones      : num [1:500, 1:5] 1 1 1 1 1 1 1 1 1 1 ...
##  $ x         : int [1:173, 1:2] 258787 260710 265200 266238 267777 269347 271377 272584 274249 265076
##   ..- attr(*, "dimnames")=List of 2
##   .. ..$ : chr [1:173] "x258787-y3600079" "x260710-y3599587" "x265200-y3601052" "x266238-y3600529" .
##   .. ..$ : chr [1:2] "x" "y"
##  $ xlim      : num [1:2] 243024 282624
##  $ ylim      : num [1:2] 3575735 3622535
```

```r
#### Function to generate initial values
ji <- function() {
    nFuture <- jd$nFuture
    nBears <- jd$nBears
    M <- jd$M
    nYears <- jd$nYears
    nWeeks <- jd$nWeeks
    nFuture <- jd$nFuture
    traps <- jd$x
    nTraps <- nrow(traps)
```

```r
    zi <- matrix(0, M, nYears+nFuture)
    ## Avoid N[t]=0, which causes problems with inital values of lambda
    if(nFuture>0)
        zi[(M-5):M,(nYears+1):(nYears+nFuture)] <- 1
    si1 <- traps[sample.int(nTraps, size=M, replace=TRUE,
                            prob=traps.in),]
    si.rec <- si <- array(NA, c(M, 2, nYears))
    si[,,1] <- si1
    si.rec[,,-1] <- si1
    for(i in 1:nBears) {
        zi[i,first.det[i]:last.det[i]] <- NA
        traplocs.i <- (rowSums(jd$y[i,,,])>0) * traps.in
        if(all(!traplocs.i))
            next
        si[i,,1] <- colMeans(traps[traplocs.i,,drop=FALSE])
        si.rec[i,,-1] <- colMeans(traps[traplocs.i,,drop=FALSE])
    }
    p0i <- array(NA, c(nWeeks, nYears, 2))
    p0i[,,2] <- matrix(runif(nWeeks*nYears), nWeeks, nYears)
    out <- list(z=zi, s=si, s.rec=si.rec, p0=p0i,
                sigma=runif(1, 3000, 4000), behave=runif(1, 0.5, 1),
                mu.lphi=0, sig.lphi=.01,
                psi=c(runif(1), rep(NA, nYears+nFuture-1)),
                igamma0=runif(1, 0.2, 0.3), gamma1=runif(1, 0, 0.001))
    out$".RNG.name" <- "base::Mersenne-Twister"
    out$".RNG.seed" <- sample.int(1e6, 1)
    return(out)
}

str(ji())
```

```
## List of 13
##  $ z        : num [1:500, 1:5] NA NA NA NA NA NA NA NA NA NA ...
##  $ s        : num [1:500, 1:2, 1:5] 258787 258787 258787 258787 258787 ...
##  $ s.rec    : num [1:500, 1:2, 1:5] NA NA NA NA NA NA NA NA NA NA ...
##  $ p0       : num [1:8, 1:5, 1:2] NA NA NA NA NA NA NA NA NA NA ...
##  $ sigma    : num 3973
##  $ behave   : num 0.765
##  $ mu.lphi  : num 0
##  $ sig.lphi : num 0.01
##  $ psi      : num [1:5] 0.842 NA NA NA NA
##  $ igamma0  : num 0.29
##  $ gamma1   : num 0.000754
##  $ .RNG.name: chr "base::Mersenne-Twister"
##  $ .RNG.seed: int 673168
```

```r
## Visualize initial values of activity centers
plot(raster(S, xmn=xlim[1], ymn=ylim[1], xmx=xlim[2], ymx=ylim[2]))
points(ji()$s[,,1])
points(ji()$s.rec[,,2], pch=16, col=3)
rect(xlim[1], ylim[1], xlim[2], ylim[2], border="blue")
```




```
#symbols(Sx, Sy, circles=rep(buffer, length(Sx)),
#        fg="blue", add=TRUE, inches=FALSE)


#### Parameters to monitor
jp <- c("p0", "sigma", "behave",
        "igamma0", "gamma0", "gamma1", "phi", "gamma", "EN",
        "N", "Ntotal", "survivors", "recruits", "lambda")


## Models in parallel with WAIC computation

library(parallel)

(nCores <- max(1, min(detectCores()-1, 4)))
```

```
## [1] 4
```

```
cl1 <- makeCluster(nCores)

clusterExport(cl1, c("jd", "ji", "jp",
                     "traps.in", "first.det", "last.det"))

## Compile and adapt. Comment out next line if you don't want reproducible results
clusterSetRNGStream(cl1, iseed=389761)
```

```r
system.time({
    jm.out <- clusterEvalQ(cl1, {
        library(rjags)
        load.module("dic")
        load.module("glm")
        #jm <- jags.model(file="dT-s0-rPDD2-phi0-pYB-sig0.jag",
        jm <- jags.model(file="fromRepo/dT-s0-rPDD2-phi0-pYB-sig0.jag",
                         data=jd, inits=ji,
                         n.chains=1, n.adapt=500)
        return(jm)
    })
}) ## Approx 1.5 hr
```

```
##     user   system  elapsed
##    0.556    0.142 5382.642
```

```r
save(jm.out, file="jm.gzip")


## Draw posterior samples, but don't monitor latent variables
system.time({
    jc1.out <- clusterEvalQ(cl1, {
        jc1 <- coda.samples(model=jm,
                            variable.names=c(jp, "deviance"),
                            n.iter=5000)
        return(as.mcmc(jc1))
    })
}) ## 450 iterations/hr
```

```
##      user    system   elapsed
##     0.001     0.214 37689.945
```

```r
save(jc1.out, file="jc1.gzip")


## mc1 <- as.mcmc.list(jc1.out)
## plot(mc1, ask=TRUE)

## Draw some more samples, including the latent varialbes needed
## for forecasting
jc2.out <- clusterEvalQ(cl1, {
    jc2 <- coda.samples(model=jm,
                        variable.names=c(jp, "deviance", "z", "a","s"),
                        n.iter=5000, n.thin=1)
    return(as.mcmc(jc2))
})



save(jc2.out, file="jc2.gzip")
```

```r
rm(jc1.out, jc2.out)
gc()
```

```
##            used  (Mb) gc trigger   (Mb)  max used   (Mb)
## Ncells  2870746 153.4    4645092  248.1   4645092  248.1
## Vcells 28749527 219.4  225661528 1721.7 233604644 1782.3
```

```r
## WAIC
js3.out <- clusterEvalQ(cl1, {
    js3 <- jags.samples(model=jm,
                        variable.names=c("deviance","WAIC"),
                        n.iter=5000, n.thin=1, type="mean")
    return(js3)
})


save(js3.out, file="js3.gzip")



## These additional samples aren't really necessary because the Markov
## chains usually converge very rapidly
jc4.out <- clusterEvalQ(cl1, {
    jc4 <- coda.samples(model=jm,
                        variable.names=c(jp, "deviance", "z", "a","s"),
                        n.iter=5000, n.thin=1)
    return(as.mcmc(jc4))
})





save(jc4.out, file="jc4.gzip")
```

The `fit.R` script continues, but the samples from the posterior distribution saved in `jc4.gzip` are what we need for the next steps, so we'll stop here.

Now summarize the posterior distribution, focusing on abundance and survival.

```r
library(coda)
summary(as.mcmc.list(jc4.out)[,c("N[1]","N[2]","N[3]","N[4]","N[5]","phi")])
```

```
##
## Iterations = 15501:20500
## Thinning interval = 1
## Number of chains = 4
## Sample size per chain = 5000
##
## 1. Empirical mean and standard deviation for each variable,
##    plus standard error of the mean:
##
```

```
##         Mean       SD  Naive SE Time-series SE
## N[1] 106.346 12.52392 0.0885575      0.3216121
## N[2] 135.132 12.57004 0.0888836      0.3991162
## N[3] 152.501 14.67288 0.1037529      0.5499559
## N[4] 159.799 16.47322 0.1164833      0.6528244
## N[5] 166.781 18.83846 0.1332080      0.7178218
## phi    0.754  0.03433 0.0002427      0.0008824
##
## 2. Quantiles for each variable:
##
##          2.5%      25%      50%      75%    97.5%
## N[1]  85.0000  97.0000 105.0000 114.0000 134.0000
## N[2] 112.0000 126.0000 135.0000 143.0000 161.0000
## N[3] 126.0000 142.0000 152.0000 162.0000 184.0000
## N[4] 130.0000 148.0000 159.0000 170.0000 195.0000
## N[5] 133.0000 153.0000 166.0000 179.0000 206.0000
## phi    0.6859   0.7309   0.7545   0.7779   0.8195
```

Forecast abundance

We then use the `forecast_fn.R` and `forecast.R` scripts from the GitHub repository associated with that project to recreate the forecasted population sizes.

```r
#Code below is copied from forecast.R
# the path to the forecast_fn.R script is modified slightly

## Forecast Central GA black bear dynamics and viability

library(coda)

#source("forecast_fn.R")
source("fromRepo/forecast_fn.R")

args(forecast)
```

```
## function (mcout, nFuture, M, harvest = NULL, stochastic = FALSE,
##     season = c("postrepro", "prerepro"), maxRecruit = Inf, NbarSims = 1,
##     storeZ = FALSE, report = Inf)
## NULL
```

```r
## Load posterior samples
load("jc4.gzip")
jc4 <- as.mcmc.list(jc4.out)
ps <- window(jc4, thin=10)

niter(ps)*nchain(ps)
```

```
## [1] 2000
```

```r
## debugonce(forecast)
```

```r
## No harvest
system.time({
    forc.h0 <- forecast(ps, nFuture=50, M=15000,
                        harvest=0, stochastic=TRUE,
                        NbarSims=100,
                        report=100)
})
```

```
##   iter 100 of 2000
##   iter 200 of 2000
##   iter 300 of 2000
##   iter 400 of 2000
##   iter 500 of 2000
##   iter 600 of 2000
##   iter 700 of 2000
##   iter 800 of 2000
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.

##   iter 900 of 2000
##   iter 1000 of 2000
##   iter 1100 of 2000
##   iter 1200 of 2000
##   iter 1300 of 2000

## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.

##   iter 1400 of 2000

## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 0, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
##   iter 1500 of 2000
##   iter 1600 of 2000
##   iter 1700 of 2000
##   iter 1800 of 2000
##   iter 1900 of 2000
##   iter 2000 of 2000
```

```
##      user    system   elapsed
## 12669.150    99.909 12836.103
```

```r
save(forc.h0, file="forc-h0.gzip")



## 5 additional females per year
system.time({
    forc.h5 <- forecast(ps, nFuture=50, M=15000,
                        harvest=5, stochastic=TRUE,
                        NbarSims=100,
                        report=100)
})
```

```
##   iter 100 of 2000
##   iter 200 of 2000
##   iter 300 of 2000
##   iter 400 of 2000
##   iter 500 of 2000
##   iter 600 of 2000
##   iter 700 of 2000
##   iter 800 of 2000
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.

##   iter 900 of 2000
##   iter 1000 of 2000
##   iter 1100 of 2000
##   iter 1200 of 2000
##   iter 1300 of 2000

## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.

##   iter 1400 of 2000

## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 5, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.

##   iter 1500 of 2000
##   iter 1600 of 2000
##   iter 1700 of 2000
##   iter 1800 of 2000
##   iter 1900 of 2000
##   iter 2000 of 2000

##      user    system   elapsed
## 13047.751    98.578 13220.916
```

```r
save(forc.h5, file="forc-h5.gzip")



## 10 additional females per year
system.time({
    forc.h10 <- forecast(ps, nFuture=50, M=15000,
```

```
                        harvest=10, stochastic=TRUE,
                        NbarSims=100,
                        report=100)
})
```

```
##   iter 100 of 2000
##   iter 200 of 2000
##   iter 300 of 2000
##   iter 400 of 2000
##   iter 500 of 2000
##   iter 600 of 2000
##   iter 700 of 2000
##   iter 800 of 2000

## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.

## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.

##   iter 900 of 2000
##   iter 1000 of 2000
##   iter 1100 of 2000
##   iter 1200 of 2000
##   iter 1300 of 2000

## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
```

```
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
## Warning in forecast(ps, nFuture = 50, M = 15000, harvest = 10, stochastic =
## TRUE, : Entrance probability >1. Increase M. For now, N fixed at max.
```

```
##   iter 1400 of 2000
##   iter 1500 of 2000
##   iter 1600 of 2000
##   iter 1700 of 2000
##   iter 1800 of 2000
##   iter 1900 of 2000
##   iter 2000 of 2000
```

```
##      user    system   elapsed
## 13375.664    90.619 13545.911
```

```r
save(forc.h10, file="forc-h10.gzip")
```

The forecast.R script continues, but given the levels of mortality observed in the population since 2016, the results for *status quo* and 5 additional harvested females are most relevant to our current comparisons. We'll also include comparisons to simulations with 10 additional females harvested, but no further forecasts are generated here.

Compare forecasted abundance

Now we'll look at the distribution of projected population sizes under the three management alternatives (*status quo*, 5 additional females harvested, 10 additional females harvested) and ask where our estimates of female abundance in 2023 (138) and 2024 (166) fall in those distributions.

```r
load("forc-h0.gzip")
load("forc-h5.gzip")
load("forc-h10.gzip")

#Calculate median population size for each draw from the posterior
# 2000 total draws, each simulated 100 times over a period of 50 years
dim(forc.h0$Nbar)
```

```
## [1]   51  100 2000
```

```r
dim(forc.h5$Nbar)
```

```
## [1]   51  100 2000
```

```r
dim(forc.h10$Nbar)
```

```
## [1]   51  100 2000
```

```r
# ---
#From Hooker et al. (2020) forecast.R script
EN21.h0 <- apply(forc.h0$Nbar, c(1, 3), median)
EN21.h5 <- apply(forc.h5$Nbar, c(1, 3), median)
EN21.h10 <- apply(forc.h10$Nbar, c(1, 3), median)

matplot(EN21.h0, type="l")
```




```r
matplot(EN21.h5, type="l")
```




```
matplot(EN21.h10, type="l")
```




```
quantile(EN21.h0[51,], c(0.025, 0.5, 0.975))
```

```
##     2.5%      50%    97.5%
## 134.5000 172.0000 304.5875
```

```
quantile(EN21.h5[51,], c(0.025, 0.5, 0.975))
```

```
##     2.5%      50%    97.5%
## 122.4875 162.0000 283.5125
```

```
quantile(EN21.h10[51,], c(0.025, 0.5, 0.975))
```

```
##     2.5%      50%    97.5%
##  98.0000 150.0000 254.5875
```

```
## Years
fyrs <- 2017:(2017+50)
# ---
```

Now plot the full time series with our abundance estimates included...

```r
library(scales)

#Load point estimates
load("../scr/samples-bothSexes2.gzip")
out <- coda::as.mcmc.list(samples)
Nf23 <- unlist(out[,"Nf[1]"])
Nf24 <- unlist(out[,"Nf[2]"])

#First for status quo
plot(fyrs, apply(EN21.h0, 1, median), type = "l",
     ylim = c(100,300), lwd = 2, col = "black",
     xlab = "Year", ylab = "Female Abundance", main = "Status Quo")
HPD50.h0 <- apply(EN21.h0, 1, quantile, prob = c(0.25, 0.75))
HPD95.h0 <- apply(EN21.h0, 1, quantile, prob = c(0.025, 0.975))
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD50.h0[1,], HPD50.h0[2,][ncol(HPD50.h0):1]),
    col = alpha("black", 0.25), border = NA)
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD95.h0[1,], HPD95.h0[2,][ncol(HPD95.h0):1]),
    col = alpha("black", 0.1), border = NA)
#Add points for estimates (and HPDI)
points(x = 2023, y = median(Nf23), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2023, x1 = 2023, y0 = quantile(Nf23, 0.025), y1 = quantile(Nf23, 0.975), length = 0.05, angl
points(x = 2024, y = median(Nf24), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2024, x1 = 2024, y0 = quantile(Nf24, 0.025), y1 = quantile(Nf24, 0.975), length = 0.05, angl
```



```r
#Then for 5 additional females per year
plot(fyrs, apply(EN21.h5, 1, median), type = "l",
     ylim = c(100,300), lwd = 2, col = "darkblue",
     xlab = "Year", ylab = "Female Abundance", main = "+5 Females")
HPD50.h5 <- apply(EN21.h5, 1, quantile, prob = c(0.25, 0.75))
HPD95.h5 <- apply(EN21.h5, 1, quantile, prob = c(0.025, 0.975))
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD50.h5[1,], HPD50.h5[2,][ncol(HPD50.h5):1]),
    col = alpha("darkblue", 0.25), border = NA)
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD95.h5[1,], HPD95.h5[2,][ncol(HPD95.h5):1]),
    col = alpha("darkblue", 0.1), border = NA)
#Add points for estimates (and HPDI)
points(x = 2023, y = median(Nf23), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2023, x1 = 2023, y0 = quantile(Nf23, 0.025), y1 = quantile(Nf23, 0.975), length = 0.05, angl
points(x = 2024, y = median(Nf24), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2024, x1 = 2024, y0 = quantile(Nf24, 0.025), y1 = quantile(Nf24, 0.975), length = 0.05, angl
```




```r
#Then for 10 additional females per year
plot(fyrs, apply(EN21.h10, 1, median), type = "l",
     ylim = c(100,300), lwd = 2, col = "darkred",
     xlab = "Year", ylab = "Female Abundance", main = "+10 Females")
HPD50.h10 <- apply(EN21.h10, 1, quantile, prob = c(0.25, 0.75))
HPD95.h10 <- apply(EN21.h10, 1, quantile, prob = c(0.025, 0.975))
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
```

```
    y=c(HPD50.h10[1,], HPD50.h10[2,][ncol(HPD50.h10):1]),
    col = alpha("darkred", 0.25), border = NA)
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD95.h10[1,], HPD95.h10[2,][ncol(HPD95.h10):1]),
    col = alpha("darkred", 0.1), border = NA)
#Add points for estimates (and HPDI)
points(x = 2023, y = median(Nf23), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2023, x1 = 2023, y0 = quantile(Nf23, 0.025), y1 = quantile(Nf23, 0.975), length = 0.05, angl
points(x = 2024, y = median(Nf24), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2024, x1 = 2024, y0 = quantile(Nf24, 0.025), y1 = quantile(Nf24, 0.975), length = 0.05, angl
```



Zooming in on the first part of the forecast...

```
max.yr <- which(fyrs == 2030)
fyrs <- fyrs[1:max.yr]
EN21.h0 <- EN21.h0[1:max.yr,]
EN21.h5 <- EN21.h5[1:max.yr,]
EN21.h10 <- EN21.h10[1:max.yr,]

#First for status quo
plot(fyrs, apply(EN21.h0, 1, median), type = "l",
     ylim = c(100,300), lwd = 2, col = "black",
     xlab = "Year", ylab = "Female Abundance", main = "Status Quo")
HPD50.h0 <- apply(EN21.h0, 1, quantile, prob = c(0.25, 0.75))
HPD95.h0 <- apply(EN21.h0, 1, quantile, prob = c(0.025, 0.975))
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
```

```
    y=c(HPD50.h0[1,], HPD50.h0[2,][ncol(HPD50.h0):1]),
    col = alpha("black", 0.25), border = NA)
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD95.h0[1,], HPD95.h0[2,][ncol(HPD95.h0):1]),
    col = alpha("black", 0.1), border = NA)
#Add points for estimates (and HPDI)
points(x = 2023, y = median(Nf23), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2023, x1 = 2023, y0 = quantile(Nf23, 0.025), y1 = quantile(Nf23, 0.975), length = 0.05, angl
points(x = 2024, y = median(Nf24), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2024, x1 = 2024, y0 = quantile(Nf24, 0.025), y1 = quantile(Nf24, 0.975), length = 0.05, angl
```




```
#Then for 5 additional females per year
plot(fyrs, apply(EN21.h5, 1, median), type = "l",
     ylim = c(100,300), lwd = 2, col = "darkblue",
     xlab = "Year", ylab = "Female Abundance", main = "+5 Females")
HPD50.h5 <- apply(EN21.h5, 1, quantile, prob = c(0.25, 0.75))
HPD95.h5 <- apply(EN21.h5, 1, quantile, prob = c(0.025, 0.975))
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD50.h5[1,], HPD50.h5[2,][ncol(HPD50.h5):1]),
    col = alpha("darkblue", 0.25), border = NA)
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD95.h5[1,], HPD95.h5[2,][ncol(HPD95.h5):1]),
    col = alpha("darkblue", 0.1), border = NA)
#Add points for estimates (and HPDI)
points(x = 2023, y = median(Nf23), pch = 19, cex = 0.75, col = "red")
```

```
arrows(x0 = 2023, x1 = 2023, y0 = quantile(Nf23, 0.025), y1 = quantile(Nf23, 0.975), length = 0.05, angl
points(x = 2024, y = median(Nf24), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2024, x1 = 2024, y0 = quantile(Nf24, 0.025), y1 = quantile(Nf24, 0.975), length = 0.05, angl
```




```
#Then for 10 additional females per year
plot(fyrs, apply(EN21.h10, 1, median), type = "l",
     ylim = c(100,300), lwd = 2, col = "darkred",
     xlab = "Year", ylab = "Female Abundance", main = "+10 Females")
HPD50.h10 <- apply(EN21.h10, 1, quantile, prob = c(0.25, 0.75))
HPD95.h10 <- apply(EN21.h10, 1, quantile, prob = c(0.025, 0.975))
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD50.h10[1,], HPD50.h10[2,][ncol(HPD50.h10):1]),
    col = alpha("darkred", 0.25), border = NA)
polygon(x=c(fyrs, fyrs[length(fyrs):1]),
    y=c(HPD95.h10[1,], HPD95.h10[2,][ncol(HPD95.h10):1]),
    col = alpha("darkred", 0.1), border = NA)
#Add points for estimates (and HPDI)
points(x = 2023, y = median(Nf23), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2023, x1 = 2023, y0 = quantile(Nf23, 0.025), y1 = quantile(Nf23, 0.975), length = 0.05, angl
points(x = 2024, y = median(Nf24), pch = 19, cex = 0.75, col = "red")
arrows(x0 = 2024, x1 = 2024, y0 = quantile(Nf24, 0.025), y1 = quantile(Nf24, 0.975), length = 0.05, angl
```



Finally, where do our point estimates fall in the distribution of simulations? In other words, what percentile is associated with the means of our posterior distributions for abundance?

```
#Create ecdf for each year and scenario
ecdf.h0.2023 <- ecdf(EN21.h0[which(fyrs == 2023),])
ecdf.h0.2023(median(Nf23))
```

```
## [1] 0.034
```

```
ecdf.h0.2024 <- ecdf(EN21.h0[which(fyrs == 2024),])
ecdf.h0.2024(median(Nf24))
```

```
## [1] 0.3785
```

```
ecdf.h5.2023 <- ecdf(EN21.h5[which(fyrs == 2023),])
ecdf.h5.2023(median(Nf23))
```

```
## [1] 0.1145
```

```
ecdf.h5.2024 <- ecdf(EN21.h5[which(fyrs == 2024),])
ecdf.h5.2024(median(Nf24))
```

```
## [1] 0.537
```

```r
ecdf.h10.2023 <- ecdf(EN21.h10[which(fyrs == 2023),])
ecdf.h10.2023(median(Nf23))
```

```
## [1] 0.2595
```

```r
ecdf.h10.2024 <- ecdf(EN21.h10[which(fyrs == 2024),])
ecdf.h10.2024(median(Nf24))
```

```
## [1] 0.704
```

In summary, our point estimates are consistent with predictions from the PVA in Hooker et al. (2020). The estimate for 2023 falls in the lower tail of the distributions of forecasted abundances under *status quo* management and with 5 additional females harvested per year, but is in the central 50th percentile interval with 10 additional females harvested per year. Meanwhile, the 2024 estimate falls in the central 50th percentile interval under all three scenarios.