GENERATIVE CONTACT MECHANICS

A Common Language for Dissipative Oscillatory Systems

A Position Paper

Pablo Nogueira Grossi
Independent Researcher

2025

"The river is the same river, though the water is never the same water."
— Traditional

1. The Problem of Fragmented Languages

Across the sciences, oscillatory and dissipative systems appear with remarkable regularity. They govern the firing of neurons, the cycling of economies, the rhythms of climate, the dynamics of biochemical pathways, and the behavior of engineered circuits. Yet despite this ubiquity, each discipline describes these systems in its own vocabulary, shaped by its own history, metaphors, and modeling traditions. The result is a landscape rich in insight but poor in coherence: a patchwork of local languages without a shared grammar.

This fragmentation is not merely terminological. It shapes how scientists perceive structure. A physicist studying a limit cycle in a nonlinear oscillator may use concepts of energy balance and damping; a neuroscientist analyzing population rhythms may speak of excitatory–inhibitory balance; an economist modeling business cycles may invoke feedback between wages and employment; a biologist examining circadian clocks may describe entrainment and molecular feedback loops. Each description is internally consistent, yet the underlying generative patterns often rhyme across fields. Without a common language, these rhymes remain hidden.

The cost of this fragmentation is cumulative. When each field reinvents its own conceptual tools, opportunities for analogy and transfer are lost. Structural features that

appear universal—such as the emergence of coherent modes, the presence of dissipative cycles, or the stability of oscillatory regimes under perturbation—are rarely recognized as belonging to a shared class. Predictions that could be strengthened by cross-disciplinary comparison remain confined within disciplinary boundaries. Even the simplest question—what makes one oscillatory system resemble another?—has no standard answer.

A shared language for generative dynamics would change this. It would not replace domain-specific models or impose a single mathematical formalism. Instead, it would provide a conceptual scaffold: a way to describe how systems generate, sustain, and transform structure, regardless of the substrate in which they live. Such a language would make it possible to compare systems that currently appear unrelated, to identify invariants that persist across scales, and to articulate generative mechanisms in a way that is intelligible to scientists in different fields.

Generative Contact Mechanics (GCM) is proposed in this manifesto as such a language. It begins from the observation that many dissipative oscillatory systems share a common geometric structure—one that becomes visible when we focus not on the equations themselves, but on the contacts between their modes, operators, and invariants. Before introducing that framework, this manifesto begins by naming the problem it seeks to address: the absence of a shared vocabulary for the generative behavior of dissipative systems. The sections that follow outline one possible solution.

2. What Generative Contact Mechanics Is

> *Generative Contact Mechanics offers a shared language for describing how dissipative systems generate, sustain, and transform dynamical structure through structured contact.*

That sentence is the manifesto's anchor. Unpacking it carefully is the work of this section.

2.1 The core claim

GCM rests on a single observation: many dissipative oscillatory systems, across wildly different substrates, share a common geometry. This geometry becomes visible not at the level of equations but at the level of structure—the way modes interact, the way stability is maintained against perturbation, the way the system's generative capacity is organized around an invariant core.

The claim is not that all oscillatory systems are the same. It is that they share a family resemblance precise enough to support a common language—one that identifies

what they have in common without erasing what makes each one distinct. GCM is the attempt to articulate that language.

2.2 The dm^3 operator: a minimal generative grammar

The mathematical spine of GCM is the dm^3 operator: a dissipative dynamical system defined on a Riemannian manifold whose long-term behavior organizes around a hyperbolic limit cycle. The dm^3 operator is not a model of any particular physical system. It is a minimal formal object that captures the essential features shared by all systems in the GCM class: dissipation, generation of coherent structure, and stability under perturbation.

Around the dm^3 operator, a grammar of five operators has been developed—denoted g, L, R, U, and B—each encoding a distinct aspect of how generative dynamics proceed. Together with a contact geometric structure and four main theorems (on existence and stability, categorical closure, contact normal form, and structural stability), these operators constitute the formal core of GCM.

The mathematical details are developed in two companion papers, which formalize the dm^3 operator and establish its stability properties. This manifesto focuses on the conceptual and cross-disciplinary implications of that framework, and does not require the reader to engage with the formal mathematics.

2.3 What 'contact' means in this language

The word 'contact' in GCM is precise. In mathematics, contact geometry is a branch of differential geometry that studies odd-dimensional manifolds equipped with a maximally non-integrable hyperplane field—a contact structure. This structure is the natural home of dissipative systems: it encodes the way energy is exchanged, modes interact, and invariants are preserved or broken.

In GCM, 'contact' refers to the structured interaction between a system's dynamical modes. It is not collision or connection in the naive sense—it is the precise geometric relationship that governs how different parts of a system's behavior constrain and generate one another. Two systems that share a contact structure, in the GCM sense, are systems whose generative dynamics are organized by the same underlying geometry.

2.4 What 'generative' means

The word 'generative' is equally precise. A system is generative in the GCM sense if it does not merely evolve—if it actively produces, sustains, and transforms dynamical structure over time. Dissipative systems that possess structured limit cycles are paradigmatically generative: they continuously regenerate their characteristic behavior against the dissipative tendency toward equilibrium.

Generativity, in this sense, is a structural property, not a metaphor. It refers to the capacity of a dynamical system to produce coherent behavior that is robust to perturbation—behavior that 'wants' to recur, in the precise mathematical sense of being a stable attractor with positive basin of attraction.

3. The Shared Lexicon

Every scientific language needs a lexicon: a set of terms whose meanings are precise enough to support rigorous argument, yet clear enough to be used across disciplinary contexts. GCM's lexicon has five core components. Each is introduced here at the conceptual level; the formal definitions are available in the companion papers.

3.1 Contact geometry: the natural home of dissipative systems

Contact geometry studies spaces in which energy exchange and dissipation are built into the geometry itself. Where symplectic geometry—the classical language of Hamiltonian mechanics—describes systems that conserve energy exactly, contact geometry describes systems that lose or gain energy in a structured, controlled way. For dissipative oscillatory systems, this makes contact geometry the natural geometric setting: dissipation is not an anomaly to be corrected, but a feature to be studied geometrically.

The key object in contact geometry is the contact form: a differential one-form whose non-degeneracy condition encodes the constraint that energy exchange is maximally non-trivial. Systems described by GCM all carry such a contact form, which is why they are comparable despite their substrate differences. The contact form is the geometric signature of dissipative generativity.

3.2 Structured limit cycles: what makes a limit cycle 'structured'

A limit cycle is a closed trajectory in phase space toward which nearby trajectories converge. Limit cycles are ubiquitous in oscillatory systems: the beating heart, the firing neuron, the circadian clock, the business cycle all exhibit limit-cycle behavior to a first approximation.

But not all limit cycles are equal. A structured limit cycle, in the GCM sense, is a limit cycle that is hyperbolic (meaning nearby trajectories converge exponentially fast), carries a well-defined contact structure, and admits a canonical decomposition into generative modes governed by the GCM operator grammar. The difference between a generic limit cycle and a structured limit cycle is roughly the difference between a curve that happens to close and a curve whose closure is the expression of an underlying geometric necessity.

3.3 The canonical invariant triple (^{T}, ξ, Φ)

Every system in the GCM class carries three canonical objects that together constitute its geometric identity: a contact manifold M (the space in which the system's dynamics live), a contact structure ξ (the hyperplane field encoding the constraint of structured dissipation), and a contact Hamiltonian Φ (the function governing how the system's energy is organized and exchanged).

This triple is canonical in the sense that it is invariant under the symmetries of the GCM category: two systems that share the same canonical triple, up to the appropriate

notion of equivalence, are 'the same kind of thing' in the GCM language. The triple provides the common coordinate system that makes cross-disciplinary comparison possible.

3.4 The operator grammar: g, L, R, U, B

GCM describes the dynamics of systems in its class through five operators, each encoding a distinct aspect of generative behavior:

g is the metric operator: it describes the intrinsic geometry of the contact manifold, encoding the 'shape' of the space in which dynamics unfold.

L is the Lie derivative operator: it encodes how the system's contact structure evolves along the flow, capturing the interplay between generativity and dissipation.

R is the Reeb vector field: it describes the direction of 'pure generativity'—the direction of motion along which the contact form is perfectly preserved. The Reeb direction is the system's generative axis.

U is the unfolding operator: it encodes how the system responds to perturbation, describing the way small deviations from the limit cycle are organized and controlled.

B is the boundary operator: it describes the interaction between the system's interior dynamics and its external constraints, encoding the way boundary conditions shape generative behavior.

Together, g, L, R, U, B constitute the operator grammar of GCM—the minimal vocabulary needed to describe how a dissipative generative system works.

3.5 The GCM category: what it means for two systems to be 'the same kind of thing'

The GCM category is the formal structure that makes cross-disciplinary comparison rigorous. Its objects are systems equipped with the canonical invariant triple (M, ξ, Φ). Its morphisms are maps between systems that preserve the contact structure—maps that respect the geometric organization of generative dynamics.

The existence of the GCM category means that 'resemblance between systems' is not a metaphor but a theorem: two systems are related in the GCM category if and only if there exists a structure-preserving map between them. This is what makes GCM a language rather than an analogy—it provides a precise criterion for when a comparison between systems from different fields is justified.

4. The Framework in Action: Six Domains

The most direct test of a proposed scientific language is its range. Can it speak coherently about systems that its authors did not have in mind? Does it illuminate structure that domain-specific descriptions obscure? The six examples in this section are offered not as proofs of GCM's validity—that question is for the mathematical papers and for the scientific community to assess—but as illustrations of its reach and of the kind of structural insight it offers.

Each subsection follows the same pattern: the system is introduced on its own terms, the GCM description is provided, and the value added by the GCM perspective is identified. The goal is not completeness but orientation.

4.1 Physics — The Van der Pol Oscillator

The Van der Pol oscillator is the canonical model of a self-sustaining nonlinear oscillation. Originally introduced to describe the behavior of vacuum tubes in early radio circuits, it has become the textbook example of a dissipative system with a stable limit cycle: at low amplitudes, the system pumps energy into the oscillation; at high amplitudes, it damps it. The result is a robust, self-regulating oscillatory regime.

In GCM terms, the Van der Pol oscillator is a paradigmatic dm^3 system. Its limit cycle is hyperbolic, its contact structure is well-defined, and its operator decomposition—into generative (R), dissipative (L), and deformation (U) components—is transparent. The GCM perspective does not add new predictions for the Van der Pol oscillator itself, but it establishes the template against which other systems can be compared. The Van der Pol oscillator is, in GCM's language, the unit of measure.

4.2 Neuroscience — The Wilson–Cowan Model

The Wilson–Cowan model describes the dynamics of coupled excitatory and inhibitory neural populations. Originally developed in the early 1970s as a phenomenological model of cortical activity, it has become a foundational tool in computational neuroscience. Under appropriate parameter regimes, the model exhibits limit-cycle oscillations corresponding to the rhythmic activity observed in neural circuits during sensory processing, motor coordination, and cognitive states.

The Wilson–Cowan model is a natural GCM system. Its phase space is two-dimensional, its limit cycles are well-characterized, and its bifurcation structure—the way it transitions between stable fixed points and oscillatory regimes—maps directly onto the GCM category's treatment of structural stability. The GCM perspective illuminates the Wilson–Cowan model by identifying the contact structure underlying its oscillatory behavior, making it possible to compare neural rhythms with oscillatory systems in other domains without requiring a shared biological substrate.

4.3 Biology — Circadian Clocks and Glycolytic Oscillations

Biology offers two particularly clean examples of structured dissipative oscillations, operating at different timescales and through different molecular mechanisms.

The cyanobacterial circadian clock, based on the KaiA, KaiB, and KaiC protein system, is one of the best-characterized molecular oscillators in biology. The KaiABC

system exhibits robust 24-hour oscillations that persist in vitro, in the absence of transcription or translation, driven entirely by post-translational phosphorylation cycles. The limit cycle of this system is mechanistically explicit, molecularly well-characterized, and highly stable under perturbation—precisely the features that make it a GCM system in the fullest sense.

Glycolytic oscillations in yeast, by contrast, operate on a timescale of minutes rather than hours, and arise from feedback in the metabolic pathway that converts glucose to pyruvate. The oscillations are driven by the allosteric regulation of phosphofructokinase, creating a biochemical limit cycle that can be observed directly in populations of yeast cells. Where the circadian clock illustrates GCM at the timescale of circadian biology, glycolytic oscillations illustrate it at the timescale of metabolic dynamics. Together, they demonstrate that the GCM description applies across biological scales, not merely within them.

4.4 Economics — The Goodwin Growth Cycle

The Goodwin model of economic growth is a predator–prey system in which the employment rate and the wage share of income interact to produce endogenous business cycles. Developed in the early 1960s drawing on the Lotka–Volterra equations of mathematical ecology, the model generates closed orbits in the (employment, wage share) plane: periods of high employment drive up wages, which reduce profit and investment, which reduce employment, which allows wages to fall—and so on. The cycle is dissipative in the economic sense: the system continuously redistributes value between labor and capital without converging to a fixed equilibrium.

The Goodwin model provides a clean example of a dissipative oscillatory system in economics—not a claim that GCM explains macroeconomic dynamics in general, but an illustration that the structural features GCM identifies (structured limit cycle, dissipative feedback, operator decomposition) appear in economic models that have been independently validated by economists. The GCM lens adds nothing to the Goodwin model's economics, but it adds something to our understanding of why the model belongs to the same structural class as the Van der Pol oscillator and the KaiABC clock.

4.5 Climate — The El Niño–Southern Oscillation

The El Niño–Southern Oscillation (ENSO) is the largest source of year-to-year variability in the global climate system. It arises from the coupled interaction between sea surface temperatures in the tropical Pacific and the atmospheric circulation patterns that both respond to and drive those temperatures. ENSO is not a strict limit cycle in the mathematical sense: its period is irregular (roughly 2 to 7 years), and its amplitude varies. It is better described as a structured oscillatory phenomenon—a system with a preferred mode of variability that is robust to external perturbation but not perfectly periodic.

The GCM description of ENSO is accordingly more nuanced than for the other examples. ENSO does not sit cleanly within the dm^3 framework's strict limit-cycle formalism, but it exhibits many of the hallmarks of a GCM system: a well-defined preferred mode, structural stability under perturbation, and a contact-geometric

organization of its coupled ocean–atmosphere dynamics. ENSO is best understood as a GCM-adjacent system—one that motivates extensions of the framework toward quasi-periodic and irregularly forced oscillators, rather than a system that fits the current formalism exactly.

4.6 Engineering — The Phase-Locked Loop

The phase-locked loop (PLL) is a feedback control circuit that synchronizes an output oscillator to the phase of an input signal. PLLs are ubiquitous in modern electronics: they appear in radio receivers, telecommunications infrastructure, GPS systems, and microprocessor clock circuits. The PLL is, in a precise sense, an engineered GCM system: its design goal is explicitly to create and maintain a structured limit cycle (the locked state) that is robust to perturbation (frequency drift, noise) and that tracks a reference signal.

The PLL is the most transparent GCM example in this survey, because it is a system whose contact geometric structure is not discovered but designed. The engineer who designs a PLL is, in GCM's language, explicitly constructing a dm^3 system with specified operator properties. The GCM framework thus offers the PLL designer not only a description of what their system does, but a language for reasoning about why it works and how it relates to other systems—natural and engineered—that achieve robust oscillatory behavior by the same geometric means.

5. What GCM Does Not Claim

A scientific language earns trust not only by what it illuminates but by what it honestly declines to explain. GCM is proposed as a language, not a theory of everything. The following clarifications are not hedges—they are structural features of the framework.

5.1 GCM is a language, not a theory of everything

GCM does not claim that all dynamical systems are dissipative limit-cycle systems, or that all scientific phenomena can be described in GCM terms. The framework is explicitly scoped to dissipative systems with structured limit cycles. Many important systems—conservative Hamiltonian systems, chaotic attractors, stochastic systems, systems without limit cycles—lie outside its current scope. GCM is a language for a specific structural class, not a universal framework.

5.2 The framework does not replace domain-specific models

GCM describes structure at a level of abstraction that is necessarily higher than the level at which domain-specific models operate. A GCM description of the Wilson–Cowan model does not tell a neuroscientist anything new about the biology of the brain. A GCM description of ENSO does not improve a climate forecaster's predictions. The value of

the GCM description lies in cross-disciplinary comparison and structural insight, not in the replacement of the detailed models that each field has developed for good reasons.

5.3 Open questions and the boundaries of current formalization

Several important questions remain open. The GCM framework currently handles smooth systems on finite-dimensional manifolds; extensions to stochastic systems, infinite-dimensional systems, and non-smooth dynamics are natural but not yet developed. The treatment of quasi-periodic systems (such as ENSO) requires extensions beyond the current limit-cycle formalism. The relationship between the GCM category and existing categorical frameworks in mathematics and physics—symplectic geometry, topological field theory, applied category theory—deserves systematic investigation.

5.4 An invitation to stress-test, extend, and falsify

GCM is a young framework. Its value will be determined not by the claims made in this manifesto but by its performance under scientific scrutiny: by whether the structural parallels it identifies hold up to detailed examination, by whether its language proves genuinely useful to scientists in multiple fields, and by whether the framework can be extended or falsified in principled ways. The appropriate response to a proposed scientific language is to use it, challenge it, and improve it. That is the spirit in which GCM is offered.

6. An Invitation to a Research Community

GCM is not a completed edifice. It is a foundation—one that will become useful in proportion to the number and variety of scientists who engage with it, stress-test it, and extend it. This section sketches the shape of the research program that GCM opens.

6.1 Immediate research directions

Several directions are immediately available. First, the formalization of additional domain examples: for each of the six domains surveyed in Section 4, a detailed GCM analysis—identifying the canonical invariant triple, decomposing the dynamics into the operator grammar, and characterizing the contact structure—would either validate the GCM description or identify the respects in which the framework requires extension. Second, the development of computational tools for GCM analysis: algorithms for identifying contact structures in empirical data, methods for estimating the canonical invariant triple from time-series observations, and software implementations of the operator decomposition would make GCM practically accessible to empirical scientists. Third, the investigation of the GCM category's relationship to existing mathematical structures: the connections to symplectic geometry, thermodynamical geometry, and applied category theory deserve systematic development.

6.2 The kinds of collaboration GCM invites

GCM is, by design, a cross-disciplinary project. The most productive engagements will likely come from researchers who bring a specific domain system and ask whether GCM can describe it, and from mathematicians who bring expertise in contact geometry or dynamical systems and ask whether the GCM formalism can be extended or sharpened. The framework is explicitly designed to reward collaboration between people who know a lot about specific systems and people who know a lot about geometric structure. Neither group can complete the project alone.

6.3 What building the field would mean in practice

A GCM research program would, over time, produce a catalogue of systems that have been formally analyzed in GCM terms—across physics, biology, neuroscience, economics, climate, and engineering. It would produce a body of theorems characterizing the structural properties of the GCM class and its extensions. It would produce computational tools that make GCM analysis accessible to empirical researchers. And it would produce a vocabulary—precise, cross-disciplinary, and tested—for describing the generative behavior of dissipative systems in any domain. That vocabulary is the real deliverable. The mathematics is its foundation; the manifesto is its announcement; the community that uses it is its measure.

7. Origins and Lineage: A Note on Inspiration

Scientific frameworks do not arise from nowhere. They arise from the encounter between a mathematical imagination and a set of orienting intuitions—intuitions about what kinds of structure are fundamental, what kinds of questions are worth asking, and what a satisfying answer would look like. In the case of GCM, honesty requires acknowledging the tradition in which those orienting intuitions were formed.

The conceptual core of GCM—the idea that generative behavior arises from structured contact between modes, that dissipative systems can be understood through the geometry of their interactions, that stability and transformation are two aspects of a single underlying structure—reflects intuitions drawn from the yogic scriptural tradition. This work derives from that tradition, and was developed within it. The author is a yoga acharya initiated into that lineage, and the intellectual debt is real.

What this means—and what it does not mean—deserves care. It does not mean that the mathematics is mystical, or that its validity depends on the tradition that inspired it. Mathematical claims stand or fall on their own terms: the four theorems of GCM are either provable from the axioms or they are not, regardless of where the axioms came from. The contact geometric formalism is either adequate to describe the systems it claims to describe or it is not, regardless of the contemplative tradition that first suggested the organizing metaphors.

What it does mean is that the tradition offered a set of structural intuitions precise enough to generate a mathematical framework—and that this fact is worth acknowledging rather than obscuring. The history of science contains many examples of productive encounters between contemplative traditions and formal mathematics. GCM is offered as a contribution to that history: a case in which scriptural intuition was translated, carefully and without overclaiming, into a mathematical language that can be evaluated on its own terms.

The author does not take personal credit for this work. It is offered in the spirit of the tradition from which it came: not as a possession to be defended, but as a contribution to a conversation that is larger than any single voice.

References

Nogueira Grossi, P. (2025). Generative Contact Mechanics: A Geometric Framework for Dissipative Systems with Structured Limit Cycles. Submitted to Journal of Geometric Mechanics.

Nogueira Grossi, P. (2025). The dm^3 Operator: Explicit Toy Model and Global Dynamical Analysis. Submitted to SIAM Journal on Applied Dynamical Systems.

van der Pol, B. (1927). On relaxation-oscillations. The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science, 2(11), 978–992.

Wilson, H. R., & Cowan, J. D. (1972). Excitatory and inhibitory interactions in localized populations of model neurons. Biophysical Journal, 12(1), 1–24.

Nakajima, M., Imai, K., Ito, H., Nishiwaki, T., Murayama, Y., Iwasaki, H., Oyama, T., & Kondo, T. (2005). Reconstitution of circadian oscillation of cyanobacterial KaiC phosphorylation in vitro. Science, 308(5720), 414–415.

Higgins, J. (1964). A chemical mechanism for oscillation of glycolytic intermediates in yeast cells. Proceedings of the National Academy of Sciences, 51(6), 989–994.

Goodwin, R. M. (1967). A growth cycle. In C. H. Feinstein (Ed.), Socialism, Capitalism and Economic Growth (pp. 54–58). Cambridge University Press.

Bjerknes, J. (1969). Atmospheric teleconnections from the equatorial Pacific. Monthly Weather Review, 97(3), 163–172.

Gardner, F. M. (1979). Phaselock Techniques (2nd ed.). Wiley.

Geiges, H. (2008). An Introduction to Contact Topology. Cambridge University Press.

Bravetti, A., Cruz, H., & Tapias, D. (2017). Contact Hamiltonian mechanics. Annals of Physics, 376, 17–39.

Guckenheimer, J., & Holmes, P. (1983). Nonlinear Oscillations, Dynamical Systems, and Bifurcations of Vector Fields. Springer.

© 2025 Pablo Nogueira Grossi · All rights reserved