



PRE-JOB INSPECTION

PRESSURE RATING

LABEL YOUR SYSTEM COMPONENTS

PSI	Bar		Color
10,000	690	-	Yellow
15,000	1,034	-	Green
20,000	1,379	-	Blue
30,000	2,068	-	Silver
40,000	2,758	-	Orange
55,000	3,792	-	Red



All components should be properly labeled, color coded or otherwise marked to indicate compliance.



PRE-JOB INSPECTION

VISUAL INSPECTION - HOSE



Serial number



Damaged crimp



Damaged threads



Bend radius exceeded



Exposed wire braids

Hose components of the system shall be inspected for wear and damage.

If possible, hoses should be marked with an in-service date.

Maximum life is from date of manufacture, 2 years for flex/moleing lances and shotgun whip hoses and 4 years for all other high-pressure hoses (per NAHAD).

HOSE EXPIRATIONS & CONDITION



Work Practice Controls

Equipment Inspection Procedures

- High-Pressure Hose Visual Inspection
- High-Pressure Hose Color Coding & Expiration

Hose Category	Expiration Date
High Pressure Supply Hose	Four years from receipt
Lance Hose	Two years from receipt
Shotgun Whip Hose	Two Years from receipt
Pump Hose	Four years from fabrication



PRE-JOB INSPECTION

VISUAL INSPECTION - HOSE

Visual Inspection

- Device is only eligible for use providing that it meets the standards of the visual inspection
- **Exposed Wire Braids**
- **Bubbling of Outer Jacket**
- **Excessive crimp corrosion or mechanical damage**
- **Exceeded Bend Radius (kink)**

