


Nama : Silviya
NIM : 2009331
Kelas : SIK-B

LAPORAN PELATIHAN W3SCHOOL

1. Membuat Tabel cells , rows , header


```
<html >
<head>
  <title> html tabel cells, rows, header </title>
</head>
<body>
  <table>
    <tr>
      <th>Nama </th>
      <th>NIM </th>
      <th>Kelas</th>
    </tr>
    <tr>
      <td>Silviya</td>
      <td>2009331</td>
      <td>SIK B</td>
    </tr>
    <tr>
      <td> Neng Evi Ratna</td>
      <td>2007919</td>
      <td> SIK B</td>
    </tr>
  </table>
</body>
</html>
```

OUTPUT



| Nama | NIM | Kelas |
|----------------|---------|-------|
| Silviya | 2009331 | SIK B |
| Neng Evi Ratna | 2007919 | SIK B |

2. Border, Collapse- Border , Style Border




The screenshot displays the Visual Studio Code editor with a file explorer on the left and a code editor in the center. The file explorer shows a project named 'WEB HTML' with a subfolder 'LATIHAN 2' containing various HTML files. The code editor shows the content of 'latihan2_w3school.html'.

```
1 <html>
2 <head>
3   <title> Border </title>
4 </head>
5 <body>
6   <table border="1">
7     <tr>
8       <td> Nama </td>
9       <td> Jurusan </td>
10    </tr>
11    <tr>
12      <td> Silviya</td>
13      <td> Sistem Informasi Kelautan </td>
14    </tr>
15    <tr>
16      <td> Angelina</td>
17      <td> Logistik Kelautan </td>
18    </tr>
19  </table>
20 </body>
21 </html>
22 <br>
23 <br>
24 <html>
25 <head>
26   <title> Collapse-Border </title>
27 </head>
28 <body>
29   <table border="1" cellspacing="0">
30     <tr>
31       <td> Nama </td>
32       <td> Jurusan </td>
33     </tr>
34     <tr>
35       <td> Silviya</td>
36       <td> Sistem Informasi Kelautan </td>
37     </tr>
38     <tr>
39       <td> Angelina</td>
40       <td> Logistik Kelautan </td>
41     </tr>
42   </table>
43 </body>
44 </html>
45 <br>
46 <br>
47 <html>
48 <head>
49   <title> Style Border </title>
50 </head>
51 <body>
52   <table border="1" cellspacing="0" bgcolor="#96D4D4">
53     <tr>
54       <td> Nama </td>
55       <td> Jurusan </td>
56     </tr>
57     <tr>
58       <td> Silviya</td>
59       <td> Sistem Informasi Kelautan </td>
60     </tr>
61     <tr>
62       <td> Angelina</td>
63       <td> Logistik Kelautan </td>
64     </tr>
65   </table>
66 </body>
67 </html>
68 <br>
69 <br>
70 <html>
71 <head>
72   <title> Style Border </title>
73 </head>
74 <body>
```

The code editor shows the HTML code for a table with border, collapse border, and style border. The table has 2 columns and 4 rows. The first row contains 'Nama' and 'Jurusan'. The second row contains 'Silviya' and 'Sistem Informasi Kelautan'. The third row contains 'Angelina' and 'Logistik Kelautan'. The fourth row is empty. The table is styled with a border, collapse border, and style border. The style border is defined by the attributes 'border="1"', 'cellspacing="0"', and 'bgcolor="#96D4D4"'. The code editor also shows the file explorer on the left, which lists the files in the project. The status bar at the bottom shows the current line and column (Ln 74, Col 1), the encoding (UTF-8), the line ending (CRLF), and the file type (HTML).

OUTPUT





| | |
|----------|---------------------------|
| Nama | Jurusan |
| Silviya | Sistem Informasi Kelautan |
| Angelina | Logistik Kelautan |

| | |
|----------|---------------------------|
| Nama | Jurusan |
| Silviya | Sistem Informasi Kelautan |
| Angelina | Logistik Kelautan |

| | |
|----------|---------------------------|
| Nama | Jurusan |
| Silviya | Sistem Informasi Kelautan |
| Angelina | Logistik Kelautan |

3. Table size height and weight





OUTPUT

| Table Size Width dan Height | | |
|---|---------|---------|
| C:\Users\User\Documents\KULIAH\SEMESTER%203\PEMROGRAMAN%20WEB\Web%20HTML\LATIHAN%202\latihan3_w3school.html | | |
| Nama | NIM | Jurusan |
| Dio | 2009423 | SIK |
| Agus | 2009656 | LK |

| Nama | NIM | Jurusan |
|------|---------|---------|
| Dio | 2009423 | SIK |
| Agus | 2009656 | LK |

4. Colspan dan Rowspan


This screenshot shows the Visual Studio Code editor with the file `latihan4_w3school.html` open. The code defines an HTML document with a table titled "Colspan". The table has a border of 1 and contains two rows of data. The first row has two columns: "Nama" and "Kelas". The second row contains three cells: "Silviya", "2009331", and "SIK B".

```
1 <html>
2 <head>
3   <title> Colspan </title>
4 </head>
5 <body>
6   <table border="1">
7     <tr>
8       <th colspan="2">Nama </th>
9       <th>Kelas</th>
10    </tr>
11    <tr>
12      <td>Silviya</td>
13      <td>2009331</td>
14      <td>SIK B</td>
15    </tr>
16  </table>
17  <td> Neng Evi Ratna</td>
18  <td>2007919</td>
19  <td> SIK B</td>
20 </tr>
21 </table>
22 </body>
23 </html>
24 <br>
25 <br>
26 <html>
27 <head>
```


This screenshot shows the Visual Studio Code editor with the file `latihan4_w3school.html` open. The code defines an HTML document with a table titled "Rowspan". The table has a border of 1 and contains two rows of data. The first row has two columns: "Nama" and "Kelas". The second row contains three cells: "hp", "083892667080", and "083892668070".


```
26 <html>
27 <head>
28   <title> Rowspan </title>
29 </head>
30 <body>
31   <table border="1">
32     <tr>
33       <th>Nama</th>
34       <th>Kelas</th>
35     </tr>
36     <tr>
37       <th rowspan="2">No hp</th>
38       <td>083892667080</td>
39     </tr>
40     <tr>
41       <td>083892668070</td>
42     </tr>
43   </table>
44 </body>
45 </html>
```

OUTPUT




5. Colgroup





OUTPUT




Kelompok Piket

Berikut merupakan pembagian kelompok piket berdasarkan nomor absen kelas

| | senin | selasa | rabu | kamis | jumat |
|----|-------|--------|------|-------|-------|
| 1 | 2 | 3 | 4 | 5 | |
| 6 | 7 | 8 | 9 | 10 | |
| 11 | 12 | 13 | 14 | 15 | |
| 16 | 17 | 18 | 19 | 20 | |




6. Zigzag Table



```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <style>
5   table {
6     border-collapse: collapse;
7     width: 100%;
8   }
9
10  th, td {
11    text-align: left;
12    padding: 8px;
13  }
14
15  tr:nth-child(even) {
16    background-color: #D6E0EE;
17  }
18 </style>
19 </head>
20 <body>
21
22 <table>
23 <tr>
24 <th>Nama</th>
25 <th>Asal Daerah </th>
26 <th>Hobi</th>
27 </tr>
28 <tr>
29 <td>agus</td>
30 <td>bogor</td>
31 <td>haiking</td>
32 </tr>
33 <tr>
34 <td>febri</td>
35 <td>depok</td>
36 <td>bersepeda</td>
37 </tr>
38 <tr>
39 <td>nevta</td>
40 <td>dramaga</td>
41 <td>baca</td>
42 </tr>
43 </table>
44
45 </body>
46 </html>
47
48
49
```

OUTPUT



| Nama | Asal Daerah | Hobi |
|-------|-------------|-----------|
| agus | bogor | haiking |
| febri | depok | bersepeda |
| nevta | dramaga | baca |

7. Input Field , Radio Buttons , dan Submitt

The image shows a Visual Studio Code editor window with the file explorer on the left, the editor in the center, and the terminal at the bottom. The file explorer shows a project named 'latihan7_w3school.html' with various files including 'evi.html', 'FORM.html', 'format_baris_dan_kolom.html', 'Frame.html', 'header.html', 'latihan1_w3school.html', 'latihan2_1.html', 'latihan2_2.html', 'latihan2_3.html', 'latihan2_4.html', 'latihan2_5.html', 'latihan2_6.html', 'latihan2_7.html', 'latihan2_8.html', 'latihan2_9.html', 'latihan2_10.html', 'latihan2_w3school.html', 'latihan3_w3school.html', 'latihan4_w3school.html', 'latihan5_w3school.html', 'latihan6_w3school.html', 'latihan7_w3school.html', 'logo-kkp.png', 'logo-sik.jpg', 'logoheader.png', 'Menu_Pilihan_Margin_kiri.html', and 'Menu_Utama.html'. The editor shows the HTML code for 'latihan7_w3school.html' with the following content:

```
1 <!DOCTYPE html>
2 <html>
3 <body>
4
5 <h2>INPUT FIELDS</h2>
6
7 <form>
8   <label for="fname">Nama Depan:</label><br>
9   <input type="text" id="fname" name="fname" value="nepta nur"><br>
10  <label for="lname">Nama Belakang:</label><br>
11  <input type="text" id="lname" name="lname" value="Aisyah">
12 </form>
13
14 </body>
15 </html>
16
17 <br>
18 <br>
19 <!DOCTYPE html>
20 <html>
21 <body>
22
23 <h2>Radio Buttons</h2>
24
25 <p>Pilihlah Makanan Favoritmu :</p>
26
27 <form>
28   <input type="radio" id="nasigoreng" name="fav_language" value="Nasi Goreng">
29   <label for="nasigoreng">Nasi Goreng</label><br>
30   <input type="radio" id="seblak" name="fav_language" value="Seblak">
31   <label for="seblak">Seblak</label><br>
32   <input type="radio" id="bakso" name="fav_language" value="Bakso">
33   <label for="bakso">Bakso</label>
34 </form>
35
36 </body>
37 </html>
38
39 <!-- Summary -->
40 <h2>Summary</h2>
41
42 <form action="/action_page.php">
43   <label for="fname">Nama Depan:</label><br>
44   <input type="text" id="fname" name="fname" value="nepta nur"><br>
45   <label for="lname">Nama Belakang:</label><br>
46   <input type="text" id="lname" name="lname" value="Aisyah">
47   <input type="submit" value="Submit">
48 </form>
49
50 </body>
51 </html>
```

The terminal at the bottom shows the command 'Open latihan7_w3schoc' and the file path 'latihan7_w3school.html'.

OUTPUT

latihan7_w3school.html

C:/Users/User/Documents/KULIAH/SEMESTER%203/PEMROGRAMAN%20WEB/Web%20HTML/LATIHAN%202/latihan7_w3school.html

INPUT FIELDS

Nama Depan:
nepta nur

Nama Belakang:
Aisyah

Radio Buttons

Pilihlah Makanan Favoritmu :

☐ Nasi Goreng
☐ Seblak
☐ Bakso

Nama Depan:
nepta nur

Nama Belakang:
Aisyah

Submit

Type here to search

26°C 10:35 PM 9/19/2021

8. Submit Atributte Method

latihan8_w3school.html - Web HTML - Visual Studio Code [Administrator]

```
1 <!DOCTYPE html>
2 <html>
3 <body>
4
5 <h2> Submit Atributte Method</h2>
6
7 <form action="/action_page.php" target="_blank" method="get">
8   <label for="fname">Nama Depan:</label><br>
9   <input type="text" id="fname" name="fname" value="nepta nur"><br>
10  <label for="lname">Nama Belakang:</label><br>
11  <input type="text" id="lname" name="lname" value="Aisyah">
12  <input type="submit" value="Submit">
13 </form>
14
15 </body>
16 </html>
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

crbug/1173575, non-JS module files deprecated.


Open latihan8_w3school.html

Ln 5, Col 27 Spaces: 4 UTF-8 CRLF HTML

Type here to search

26°C 10:38 PM 9/19/2021

OUTPUT




Submit Atribut Method

Nama Depan:
nepta nur


Nama Belakang:
Aisyah

Submit

9. The Select Element



OUTPUT




The select Element

Merk Sepatu: Adidas Submit

- Adidas
- Converse
- Nike
- Ando

10. Visible Option Values



```
1 <!DOCTYPE html>
2 <html>
3 <body>
4
5 <h2>Visible Option Values</h2>
6 <form action="/action_page.php">
7   <label for="kets">Merk Sepatu:</label>
8   <select id="kets" name="kets" size="3">
9     <option value="adidas">Adidas</option>
10    <option value="converse">Converse</option>
11    <option value="Nike">Nike</option>
12    <option value="ando">Ando</option>
13  </select><br><br>
14  <input type="submit">
15 </form>
16
17 </body>
18 </html>
19
20
```

OUTPUT

