



Inexa (NanTong) Interiors Co.Ltd Plate Shear Schedule

订单号; 64757-001

1	序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	纵切4	数量
3   4   4   5   5   6   7   5   6   7   6   6   1   1   1   1   1   1   1   1	1						553	553			1
4 5 6 7 7 8 9 9 9 10 0.56 1234 2160 21 632 317 272 1 1 1 632 251 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2						662	557			1
S   Figure   Figure	3						657	507			1
6 7 7 8 9 9 9 10.56 1234 2160 21 632 251 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4						632	483			1
632 251 1 632 1 632 1 632 1 11 632 607 1 11 11 11 11 11 11 11 12 13 14 15 YF73F 0.56 1234 2160 30 558 558 108 1 11 18 19 20 21 21 22 23 24 25 26 27 28 YC94E 0.56 1234 3680 111 3680 111 38 31 33 33 34	5	V072D	0.50	4004	24.00	04	632	317	272		1
8 9 9 612 607 1 12 10 10 607 607 1 12 11 12	6	YQ73D	0.56	1234	2160	21	632	251			1
9 10 10 607 607 12 12 11 11 12 12 13 14 14 15 15 16 16 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19	7						632				1
10	8						612	607			1
11	9						607	607			12
12 13 14 15 17 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 30 31 31 32 33 34	10						607				1
13 14 15 17 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 30 31 31 32 33 34	11						627	607			1
14	12						607	607			6
15	13						607	558			1
16	14						558	558	108		1
17	15	YF73F	0.56	1234	2160	30	558	558			17
18	16						508	432	283		1
19   208   208   157   143   1   20	17						432	408	368		1
20 21 22 23 24 25 26 27 28 29 30 30 31 31 32 33 33 33 34	18						408	302	208	208	1
21       22       23       24       25       26       27       28       29       30       31       32       33       34         558     558       607     558       607     607       607     607       607     607       607     1       607     607       607     1       607     1       607     607       607     3       607     607       607     1       607     607       607     1       1     607       607     607       607     1       607     607       607     1       607     607       607     1       607     607       607     1       1     607       607     1       1     607       607     1       1     607       607     1       1     1       607     607       1     1       1	19						208	208	157	143	1
22   23   24   25   26   27   28   29   30   31   32   33   34	20						607	558			1
23 24 25 26 27 28 29 30 31 31 31 32 33 34	21						558	558			1
24       25       26       27       28       29       30       31       32       33       34      Authorized Research State   Born State Research State Re	22						607	558			2
25 26 27 28 29 30 31 32 33 34	23						607				1
26       27       28       29       30       31       32       33       34      Authorized Research   Authorized Research R	24						607	607			3
27       28       29       30       31       32       33       34          1234       3680       1111       522     502       607     1       607     434       257     1       607     607       607     3       607     607       607     1       607     607       1       607     607       1	25						607				1
28     YC94E     0.56     1234     3680     111     607     607     1       30     31     687     434     1       31     257     1       607     607     3       607     607     1       607     607     1       607     607     1	26						607	607			1
28       29       30       31       32       33       33       34	27	\/O0.4E	0.50	4004	0000		522	502			1
30       31       32       33       33       34         687     434       257     1       607     607       3       607     1       607     607       1       607     607       1	28	YC94E	0.56	1234	3680	111	607	607			1
31       32       33       34         257       607       607       33       607       1       607       607       1       1       4       607       607       1       1       1       1       1       1       1       1       1       1       1       2       2       3       4       4       5       6       6       6       6       6       1       1       1       1       1       1       1       1       1       1       1       1       2       2       3       3       4       4       5       6       6       6       6       6       6       6       6       6	29						607				1
32       33       34         607     607       1       607     607       1	30						687	434			1
33       34         607       607       607       607       1	31						257				1
34 607 607 1	32						607	607			3
	33						607				1
	34						607	607			1
35   607   1	35						607				1





Inexa (NanTong) Interiors Co.Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	纵切4	数量
36						607	607			2
37						607				1
38						632	558			1
39						607	607			7
40						558	377	208		1
41						377	352	308	158	1
42						607	607			7
43						558				1
44						607	607			4
45						422	397			1
46						607	607			1
47						607				1
48						607	607			1
49						697	482			1
50						447	447			1
51						408	408			1
52						538	257			1
53	YC94E	0.56	1234	3680	111	242				1
54						607				1
55						517	454	257		1
56						197				1
57						467				1
58						607	553			1
59						457	403	257		1
60						203				1
61						558	558			5
62						308	298	278	258	1
63						208	208	158		1
64						607	607			1
65						607	553			1
66						553	553			1
67						272	218			1
68						608	608			1
69						607	558			1
70						558	558	101		1





Inexa (NanTong) Interiors Co. Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	纵切4	纵切5	数量
71						558	558				18
72						558	508	146			1
73						288	278	208	208	126	1
74						657	407				2
75						607	607				4
76						607	407	207			1
77	YC94E	0.56	1234	3680	111	257	235	207	207		1
78						657					1
79						607	607				1
80						607					2
81						607	607				1
82						607	558				1
83						607					1
84						757	477				1
85						757	458				1
86						757	457				6
87						757	447				1
88						757	444				1
89						757	438				3
90						757	437				1
91						757	414	62			1
92						757	412				1
93						757	408	68			1
94	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			0.4.00		757	408				1
95	YC74H	0.56	1234	2160	212	708	518				1
96						708	512				1
97						708	510				1
98						708	508				4
99						708	502				1
100						708	408	108			1
101						708	397	108			1
102						708	396	108			1
103						708	367	133			1
104						708	367	108			1
105						708	357	167			1





Inexa (NanTong) Interiors Co. Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	纵切4	纵切5	纵切6	数量
106						708	357	108				3
107						690	542					1
108						657	558					1
109						607	607					64
110						607	602					1
111						587	558	83				1
112						558	558	90				1
113						558	558					41
114						547	528					1
115						528	528	172				1
116						528	528					2
117						528	357	332				1
118						357	357	357				12
119						357	332	332	213			1
120						328	328	322	242			1
121						321	308	308	292			1
122						308	308	308	308			9
123	YC74H	0.56	1234	2160	212	283	282	279	277			1
124						271	262	262	262			1
125						262	262	262	262	185		1
126						262	262	262	262	182		1
127						262	262	262	262			5
128						262	232	216	213	213		1
129						213	213	213	213	213		5
130						213	208	208	208	208		1
131						208	208	207	207	207	192	1
132						207	207	207	207	207	192	1
133						207	207	207	207	207		2
134						203	203	203	203			1
135						708	367					2
136						558	558					2
137						533	533					1
138						367	367					1
139						774						1
140						607						1





Inexa (NanTong) Interiors Co. Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	数量
141						507			1
142	YC74H	0.56	1234	2160	212	607			2
143						507			6
144	YC08E	0.7	1234	2160	1	557	659		1
145						657	563		1
146						620	608		1
147						607	607		11
148						607	603		1
149						588	561		1
150						558	558	108	1
151						558	558		43
152						557	557		4
153						557	556		1
154						553	553		4
155						541	528		1
156						528	522	182	1
157						522	520		1
158						520	510		1
159	YC08E	0.56	1234	2160	01	509	509	208	2
160	1 CUSE	0.56	1234	2160	91	507	507	208	2
161						507	503	208	1
162						503	503	208	1
163						503	503	207	2
164						503	502	207	1
165						483	483	257	1
166						483	483	237	1
167						450	450	315	1
168						450	443	308	1
169						443	442	308	1
170						393	368	308	1
171					308	307	207	1	
172					477			1	
173					507			1	
174						527			1
175	Y1058	0.7	1234	2160	1	503	658		1





Inexa (NanTong) Interiors Co.Ltd Plate Shear Schedule

订单号; 64757-001

序号						纵切1	纵切2	纵切3	纵切4	纵切5	数量
176	板材颜色	板厚	板宽	横切长	数量	732	358				1
177						657	558				1
178						607	607				12
179						558	558				1
180						553	503				1
181						308	307	307	306		1
182						607	607				9
183						582	547				1
184						547	482	133			1
185						457	457	257			1
186	Y1058	0.56	1234	2160	47	422	397	387			1
187						357	357	257	122		1
188						607	607				2
189						607	532				1
190						607	607				7
191						557	487	171			1
192						457	457	307			1
193						457	382	357			1
194						357	347	202	171	157	1
195						157					1
196						507					1
197						310	310	310			6
198						310					1
199						310	310	310			10
200						310	310				1
201						310	310	310			21
202						310					1
203	DAL 0040	0.50	4004	2025	200	310	310	310			19
204	RAL9010	0.56	1234	2835	300	410	310	310			1
205						310	310	310			3
206						310					1
207						310	310	310			5
208						310	310				1
209						310	310	310			13
210						310					1





Inexa (NanTong) Interiors Co. Ltd Plate Shear Schedule

订单号; 64757-001

211		5; 04131-		10 2	likk ton 1.6	W =	/II long a		山牟口朔: 2022-0	
212		极材颜色	极厚	极宽	横切长	数重				数量
213									310	6
214     215     216     217     218     219     220     221     222     223     224     225     226     227     228     229     229     229     229     229     229     229     229     229     229     230     231     232     234     235     236     237     238     239     239     230     231     232     233     234     235     236     237     238     239     230     231     232     233     234     235     236     237     238     239     230     231     232     233     234     235     236     237     238     239     230     231     232     233     234     235     236     237     238     239     230     231     231     232     233     234     235     236     237     238     239     230     231     231     232     233     234     235     236     237     238     239     230     231     232     233     234     235     236     237     238     239     230     231     232     233     234     240     241     242     242     245     255     266     277     288     299     200     210								310		1
215										1
216	214						310	310	310	2
217   218   219   220   221   222   223   224   225   226   227   228   229   230   231   232   233   234   235   236   237   238   239   239   230   310	215						310	310		1
218   219   220   221   222   223   224   225   226   227   228   229   229   230   231   232   233   234   235   236   237   238   239   239   230   310	216						310	310	310	2
219     220     221     222     223     224     225     226     227     228     229     230     231     232     233     234     235     236     237     238     239     310	217						310	310		1
220	218						310			1
221       222       223       224       225       226       227       228       229       230       231       232       233       234       235       236       237       238       239	219						310	310	310	5
222       223       224       225       226       227       228       229       230       231       232       233       234       235       236       237       238       239         310     310     310 <tr< td=""><td>220</td><td></td><td></td><td></td><td></td><td></td><td>310</td><td></td><td></td><td>2</td></tr<>	220						310			2
223       224       225       226       227       228       229       230       231       232       233       234       235       236       237       238       239         310     310     310       310     310 </td <td>221</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>310</td> <td>310</td> <td>310</td> <td>2</td>	221						310	310	310	2
224       225       226       227       228       229       230       231       232       233       234       235       236       237       238       239      All   Al	222						310			1
225       226       227       228       229       230       231       232       233       234       235       236       237       238       239      All	223						310	310	310	7
226     RAL9010     0.56     1234     2835     300     310     310     310     310           228         310<	224						310	310		1
227       RAL9010       0.56       1234       2835       300       310       310       310         228       310       310       310       310       310         230       310       310       310       310         231       232       310       310       310       310         233       310       310       310       310       310         234       235       310       310       310       310       310         236       310       310       310       310       310       310       310         238       330       310	225						310	310	310	5
227       228       229       230       231       232       233       234       235       236       237       238       239         310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310	226	5.1.0040		4004			310			1
229       230       231       232       233       234       235       236       237       238       239         310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310       310     310	227	RAL9010	0.56	1234	2835	300	310	310	310	2
230       231       232       233       234       235       236       237       238       239         410     310     310       310     310     310       410     410     310       310     310     310       310     310     310       310     310     310	228						310			1
231       232       233       234       235       236       237       238       239       310       310       310       310       310       310       310       310       310       310       310       310       310       310       310       310       310	229						310	310	310	8
232       233       234       235       236       237       238       239         410     310       310     310       310     310       310     310       310     310       310     310       310     310	230						410	310	310	1
233       234       235       236       237       238       239         310       310       310       310       310       310       310       310       310       310       310	231						310	310	310	20
234       235       236       237       238       239       310       410     410       310       310       310       310       310       310	232						410	310	310	1
235       236       237       238       239         410     410     310       410     410     310       310     310     310       310     310     310	233						310	310	310	30
236       237       238       239         310       410     410       310     310       310     310       310     310	234						310			1
237       238       239         410     410     310       310     310     310       310     310     310	235						410	410	310	1
238       239       310     310       310     310	236						310			1
239 310 310	237						410	410	310	1
239 310 310	238						310	310	310	2
	239						310	310		1
	240						410	310	310	1
										105
										1
										8
		GALVA	0.56	1234	2160	201				1
										4





Inexa (NanTong) Interiors Co.Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	纵切4	纵切5	纵切6	数量
246						706	493					1
247						706	488					1
248						706	458	66				1
249						706	456	60				1
250						703	456					1
251						703	448	81				1
252						703	436	88				1
253						703	436					2
254						703	423	106				1
255						703	412	118				1
256						703	406	106				3
257						703	403	128				1
258						703	403	106				3
259						703	403					2
260						703	394	131				1
261						703	393	138				1
262						636	556					1
263	GALVA	0.56	1234	2160	201	603	556					1
264						556	556					42
265						553	553					63
266						553	548					1
267						533	390	306				1
268						383	382	358				1
269						343	337	313	238			1
270						313	306	306	306			1
271						306	306	306	306			8
272						306	303	303	303			1
273						303	303	303	303			9
274						303	303	303	278			1
275						278	278	275	274			1
276						268	267	257	257	183		1
277						257	257	228	225	217		1
278						214	211	211	211	211	165	1
279						211	211	211	211	211	178	1
280						211	211	211	211	211	153	4





Inexa (NanTong) Interiors Co. Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	纵切4	纵切5	纵切6	纵切7	数量
281						208	208	208	208	208	188		1
282						208	208	208	208	208	153		5
283						208	208	206	206	206	153		1
284						206	206	206	153	153	153	153	1
285						153	153	153	153	138			1
286						706	313						2
287	C 4 1 \ / 4	0.50	4004	0400	204	556	556						2
288	GALVA	0.56	1234	2160	201	531	531						1
289						313	313						1
290						720							1
291						553							1
292						453							1
293						553							2
294						453							6
295						556	556						1
296						556	553						3
297						553							1
298						553	553						3
299						553							1
300						553	553						1
301						468	448						1
302						553	553						1
303						553							1
304						633	380	203					1
305	G	0.56	1234	3680	571	553	553						3
306						553							1
307						553	553						1
308						553							1
309						553	553						2
310					553							1	
311					578	556						1	
312						556	553						1
313						553	553						6
314						553	323	323					1
315						306	298	208	156				1





Inexa (NanTong) Interiors Co. Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	纵切4	纵切5	数量
316						553	553				6
317						556	553				1
318						553					1
319						553	553				4
320						368	343				1
321						553	553				1
322						553					1
323						553	553				1
324						643	428				1
325						320	320	320			6
326						320					1
327						406	406	393			1
328						393					1
329						484	203				1
330						188					1
331						553					1
332						463	400	203			1
333	G	0.56	1234	3680	571	143					1
334						320	320	320			10
335						320	320				1
336						413					1
337						603	603				2
338						556	556				5
339						306	296	276	256		1
340						206	206	156			1
341						320	320	320			21
342						320					1
343						320	320	320			19
344						606	606				1
345						603	603				1
346						556	556	99			1
347						556	556				19
348						553	506	144			1
349						286	276	206	206	124	1
350						420	320	320			1





Inexa (NanTong) Interiors Co.Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	纵切4	纵切5	纵切6	数量
351						320	320	320				3
352						320						1
353						703	526					2
354						703	508					1
355						703	506					1
356						703	500					1
357						703	483					1
358						703	481					2
359						678	556					1
360						657	573					1
361						656	566					1
362						606	603					1
363						603	603					1
364						586	558					1
365						556	556	106				2
366						556	556	103				1
367						556	556					59
368	G	0.56	1234	3680	571	556	553					1
369						553	553	128				1
370						553	553					29
371						553	551					1
372						539	481	206				1
373						453	441	313				1
374						441	440	353				1
375						406	406	396				1
376						396	396	391				1
377						378	378	366				1
378						366	356	353	153			1
379						353	306	306	253			1
380						306	306	306	300			1
381						281	253	253	206	206		1
382						206	206	206	206	206	203	1
383						206	206	203	183	181	153	1
384						153	153	153	153	153	141	1
385						603	553					1





Inexa (NanTong) Interiors Co.Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	纵切4	数量
386						553				1
387						320	320	320		5
388						320	320			1
389						320	320	320		13
390						320				1
391						553				1
392						320	320	320		1
393						608	603			1
394						578	578	68		1
395						578	578			1
396						558	553			1
397						553	553			21
398						553	528			1
399						503	493	218		1
400						493	453	263		1
401						429	428	368		1
402						403	403	343		1
403	G	0.56	1234	3680	571	333	320	320	203	1
404						320	320	320	203	1
405						320	320	320	197	1
406						320	320	320	187	1
407						320	320	320		2
408						303	303			1
409						803	341			1
410						803	213			1
411						553	553			3
412						553	478			1
413						553	553	103		2
414						553	553			5
415						503	433	293		1
416						403	403	403		1
417						328	303	303	253	1
418						225	225	148		1
419						320				1
420						320	320	320		2





Inexa (NanTong) Interiors Co. Ltd Plate Shear Schedule

订单号; 64757-001

序号	板材颜色	板厚	板宽	横切长	数量	纵切1	纵切2	纵切3	数量
421						320	320		1
422						320	320	320	2
423						320	320		1
424						320			1
425						320	320	320	5
426						320			2
427						320	320	320	2
428						320			1
429						320	320	320	7
430						320	320		1
431						320	320	320	5
432						320			1
433						320	320	320	2
434						320			1
435						320	320	320	8
436						423			1
437						453			1
438	G	0.56	1234	3680	571	553			1
439						420	320	320	1
440						320	320	320	20
441						420	320	320	1
442						320	320	320	30
443						320			1
444						420	420	320	1
445						320			1
446						420	420	320	1
447						320	320	320	2
448						320	320		1
449						556	553		1
450						553	553		1
451						453			1
452						420	320	320	1
453						320	320	320	105
454						320	320		1
455						473			1