# **Simple Books API**

This API allows you to reserve a book.

The API is available at https://simple-books-api.glitch.me

## **Endpoints**

#### **Status**

GET /status

Returns the status of the API.

#### List of books

GET /books

Returns a list of books.

Optional query parameters:

- type: fiction or non-fiction
- limit: a number between 1 and 20.

### Get a single book

GET /books/:bookId

Retrieve detailed information about a book.

#### Submit an order

POST /orders

Allows you to submit a new order. Requires authentication.

The request body needs to be in JSON format and include the following properties:

- bookId Integer Required
- customerName String Required

#### Example

```
POST /orders/
Authorization: Bearer <YOUR TOKEN>
{
   "bookId": 1,
   "customerName": "John"
}
```

The response body will contain the order Id.

#### **Get all orders**

GET /orders

Allows you to view all orders. Requires authentication.

#### Get an order

GET /orders/:orderId

Allows you to view an existing order. Requires authentication.

### **Update an order**

PATCH /orders/:orderId

Update an existing order. Requires authentication.

The request body needs to be in JSON format and allows you to update the following properties:

customerName - String

```
Example

PATCH /orders/PF6MflPDcuhWobZcgmJy5
Authorization: Bearer <YOUR TOKEN>

{
    "customerName": "John"
}
```

#### **Delete an order**

DELETE /orders/:orderId

Delete an existing order. Requires authentication.

The request body needs to be empty.

Example

DELETE /orders/PF6MflPDcuhWobZcgmJy5
Authorization: Bearer <YOUR TOKEN>

#### **API Authentication**

To submit or view an order, you need to register your API client.

POST /api-clients/

The request body needs to be in JSON format and include the following properties:

- clientName String
- clientEmail String

```
Example
```

```
{
    "clientName": "Postman",
    "clientEmail": "valentin@example.com"
}
```

The response body will contain the access token. The access token is valid for 7 days.

#### Possible errors

Status code 409 - "API client already registered." Try changing the values for clientEmail and clientName to something else.