1 This documentation is not published yet, this is only a preview. Changes to the publishing setting...

API Doc

GET HomePage

http://localhost:1337/

Serve the HTML for the home page

Example Request HomePage

curl --location --request GET 'http://localhost:1337/'

GET Products

http://localhost:1337/api/products

Serve the HTML displaying the list of available products

Example Request Products

curl --location --request GET 'http://localhost:1337/api/products'

| n · · · | entation | C - ++: |
|---------|----------|---------|
| | | |
| | | |

E Product

http://localhost:1337/api/products/1

Retrieve json for a single product using route parameters

Example Request Product

curl --location --request GET 'http://localhost:1337/api/products/1'

GET Discounted

http://localhost:1337/api/discounted

Get the list of discounted items that exist (those items ending in 99 cents).

Example Request Discounted

curl --location --request GET 'http://localhost:1337/api/discounted'

PUT Person

http://localhost:1337/api/test?qid=4&qname=Cynthia

Update the id and name of an existing person using query parameters

PARAMS

Documentation Settings

qid

qname Cynthia

Example Request Person

```
curl --location --request PUT 'http://localhost:1337/api/test?qid=4&qname=Cynthia'
```

POST Person

http://localhost:1337/api/test/

Create a new person with id and name

BODY raw

```
{
   "id":"2",
   "name":"David"
}
```

Example Request Person

```
curl --location --request POST 'http://localhost:1337/api/test/' \
--data-raw '{
    "id":"2",
    "name":"David"
}'
```

Documentation Settings

Delete a person using their id

Example Request Person

curl --location --request DELETE 'http://localhost:1337/api/test/3'