

Smart-car - User

Comments (0)

CardApis

POST Get Braintree Token

{{url}}/userApi/getbraintreetoken

Body formdata

id 1

token 2y109GCDDJiBZ2Wl9PP1tckVeMqWxl6oLFVvGesnxojCnroeUEvsznW

Example Request Get Braintree Token

```
curl --location --request POST "{{url}}/userApi/getbraintreetoken" \
    --form "id=1" \
    --form "token=2y109GCDDJiBZ2Wl9PP1tckVeMqWxl6oLFVvGesnxojCnroeUEvsznW"
```

POST Add Card | POST

{{url}}/userApi/addcard

Body formdata

id 1

token 2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPxlV2kutx

W

payment_method_nonce fake-valid-nonce

Example Request Add Card | POST

```
curl --location --request POST "{{url}}/userApi/addcard" \
    --form "id=1" \
    --form "token=2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPxlV2kutxW" \
    --form "payment_method_nonce=fake-valid-nonce"
```

GET Get Cards | GET

{{url}}/userApi/getcards?id=1&token=2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPxlV2kutxW

Params

id	1	
token	2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPxlV2kutx W	

Example Request Get Cards | GET

 $\label{lem:curl} $$--location --request GET "{\{url\}}/userApi/getcards?id=1&token=2y10XCwHsAUKu8mpmRGdNPpP9ep0 QrQ5IESAlrfnEjXVLkLPxlV2kutxW"}$

POST Select Card | POST

{{url}}/userApi/selectcard

id	1
token	2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPxlV2kutx W
last_four	1881

Example Request Select Card | POST

```
curl --location --request POST "{{url}}/userApi/selectcard" \
    --form "id=1" \
    --form "token=2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPxlV2kutxW" \
    --form "last_four=1881"
```

POST Test Payment | POST

{{url}}/userApi/testpayment

Body formdata

id	1
token	2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPxlV2kutx W

Example Request Test Payment | POST

```
curl --location --request POST "{{url}}/userApi/testpayment" \
    --form "id=1" \
    --form "token=2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPx1V2kutxW"
```

POST Delete Card | POST

{{url}}/userApi/deletecard

id	1
token	2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPxlV2kutx W
card_id	1

Example Request Delete Card | POST

```
curl --location --request POST "{{url}}/userApi/deletecard" \
    --form "id=1" \
    --form "token=2y10XCwHsAUKu8mpmRGdNPpP9ep0QrQ5IESAlrfnEjXVLkLPxlV2kutxW" \
    --form "card_id=1"
```

tron

POST get tron wallet balance

{{url}}/userApi/tron/wallet/balance

Body formdata

id	1
token	2y10s6Y48pB6Qe6EqTSDHNCGeHUNaBCnclHAiA4LP3M9A41QXcjZ3 WG

Example Request get tron wallet balance

```
 \begin{tabular}{ll} curl --location --request POST "{\{url\}}/userApi/tron/wallet/balance" $$ --form "id=1" $$ --form "token=2y10s6Y48pB6Qe6EqTSDHNCGeHUNaBCncIHAiA4LP3M9A41QXcjZ3WG" $$ $$ --form $$ --form $$ --form $$ $$ --form $$ $$ --form $$ --form $$ --form $$ $$ --form $$ --form
```

POST add balance to tron wallet

{{url}}/userApi/tron/wallet/balance/add

id	1
token	2y10s6Y48pB6Qe6EqTSDHNCGeHUNaBCncIHAiA4LP3M9A41QXcjZ3 WG
usd_amount	1

Example Request add balance to tron wallet

```
curl --location --request POST "{{url}}/userApi/tron/wallet/balance/add" \
    --form "id=1" \
    --form "token=2y10s6Y48pB6Qe6EqTSDHNCGeHUNaBCncIHAiA4LP3M9A41QXcjZ3WG" \
    --form "usd_amount=1"
```

POST User Register

{{url}}/userApi/register

Body formdata

email nithin1@provenlogic.net

password 123456

first_name Test

last_name Manual

mobile 80128282424

picture

login_by manual

device_type android

device_token 123456

country

currency

timezone

Example Request User Register

```
curl --location --request POST "{{url}}/userApi/register" \
    --form "email=nithin1@provenlogic.net" \
    --form "password=123456" \
    --form "first_name=Test" \
    --form "last_name=Manual" \
    --form "mobile=80128282424" \
    --form "picture=@" \
    --form "login_by=manual" \
    --form "device_type=android" \
    --form "device token=123456" \
```

POST Social Login

{{url}}/userApi/register

Body formdata

social_unique_id 1234567890

email Jack@gmail.com

first_name Hello

last_name Hai

picture

mobile

device_type android

device_token 123456

login_by facebook

Example Request Social Login

```
curl --location --request POST "{{url}}/userApi/register" \
    --form "social_unique_id=1234567890" \
    --form "email=Jack@gmail.com" \
    --form "first_name=Hello" \
    --form "last_name=Hai" \
    --form "picture=@" \
    --form "mobile=" \
    --form "device_type=android" \
    --form "device_token=123456" \
    --form "login by=facebook" \
```

POST Login

{{url}}/userApi/login

Body formdata

email mail@aravinth.net password 123456 social_unique_id login_by manual device_token 123456 device_type android mobile 8012828270		
social_unique_id login_by manual device_token 123456 device_type android	email	mail@aravinth.net
login_by manual device_token 123456 device_type android	password	123456
device_token 123456 device_type android	social_unique_id	
device_type android	login_by	manual
	device_token	123456
mobile 8012828270	device_type	android
	mobile	8012828270

Example Request Login

```
curl --location --request POST "{{url}}/userApi/login" \
    --form "email=mail@aravinth.net" \
    --form "password=123456" \
    --form "social_unique_id=" \
    --form "login_by=manual" \
    --form "device_token=123456" \
    --form "device_type=android" \
    --form "mobile=8012828270"
```

POST Forgot Password

{{url}}/userApi/forgotpassword

Body formdata

emai	aasiq1isiiss@mail.com	

Example Request Forgot Password

```
curl --location --request POST "{{url}}/userApi/forgotpassword" \
    --form "email=aasiq1isiiss@mail.com"
```

POST Change Password

{{url}}/userApi/changePassword

Body formdata

id	1
token	2y10GDXKOZI5UGEPGy2y9ZLwumyESUZRAsWllpk6oUVLV0xGJplBev O
password	1234567
old_password	123456
password_confirmation	1234567

Example Request Change Password

```
curl --location --request POST "{{url}}/userApi/changePassword" \
    --form "id=1" \
    --form "token=2y10GDXK0ZI5UGEPGy2y9ZLwumyESUZRAsWlIpk6oUVLV0xGJplBev0" \
    --form "password=1234567" \
    --form "old_password=123456" \
    --form "password_confirmation=1234567"
```

GET User Profile

 $\{\{url\}\}/user Api/user Details?id=22\&token=2y10Koc3KdIEKmAl66zuMhzeHQHt9VBFlfSGAGwqFcjmuQ3wW8rv9Ou$

Params

id	22
token	2y10Koc3KdIEKmAl66zuMhzeHQHt9VBFlfSGAGwqFcjmuQ3wW8rv9O u

Example Request User Profile

 $\label{lem:curl} {\it curl --location --request GET "{\{url\}}/userApi/userDetails?id=22\&token=2y10Koc3KdIEKmAI66zuMhze HQHt9VBFlfSGAGwqFcjmuQ3wW8rv90u"}$

POST Update Profile

{{url}}/userApi/updateProfile

Body formdata

id	22
token	2y10Koc3KdIEKmAl66zuMhzeHQHt9VBFlfSGAGwqFcjmuQ3wW8rv9O u
email	
first_name	Prea
last_name	Rjdjdjd
mobile	1234567890
picture	
device_token	123456

Example Request Update Profile

```
curl --location --request POST "{{url}}/userApi/updateProfile" \
    --form "id=22" \
    --form "token=2y10Koc3KdIEKmAI66zuMhzeHQHt9VBFlfSGAGwqFcjmuQ3wW8rv90u" \
    --form "email=" \
    --form "first_name=Prea" \
    --form "last_name=Rjdjdjd" \
    --form "mobile=1234567890" \
    --form "picture=@" \
    --form "device_token=123456"
```

GET Token Renew

{{url}}/userApi/tokenRenew?id=1&token=2y10dmxeLEu8mBx0VDyrrD9I1AVlsFw7KoM8yd221LxJvBUcxbyA3bi

Params

id	1
token	2y10dmxeLEu8mBx0VDyrrD9l1AVlsFw7KoM8yd221LxJvBUcxbyA3bi

Example Request Token Renew

 $\label{lem:curl} $$--location --request GET "{\{url\}}/userApi/tokenRenew?id=1&token=2y10dmxeLEu8mBx0VDyrrD9I1AVlsFw7KoM8yd221LxJvBUcxbyA3bi"}$

POST Service List

{{url}}/userApi/guestProviderList

Body formdata

id	2
token	2y10TWPmwG8D7XlVoIKWRQ6ehC0dWBLz4U4z1e7LYhdgoV0uqRbRs N2

Example Request Service List

```
curl --location --request POST "{{url}}/userApi/guestProviderList" \
    --form "id=2" \
    --form "token=2y10TWPmwG8D7XlVoIKWRQ6ehC0dWBLz4U4z1e7LYhdgoV0uqRbRsN2"
```

POST Guest Provider List

{{url}}/userApi/guestProviderList

Returns the providers list based on the near by location.[Without service type]

Body formdata

id	1
token	2y10ZqigflqNaywwqUZ3uV2ufLFoxeG5tRNi0dZcynfcuNXd63ZzwvC
latitude	12.91380000
longitude	77.63730000
service_type	1

Example Request Guest Provider List

```
curl --location --request POST "{{url}}/userApi/guestProviderList" \
    --form "id=1" \
    --form "token=2y10ZqigflqNaywwqUZ3uV2ufLFoxeG5tRNi0dZcynfcuNXd63ZzwvC" \
    --form "latitude=12.91380000" \
    --form "longitude=77.63730000" \
    --form "service_type=1"
```

POST Fare Calculator

{{url}}/userApi/fare_calculator

Returns base price from admin panel.[Without service type]

Body formdata

id 8

token	2y10mMh4r3wGlq5guLR4wxvQYeRppycVytam3Ui0yWhK50d02riHme
time	10
distance	10
service_id	1

Example Request Fare Calculator

```
curl --location --request POST "{{url}}/userApi/fare_calculator" \
    --form "id=8" \
    --form "token=2y10mMh4r3wGIq5guLR4wxvQYeRppycVytam3Ui0yWhK50d02riHmegv" \
    --form "time=10" \
    --form "distance=10" \
    --form "service_id=1" \
    --form "="
```

POST Send Request

{{url}}/userApi/sendRequest

Create Request

id	1
token	2y10ZqigflqNaywwqUZ3uV2ufLFoxeG5tRNi0dZcynfcuNXd63ZzwvC
service_type	1
s_latitude	12.91380000
s_longitude	77.63730000
s_address	Bangalore
d_latitude	12.91400000
d_longitude	77.63800000
d_address	Goa

Example Request Send Request

```
curl --location --request POST "{{url}}/userApi/sendRequest" \
    --form "id=1" \
    --form "token=2y10ZqigflqNaywwqUZ3uV2ufLFoxeG5tRNi0dZcynfcuNXd63ZzwvC" \
    --form "service_type=1" \
    --form "s_latitude=12.91380000" \
    --form "s_longitude=77.63730000" \
    --form "s_address=Bangalore" \
    --form "d_latitude=12.91400000" \
    --form "d_longitude=77.63800000" \
    --form "d_address=Goa"
```

POST waiting Request Cancel

{{url}}/userApi/waitingRequestCancel

Body formdata

id	16
token	2y10u0WyPQ1vi2vJZcHpIdHleTw2C1xRnv1qwludb7EdHtXYPUyUzA3K

Example Request Cancel

```
curl --location --request POST "{{url}}/userApi/waitingRequestCancel" \
    --form "id=16" \
    --form "token=2y10u0WyPQ1vi2vJZcHpIdHleTw2C1xRnv1qwIudb7EdHtXYPUyUzA3K"
```

POST Request Status Check

{{url}}/userApi/requestStatusCheck

Used to track the request status.

It will check, any processing request for particular request.

id1token2y10U9OOsfs0yNOzo3Ni1MPPuaPVbz7WkFrHAz0f9rrsXBs4oRUPiB2

Example Request Status Check

```
curl --location --request POST "{{url}}/userApi/requestStatusCheck" \
    --form "id=1" \
    --form "token=2y10U90Osfs0yNOzo3Ni1MPPuaPVbz7WkFrHAz0f9rrsXBs4oRUPiB2"
```

POST Cancel Request

{{url}}/userApi/cancelRequest

The user able cancel the request, before the request service started.

Body formdata

id	2
token	2y1035GpVjCMgdlwSjv8h4Ocyurdz8i9bt5B7W0wBfRvqAb6xzDYB7q m
request_id	65

Example Request Cancel Request

```
curl --location --request POST "{{url}}/userApi/cancelRequest" \
    --form "id=2" \
    --form "token=2y1035GpVjCMgdIwSjv8h40cyurdz8i9bt5B7W0wBfRvqAb6xzDYB7qm" \
    --form "request_id=65"
```

POST PayNow

{{url}}/userApi/payment

COD and Stripe payment

Body formdata

id 68

token 2y10zFaVGVOriZJIVoADTDpuZGnZl4lkv05yyfuufEKa1yjaV8A2

request_id 701

payment_mode cod

is_paid 1

Example Request PayNow

```
curl --location --request POST "{{url}}/userApi/payment" \
    --form "id=68" \
    --form "token=2y10zFaVGVOriZJIVoADTDpuZGnZI4Ikv05yyfuufEKa1yjaV8A2" \
    --form "request_id=701" \
    --form "payment_mode=cod" \
    --form "is_paid=1" \
    --form "="
```

POST Pay By Paypal

{{url}}/userApi/paybypaypal

Body formdata

id 10

token 2y10BOklgku9dJpjyeBkMT8CgTqmOYVlJ6i0uF8Dz43OPHmv7tmAFK

request_id 116

payment_id 12345AZXCSD

amount 200

is_paid 1

payment_mode paypal

Example Request Pay By Paypal

```
curl --location --request POST "{{url}}/userApi/paybypaypal" \
    --form "id=10" \
    --form "token=2y10B0kIgku9dJpjyeBkMT8CgTqmOYVlJ6i0uF8Dz430PHmv7tmAFK" \
    --form "request_id=116" \
    --form "payment_id=12345AZXCSD" \
    --form "amount=200" \
    --form "is_paid=1" \
    --form "payment_mode=paypal"
```

POST Rate Provider

{{url}}/userApi/rateProvider

Body formdata

id	2
token	2y10PSfAxNjhiG3uR0ukgVSOupwAaVnnX9FVTiGtnXTzFH0aPms6Eoe
request_id	4
comment	djjjd
rating	4

Example Request Rate Provider

```
curl --location --request POST "{{url}}/userApi/rateProvider" \
    --form "id=2" \
    --form "token=2y10PSfAxNjhiG3uR0ukgVS0upwAaVnnX9FVTiGtnXTzFH0aPms6Eoe" \
    --form "request_id=4" \
    --form "comment=djjjd" \
    --form "rating=4"
```

POST History

{{url}}/userApi/history

Body formdata

id	10	
token	2y10BOklgku9dJpjyeBkMT8CgTqmOYVlJ6i0uF8Dz43OPHmv7tmAFK	

Example Request

curl --location --request POST "{{url}}/userApi/history" \
 --form "id=10" \
 --form "token=2y10B0kIgku9dJpjyeBkMT8CgTqmOYVlJ6i0uF8Dz430PHmv7tmAFK" \

POST Single Request Details

{{url}}/userApi/singleRequest

Body formdata

--form "="

id	81
token	2y10XxmB7YLI50cdD0Hwjq5ptOj4v0PyYRnyp2bS403Zp056z0YgCcle
request_id	347

Example Request Single Request Details

```
curl --location --request POST "{{url}}/userApi/singleRequest" \
    --form "id=81" \
    --form "token=2y10XxmB7YLI50cdD0Hwjq5pt0j4v0PyYRnyp2bS403Zp056z0YgCcle" \
    --form "request_id=347"
```

GET Get Payment Modes

{{url}}/userApi/getPaymentModes?id=22&token=2y10Koc3KdIEKmAl66zuMhzeHQHt9VBFlfSGAGwqFcjmuQ3wW8rv9Ou

return the list of payment modes enabled by admin.

Params

id	22
token	2y10Koc3KdIEKmAl66zuMhzeHQHt9VBFlfSGAGwqFcjmuQ3wW8rv9O u

Example Request Get Payment Modes

 $\label{lem:curl} {\it curl --location --request GET "{\{url\}}/userApi/getPaymentModes?id=22\&token=2y10Koc3KdIEKmAI66zuMhzeHQHt9VBFlfSGAGwqFcjmuQ3wW8rv90u"}$

POST Get User Payment Details

{{url}}/userApi/getUserPaymentModes

Returns particular user selected payment modes.

Body formdata

id	88	
token	2y102cA3SejEevH1rb3zt3Wpvufzoncu3GzyNG9kraX4hMCYdMEcfrqa	

Example Request Get User Payment Details

```
curl --location --request POST "{{url}}/userApi/getUserPaymentModes" \
    --form "id=88" \
    --form "token=2y102cA3SejEevH1rb3zt3Wpvufzoncu3GzyNG9kraX4hMCYdMEcfrqa"
```

POST User - Payment Mode Update

{{url}}/userApi/PaymentModeUpdate

Body formdata

id 1

token 2y10co9Yh63hHHdkYXgOqNMD4OkGHGDBgDTDaQFsSDRaZmUW8V

qqGZE4O

payment_mode cod

Example Request User - Payment Mode Update

```
curl --location --request POST "{{url}}/userApi/PaymentModeUpdate" \
    --form "id=1" \
    --form "token=2y10co9Yh63hHHdkYXgOqNMD40kGHGDBgDTDaQFsSDRaZmUW8VqqGZE40" \
    --form "payment_mode=cod"
```

POST Add Card

{{url}}/userApi/addCard

Body formdata

id 88

token 2y102cA3SejEevH1rb3zt3Wpvufzoncu3GzyNG9kraX4hMCYdMEcfrqa

last_four 0341

card_token card_gsgs1313%!ffsfs

customer_id cus_dh261shskaa

Example Request Add Card

```
curl --location --request POST "{{url}}/userApi/addCard" \
    --form "id=88" \
    --form "token=2y102cA3SejEevH1rb3zt3Wpvufzoncu3GzyNG9kraX4hMCYdMEcfrqa" \
    --form "last_four=0341" \
    --form "card_token=card_gsgs1313%!ffsfs" \
    --form "customer_id=cus_dh261shskaa"
```

POST Delete Card

{{url}}/userApi/deleteCard

Body formdata

id	88
token	2y102cA3SejEevH1rb3zt3Wpvufzoncu3GzyNG9kraX4hMCYdMEcfrqa
card_id	17

Example Request Delete Card

```
curl --location --request POST "{{url}}/userApi/deleteCard" \
    --form "id=88" \
    --form "token=2y102cA3SejEevH1rb3zt3Wpvufzoncu3GzyNG9kraX4hMCYdMEcfrqa" \
    --form "card_id=17"
```

POST Set Default Card

{{url}}/userApi/defaultCard

Body formdata

id	88
token	2y102cA3SejEevH1rb3zt3Wpvufzoncu3GzyNG9kraX4hMCYdMEcfrqa
card_id	16

Example Request Set Default Card

```
curl --location --request POST "{{url}}/userApi/defaultCard" \
    --form "id=88" \
    --form "token=2y102cA3SejEevH1rb3zt3Wpvufzoncu3GzyNG9kraX4hMCYdMEcfrqa" \
    --form "card_id=16"
```

POST Create Manual Request

{{url}}/userApi/manual_create_request

Body formdata

id	61
token	2y108fJUPV3yWEmWjfHDlaZDlYih2vKowHmNPGz9dVqrA7V9v1K8U7X G
provider_id	20
service_type	1
s_latitude	13.08268020
s_longitude	80.27071840
s_address	

Example Request Create Manual Request

```
curl --location --request POST "{{url}}/userApi/manual_create_request" \
    --form "id=61" \
    --form "token=2y108fJUPV3yWEmWjfHDlaZDlYih2vKowHmNPGz9dVqrA7V9v1K8U7XG" \
    --form "provider_id=20" \
    --form "service_type=1" \
    --form "s_latitude=13.08268020" \
    --form "s_longitude=80.27071840" \
    --form "s_address="
```

POST Get Messages

{{url}}/userApi/message/get

id	68
token	2y10utgRxwL2KnFG4mhlylxcgaVM5NacVt7nZ9au8mgNNvVUhYcTDxy
request_id	637

Example Request Get Messages

```
curl --location --request POST "{{url}}/userApi/message/get" \
    --form "id=68" \
    --form "token=2y10utgRxwL2KnFG4mhIyIxcgaVM5NacVt7nZ9au8mgNNvVUhYcTDxy" \
    --form "request_id=637"
```

POST AddTIp

{{url}}/userApi/addTip

Body formdata

```
id 1

token 2y10GDXKOZI5UGEPGy2y9ZLwumyESUZRAsWllpk6oUVLV0xGJplBev
O

request_id
tip
```

Example Request AddTlp

```
curl --location --request POST "{{url}}/userApi/addTip" \
    --form "id=1" \
    --form "token=2y10GDXK0ZI5UGEPGy2y9ZLwumyESUZRAsWlIpk6oUVLV0xGJplBev0" \
    --form "request_id=" \
    --form "tip="
```

GET Get Referral|GET

 $\{\{url\}\}/userApi/getReferral?id=4\&token=2y10qwd5Jo5e8csAFXq0LFZ2oeOxJKZVtwyzCbjRaDmVph2mPMjlS0yT6 \} \\$

Params

id 4

token 2y10qwd5Jo5e8csAFXq0LFZ2oeOxJKZVtwyzCbjRaDmVph2mPMjlS0yT

Example Request Get Referral | GET

 $\label{lem:curl} $$--location --request GET $$ {\{url\}}/userApi/getReferral?id=4\&token=2y10qwd5Jo5e8csAFXq0LFZ2oe0xJKZVtwyzCbjRaDmVph2mPMjlS0yT6"} $$$