


## Home Page :-



```
<?php
error_reporting ( 0 );
include ( 'includes/config.php' );
?>
<! DOCTYPE html >
< html lang = "en" >
< head >
< meta charset = "utf-8" />
< meta name = "viewport" content = "width=device-width, initial-scale=1, shrink-to-fit=no" />
< meta name = "description" content = "" />
< meta name = "author" content = "" />
< title > Student Result Management System </ title >
<!-- Favicon--> 13
< link rel = "icon" type = "image/x-icon" href = "assets/favicon.ico" />
<!-- Core theme CSS (includes Bootstrap)-->
< link href = "css/styles.css" rel = "stylesheet" />
</ head >
< body >
<!-- Responsive navbar-->
< nav class = "navbar navbar-expand-lg navbar-dark bg-dark" >
```

```

< div class = "container" >
< a class = "navbar-brand" href = "index.php" > SRMS-(Student Result Management
System) </ a >
< button class = "navbar-toggler" type = "button" data-bs-toggle = "collapse"
data-bs-target = "#navbarSupportedContent" aria-controls =
"navbarSupportedContent" aria-expanded = "false" aria-label = "Toggle
navigation" >< span class = "navbar-toggler-icon" ></ span ></ button > < div
class = "collapse navbar-collapse" id = "navbarSupportedContent" > < ul class =
"navbar-nav ms-auto mb-2 mb-lg-0" >
< li class = "nav-item" >< a class = "nav-link active" aria-current = "page" href= "#!" >
Home </ a ></ li>
< li class = "nav-item" >< a class = "nav-link active" href = "find-result.php" > Students </
a ></ li >
< li class = "nav-item" >< a class = "nav-link active" href = "admin-login.php" > Admin </
a ></ li >
</ ul >
</ div >
</ div >
</ nav >

<!-- Header - set the background image for the header in the line below--> <
header class = "py-5 bg-image-full" style = "background-image:
url('images/background-image.jpg')" >
</ header >

<!-- Content section-->
< section class = "py-5" >
< div class = "container my-5" >
< div class = "row justify-content-center" >
< div class = "col-lg-6" >
< h2 > Notice Board </ h2 >
< hr color = "#000" />
< marquee direction = "up" onmouseover = " this . stop ();" onmouseout = " this . start
();" >
< ul >
<?php $sql = " SELECT * from tblnotice" ;
$query = $dbh -> prepare ( $sql );
$query -> execute ();
$results = $query -> fetchAll ( PDO ::FETCH_OBJ);
$cnt = 1 ; if ( $query ->
rowCount () > 0 )
{


```

```

foreach ( $results as $result )
{ ?>
< li >< a href = "notice-details.php?id= <?php echo htmlentities ( $result -> id ); ?> "
target = "_blank" > <?php echo htmlentities( $result -> noticeTitle ); ?> </ li > <?php }}
?> 13
</ ul >
</ marquee >
</ div >
</ div >
</ div >
</ section >
<!-- Footer-->
< footer class = "py-5 bg-dark" >
< div class = "container" >< p class = "m-0 text-center text-white" > Copyright &copy;
Student
Result Management System <?php echo date ( 'Y' ); ?> </ p ></ div >
</ footer >
<!-- Bootstrap core JS-->
< script
src = "https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
></ script >
<!-- Core theme JS-->
< script src = "js/scripts.js" ></ script >
</ body >
</ html >

```

### Admin Dashboard :-



```

<?php session_start ();
error_reporting ( 0 ); include (
'includes/config.php' ); if ( strlen (

```

```

$_SESSION [ 'alogin' ]== "" )
{ header ( "Location: index.php" ); } else {
?>
<! DOCTYPE html >
< html lang = "en" >
< head > 13
< meta charset = "utf-8" >
< meta http-equiv = "X-UA-Compatible" content = "IE=edge" >
< meta name = "viewport" content = "width=device-width, initial-scale=1" > < title >
Student Result Management System | Dashboard </ title > < link rel = "stylesheet"
href = "css/bootstrap.min.css" media = "screen" > < link rel = "stylesheet" href =
"css/font-awesome.min.css" media = "screen" > < link rel = "stylesheet" href =
"css/animate-css/animate.min.css" media = "screen" > < link rel = "stylesheet" href =
"css/lobipanel/lobipanel.min.css" media = "screen" > < link rel = "stylesheet" href =
"css/toastr/toastr.min.css" media = "screen" > < link rel = "stylesheet" href =
"css/icheck/skins/line/blue.css" > < link rel = "stylesheet" href =
"css/icheck/skins/line/red.css" >
< link rel = "stylesheet" href = "css/icheck/skins/line/green.css" >
< link rel = "stylesheet" href = "css/main.css" media = "screen" > <
script src = "js/modernizr/modernizr.min.js" ></ script >
</ head >
< body class = "top-navbar-fixed" >
< div class = "main-wrapper" >
<?php include ( 'includes/topbar.php' ); ?>
< div class = "content-wrapper" >
< div class = "content-container" >
<?php include ( 'includes/leftbar.php' ); ?>
< div class = "main-page" >
< div class = "container-fluid" >
< div class = "row page-title-div" >
< div class = "col-sm-6" >
< h2 class = "title" > Dashboard </ h2 >
</ div >
<!-- /.col-sm-6 -->
</ div >
<!-- /.row -->
</ div >
<!-- /.container-fluid -->
< section class = "section" >
< div class = "container-fluid" >

```

```

< div class = "row" >
< div class = "col-lg-6 col-md-6 col-sm-6 col-xs-12" >
< a class = "dashboard-stat bg-primary" href = "manage-students.php" >
<?php
$sql1 = " SELECT StudentId from tblstudents " ;
$query1 = $dbh -> prepare ( $sql1 );
$query1 -> execute ();
$results1 = $query1 -> fetchAll ( PDO ::FETCH_OBJ);
$totalstudents = $query1 -> rowCount ();
?> 13
< span class = "number counter" > <?php echo htmlentities ( $totalstudents ); ?> </ span
>
< span class = "name" > Regd Users </ span >
< span class = "bg-icon" >< i class = "fa fa-users" ></ i ></
span > </ a >
<!-- /.dashboard-stat -->
</ div >
<!-- /.col-lg-3 col-md-3 col-sm-6 col-xs-12 -->
< div class = "col-lg-6 col-md-6 col-sm-6 col-xs-12" >
< a class = "dashboard-stat bg-danger" href = "manage-subjects.php" >
<?php
$sql = " SELECT id from tblsubjects " ;
$query = $dbh -> prepare ( $sql );
$query -> execute ();
$results = $query -> fetchAll ( PDO ::FETCH_OBJ);
$totalsubjects = $query -> rowCount ();
?>
< span class = "number counter" > <?php echo htmlentities ( $totalsubjects ); ?> </ span
>
< span class = "name" > Subjects Listed </ span >
< span class = "bg-icon" >< i class = "fa fa-ticket" ></ i ></
span > </ a >
<!-- /.dashboard-stat -->
</ div >
<!-- /.col-lg-3 col-md-3 col-sm-6 col-xs-12 -->
< div class = "col-lg-6 col-md-6 col-sm-6 col-xs-12" style = "margin-top:1%;" >
< a class = "dashboard-stat bg-warning" href = "manage-classes.php" > <?php
$sql2 = " SELECT id from tblclasses " ;
$query2 = $dbh -> prepare ( $sql2 );
$query2 -> execute ();

```

```

$results2 = $query2 -> fetchAll ( PDO ::FETCH_OBJ);
$totalclasses = $query2 -> rowCount ();
?>
< span class = "number counter" > <?php echo htmlentities ( $totalclasses ); ?> </ span >
< span class = "name" > Total classes listed </ span >
< span class = "bg-icon" >< i class = "fa fa-bank" ></ i ></ span >
</ a > 13
<!-- /.dashboard-stat -->
</ div >
<!-- /.col-lg-3 col-md-3 col-sm-6 col-xs-12 -->
< div class = "col-lg-6 col-md-6 col-sm-6 col-xs-12" style = "margin-top:1%" >
< a class = "dashboard-stat bg-success" href = "manage-results.php" > <?php
$sql3 = " SELECT distinct StudentId from tblresult " ;
$query3 = $dbh -> prepare ( $sql3 );
$query3 -> execute ();
$results3 = $query3 -> fetchAll ( PDO ::FETCH_OBJ);
$totalresults = $query3 -> rowCount ();
?>
< span class = "number counter" > <?php echo htmlentities ( $totalresults ); ?> </ span >
< span class = "name" > Results Declared </ span >
< span class = "bg-icon" >< i class = "fa fa-file-text" ></ i ></
span > </ a >
<!-- /.dashboard-stat -->
</ div >
<!-- /.col-lg-3 col-md-3 col-sm-6 col-xs-12 -->
</ div >
<!-- /.row -->
</ div >
<!-- /.container-fluid -->
</ section >
<!-- /.section -->
</ div >
<!-- /.main-page -->
</ div >
<!-- /.content-container -->
</ div >
<!-- /.content-wrapper -->
</ div >
<!-- /.main-wrapper -->
<!-- ===== COMMON JS FILES ===== -->

```

```

< script src = "js/jquery/jquery-2.2.4.min.js" ></ script >
< script src = "js/jquery-ui/jquery-ui.min.js" ></ script >
< script src = "js/bootstrap/bootstrap.min.js" ></ script >
< script src = "js/pace/pace.min.js" ></ script > 13
< script src = "js/lobipanel/lobipanel.min.js" ></ script >
< script src = "js/iscroll/iscroll.js" ></ script >
<!-- ===== PAGE JS FILES ===== -->
< script src = "js/prism/prism.js" ></ script >
< script src = "js/waypoint/waypoints.min.js" ></ script >
< script src = "js/counterUp/jquery.counterup.min.js" ></ script >
< script src = "js/amcharts/amcharts.js" ></ script >
< script src = "js/amcharts/serial.js" ></ script >
< script src = "js/amcharts/plugins/export/export.min.js" ></ script > < link rel =
"stylesheet" href = "js/amcharts/plugins/export/export.css" type = "text/css" media =
"all" />
< script src = "js/amcharts/themes/light.js" ></ script >
< script src = "js/toastr/toastr.min.js" ></ script >
< script src = "js/ichack/ichack.min.js" ></ script >
<!-- ===== THEME JS ===== -->
< script src = "js/main.js" ></ script >
< script src = "js/production-chart.js" ></ script >
< script src = "js/traffic-chart.js" ></ script >
< script src = "js/task-list.js" ></ script >
< script >
$( function (){
// Counter for dashboard stats
$( '.counter' ). counterUp ({
delay: 10 ,
time: 1000
});
// Welcome notification
toastr . options = {
"closeButton" : true ,
"debug" : false ,
"newestOnTop" : false ,
"progressBar" : false ,
"positionClass" : "toast-top-right" ,
"preventDuplicates" : false ,
"onclick" : null ,
"showDuration" : "300" ,

```

```

"hideDuration" : "1000" ,
"timeOut" : "5000" ,
"extendedTimeOut" : "1000" ,
"showEasing" : "swing" ,
"hideEasing" : "linear" ,
"showMethod" : "fadeIn" ,
"hideMethod" : "fadeOut"
}
toastr [ "success" ]( "Welcome to student Result Management System!" );
});
</ script > 13
</ body >
</ html >
<?php } ?>

```

### Student Result Search :-

```

<?php session_start
();
//error_reporting(0);
include ( 'includes/config.php' ); ?>
<! DOCTYPE html >
< html lang = "en" >
< head >
< meta charset = "utf-8" >
< meta http-equiv = "X-UA-Compatible" content = "IE=edge" >
< meta name = "viewport" content = "width=device-width, initial-scale=1" >
< title > School Result Management System </ title >
< link rel = "stylesheet" href = "css/bootstrap.min.css" media = "screen" > < link rel =
"stylesheet" href = "css/font-awesome.min.css" media = "screen" > < link rel =

```



```

"stylesheet" href = "css/animate-css/animate.min.css" media = "screen" > < link rel =
"stylesheet" href = "css/icheck/skins/flat/blue.css" >
< link rel = "stylesheet" href = "css/main.css" media = "screen" >
< script src = "js/modernizr/modernizr.min.js" ></ script >
</ head >
< body class = "" >
< div class = "main-wrapper" >
< div class = "login-bg-color bg-black-300" >
< div class = "row" >
< div class = "col-md-4 col-md-offset-4" >
< div class = "panel login-box" >
< div class = "panel-heading" >
< div class = "panel-title text-center" > 13
< h4 > School Result Management System </ h4 >
</ div >
</ div >
< div class = "panel-body p-20" >
< form action = "result.php" method = "post" >
< div class = "form-group" >
< label for = "rollid" > Enter your Roll Id </ label >
< input type = "text" class = "form-control" id = "rollid" placeholder = "Enter Your Roll
Id" autocomplete = "off" name = "rollid" >
</ div >
< div class = "form-group" >
< label for = "default" class = "col-sm-2 control-label" > Class </ label > < select name
= "class" class = "form-control" id = "default" required = "required" > < option value
= "" > Select Class </ option >
<?php $sql = " SELECT * from tblclasses" ;
$query = $dbh -> prepare ( $sql );
$query -> execute ();
$results = $query -> fetchAll ( PDO
::FETCH_OBJ); if ( $query -> rowCount () > 0 )
{
foreach ( $results as $result )
{ ?>
< option value = "<?php echo htmlentities ( $result-> id) ; ?> " ><?php echo
htmlentities ( $result -> ClassName ); ?>&nbsp; Section-<?php echo htmlentities (
$result -> Section ); ?> </option >
<?php }} ?>
</ select >

```

```

</div>
<div class="form-group mt-20">
<div class="">
<button type="submit" class="btn btn-success btn-labeled pull-right">Search<span
class="btn-label btn-label-right"><i class="fa fa-check"></i></span></button><
div class="clearfix"></div>
</div>
</div>
<div class="col-sm-6">
<a href="index.php">Back to Home</a>
</div>
</form>
<hr>13
</div>
</div>
<!-- /.panel -->
<p class="text-muted text-center"><small>Student Result
Management
System</small></p>
</div>
<!-- /.col-md-6 col-md-offset-3 -->
</div>
<!-- /.row -->
</div>
<!-- /. -->
</div>
<!-- /.main-wrapper -->
<!-- ===== COMMON JS FILES ===== -->
<script src="js/jquery/jquery-2.2.4.min.js"></script>
<script src="js/jquery-ui/jquery-ui.min.js"></script>
<script src="js/bootstrap/bootstrap.min.js"></script>
<script src="js/pace/pace.min.js"></script>
<script src="js/lobipanel/lobipanel.min.js"></script>
<script src="js/iscroll/iscroll.js"></script>
<!-- ===== PAGE JS FILES ===== -->
<script src="js/ichack/ichack.min.js"></script>
<!-- ===== THEME JS ===== -->
<script src="js/main.js"></script>
<script>
$(function(){

```

```

$( 'input.flat-blue-style' ). iCheck ({
checkboxClass: 'icheckbox_flat-blue'
}); });
</ script >
<!-- ===== ADD custom.js FILE BELOW WITH YOUR CHANGES ===== -->
</ body >
</ html > 13

```

Final Results :-

## Result Management System

Student Name : Anuj kumar		
Student Roll id : 10861		
Student Class: Fourth(C)		
#	Subject	Marks
1	Maths	75
2	English	90
3	Science	80
4	Music	56
Total Marks		301 out of 400
Percentage		75.25 %
Download Result		Download

```

<?php
session_start ();
error_reporting ( 0
);
include ( 'includes/config.php' );
?>
<! DOCTYPE html >
< html lang = "en" >
< head >
< meta charset = "utf-8" >
< meta http-equiv = "X-UA-Compatible" content = "IE=edge" > < meta name
= "viewport" content = "width=device-width, initial-scale=1" > < title >
Result Management System </ title >
< link rel = "stylesheet" href = "css/bootstrap.min.css" media = "screen" >

```

```
< link rel = "stylesheet" href = "css/font-awesome.min.css" media =  
"screen" >  
< link rel = "stylesheet" href = "css/animate-css/animate.min.css" media  
= "screen" >  
< link rel = "stylesheet" href = "css/lobipanel/lobipanel.min.css" media  
= "screen" >  
< link rel = "stylesheet" href = "css/prism/prism.css" media = "screen" > <  
link rel = "stylesheet" href = "css/main.css" media = "screen" > < script  
src = "js/modernizr/modernizr.min.js" ></ script > </ head >  
< body >  
< div class = "main-wrapper" >  
< div class = "content-wrapper" >  
< div class = "content-container" >  
<!-- /.left-sidebar -->  
< div class = "main-page" > 13  
< div class = "container-fluid" >  
< div class = "row page-title-div" >  
< div class = "col-md-12" >  
< h2 class = "title" align = "center" > Result Management System </ h2 >  
</ div >  
</ div >  
<!-- /.row -->  
<!-- /.row -->  
</ div >  
<!-- /.container-fluid -->  
< section class = "section" id = "exampl" >  
< div class = "container-fluid" >  
< div class = "row" >  
< div class = "col-md-8 col-md-offset-2" >  
< div class = "panel" >  
< div class = "panel-heading" >  
< div class = "panel-title" >  
< h3 align = "center" > Student Result Details </ h3 >  
< hr />
```

```

<?php
// code Student Data
$rollid = $_POST [ 'rollid' ];
$classid = $_POST [ 'class' ];
$_SESSION [ 'rollid' ]= $rollid ;
$_SESSION [ 'classid' ]= $classid ;
$query = " SELECT
tblstudents.StudentName,tblstudents.RollId,tblstudents.RegDate,tblstudents.
StudentId,tblstudents.Status,tblclasses.ClassName,tblclasses.Section from
tblstudents join tblclasses on tblclasses.id = tblstudents.ClassId where
tblstudents.RollId = :rollid and tblstudents.ClassId = :classid " ;
$stmt = $dbh -> prepare ( $query );
$stmt -> bindParam ( ':rollid' , $rollid , PDO ::PARAM_STR);
$stmt -> bindParam ( ':classid' , $classid , PDO ::PARAM_STR);
$stmt -> execute ();
$resultss = $stmt -> fetchAll ( PDO ::FETCH_OBJ);
$cnt = 1 ; if ( $stmt ->
rowCount () > 0 )
{
foreach ( $resultss as $row )
{ ?>
< p >< b > Student Name :< /b > < ?php echo htmlentities ( $row ->
StudentName ); ?> </ p >
< p >< b > Student Roll Id : </ b > < ?php echo htmlentities ( $row -> RollId );
?>
< p >< b > Student Class: </ b > < ?php echo htmlentities ( $row ->
ClassName );?> ( < ?php echo htmlentities ( $row -> Section ); ?> )
< ?php } 13
?>
</ div >
< div class = "panel-body p-20" >
< table class = "table table-hover table-bordered" border = "1" width =
"100%" > < thead >
< tr style = "text-align: center" >
< th style = "text-align: center" > # </ th >

```

```

< th style = "text-align: center" > Subject </ th >
< th style = "text-align: center" > Marks </ th >
</ tr >
</ thead >
< tbody >
<?php
// Code for result
$query = "select
t.StudentName,t.RollId,t.ClassId,t.marks,SubjectId,tblsubjects.SubjectName
from (select sts.StudentName,sts.RollId,sts.ClassId,tr.marks,SubjectId from
tblstudents as sts join tblresult as tr on tr.StudentId=sts.StudentId) as t join
tblsubjects on tblsubjects.id=t.SubjectId where (t.RollId=:rollid and
t.ClassId=:classid)" ;
$query = $dbh -> prepare ( $query );
$query -> bindParam ( ':rollid' , $rollid , PDO ::PARAM_STR);
$query -> bindParam ( ':classid' , $classid , PDO ::PARAM_STR);
$query -> execute ();
$results = $query -> fetchAll ( PDO ::FETCH_OBJ);
$cnt = 1 ;
if ( $countrow = $query -> rowCount ()> 0 )
{
foreach ( $results as $result ){
?>
< tr >
< th scope = "row" style = "text-align: center" > <?php echo htmlentities
( $cnt ); ?> </ th >
< td style = "text-align: center" >< ?php echo htmlentities ( $result ->
SubjectName ); ?> </ td > 13
< td style = "text-align: center" > <?php echo htmlentities ( $totalmarks =
$result -> marks ); ?> </ td >
</ tr >
<?php
$totlcount += $totalmarks ;
$cnt ++;}

```

```

?>
< tr >
< th scope = "row" colspan = "2" style = "text-align: center" > Total Marks
</ th >
< td style = "text-align: center" >< b > <?php echo htmlentities ( $totlcount );
?> </ b > out of < b >< ?php echo htmlentities ( $outof =( $cnt -1 ) * 100 ) ;
?> </ b ></ td >
</ tr >
< tr >
< th scope = "row" colspan = "2" style = "text-align: center" > Percentge </
th >
< td style = "text-align: center" >< b > <?php echo htmlentities ( $totlcount *(
100 ) / $outof ); ?> % </ b ></ td > </ tr >
< tr >
< td colspan = "3" align = "center" >< i class = "fa fa-print fa-2x" aria hidden
= "true" style = "cursor:pointer" OnClick = "CallPrint(this.value)" ></ i ></ td
>
</ tr >
<?php } else { ?>
< div class = "alert alert-warning left-icon-alert" role = "alert" >
< strong > Notice! </ strong > Your result not declare yet
<?php }
?>
</ div >
<?php
} else
{ ?>
< div class = "alert alert-danger left-icon-alert" role = "alert" >
strong>Oh snap! </ strong >
<?php echo htmlentities ( "Invalid
Roll Id" );
}
?>
</ div >

```

```
</ tbody >
</ table >
</ div >
</ div >
<!-- /.panel -->
</ div >
<!-- /.col-md-6 --> 13
< div class = "form-group" >
< div class = "col-sm-6" >
< a href = "index.php" > Back to Home </ a >
</ div >
</ div >
</ div >
<!-- /.row -->
</ div >
<!-- /.container-fluid -->
</ section >
<!-- /.section -->
</ div >
<!-- /.main-page -->
</ div >
<!-- /.content-container -->
</ div >
<!-- /.content-wrapper -->
</ div >
<!-- /.main-wrapper -->
<!-- ===== COMMON JS FILES ===== --> <
script src = "js/jquery/jquery-2.2.4.min.js" ></ script > <
script src = "js/bootstrap/bootstrap.min.js" ></ script > <
script src = "js/pace/pace.min.js" ></ script > < script src
= "js/lobipanel/lobipanel.min.js" ></ script > < script src
= "js/iscroll/iscroll.js" ></ script > <!-- ===== PAGE
JS FILES ===== -->
< script src = "js/prism/prism.js" ></ script >
```



```

<!-- ===== THEME JS ===== -->
< script src = "js/main.js" ></ script >
< script >
$( function ( $ ) {
});
function CallPrint ( strid ) { var prtContent =
document . getElementById ( "exempl" );
var WinPrint = window . open ( " , " ,
'left=0,top=0,width=800,height=900,toolbar=0,scrollbars=0,status=0' );
WinPrint . document . write ( prtContent . innerHTML );
WinPrint . document . close (); 13
WinPrint . focus ();
WinPrint . print ();
WinPrint . close ();
}
</ script >
</ script >
<!-- ===== ADD custom.js FILE BELOW WITH YOUR CHANGES
===== -->
</ body >
</ html >

```

### Result:

Thus, the details of architectural design/framework/implementation along with the screenshots were provided.