Lecture 6 Notes (Functions, Class, Value Passing using LINK/URL)

Functions

Shayoni

-----0-----

```
<?php
function show($s)
{
    echo $s;
}

show("Asif With SHAYONI");
?>
```

Asif With SHAYONI

```
<!php
function show($s)
{
    echo $s;
}

function add ($a, $b)
{
    $sum = $a + $b;
    return $sum;
}

echo "The sum is ".add(20,10);
?>
```

The sum is 30

-----0-----

Multiple value return kora jabe? Ekta array return korlei ei problem solved.

```
<?php
function add ($a, $b)
{
          $sum = $a + $b;
          $sub = $a - $b;
          return array($sum,$sub);
}
$result = add(45,34);
echo "The sum is $result[0] <br>";
echo "and the subtraction is $result[1]";
?>
```

The sum is 79 and the subtraction is 11

-----0-----

Class

```
class Student
{
    public $name;

    function set_name($name)
    {
        $this->name = $name;
    }
        function get_name()
        {
            return $this->name; //obosshoi evabe specify korte hobe php te
        }
    }

$student = new Student(); //php te Student student = new Student evabe kora
lagena.

$student-> set_name("S M Asif Hossain"); //obj ref diye function call korchi
        echo $student -> get_name();
        }
}
```

S M Asif Hossain

```
class Student
{
    public $name;

    /* Constructor define er somoy php te function keyword likhe 2 ta
underscore "_"
    diye jokhon construct keyword ta likhbo, oita etai mean kore je eta ekta
constructor*/

function __construct($x) //defining constructor
{
    echo "Constructor calling <br>;
    $this->name = $x;
```

Constructor calling Hossain + Shayoni


-----0-----

Value Passing using LINK/URL:

- Jodi link er sathe value pass korte chai tobe link er sathe ekta '?' mark diye id = value ta pass korbo. Jemon 222.aiub.edu?id = 5
- Ekhane id=5 eta ekta associative array. Ei value ta pass hocche associative array hishebe (key=>value)
- Ei type er value retrieve korar jonno \$_GET use korte hobe. Eta ekta Global Variable & also an associative array.

```
colick here to watch!
```

```
<!DOCTYPE html>
<html lang="en">
    <title>Document</title>
<body>
    <a href="random.php?id=6">Click here to watch!</a>
    <?php
</body>
<!DOCTYPE html>
<html lang="en">
    <title>Document</title>
<body>
    <h1>Hello WORLD? </h1>
    <?php
    print_r($_GET);
</body>
</html>
```



-----O------

Click here to watch!

Hello WORLD?

Array ([id] => 6 [name] => sadia)

```
<!DOCTYPE html>
<html lang="en">
    <title>Document</title>
</head>
<body>
    <a href="random.php?id=21-44421-1&name=S M Asif Hossain">Click here to
watch!</a>
    <?php
</body>
</html>
<!DOCTYPE html>
<html lang="en">
    <title>Document</title>
</head>
<body>
    <h1>Hello Everyone? </h1>
    <?php
    echo "Printing as Array: <br>";
    print_r($_GET);
    echo "<br> My name is: ".$_GET["name"]."<br>";
    echo "My student id is: ".$_GET["id"];
</body>
```

Hello Everyone?

```
Printing as Array:
Array ( [id] => 21-44421-1 [name] => S M Asif Hossain )
My name is: S M Asif Hossain
My student id is: 21-44421-1
```

```
Next Page 1
Next Page 2
Next Page 3
Next Page 4
Next Page 5
Next Page 6
Next Page 6
Next Page 7
Next Page 8
Next Page 9
Next Page 10
```

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<title>Document</title>
</head>
<body>
   <?php
    for (\$i = 1;\$i <= 10; \$i++)
    <a href="random.php?id=<?php echo $i;?>">Next Page <?php echo $i; ?></a>
    <?php
</body>
</html>
<!DOCTYPE html>
<html lang="en">
    <title>Document</title>
</head>
<body>
   <h3>Hello Everyone? </h3>
   echo "My id is ".$_GET["id"];
</body>
</html>
Next Page 1
Next Page 2
Next Page 3
Next Page 4
Next Page 5
                  ← → C ① ① localhost:801/WebTech/random.php?id=3
Next Page 6
                                           ← → C ♠ ⑤ localhost:801/WebTech/random.php?id=6
Next Page 7
                  Hello Everyone?
Next Page 8
                                            Hello Everyone?
Next Page 9
Next Page 10 My id is 3
                                            My id is 6/
```

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Document</title>
</head>
<body>
    <?php
    for ($i = 1;$i <= 10; $i++)
    <a href="random.php?id=<?php echo $i;?>">Next Page <?php echo $i; ?></a>
    <?php
</body>
</html>
<!DOCTYPE html>
<html lang="en">
    <title>Document</title>
</head>
<body>
    <h3>Hello Everyone? </h3>
    <?php
    echo "My id is ".$_GET["id"]."<br>";
    if ($_GET["id"]%2 == 0)
    {echo "Even <br>";}
    else
    {echo "Odd <br>";}
</body>
</html>
Next Page 1
Next Page 2
Next Page 3
Next Page 4
Next Page 5
Next Page 6
Next Page 7 Hello Everyone? Hello Everyone?
                                                  Hello Everyone?
Next Page 8
Next Page 9 My id is 2
                              My id is 7
                                                  My id is 6
Next Page 10 Even
                              Odd
                                                  Even
```

-----0-----