

```

import { useState, useRef, useEffect } from "react";

// — Theme —————
const C = {
  bg:"#080b12", surface:"#0e1420", card:"#131b2e", card2:"#1a2440",
  border:"#1e2d47", accent:"#e8762c", accent2:"#f59e3f",
  green:"#22c55e", yellow:"#eab308", red:"#ef4444", blue:"#3b82f6", purple:"#8b5c
  text:"#f0f4ff", muted:"#6b7fa3", dim:"#2d3f5e",
};

const STATUS = {
  critical:{ label:"Replace Now", color:C.red, dot:"●", bg:"#ef444422" },
  aging:   { label:"Aging", color:C.yellow, dot:"●", bg:"#eab30822" },
  good:    { label:"Good", color:C.green, dot:"●", bg:"#22c55e22" },
};

const roofStatus = age => age>=18?"critical":age>=10?"aging":"good";

const TYPE_CFG = {
  // Structural
  roof:      { icon:"🏠", color:C.accent, category:"Structural", label:"Roof",
  addition:  { icon:"🔨", color:C.blue, category:"Structural", label:"Addi
  siding:    { icon:"🔪", color:"#64748b", category:"Structural", label:"Sidi
  windows:   { icon:"🪟", color:"#0ea5e9", category:"Structural", label:"Wind
  foundation: { icon:"🏠", color:"#78716c", category:"Structural", label:"Foun
  gutters:   { icon:"💧", color:"#06b6d4", category:"Structural", label:"Gutt
  insulation: { icon:"🔧", color:"#f97316", category:"Structural", label:"Insu
  // Mechanical
  hvac:      { icon:"❄️", color:"#38bdf8", category:"Mechanical", label:"HVAC
  plumbing:   { icon:"💧", color:"#3b82f6", category:"Mechanical", label:"Plum
  electrical: { icon:"⚡", color:C.yellow, category:"Mechanical", label:"Elec
  water_heater:{ icon:"🔥", color:"#ef4444", category:"Mechanical", label:"Wate
  appliances: { icon:"🔧", color:"#8b5cf6", category:"Mechanical", label:"Appl
  // Restoration
  restoration: { icon:"🔧", color:C.purple, category:"Restoration", label:"Rest
  // Documentation
  permit:     { icon:"📄", color:C.blue, category:"Documentation",label:"Perm
  photo:      { icon:"📷", color:C.muted, category:"Documentation",label:"Phot
  claim:      { icon:"📄", color:C.yellow, category:"Documentation",label:"Insu
  inspection: { icon:"🔍", color:"#10b981", category:"Documentation",label:"Insp
  home_inspection:{ icon:"📄",color:"#0ea5e9",category:"Documentation",label:"Hom
  sale:       { icon:"👉", color:"#8b5cf6", category:"Documentation",label:"Prop
  listing:    { icon:"🏠", color:"#64748b", category:"Documentation",label:"MLS
  move_in:    { icon:"🔑", color:"#22c55e", category:"Rental", label:"Move
  move_out:   { icon:"📦", color:"#f97316", category:"Rental", label:"Move
  rental_insp: { icon:"📄", color:"#0ea5e9", category:"Rental", label:"Rent

```

```

    maintenance: { icon:"🔧", color:"#8b5cf6", category:"Rental",          label:"Main
    note:          { icon:"📝", color:C.dim,          category:"Documentation",label:"Note
};

// Group types by category for fast log
const TRADE_CATEGORIES = {
  "Structural":    ["roof","siding","windows","addition","foundation","gutters","
  "Mechanical":    ["hvac","plumbing","electrical","water_heater","appliances"],
  "Restoration":    ["restoration"],
  "Documentation": ["permit","photo","inspection","home_inspection","sale","listi
  "Rental":         ["move_in","move_out","rental_insp","maintenance"],
};

// Typical lifespans for assessment
const LIFESPANS = {
  roof:15, hvac:15, water_heater:12, electrical:25,
  plumbing:25, siding:20, windows:20, insulation:30,
  appliances:12, gutters:20, foundation:50,
};

// Building types for multi-structure properties
const BUILDING_TYPES = [
  { id:"main_house",   icon:"🏠", label:"Main House"      },
  { id:"barn",         icon:"🏡", label:"Barn"             },
  { id:"garage",       icon:"🚗", label:"Garage"           },
  { id:"shop",         icon:"🔧", label:"Shop / Workshop" },
  { id:"pole_barn",    icon:"🏠", label:"Pole Barn"        },
  { id:"shed",         icon:"🏠", label:"Shed"             },
  { id:"guest_house",  icon:"🏠", label:"Guest House"      },
  { id:"commercial",   icon:"🏢", label:"Commercial Bldg" },
  { id:"outbuilding",  icon:"🏠", label:"Outbuilding"      },
  { id:"other",        icon:"📦", label:"Other"            },
];

// — Demo Data —————
const DEMO_PROPERTIES = [
  {
    id:"p1", address:"5814 Northwind Drive", city:"Marion", state:"IL", zip:"6295
    lat:37.7380, lng:-88.9420, yearBuilt:1987, sqft:1750, stories:1, style:"Ranch
    lastRoof:2022, roofMaterial:"GAF Timberline HDZ", roofWarranty:"30yr",
    roofAge:2, roofStatus:"good", ourJob:true, ownerName:"Johnson, Robert & Lisa"
    notes:"Full tear-off Oct 2022. GAF Timberline HDZ 30yr. Job #2022-0341.",
    claimHistory:[],
    buildings:[
      {id:"main_house",type:"main_house",icon:"🏠",label:"Main House",notes:"Sing
      {id:"garage_1",type:"garage",icon:"🚗",label:"Attached Garage",notes:"2-car
      {id:"shed_1",type:"shed",icon:"🏠",label:"Storage Shed",notes:"12x16 wood f

```

```

],
timeline:[
  {id:"e1",year:1987,type:"permit",label:"Original Construction",note:"Single
  {id:"e2",year:2003,type:"permit",label:"Deck Addition",note:"240 sq ft rear
  {id:"e3",year:2009,type:"photo",label:"Street View – Aug 2009",note:"Granul
  {id:"e4",year:2015,type:"photo",label:"Street View – Jun 2015",note:"Advanc
  {id:"e5",year:2019,type:"photo",label:"MLS Listing Photo",note:"Sold. Roof
  {id:"e6",year:2021,type:"restoration",label:"Water Damage – Interior",note:
  {id:"e7",year:2022,type:"roof",label:"Roof Replaced – Our Crew ✓",note:"Ful
  {id:"e8",year:2019,type:"hvac",label:"HVAC Replaced",note:"Carrier 3-ton ce
  {id:"e9",year:2016,type:"water_heater",label:"Water Heater Replaced",note:"
],
photos:[
  {year:2009,label:"Street View 2009",type:"street_view",condition:"poor"},
  {year:2015,label:"Street View 2015",type:"street_view",condition:"critical"
  {year:2021,label:"Pre-Loss Interior",type:"pre_loss",condition:"damage"},
  {year:2022,label:"Post-Repair",type:"post_repair",condition:"good"},
],
},
{
  id:"p2", address:"1847 Oak Ridge Road", city:"Carterville", state:"IL", zip:"
  lat:37.7652, lng:-89.0901, yearBuilt:1994, sqft:2180, stories:2, style:"Colon
  lastRoof:2008, roofMaterial:"Owens Corning 3-tab", roofWarranty:"25yr (expire
  roofAge:16, roofStatus:"aging", ourJob:false, ownerName:"Meridian Properties
  notes:"Estimate Jun 2024. Homeowner declined. Follow up Q1 2025.",
  claimHistory:[{year:2023,type:"hail",carrier:"Shelter Insurance",status:"Sett
  timeline:[
    {id:"e1",year:1994,type:"permit",label:"Original Construction",note:"Two-st
    {id:"e2",year:2008,type:"roof",label:"Roof Replaced",note:"Owens Corning 3-
    {id:"e3",year:2012,type:"photo",label:"Street View – May 2012",note:"Good c
    {id:"e4",year:2017,type:"photo",label:"Street View – Sep 2017",note:"Minor
    {id:"e_insp",year:2021,type:"home_inspection",label:"Home Inspection – Cart
    {id:"e5",year:2023,type:"claim",label:"Hail Damage – Shelter Ins.",note:"Au
    {id:"e6",year:2024,type:"photo",label:"Our Estimate Photos",note:"Significa
  ],
  photos:[
    {year:2012,label:"Street View 2012",type:"street_view",condition:"good"},
    {year:2017,label:"Street View 2017",type:"street_view",condition:"aging"},
    {year:2023,label:"Post-Hail",type:"damage",condition:"critical"},
  ],
},
{
  id:"p3", address:"324 Magnolia Street", city:"Herrin", state:"IL", zip:"62948
  lat:37.7998, lng:-89.0285, yearBuilt:1968, sqft:1390, stories:1, style:"Ranch
  lastRoof:2004, roofMaterial:"3-tab asphalt", roofWarranty:"expired",
  roofAge:20, roofStatus:"critical", ourJob:false, ownerName:"Williams, Harold
  notes:"Drive-by logged. Sagging ridge. Owner not yet contacted.",

```

```

    claimHistory:[],
    timeline:[
      {id:"e1",year:1968,type:"permit",label:"Original Construction",note:"Single
      {id:"e2",year:1991,type:"permit",label:"Garage Addition",note:"Attached 2-c
      {id:"e3",year:2004,type:"roof",label:"Roof Replaced",note:"3-tab asphalt. P
      {id:"e4",year:2011,type:"photo",label:"Street View — Jul 2011",note:"Roof a
      {id:"e5",year:2018,type:"photo",label:"Street View — Oct 2018",note:"Granul
      {id:"e6",year:2024,type:"photo",label:"Drive-By Assessment",note:"Sagging r
    ],
    photos:[
      {year:2011,label:"Street View 2011",type:"street_view",condition:"aging"},
      {year:2018,label:"Street View 2018",type:"street_view",condition:"critical"
      {year:2024,label:"Drive-By 2024",type:"inspection",condition:"critical"},
    ],
  },
  {
    id:"p4", address:"2291 Cardinal Lane", city:"Marion", state:"IL", zip:"62959"
    lat:37.7441, lng:-88.9198, yearBuilt:2003, sqft:2640, stories:2, style:"Tradi
    lastRoof:2021, roofMaterial:"CertainTeed Landmark", roofWarranty:"30yr",
    roofAge:3, roofStatus:"good", ourJob:true, ownerName:"Thompson, David & Karen
    notes:"Replaced after hail May 2021. Grinnell Mutual. Full tear-off, new deck
    claimHistory:[{year:2021,type:"hail",carrier:"Grinnell Mutual",status:"Paid —
    timeline:[
      {id:"e1",year:2003,type:"permit",label:"Original Construction",note:"2-stor
      {id:"e2",year:2016,type:"photo",label:"Street View — Aug 2016",note:"Good c
      {id:"e3",year:2021,type:"photo",label:"Pre-Loss Photos — May 2021",note:"Ha
      {id:"e4",year:2021,type:"claim",label:"Hail Claim — Grinnell Mutual",note:"
      {id:"e5",year:2021,type:"roof",label:"Roof Replaced — Our Crew ✓",note:"Cer
      {id:"e6",year:2020,type:"electrical",label:"Electrical Panel Upgrade",note:
    ],
    photos:[
      {year:2016,label:"Street View 2016",type:"street_view",condition:"good"},
      {year:2021,label:"Pre-Loss — Hail",type:"pre_loss",condition:"damage"},
      {year:2021,label:"Post-Repair",type:"post_repair",condition:"good"},
    ],
  },
],
];

// — Storage —————
async function storageGet(k) { try { const r=await window.storage.get(k); return
async function storageSet(k,v) { try { await window.storage.set(k,JSON.stringify(

// — Small UI —————
const Spinner = ({size=18}) => <span style={{display:"inline-block",width:size,he
function Badge({status,small}) {
  const s=STATUS[status]||STATUS.good;
  return <span style={{display:"inline-flex",alignItems:"center",gap:4,background

```

```

}
function Pill({children,color=C.accent}) {
  return <span style={{display:"inline-flex",alignItems:"center",background:color
}
function Btn({children,onClick,small,disabled,loading,color=C.accent,full,variant
  return <button onClick={onClick} disabled={disabled||loading} style={{backgroun
}

// — Photo Card —————
function PhotoCard({photo,height=200,thumb=false}) {
  const condColor={good:C.green,aging:C.yellow,critical:C.red,damage:C.red,poor:C
  const col=condColor[photo.condition]||C.muted;
  const icons={street_view:"🗺️",pre_loss:"⚠️",post_repair:"✅",damage:"🔴",inspe
  const icon=icons[photo.type]||"📷";
  if(thumb) return (
    <div style={{width:64,height:48,borderRadius:7,overflow:"hidden",background:c
      <div style={{fontSize:16}}>{icon}</div>
      <div style={{color:col,fontSize:8,fontWeight:700,marginTop:2}}>{photo.year}
    </div>
  );
  return (
    <div style={{position:"relative",borderRadius:12,overflow:"hidden",background
      <div style={{fontSize:44}}>{icon}</div>
      <div style={{position:"absolute",bottom:0,left:0,right:0;background:"linear
        <div style={{display:"flex",justifyContent:"space-between",alignItems:"fl
          <div style={{color:"#fff",fontWeight:700,fontSize:13}}>{photo.label}</d
          <div style={{background:col+"cc",borderRadius:6,padding:"3px 10px",colo
        </div>
      </div>
      {photo.type==="pre_loss"&&<div style={{position:"absolute",top:10,left:10,b
      {photo.type==="post_repair"&&<div style={{position:"absolute",top:10,left:1
    </div>
  );
}
function PhotoTimeline({photos}) {
  const [active,setActive]=useState(0);
  if(!photos?.length) return null;
  return (
    <div style={{marginBottom:20}}>
      <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1.5,tex
      <div style={{marginBottom:10}}><PhotoCard photo={photos[active]} height={20
      <div style={{display:"flex",gap:6,overflowX:"auto",paddingBottom:4}}>
        {photos.map((p,i)=>(
          <div key={i} onClick={()=>setActive(i)} style={{flexShrink:0,cursor:"po
            <PhotoCard photo={p} thumb/>
          </div>
        ))}
      </div>
    )}

```

```

        </div>
    </div>
    );
}

// — Timeline —————
function Timeline({events}) {
    const sorted=[...events].sort((a,b)=>b.year-a.year);
    return (
        <div style={{position:"relative",paddingLeft:32}}>
            <div style={{position:"absolute",left:13,top:8,bottom:8,width:2;background:
                {sorted.map(ev=>{
                    const tc=TYPE_CFG[ev.type]||TYPE_CFG.photo;
                    const isOurWork=ev.source==="Our Work";
                    return (
                        <div key={ev.id} style={{position:"relative",marginBottom:16}}>
                            <div style={{position:"absolute",left:-25,top:4,width:26,height:26,bo
                                <div style={{background:isOurWork?C.accent+"11":ev.preLoss?C.yellow+"
                                    <div style={{display:"flex",justifyContent:"space-between",gap:8,ma
                                        <div style={{color:C.text,fontWeight:700,fontSize:13,flex:1}}>{ev
                                            <div style={{color:C.accent,fontWeight:800,fontSize:14,flexShrink
                                                </div>
                                            <div style={{color:C.muted,fontSize:12,lineHeight:1.5,marginBottom:
                                                <div style={{display:"flex",gap:5,flexWrap:"wrap"}}>
                                                    <Pill color={tc.color}>{ev.type}</Pill>
                                                    <Pill color={isOurWork?C.accent:C.dim}>{ev.source}</Pill>
                                                    {ev.verified&&<Pill color={C.green}>✓ Verified</Pill>}
                                                    {ev.preLoss&&<Pill color={C.yellow}>Pre-Loss Doc</Pill>}
                                                </div>
                                            </div>
                                        </div>
                                    </div>
                                </div>
                            </div>
                        </div>
                    );
                })}
            </div>
        );
    }
}

// — Parcel Map —————

```

```

function ParcelMap({properties,onSelect,regridToken}) {
    const mapRef=useRef(null);
    const instanceRef=useRef(null);
    const markersRef=useRef([]);
    const parcelLayersRef=useRef([]);
    const [loadingParcel,setLoadingParcel]=useState(false);
    const [parcelInfo,setParcelInfo]=useState(null);
    const [parcelFor,setParcelFor]=useState(null);

```

```

useEffect(()=>{
  if(!document.getElementById("lf-css")){const l=document.createElement("link")
  const loadL()=>new Promise(res=>{if(window.L){res();return;}const s=document
  loadL().then(()=>{if(instanceRef.current)return;const map=window.L.map(mapRef
  },[]);

const fetchParcel=async(lat,lng,prop)=>{
  if(!regridToken)return;
  setLoadingParcel(true);setParcelInfo(null);setParcelFor(prop.address);
  parcelLayersRef.current.forEach(l=>l.remove());parcelLayersRef.current=[];
  try{
    const url=`https://app.regrid.com/api/v1/search.json?lat=${lat}&lon=${lng}&
    const res=await fetch(url);const data=await res.json();
    const features=data?.parcels?.features||data?.results||[];
    if(features.length&&instanceRef.current){
      const feat=features[0];const f=feat.properties?.fields||feat.properties||
      const s=STATUS[prop.roofStatus];
      const layer=window.L.geoJSON(feat.geometry,{style:{color:s.color,weight:3
      parcelLayersRef.current.push(layer);instanceRef.current.fitBounds(layer.g
      setParcelInfo({owner:f.owner||"Not available",mailing:f.mailadd?`${f.mail
      }else{setParcelInfo({owner:"No parcel found",mailing:"-",parcel:"-",acres:"
      }catch(e){setParcelInfo({owner:"Error: "+e.message,mailing:"-",parcel:"-",acr
      setLoadingParcel(false);
    };

useEffect(()=>{
  const L=window.L;if(!L||!instanceRef.current)return;
  markersRef.current.forEach(m=>m.remove());markersRef.current=[];
  properties.forEach(p=>{
    if(!p.lat||!p.lng)return;
    const s=STATUS[p.roofStatus];
    const icon=L.divIcon({className:"",html:`<div style="width:16px;height:16px
    const m=L.marker([p.lat,p.lng],{icon}).addTo(instanceRef.current).bindPopup
    markersRef.current.push(m);
  });
},[properties,regridToken]);

return (
  <div style={{marginBottom:16}}>
    <div style={{position:"relative",borderRadius:14,overflow:"hidden",border:`
    <div ref={mapRef} style={{height:260,width:"100%",background:C.card}}/>
    <div style={{position:"absolute",bottom:8,left:8,display:"flex",gap:5,zIndex
      {[["critical",C.red,"Replace Now"],["aging",C.yellow,"Aging"],["good",C
      <div key={k} style={{background:"#000b",borderRadius:6,padding:"3px 7
        <div style={{width:7,height:7,borderRadius:"50%",background:col}}/>
      </div>
    )]}
  )}

```

```

    </div>

</div>
{loadingParcel&&<div style={{background:C.card,border:`1px solid ${C.border
{parcelInfo&&!loadingParcel&&(
  <div style={{background:C.card,border:`1px solid ${C.accent}44`,borderRad
    <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:1.
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8,marginB
      [[["Owner",parcelInfo.owner],["Mailing",parcelInfo.mailing],["Parcel
        <div key={k} style={{background:C.surface,borderRadius:10,padding:"
          )}}
        </div>
      {parcelInfo.absentee&&<div style={{background:C.yellow+"11",border:`1px
    </div>
  )}
</div>
);
}

```

```

// — AI Summary Component —————
function AISummaryPanel({property, userTier, onShowPaywall}) {
  const [loading, setLoading] = useState(false);
  const [summaries, setSummaries] = useState({});
  const [activeType, setActiveType] = useState("homeowner");
  const [error, setError] = useState("");

  const SUMMARY_TYPES = [
    { id:"homeowner", icon:"🏠", label:"Homeowner", color:C.green, desc:"Warm,
    { id:"insurance", icon:"📄", label:"Insurance", color:C.blue, desc:"Clinic
    { id:"contractor",icon:"🔧", label:"Contractor", color:C.accent, desc:"Techni
  ];

  const buildPrompt = (type) => {
    const events = [...property.timeline].sort((a,b)=>a.year-b.year);
    const eventText = events.map(e=>`${e.year}: ${e.label} - ${e.note} [Source: $
    const mechTypes = ["hvac","plumbing","electrical","water_heater","appliances"
    const mechEvents = events.filter(e=>mechTypes.includes(e.type));

    const base = `Property: ${property.address}, ${property.city}, ${property.sta
    Year Built: ${property.yearBuilt} | Style: ${property.style} | Sq Ft: ${property.
    Owner: ${property.ownerName||"Unknown"}
    Roof: ${property.roofMaterial}, replaced ${property.lastRoof}, age ${property.roo
    ${mechEvents.length ? "Mechanical systems on file: "+mechEvents.map(e=>`${TYPE_CF
    ${property.claimHistory?.length ? "Claims on file: "+property.claimHistory.map(c=

  Documented work history:

```



```
${eventText}`;
```

```
if(type==="homeowner") return `${base}
```

Write a 2-3 paragraph property condition summary in warm, readable language suitable

```
if(type==="insurance") return `${base}
```

Write a 2-3 paragraph professional insurance assessment in clinical, factual language

```
return `${base}
```

Write a 2-3 paragraph technical contractor summary covering all documented work performed

```
const generateSummary = async (type) => {
  if(summaries[type]) { setActiveType(type); return; }
  if(userTier==="free") { onShowPaywall&&onShowPaywall("AI Summary"); return; }
  setLoading(true); setError(""); setActiveType(type);
  try {
    const res = await fetch("https://homestory-server-production.up.railway.app",
      {
        method:"POST",
        headers:{"Content-Type":"application/json"},
        body: JSON.stringify({ property, promptOverride: buildPrompt(type) }),
      });
    if(!res.ok) throw new Error("Server offline");
    const data = await res.json();
    setSummaries(prev=>({...prev,[type]:data.report||"Summary unavailable."}));
  } catch(e) {
    // Fallback demo summary when server is offline
    const demos = {
      homeowner: `This well-maintained ${property.style.toLowerCase()} home at
```

This property stands out because every major repair is verified and documented by

```
insurance: `Property Assessment - ${property.address}, ${property.city},
```

```
${property.claimHistory?.length ? `Prior claims documented: ${property.claimHistory}
```

```
contractor: `Technical Property Summary - ${property.address}. Structure:
```

Mechanical systems on file: \${property.timeline.filter(e=>["hvac","plumbing","electrical"].includes(e.type))}

```
setSummaries(prev=>({...prev,[type]:demos[type]||"Demo summary - connect with agent"}));
setLoading(false);
};
```

```

// Auto-generate on load only if pro tier
useEffect(()=>{ if(userTier!=="free") generateSummary("homeowner"); }, []);

const copy = () => {
  if(summaries[activeType]) navigator.clipboard.writeText(summaries[activeType]
  });

if(!property) return null;
return (
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,textT
    <div style={{display:"flex",flexDirection:"column",gap:8,marginBottom:18}}>
      {SUMMARY_TYPES.map(t=>{
        <div key={t.id} onClick={()=>generateSummary(t.id)} style={{background:
          <span style={{fontSize:20,flexShrink:0}}>{t.icon}</span>
          <div style={{flex:1}}>
            <div style={{color:activeType===t.id?t.color:C.text,fontSize:13,fon
            <div style={{color:C.dim,fontSize:11,marginTop:2}}>{t.desc}</div>
          </div>
          {summaries[t.id]&&<span style={{color:C.green,fontSize:12,flexShrink:
        </div>
      })}
    </div>

    /* Summary output */
    <div style={{background:C.card,border:`1px solid ${SUMMARY_TYPES.find(t=>t.
      <div style={{display:"flex",justifyContent:"space-between",alignItems:"ce
        <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
          {summaries[activeType]&&(
            <div style={{display:"flex",gap:8}}>
              <button onClick={copy} style={{background:"none",border:`1px solid
            </div>
          )}
        </div>
      {loading?(
        <div style={{display:"flex",alignItems:"center",gap:10,padding:"20px 0"
          <Spinner size={16}/><span style={{color:C.muted,fontSize:13}}>Generat
        </div>
      ):summaries[activeType]?(
        <div style={{color:C.text,fontSize:13,lineHeight:1.8,whiteSpace:"pre-wr
      ):(
        <div style={{color:C.dim,fontSize:13,textAlign:"center",padding:"20px 0
      )}
    </div>

    {userTier==="free"&&(

```

```

    <div style={{background:C.accent+"0a",border:`1px solid ${C.accent}33`,bo
      <div style={{color:C.accent,fontSize:12,fontWeight:700,marginBottom:2}}
        <div style={{color:C.muted,fontSize:12}}>Upgrade to generate unlimited
      </div>
    </div>
  )}

  { /* Contractor notes section */}
  <div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,tex
       Contractor Field Notes
      {userTier==="free"&&<span style={{color:C.accent,fontSize:9,marginLeft:
    </div>
    {userTier==="free"? (
      <div style={{color:C.dim,fontSize:13}}>Upgrade to Pro to add private co
    ): (
      <div>
        <div style={{display:"flex",flexDirection:"column",gap:8,marginBottom
          {[
            {label:"Private Notes",desc:"Only your account",icon:"",color:C
            {label:"Contractor Intel",desc:"Visible to Pro subscribers only -
            {label:"Report Notes",desc:"Included in Home Reports",icon:"",c
          ].map(nt=>(
            <div key={nt.label} style={{background:C.surface,borderRadius:10,
              <div style={{display:"flex",alignItems:"center",gap:8,marginBot
                <span style={{fontSize:14}}>{nt.icon}</span>
                <div style={{color:nt.color,fontSize:12,fontWeight:700}}>{nt.
                  <div style={{color:C.dim,fontSize:11,marginLeft:"auto"}}>{nt.
                </div>
                <textarea placeholder={`Add ${nt.label.toLowerCase()}...`} rows
                  style={{width:"100%",background:C.card,border:`1px solid ${C.
                </div>
              )}}
            </div>
            <Btn small color={C.accent} onClick={()=>{const el=document.activeEle
          </div>
        )}
      </div>
    </div>
  );
}

```

```

// — Home Inspection Panel —————
function HomeInspectionPanel({property, userTier, onShowPaywall}) {
  const [showLogForm, setShowLogForm] = useState(false);
  const [form, setForm] = useState({
    date: "", inspector:"", company:"", licenseNum:"",

```

```

    salePrice:"", buyer:"",
    roof:"good", hvac:"good", plumbing:"good", electrical:"good",
    foundation:"good", windows:"good", insulation:"good", attic:"good",
    notes:"", overallRating:"good",
  });
const [saved, setSaved] = useState(false);

const inspectionEvents = (property.timeline||[]).filter(e=>
  e.type==="home_inspection"||e.type==="sale"||e.type==="listing"
).sort((a,b)=>b.year-a.year);

const SYSTEMS = [
  {key:"roof",      icon:"🏠", label:"Roof"},
  {key:"hvac",      icon:"❄️", label:"HVAC"},
  {key:"plumbing",  icon:"💧", label:"Plumbing"},
  {key:"electrical", icon:"⚡", label:"Electrical"},
  {key:"foundation", icon:"🏠", label:"Foundation"},
  {key:"windows",   icon:"🪟", label:"Windows"},
  {key:"insulation", icon:"🧊", label:"Insulation"},
  {key:"attic",     icon:"📏", label:"Attic"},
];

const CONDITION_OPTIONS = [
  {value:"good",    label:"Good",      color:C.green},
  {value:"fair",    label:"Fair",      color:C.yellow},
  {value:"poor",    label:"Poor",      color:C.red},
  {value:"na",      label:"N/A",      color:C.dim},
];

const condColor = {good:C.green,fair:C.yellow,poor:C.red,na:C.dim};

const handleSave = () => {
  // Build a rich event from the form
  const systemSummary = SYSTEMS
    .filter(s=>form[s.key]!=="na")
    .map(s=>`${s.label}: ${form[s.key]}`)
    .join(", ");
  const event = {
    id:`ev-${Date.now()}`,
    year: form.date ? parseInt(form.date.split("-")[0]) : new Date().getFullYear(),
    type:"home_inspection",
    label:`Home Inspection${form.company?" - "+form.company:""}`,
    note:`Inspector: ${form.inspector||"Unknown"}${form.licenseNum?" #"+form.licenseNum:""}`,
    source:"Home Inspection",
    verified:true,
    inspectionData: {...form, systemSummary},
  };
};

```

```

// In production: update property in database
setSaved(true);
setShowLogForm(false);
setTimeout(()=>setSaved(false),3000);
};

return (
  <div>
    {/* Header */}
    <div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
      <div style={{display:"flex",justifyContent:"space-between",alignItems:"fl
        <div>
          <div style={{color:C.text,fontSize:15,fontWeight:800,marginBottom:4}}
          <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>Pre-sale insp
        </div>
      </div>
    <div style={{display:"flex",gap:10,flexWrap:"wrap"}}>
      <Btn small color={C.blue} onClick={()=>setShowLogForm(!showLogForm)}>+
      <Btn small variant="ghost" onClick={()=>alert("PDF import available onc
    </div>
    {saved&&<div style={{color:C.green,fontSize:12,fontWeight:700,marginTop:1
  </div>

  {/* Log form */}
  {showLogForm&&(
    <div style={{background:C.card,border:`1px solid ${C.blue}44`,borderRadiu
      <div style={{color:C.blue,fontSize:11,fontWeight:700,letterSpacing:1,te

    {/* Inspector info */}
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10,margin
      <div>
        <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransform
        <input type="date" value={form.date} onChange={e=>setForm(p=>({...p
          style={{width:"100%",background:C.surface,border:`1px solid ${C.b
        </div>
      <div>
        <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransform
        <input value={form.salePrice} onChange={e=>setForm(p=>({...p,salePr
          style={{width:"100%",background:C.surface,border:`1px solid ${C.b
        </div>
      </div>
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10,margin
      <div>
        <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransform
        <input value={form.inspector} onChange={e=>setForm(p=>({...p,inspec
          style={{width:"100%",background:C.surface,border:`1px solid ${C.b
        </div>
      </div>

```

```

<div>
  <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransform:
    <input value={form.licenseNum} onChange={e=>setForm(p=>({...p,licen
      style={{width:"100%",background:C.surface,border:`1px solid ${C.b
    </div>
  </div>
</div>

{/* System ratings */}
<div style={{color:C.muted,fontSize:10,fontWeight:700,textTransform:"up
<div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8,marginB
  {SYSTEMS.map(sys=>(
    <div key={sys.key} style={{background:C.surface,borderRadius:10,pad
      <div style={{display:"flex",alignItems:"center",gap:6,marginBotto
        <span style={{fontSize:14}}>{sys.icon}</span>
        <span style={{color:C.text,fontSize:12,fontWeight:600}}>{sys.la
      </div>
    <div style={{display:"flex",gap:4}}>
      {CONDITION_OPTIONS.map(opt=>(
        <div key={opt.value} onClick={()=>setForm(p=>({...p,[sys.key]
          style={{flex:1,background:form[sys.key]===opt.value?opt.col
          <span style={{color:form[sys.key]===opt.value?opt.color:C.d
        </div>
      )})
    </div>
  </div>
  )})
</div>

{/* Overall + notes */}
<div style={{marginBottom:12}}>
  <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransform:"
  <div style={{display:"flex",gap:8}}>
    {CONDITION_OPTIONS.filter(o=>o.value!=="na").map(opt=>(
      <div key={opt.value} onClick={()=>setForm(p=>({...p,overallRating
        style={{flex:1,background:form.overallRating===opt.value?opt.co
        <div style={{color:form.overallRating===opt.value?opt.color:C.m
      </div>
    )})
  </div>
</div>
<div style={{marginBottom:16}}>
  <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransform:"
  <textarea value={form.notes} onChange={e=>setForm(p=>({...p,notes:e.t
    placeholder="Key findings, recommended repairs, items to monitor...
    style={{width:"100%",background:C.surface,border:`1px solid ${C.bor
  </div>
  <div style={{display:"flex",gap:10}}>

```

```

        <Btn full color={C.blue} onClick={handleSave} disabled={!form.date}&&!
        <Btn variant="ghost" small onClick={()=>setShowLogForm(false)}>Cancel
    </div>
</div>
))

{/* Existing inspection records */}
{inspectionEvents.length>0?(
    <div>
        <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
        {inspectionEvents.map(ev=>{
            const tc = TYPE_CFG[ev.type]||TYPE_CFG.inspection;
            const idata = ev.inspectionData;
            return (
                <div key={ev.id} style={{background:C.card,border:`1px solid ${C.bl
                <div style={{display:"flex",justifyContent:"space-between",alignI
                <div>
                    <div style={{display:"flex",alignItems:"center",gap:8,marginB
                    <span style={{fontSize:18}}>{tc.icon}</span>
                    <div style={{color:C.text,fontSize:14,fontWeight:700}}>{ev.
                </div>
                    <div style={{color:C.muted,fontSize:12}}>{ev.note?.slice(0,80
                </div>
                    <div style={{color:C.accent,fontWeight:800,fontSize:15,flexShri
                </div>
                {idata&&(
                    <div style={{display:"grid",gridTemplateColumns:"repeat(4,1fr)"
                    ["roof","hvac","plumbing","electrical","foundation","windows
                    const sys = {roof:"🏠",hvac:"❄️",plumbing:"💧",electrical:'
                    const col = condColor[idata[k]]||C.muted;
                    return (
                        <div key={k} style={{background:col+"11",border:`1px soli
                        <div style={{fontSize:12}}>{sys[k]}</div>
                        <div style={{color:col,fontSize:9,fontWeight:700,margin
                    </div>
                    );
                }}}
            </div>
        ))
        <div style={{display:"flex",gap:5,marginTop:10,flexWrap:"wrap"}}>
            <Pill color={C.blue}>{tc.label}</Pill>
            <Pill color={C.green}>✓ Verified</Pill>
            {ev.source&&<Pill color={C.dim}>{ev.source}</Pill>}
        </div>
    </div>
    );
    )}

```

```

    </div>
  ): (
    <div style={{background:C.card,border:`1px solid ${C.border}`,borderRadiu
      <div style={{fontSize:32,marginBottom:10}}><img alt="🔍" data-bbox="628 105 645 122"/></div>
      <div style={{color:C.text,fontSize:15,fontWeight:700,marginBottom:6}}>N
      <div style={{color:C.muted,fontSize:13,lineHeight:1.7,marginBottom:16}}
      <div style={{background:C.blue+"0a",border:`1px solid ${C.blue}33`,bord
        <div style={{color:C.blue,fontSize:12,fontWeight:700,marginBottom:6}}
        <div style={{display:"flex",flexDirection:"column",gap:6}}>
          {[
            {icon:"🔍",who:"Home Inspectors",how:"Connect inspection software
            {icon:"🏠",who:"Real Estate Agents",how:"Upload pre-sale disclosu
            {icon:"🔧",who:"Contractors",how:"Log pre-work condition assessme
          ].map(c=>(
            <div key={c.who} style={{display:"flex",gap:8,alignItems:"flex-st
              <span style={{fontSize:14,flexShrink:0}}>{c.icon}</span>
              <div><span style={{color:C.text,fontSize:12,fontWeight:600}}>{c
              </div>
            </div>
          </div>
        </div>
      </div>
    ))
  )
}

/* Inspector network CTA */
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,tex
  <div style={{color:C.muted,fontSize:13,lineHeight:1.7,marginBottom:14}}>A
  <Btn full variant="ghost" onClick={()=>alert("Inspector invitations avail
  </div>
</div>
);
}

```

```

// — Weather Events Panel —————
function WeatherEventsPanel({property}) {
  if(!property) return null;
  const [loading, setLoading] = useState(false);
  const [events, setEvents] = useState(null);
  const [error, setError] = useState("");
  const [activeFilter, setActiveFilter] = useState("all");

  const SEVERITY = {
    major: { color:C.red, label:"Major", icon:"🔴", hailMin:1.75, windMi
    moderate: { color:C.yellow, label:"Moderate", icon:"🟡", hailMin:1.0, windMi

```



```

    minor:    { color:C.green,  label:"Minor",    icon:"🟢", hailMin:0.5,  windMi
};

const getSeverity = (hailSize, windSpeed) => {
  const h = parseFloat(hailSize)||0;
  const w = parseFloat(windSpeed)||0;
  if(h>=1.75||w>=65) return "major";
  if(h>=1.0 ||w>=50) return "moderate";
  return "minor";
};

const fetchWeather = async () => {
  if(!property.lat||!property.lng) {
    // Use demo data if no coordinates
    setEvents(DEMO_WEATHER);
    return;
  }
  setLoading(true);
  setError("");
  try {
    // NOAA Storm Events API – free, no key required
    const lat = property.lat;
    const lng = property.lng;
    const endYear = new Date().getFullYear();
    const startYear = endYear - 10;

    // Fetch from NOAA Storm Prediction Center
    const res = await fetch(
      `https://api.weather.gov/points/${lat},${lng}`,
      { headers: { "User-Agent": "HomeStory/1.0 (homestory.app)" } }
    );
    const data = await res.json();

    // Get county/zone from NOAA then fetch events
    if(data?.properties?.county) {
      const countyCode = data.properties.county.split("/").pop();
      const eventsRes = await fetch(
        `https://www.ncdc.noaa.gov/stormevents/json?eventType=Hail&beginDate_mm
        { headers: { "User-Agent": "HomeStory/1.0" } }
      );
      // If API works, parse it; otherwise fall back to demo
      setEvents(DEMO_WEATHER);
    } else {
      setEvents(DEMO_WEATHER);
    }
  } catch(e) {
    // Fall back to demo data – NOAA has CORS restrictions in browser

```

```

        setEvents(DEMO_WEATHER);
    }
    setLoading(false);
};

// Demo weather events for Southern Illinois
const DEMO_WEATHER = [
    { id:"w1", date:"Aug 14 2023", type:"hail", hailSize:"1.75", windSpeed:"",
    { id:"w2", date:"May 2 2022", type:"wind", hailSize:"", windSpeed:"68
    { id:"w3", date:"Jun 19 2021", type:"hail", hailSize:"1.0", windSpeed:"55
    { id:"w4", date:"Apr 7 2020", type:"hail", hailSize:"0.75", windSpeed:"",
    { id:"w5", date:"Jul 22 2019", type:"wind", hailSize:"", windSpeed:"58
    { id:"w6", date:"May 30 2018", type:"hail", hailSize:"2.0", windSpeed:"60
    { id:"w7", date:"Jun 5 2017", type:"hail", hailSize:"0.5", windSpeed:"",
];

const filtered = events
    ? activeFilter==="all" ? events
      : activeFilter==="hail" ? events.filter(e=>e.type==="hail")
      : activeFilter==="wind" ? events.filter(e=>e.type==="wind")
      : events.filter(e=>getSeverity(e.hailSize,e.windSpeed)===activeFilter)
    : [];

const majorCount = events ? events.filter(e=>getSeverity(e.hailSize,e.windSpe
const moderateCount= events ? events.filter(e=>getSeverity(e.hailSize,e.windSpe
const minorCount = events ? events.filter(e=>getSeverity(e.hailSize,e.windSpe

return (
    <div>
        {/* Header */}
        <div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
            <div style={{display:"flex",alignItems:"center",gap:12;marginBottom:14}}>
                <div style={{fontSize:28}}><img alt="cloud with lightning bolt icon" data-bbox="478 661 494 676"/></div>
                <div>
                    <div style={{color:C.text,fontSize:15,fontWeight:800;marginBottom:2}}
                    <div style={{color:C.muted,fontSize:12}}>{property.address}, {propert
                </div>
            </div>

            <div>
                <div style={{color:C.muted,fontSize:13,lineHeight:1.7;marginBottom:14
                    Pull verified hail and wind event data from NOAA Storm Prediction C
                </div>
                <div style={{background:C.blue+"0a",border:`1px solid ${C.blue}33`,bo
                    <div style={{color:C.blue,fontSize:11,fontWeight:700;marginBottom:3
                        <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>Adjusters c

```

```

    </div>
    <Btn full color={C.accent} loading={loading} onClick={fetchWeather}>
      {loading?"Loading weather data...":"☁️ Load Hail & Wind History"}
    </Btn>
    <div style={{color:C.dim,fontSize:11,textAlign:"center",marginTop:6}}
  </div>
) : (
  <div style={{display:"grid",gridTemplateColumns:"repeat(3,1fr)",gap:8}}
    [[
      [majorCount, "Major", C.red],
      [moderateCount,"Moderate", C.yellow],
      [minorCount, "Minor", C.green],
    ].map(([count,label,color])=>(
      <div key={label} style={{background:color+"11",border:`1px solid ${
        <div style={{color:color,fontSize:24,fontWeight:800,lineHeight:1}
        <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransfo
          </div>
        </div>
      )}}
    </div>
  ))
))
</div>
)}
</div>

{events&&(
  <div>
    {/* Filter chips */}
    <div style={{display:"flex",gap:6,marginBottom:14,overflowX:"auto",padd
      [[
        {id:"all", label:`All (${events.length})`},
        {id:"hail", label:"🌨️ Hail"},
        {id:"wind", label:"💨 Wind"},
        {id:"major", label:"🔴 Major"},
        {id:"moderate", label:"🟡 Moderate"},
        {id:"minor", label:"🟢 Minor"},
      ].map(f=>(
        <button key={f.id} onClick={()=>setActiveFilter(f.id)} style={{back
          </div>
        </div>

    {/* Event list */}
    <div style={{display:"flex",flexDirection:"column",gap:10}}>
      {filtered.map(ev=>{
        const sev = getSeverity(ev.hailSize, ev.windSpeed);
        const sc = SEVERITY[sev];
        return (
          <div key={ev.id} style={{background:C.card,border:`1px solid ${sc
            <div style={{display:"flex",justifyContent:"space-between",alig
              <div style={{display:"flex",gap:10,alignItems:"center"}}>

```

```

<div style={{width:42,height:42,borderRadius:10,background:
  {ev.type==="hail"?`"🌨️":`"👉"}`}}
</div>
<div>
  <div style={{color:C.text,fontSize:14,fontWeight:700,marg
    {ev.type==="hail"?`"${ev.hailSize}" Hail`:`"${ev.windSpee
      {ev.type==="hail"&&ev.windSpeed?` + ${ev.windSpeed}mph
    </div>
    <div style={{color:C.muted,fontSize:12}}>{ev.date} · {ev.
  </div>
</div>
<Pill color={sc.color}>{sc.icon} {sc.label}</Pill>
</div>

<div style={{color:C.muted,fontSize:12,lineHeight:1.6,marginBot

{/* Hail size reference */}
{ev.type==="hail"&&ev.hailSize&&(
  <div style={{background:sc.color+"0a",borderRadius:8,padding:
    <div style={{color:sc.color,fontSize:11,fontWeight:700,marg
      {parseFloat(ev.hailSize)>=2.0?`"⚾️ Baseball or larger – se
      {parseFloat(ev.hailSize)>=1.75?`"⛳ Golf ball – significan
      {parseFloat(ev.hailSize)>=1.0 ?`"🌐 Quarter – moderate dam
      {parseFloat(ev.hailSize)>=0.75?`"🪙 Penny – minor cosmetic
        "Marble or smaller – minimal damage expected"}
    </div>
    <div style={{color:C.dim,fontSize:10}}>
      {parseFloat(ev.hailSize)>=1.75
        ?"Most insurance carriers consider this a valid claim e
        : "May or may not meet carrier threshold – depends on ro
    </div>
  </div>
)}

{/* Wind reference */}
{ev.type==="wind"&&ev.windSpeed&&(
  <div style={{background:sc.color+"0a",borderRadius:8,padding:
    <div style={{color:sc.color,fontSize:11,fontWeight:700,marg
      {parseInt(ev.windSpeed)>=65?"Destructive – structural dam
      {parseInt(ev.windSpeed)>=58?"Damaging – shingle and tree
        "Significant – inspect for lifted shingles and flashing"
    </div>
  </div>
)}

<div style={{display:"flex",gap:6,flexWrap:"wrap"}}>
  <Pill color={C.blue}>{ev.source}</Pill>

```

```

        <Pill color={ev.type==="hail"?C.blue:C.purple}>{ev.type==="ha
    </div>
</div>
    );
  }}}
  {!filtered.length&&<div style={{textAlign:"center",padding:"32px 0",c
</div>

  /* Cross-reference with claim history */
  {events.length>0&&(
    <div style={{background:C.card,border:`1px solid ${C.border}`,borderR
      <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
        <div style={{color:C.muted,fontSize:12,lineHeight:1.7,marginBottom:
          Compare documented weather events against the claim history on fi
        </div>
      <div style={{display:"flex",flexDirection:"column",gap:6}}>
        {events.filter(e=>getSeverity(e.hailSize,e.windSpeed)==="major")}.
        const claimMatch = false; // In production: check property.clai
        return (
          <div key={ev.id} style={{display:"flex",justifyContent:"space
            <div style={{color:C.text,fontSize:12}}>{ev.date} - {ev.typ
            <Pill color={claimMatch?C.green:C.yellow}>{claimMatch?"✓ Cl
          </div>
        );
      }}}
    </div>
  </div>
  )}

  <div style={{color:C.dim,fontSize:11,textAlign:"center",marginTop:14,pa
    Data: NOAA Storm Prediction Center · Updated within 24hrs of events
  </div>
</div>
  )}
</div>
);
}

```

```

// — Home Report Tab —————
function HomeReportTab({property,notes,setNotes,saved,setSaved}) {
  const s=STATUS[property.roofStatus];
  const today=new Date().toLocaleDateString("en-US",{year:"numeric",month:"long",
  const reportId=`HS-${property.id.toUpperCase()}-${new Date().getFullYear()}`;
  const scoreLabel=property.roofStatus==="good"? "Good Standing":property.roofStat
  const scoreIcon=property.roofStatus==="good"? "✓":property.roofStatus==="aging"?

```

```

const download = () => {
  const lines = [
    "HOMESTORY HOME REPORT",
    "=".repeat(56),
    "Report ID: " + reportId,
    "Generated: " + today,
    "Status: " + scoreLabel,
    "",
    "PROPERTY",
    "-".repeat(56),
    "Address: " + property.address,
    " " + property.city + ", " + property.state + " " + (property.zip || "N/A"),
    "Owner: " + (property.ownerName || "Not on file"),
    "Year Built: " + property.yearBuilt + " | Sq Ft: " + (property.sqft || "N/A"),
    "",
    "ROOF",
    "-".repeat(56),
    "Material: " + property.roofMaterial,
    "Replaced: " + property.lastRoof + " | Age: " + property.roofAge + " years",
    "Warranty: " + property.roofWarranty,
    "Condition: " + s.label,
    "",
    "DOCUMENTED HISTORY",
    "-".repeat(56),
  ];
  const sorted = [...property.timeline].sort((a,b)=>b.year-a.year);
  sorted.forEach(ev => {
    lines.push(ev.year + " " + ev.label);
    lines.push(" " + ev.note);
    lines.push(" " + ev.source + (ev.verified? " · Verified:" : ""));
    lines.push("");
  });
  if(notes) {
    lines.push("NOTES", "-".repeat(56), notes, "");
  }
  lines.push("=".repeat(56));
  if(property.roofStatus==="critical") lines.push("ASSESSMENT: Roof exceeded service life");
  if(property.roofStatus==="aging") lines.push("ASSESSMENT: Roof approaching end of life");
  if(property.roofStatus==="good") lines.push("ASSESSMENT: Roof recently replaced");
  lines.push("", "HomeStory · homestory.app · Southern Illinois Property Database");
  const blob = new Blob([lines.join("\n")], {type:"text/plain"});
  const url = URL.createObjectURL(blob);
  const a = document.createElement("a");
  a.href = url;
  a.download = "HomeStory_Report_" + property.address.replace(/\s+/g, "_") + ".txt";
  a.click();
  URL.revokeObjectURL(url);
}

```

```

}

return (
  <div>
    {/* Header */}
    <div style={{background:`linear-gradient(135deg,${C.card},${C.card2})`,border
      <div style={{background:C.accent,padding:"16px 20px",display:"flex",justi
        <div><div style={{color:"#ffffff88",fontSize:9,fontWeight:700,letterSpa
          <div style={{textAlign:"right"}}><div style={{color:"#ffffff88",fontSiz
        </div>
      <div style={{padding:"18px 20px",borderBottom:`1px solid ${C.border}`}}>
        <div style={{display:"flex",alignItems:"center",gap:14}}>
          <div style={{width:54,height:54,borderRadius:"50%",background:s.color
            <div>
              <div style={{color:s.color,fontSize:18,fontWeight:800}}>{scoreLabel
              <div style={{color:C.muted,fontSize:12,marginTop:3}}>{property.addr
                {property.ownerName&&<div style={{color:C.blue,fontSize:11,fontWeig
              </div>
            </div>
          </div>
        </div>
      <div style={{display:"grid",gridTemplateColumns:"repeat(4,1fr)",padding:"
        {[["Built",property.yearBuilt],["Sq Ft",property.sqft?.toLocaleString()
          <div key={k} style={{textAlign:"center"}}><div style={{color:C.text,f
            )}}
          </div>
        </div>
      </div>

    {/* Roof condition */}
    <div style={{background:s.bg,border:`1px solid ${s.color}33`,borderRadius:1
      <div style={{display:"flex",justifyContent:"space-between",alignItems:"ce
        <div style={{color:s.color,fontSize:11,fontWeight:700,textTransform:"up
          <Badge status={property.roofStatus}/>
        </div>
      <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8,marginBot
        {[["Material",property.roofMaterial],["Warranty",property.roofWarranty]
          <div key={k} style={{background:"#ffffff08",borderRadius:8,padding:"8
            )}}
          </div>
        </div>
      <div style={{color:C.muted,fontSize:12,lineHeight:1.7}}>
        {property.roofStatus==="critical"&&`This ${property.roofAge}-year-old r
        {property.roofStatus==="aging"&&`This ${property.roofAge}-year-old roof
        {property.roofStatus==="good"&&`This ${property.roofAge}-year-old roof
      </div>
    </div>

    {/* Claims */}
    {property.claimHistory?.length>0&&(

```

```
<div style={{background:C.yellow+"0a",border:`1px solid ${C.yellow}33`,bo
<div style={{color:C.yellow,fontSize:11,fontWeight:700,textTransform:"u
{property.claimHistory.map((c,i)=>(
  <div key={i} style={{display:"flex",justifyContent:"space-between",al
    <div><div style={{color:C.text,fontSize:14,fontWeight:700}}>{c.year
    <Pill color={C.green}>{c.status}</Pill>
  </div>
)}))
</div>
})
{ /* Photos */ }
{property.photos.some(p=>p.type==="pre_loss"||p.type==="damage"||p.type===
  <div style={{background:C.card,border:`1px solid ${C.border}`,borderRadiu
    <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"up
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10}}>
      {property.photos.filter(p=>p.type==="pre_loss"||p.type==="damage").sl
        <div key={p.year}><div style={{color:C.red,fontSize:9,fontWeight:70
          )})
        {property.photos.filter(p=>p.type==="post_repair").slice(0,1).map(p=>
          <div key={p.year}><div style={{color:C.green,fontSize:9,fontWeight:
            )})
        </div>
      </div>
    )})
  )})
{ /* Mechanical Systems Summary */ }
{Object.entries(TRADE_CATEGORIES).filter(([cat])=>cat==="Mechanical").map((
  const mechanicalEvents = property.timeline.filter(e=>types.includes(e.typ
  if(!mechanicalEvents.length) return null;
  return (
    <div key={cat} style={{background:C.card,border:`1px solid ${C.border}`}
      <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"
      <div style={{display:"flex",flexDirection:"column",gap:8}}>
        {mechanicalEvents.map(ev=>{
          const tc=TYPE_CFG[ev.type]||TYPE_CFG.photo;
          const age=new Date().getFullYear()-ev.year;
          const lifespan=LIFESPANS[ev.type];
          const pct=lifespan?Math.min(100,Math.round((age/lifespan)*100)):n
          const barColor=pct>=80?C.red:pct>=50?C.yellow:C.green;
          return (
            <div key={ev.id} style={{background:C.surface,borderRadius:10,p
              <div style={{display:"flex",justifyContent:"space-between",al
                <div style={{display:"flex",alignItems:"center",gap:8}}>
                  <span style={{fontSize:16}}>{tc.icon}</span>
                  <div><div style={{color:C.text,fontSize:13,fontWeight:600
                    </div>
```



```

        <div style={{textAlign:"right",flexShrink:0}}>
            <div style={{color:C.accent,fontWeight:700,fontSize:13}}>
                <div style={{color:C.dim,fontSize:10}}>{age}yr old</div>
            </div>
        </div>
        {pct!==null&&(
            <div>
                <div style={{background:C.border,borderRadius:4,height:4,
                    <div style={{width:`${pct}%`,height:"100%",background:b
                </div>
                    <div style={{color:C.dim,fontSize:9,marginTop:3}}>{pct}%
                </div>
            </div>
        )}
    </div>
    );
    }}}
</div>
</div>
);
}}

```

```

{/* History */}

```

```

<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
    <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"uppe
    {[...property.timeline].sort((a,b)=>b.year-a.year).map((ev,i)=>{
        const tc=TYPE_CFG[ev.type]||TYPE_CFG.photo;
        return (
            <div key={ev.id} style={{display:"flex",gap:12,paddingBottom:12,margi
                <div style={{width:34,height:34,borderRadius:"50%",background:ev.so
                <div style={{flex:1,minWidth:0}}>
                    <div style={{display:"flex",justifyContent:"space-between",gap:8}
                        <div style={{color:C.muted,fontSize:12,marginTop:3,lineHeight:1.5
                            <div style={{display:"flex",gap:5,marginTop:5,flexWrap:"wrap"}}><
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        );
    }}}
</div>

```

```

{/* Measurements summary in report */}

```

```

{property.measurements&&(
    <div style={{background:C.card,border:`1px solid ${C.border}`,borderRadiu
        <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"up
        <div style={{display:"grid",gridTemplateColumns:"repeat(3,1fr)",gap:8,m
            {[["Total Squares",property.measurements.totalSquares+" sq"],["Pitch"
                <div key={k} style={{background:C.surface,borderRadius:10,padding:"
                    <div style={{color:C.accent,fontSize:16,fontWeight:800}}>{v}</div

```

```

        <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransform:
        </div>
        )}}
    </div>
    <div style={{color:C.dim,fontSize:11}}>Ordered {property.measurements.o
    </div>
  )}
  { /* Notes */
  <div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
    <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"uppe
    <textarea value={notes} onChange={e=>setNotes(e.target.value)} placeholde
    style={{width:"100%",background:C.surface,border:`1px solid ${C.border}
    <div style={{display:"flex",alignItems:"center",gap:12,marginTop:10}}>
      <Btn small color={C.accent} onClick={()=>{setSaved(true);setTimeout(()=
      {saved&&<span style={{color:C.green,fontSize:12,fontWeight:700}}>✓ Save
    </div>
  </div>

  <Btn full onClick={download} color={C.accent}>↓ Download PDF Report</Btn>
  <div style={{color:C.dim,fontSize:10,textAlign:"center",marginTop:10,paddin
  </div>
  );
}

// — Measurements Panel —————
function MeasurementsPanel({property, onUpdate}) {
  const [ordering, setOrdering] = useState(false);
  const [provider, setProvider] = useState("eagleview");
  const [ordered, setOrdered] = useState(false);
  const [sharing, setSharing] = useState("private");
  const measurements = property.measurements || null;

  const handleOrder = async () => {
    setOrdering(true);
    // In production: hits EagleView or Roofr API via your server
    // For now: simulate a response after 2 seconds
    await new Promise(r => setTimeout(r, 2000));
    const demo = {
      provider: provider === "eagleview" ? "EagleView" : "Roofr",
      orderedDate: new Date().toLocaleDateString("en-US", {year:"numeric",month:"1
      totalSquares: 18.4,
      pitch: "6/12",
      stories: property.stories || 1,
      ridgeLength: 32,
      hipLength: 0,
      valleyLength: 14,
      eaveLength: 128,

```

```

    rakeLength: 64,
    flashingLength: 22,
    totalRoofArea: 1840,
    predominantPitch: "6/12",
    roofFacets: 4,
    wasteFactorPct: 12,
    suggestedSquares: 20.6,
  };

  onUpdate({...property, measurements: demo});
  setOrdering(false);
  setOrdered(true);
};

return (
  <div>
    {!measurements && !ordered ? (
      <div>
        <div style={{background:C.card,border:`1px solid ${C.border}`,borderRad
          <div style={{color:C.text,fontSize:15,fontWeight:800,marginBottom:6}}
            <div style={{color:C.muted,fontSize:13,lineHeight:1.7,marginBottom:16
              Order aerial measurements for this property. Results are stored per
            </div>

          {/* Provider selector */}
          <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1
            <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10,marg
              [[
                {id:"eagleview",name:"EagleView",icon:"🦅",price:"~$18",desc:"Inc
                {id:"roofr",name:"Roofr",icon:"🏠",price:"~$15",desc:"Fast turnar
              ].map(p=>(
                <div key={p.id} onClick={()=>setProvider(p.id)} style={{backgroun
                  <div style={{fontSize:24,marginBottom:6}}>{p.icon}</div>
                  <div style={{color:C.text,fontSize:13,fontWeight:700}}>{p.name}
                  <div style={{color:provider===p.id?C.accent:C.dim,fontSize:12,f
                    <div style={{color:C.dim,fontSize:11,marginTop:3,lineHeight:1.4
                  </div>
                )))
              </div>

            <div style={{background:C.green+"11",border:`1px solid ${C.green}33`,
              <div style={{color:C.green,fontSize:12,fontWeight:700,marginBottom:
                <div style={{color:C.muted,fontSize:12}}>Once ordered, measurements
              </div>

            {/* Private / Shared toggle */}
            <div style={{marginBottom:14}}>
              <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing

```

```

<div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10}}>
  <div onClick={()=>setSharing("private")} style={{background:shari
    <div style={{fontSize:20,marginBottom:6}}><img alt="lock icon" data-bbox="695 85 715 105"/></div>
    <div style={{color:sharing==="private"?C.accent:C.text,fontSize
    <div style={{color:C.dim,fontSize:11,lineHeight:1.5}}>Only visi
    <div style={{color:sharing==="private"?C.accent:C.muted,fontSiz
  </div>
  <div onClick={()=>setSharing("shared")} style={{background:sharin
    <div style={{fontSize:20,marginBottom:6}}><img alt="globe icon" data-bbox="695 200 715 220"/></div>
    <div style={{color:sharing==="shared"?C.green:C.text,fontSize:1
    <div style={{color:C.dim,fontSize:11,lineHeight:1.5}}>Visible t
    <div style={{color:sharing==="shared"?C.green:C.muted,fontSize:
  </div>
</div>
{sharing==="shared"&&(
  <div style={{background:C.green+"0a",border:`1px solid ${C.green}
    <div style={{color:C.green,fontSize:12,fontWeight:700,marginBot
    <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>Insuran
  </div>
)}
{sharing==="private"&&(
  <div style={{background:C.surface,border:`1px solid ${C.border}` ,
    <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>Measure
  </div>
)}
</div>

<Btn full color={sharing==="shared"?C.green:C.accent} loading={orderi
  {ordering ? "Ordering..." : `Order ${sharing==="shared"? "& Share -
</Btn>
<div style={{color:C.dim,fontSize:11,textAlign:"center",marginTop:8}}
</div>

{/* What you get */}
<div style={{background:C.card,border:`1px solid ${C.border}` ,borderRad
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1
  {[
    ["<img alt="roof icon" data-bbox="275 755 295 775"/>","Total Squares","Exact roof area in roofing squares"],
    ["<img alt="ruler icon" data-bbox="275 775 295 795"/>","All Linear Measurements","Ridge, hip, valley, eave, rake, fl
    ["<img alt="roof icon" data-bbox="275 795 295 815"/>","Pitch & Facets","Slope per section, number of roof planes"],
    ["<img alt="calculator icon" data-bbox="275 815 295 835"/>","Suggested Order Qty","With waste factor already calculated"],
    ["<img alt="aerial icon" data-bbox="275 835 295 855"/>","Aerial Diagram","Labeled roof diagram with measurements"],
  ]}.map(([icon,title,desc])=>(
    <div key={title} style={{display:"flex",gap:12,marginBottom:12,alig
      <span style={{fontSize:18,flexShrink:0}}><img alt="icon" data-bbox="275 895 295 915"/></span>
      <div><div style={{color:C.text,fontSize:13,fontWeight:600}}><titl
    </div>

```

```

    )))
  </div>
</div>
) : (
<div>
  { /* Results */ }
  <div style={{background:C.card,border:`1px solid ${C.accent}44`,borderR
    <div style={{background:C.accent,padding:"12px 18px",display:"flex",j
      <div>
        <div style={{color:"#ffffff88",fontSize:9,fontWeight:700,letterSp
          <div style={{color:"#fff",fontSize:15,fontWeight:800}}>{property.
        </div>
        <div style={{color:"#ffffffcc",fontSize:10}}>{(measurements||{order
      </div>
    <div style={{padding:18}}>
      { /* Key numbers */ }
      <div style={{display:"grid",gridTemplateColumns:"repeat(3,1fr)",gap
        [[
          ["Total Squares", (measurements||{totalSquares:18.4}).totalSquar
          ["Suggested Order", (measurements||{suggestedSquares:20.6}).sugg
          ["Roof Area", (measurements||{totalRoofArea:1840}).totalRoofArea
        ].map(([k,v,unit,type])=>{
          <div key={k} style={{background:type==="primary"?C.accent+"22":
            <div style={{color:type==="primary"?C.accent:type==="accent"?
              <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransf
                <div style={{color:C.dim,fontSize:9,margintop:1}}>{unit}</div
              </div>
            </div>
          </div>
        </div>
      </div>

      { /* Pitch + details */ }
      <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8,mar
        [[
          ["Pitch", (measurements||{pitch:"6/12"}).pitch],
          ["Roof Facets", (measurements||{roofFacets:4}).roofFacets+" plan
          ["Waste Factor", (measurements||{wasteFactorPct:12}).wasteFactor
          ["Stories", (measurements||{stories:1}).stories],
        ].map(([k,v])=>{
          <div key={k} style={{background:C.surface,borderRadius:10,paddi
            <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransf
              <div style={{color:C.text,fontSize:14,fontWeight:700,margintTo
            </div>
          </div>
        </div>

      { /* Linear measurements */ }
      <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing

```

```

<div style={{display:"flex",flexDirection:"column",gap:6}}>
  {[
    ["Ridge", (measurements||{ridgeLength:32}).ridgeLength],
    ["Valley", (measurements||{valleyLength:14}).valleyLength],
    ["Eave", (measurements||{eaveLength:128}).eaveLength],
    ["Rake", (measurements||{rakeLength:64}).rakeLength],
    ["Flashing", (measurements||{flashingLength:22}).flashingLength],
    ["Hip", (measurements||{hipLength:0}).hipLength],
  ]}.map(([k,v])=>(
    <div key={k} style={{display:"flex",justifyContent:"space-between"}}>
      <span style={{color:C.muted,fontSize:13}}>{k}</span>
      <span style={{color:C.text,fontSize:13,fontWeight:700}}>{v} f
    </div>
  )))
</div>

<div style={{marginTop:16,display:"flex",gap:10}}>
  <Btn full variant="ghost" small onClick={()=>{setOrdered(false);order()}}>
  <Btn full small color={C.accent} onClick={()=>{
const m=measurements||{};
const lines=["HOMESTORY MEASUREMENT REPORT",`Provider: ${m.provider}||"E
const blob=new Blob([lines.join("\n")],{type:"text/plain"});
const url=URL.createObjectURL(blob);
const a=document.createElement("a");a.href=url;a.download=`Measurements
}}>Download Report</Btn>
  </div>
</div>
</div>

<div style={{background:(measurements||{sharing:"private"}).sharing==="private"?C.muted:C.text,color:(measurements||{sharing:"private"}).sharing==="shared"?C.muted:C.text}}>
  <div style={{color:(measurements||{sharing:"private"}).sharing==="shared"?C.muted:C.text}}>
    {(measurements||{sharing:"private"}).sharing==="shared"?<img alt="globe icon" data-bbox="795 640 815 655"/> Shared : "Only visible in your contractor account. Upgrade to shared any
  </div>
  <div style={{color:C.muted,fontSize:12}}>
    {(measurements||{sharing:"private"}).sharing==="shared"?
      ? "Adjusters and homeowners who pull this address will see these
      : "Only visible in your contractor account. Upgrade to shared any
    </div>
    {(measurements||{sharing:"private"}).sharing==="private"&&(
      <button onClick={()=>onUpdate({...property,measurements:{...(measurements||{}),sharing:"shared"}})}>
        Switch to Shared – Save 40% on next order
      </button>
    )}
  </div>
</div>
)}
</div>

```

```

    );
}

// — Pricing Tiers —————
const TIERS = {
  free: {
    id: "free",
    label: "Free",
    price: 0,
    color: C.green,
    features: ["Connect Roofr & CompanyCam", "Data flows in automatically", "Basic",
    locked: ["Home Reports", "Territory Scanner", "Measurements", "PDF Downloads", "C
  },
  reports: {
    id: "reports",
    label: "Pay Per Report",
    color: C.blue,
    prices: { homeowner:25, contractor:15, adjuster:20, measurements:18 },
  },
  contractor: {
    id: "contractor",
    label: "Contractor Pro",
    price: 49,
    color: C.accent,
    period: "/mo",
    features: ["Everything in Free", "Unlimited Home Reports", "Territory Scanner",
  },
  adjuster: {
    id: "adjuster",
    label: "Insurance Pro",
    price: 99,
    period: "/mo",
    color: C.purple,
    features: ["Unlimited report pulls", "Pre-loss documentation access", "Claim re
  },
};

```

```

// — Paywall Modal —————
function PaywallModal({feature, userTier, onUpgrade, onPayPerReport, onClose}) {
  const reportPrices = { "Home Report":15, "PDF Download":15, "Measurements":18,
  const price = reportPrices[feature];
  const isSubscription = typeof price === "string";

  return (
    <div style={{position:"fixed",inset:0,background:"#000c",zIndex:400,display:"
      <div onClick={e=>e.stopPropagation()} style={{background:C.surface,border:`
        <div style={{display:"flex",justifyContent:"space-between",alignItems:"ce

```

```

        <div style={{color:C.text,fontSize:17,fontWeight:800}}>Unlock {feature}
        <button onClick={onClose} style={{background:"none",border:"none",color
    </div>

    {!isSubscription ? (
        <div>
            <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:12,marg
                /* Pay per report */
            <div style={{background:C.card,border:`1px solid ${C.border}`,borde
                <div style={{color:C.blue,fontSize:11,fontWeight:700,letterSpacin
                <div style={{color:C.text,fontSize:32,fontWeight:800,marginBottom
                <div style={{color:C.muted,fontSize:12,marginBottom:16}}>per repo
                <Btn full small color={C.blue} onClick={()=>{onPayPerReport(price
            </div>
            /* Subscribe */
            <div style={{background:C.accent+"11",border:`1px solid ${C.accent}
                <div style={{color:C.accent,fontSize:11,fontWeight:700,letterSpac
                <div style={{color:C.text,fontSize:32,fontWeight:800,marginBottom
                <div style={{color:C.muted,fontSize:12,marginBottom:16}}>per mont
                <Btn full small color={C.accent} onClick={()=>{onUpgrade();onClos
            </div>
        </div>
        <div style={{color:C.dim,fontSize:12,textAlign:"center"}}>Subscriptio
    </div>
    ) : (
        <div>
            <div style={{background:C.card,border:`1px solid ${C.border}`,borderR
                <div style={{color:C.text,fontSize:32,fontWeight:800,marginBottom:4
                <div style={{color:C.muted,fontSize:13,marginBottom:16}}>Contractor
                <Btn full color={C.accent} onClick={()=>{onUpgrade();onClose();}}>S
            </div>
            <div style={{display:"flex",flexDirection:"column",gap:6}}>
                {TIERS.contractor.features.map(f=>(
                    <div key={f} style={{display:"flex",gap:8,color:C.muted,fontSize:
                        <span style={{color:C.green,fontWeight:700}}>✓</span>{f}
                    </div>
                )))
            </div>
        </div>
    )}
</div>
</div>
);
}

```

```

// — Pricing Page —————
function PricingPage({onUpgrade}) {

```



```

return (
  <div style={{paddingBottom:48}}>
    <div style={{marginBottom:24}}>
      <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
      <h2 style={{fontFamily:"'Instrument Serif',serif",fontSize:26,lineHeight:
      <p style={{color:C.muted,fontSize:13,lineHeight:1.7}}>Connect your accoun
    </div>

    { /* Free tier */ }
    <div style={{background:C.card,border:`1px solid ${C.green}44`,borderRadius
      <div style={{display:"flex",justifyContent:"space-between",alignItems:"fl
        <div>
          <div style={{color:C.green,fontSize:11,fontWeight:700,letterSpacing:1
          <div style={{color:C.text,fontSize:22,fontWeight:800}}>Connect & Cont
        </div>
          <div style={{color:C.green,fontSize:28,fontWeight:800}}>$0</div>
        </div>
      <div style={{display:"flex",flexDirection:"column",gap:7,marginBottom:16}
        {TIERS.free.features.map(f=>(
          <div key={f} style={{display:"flex",gap:8,color:C.muted,fontSize:13}}
            <span style={{color:C.green,fontWeight:700,flexShrink:0}}>✓</span>{
          </div>
        ))}
      </div>
    <div style={{borderTop:`1px solid ${C.border}`,paddingTop:12}}>
      <div style={{color:C.dim,fontSize:11,fontWeight:700,textTransform:"uppe
        {TIERS.free.locked.map(f=>(
          <div key={f} style={{display:"flex",gap:8,color:C.dim,fontSize:12,mar
            <span style={{flexShrink:0}}>🔒</span>{f}
          </div>
        ))}
      </div>
    </div>

    { /* Pay per report */ }
    <div style={{background:C.card,border:`1px solid ${C.blue}44`,borderRadius:
      <div style={{color:C.blue,fontSize:11,fontWeight:700,letterSpacing:1,text
      <div style={{color:C.text,fontSize:22,fontWeight:800,marginBottom:14}}>Pe
      <div style={{display:"flex",flexDirection:"column",gap:8}}>
        {[["🏠 Home Report – Contractor", "$15"], ["🏠 Home Report – Homeowner", '
          <div key={item} style={{display:"flex",justifyContent:"space-between"
            <span style={{color:C.muted,fontSize:13}}>{item}</span>
            <span style={{color:C.text,fontSize:13,fontWeight:700}}>{price}</sp
          </div>
        ))}
      </div>
    </div>
  </div>

```

```

    { /* Contractor Pro */ }
    <div style={{background:`linear-gradient(135deg, ${C.accent}22, ${C.accent}0a
      <div style={{position:"absolute", top:12, right:12, background:C.accent, bord
      <div style={{color:C.accent, fontSize:11, fontWeight:700, letterSpacing:1, te
      <div style={{display:"flex", alignItems:"baseline", gap:4, marginBottom:4}}>
        <div style={{color:C.text, fontSize:32, fontWeight:800}}>$49</div>
        <div style={{color:C.muted, fontSize:14}}>>/month</div>
      </div>
      <div style={{color:C.muted, fontSize:12, marginBottom:16}}>Everything unloc
      <div style={{display:"flex", flexDirection:"column", gap:7, marginBottom:20}}
        {TIERS.contractor.features.map(f=>(
          <div key={f} style={{display:"flex", gap:8, color:C.muted, fontSize:13}}
            <span style={{color:C.accent, fontWeight:700, flexShrink:0}}>✓</span>
          </div>
        ))}
      </div>
      <Btn full color={C.accent} onClick={onUpgrade}>Start Free Trial – 30 Days
    </div>

    { /* Insurance Pro */ }
    <div style={{background:C.card, border:`1px solid ${C.purple}44`, borderRadius:
      <div style={{color:C.purple, fontSize:11, fontWeight:700, letterSpacing:1, te
      <div style={{display:"flex", alignItems:"baseline", gap:4, marginBottom:4}}>
        <div style={{color:C.text, fontSize:32, fontWeight:800}}>$99</div>
        <div style={{color:C.muted, fontSize:14}}>>/month</div>
      </div>
      <div style={{color:C.muted, fontSize:12, marginBottom:16}}>For adjusters an
      <div style={{display:"flex", flexDirection:"column", gap:7, marginBottom:20}}
        {TIERS.adjuster.features.map(f=>(
          <div key={f} style={{display:"flex", gap:8, color:C.muted, fontSize:13}}
            <span style={{color:C.purple, fontWeight:700, flexShrink:0}}>✓</span>
          </div>
        ))}
      </div>
      <Btn full color={C.purple} onClick={onUpgrade}>Get Insurance Access</Btn>
    </div>

    { /* Landlord tier */ }
    <div style={{background:C.card, border:`1px solid #0ea5e944`, borderRadius:16
      <div style={{color:"#0ea5e9", fontSize:11, fontWeight:700, letterSpacing:1, t
      <div style={{display:"flex", alignItems:"baseline", gap:4, marginBottom:4}}>
        <div style={{color:C.text, fontSize:22, fontWeight:800}}>$10</div>
        <div style={{color:C.muted, fontSize:14}}>>/unit/year</div>
      </div>
      <div style={{color:C.muted, fontSize:12, marginBottom:16}}>For property own
      <div style={{display:"flex", flexDirection:"column", gap:7, marginBottom:20}}

```

```

        [{"Move-in & move-out inspections", "Room-by-room condition records", "Ma
        <div key={f} style={{display:"flex",gap:8,color:C.muted,fontSize:13}}
            <span style={{color:"#0ea5e9",fontWeight:700,flexShrink:0}}>✓</span>
        </div>
    )}]
</div>
<Btn full color="#0ea5e9" onClick={onUpgrade}>Get Landlord Access</Btn>
<div style={{color:C.dim,fontSize:11,textAlign:"center",marginTop:6}}>$10
</div>

{/* Enterprise */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
    <div style={{fontSize:24,marginBottom:8}}><img alt="Enterprise icon" data-bbox="595 278 615 292"/></div>
    <div style={{color:C.text,fontSize:16,fontWeight:700,marginBottom:6}}>Ins
    <div style={{color:C.muted,fontSize:13,lineHeight:1.7,marginBottom:16}}>T
    <Btn full variant="ghost" onClick={()=>alert("Email us at hello@homestory
</div>
</div>
);
}

// — Upgrade Banner —————
function UpgradeBanner({feature, onUpgrade, onPayPerReport}) {
    const prices = { "Home Report":15, "PDF Download":15, "Measurements":18 };
    const price = prices[feature];
    return (
        <div style={{background:C.card,border:`1px solid ${C.accent}44`,borderRadius:
            <div style={{display:"flex",alignItems:"flex-start",gap:12,marginBottom:14}}
                <div style={{fontSize:24,flexShrink:0}}><img alt="Lock icon" data-bbox="580 585 595 598"/></div>
                <div>
                    <div style={{color:C.text,fontSize:14,fontWeight:700,marginBottom:4}}>{
                        <div style={{color:C.muted,fontSize:13,lineHeight:1.6}}>Your data is fl
                    </div>
                </div>
            <div style={{display:"flex",gap:10}}>
                {price}&&<Btn small color={C.blue} onClick={()=>onPayPerReport(price)}>One
                <Btn small color={C.accent} onClick={onUpgrade}>Upgrade to Pro — $49/mo</
            </div>
        </div>
    );
}

// — Building Selector —————
function BuildingSelector({property, onSelect, onAdd}) {
    const buildings = property.buildings || [{id:"main_house", icon:"<img alt="House icon" data-bbox="755 890 775 905"/>", label:"Ma
    return (
        <div>

```

```

<div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,textT
<div style={{display:"flex",flexDirection:"column",gap:8,marginBottom:14}}>
  {buildings.map(b=>{
    const bt = BUILDING_TYPES.find(t=>t.id===b.id)||BUILDING_TYPES[0];
    const bEvents = (property.timeline||[]).filter(e=>e.buildingId===b.id);
    const lastWork = bEvents.length ? Math.max(...bEvents.map(e=>e.year)) :
    return (
      <div key={b.id} onClick={()=>onSelect(b)} style={{background:C.card,b
        onMouseEnter={e=>e.currentTarget.style.borderColor=C.accent}
        onMouseLeave={e=>e.currentTarget.style.borderColor=C.border}>
        <div style={{width:44,height:44,borderRadius:12,background:C.accent
        <div style={{flex:1,minWidth:0}}>
          <div style={{color:C.text,fontSize:14,fontWeight:700}}>{b.label||
          <div style={{color:C.muted,fontSize:12,marginTop:2}}>{bEvents.len
            {b.notes&&<div style={{color:C.dim,fontSize:11,marginTop:2}}>{b.n
          </div>
          <div style={{color:C.dim,fontSize:18}}>></div>
        </div>
      );
    })}
  </div>
  <Btn full variant="ghost" onClick={onAdd}>+ Add Another Structure</Btn>
</div>
);
}

```

```

// — Add Building Modal —————
function AddBuildingModal({onSave, onClose}) {
  const [selected, setSelected] = useState(null);
  const [customLabel, setCustomLabel] = useState("");
  const [notes, setNotes] = useState("");
  return (
    <div style={{position:"fixed",inset:0,background:"#000c",zIndex:300,display:"
      <div style={{background:C.surface,border:`1px solid ${C.border}`,borderRadi
        <div style={{display:"flex",justifyContent:"space-between",alignItems:"ce
          <div style={{color:C.text,fontSize:17,fontWeight:800}}>Add Structure</d
          <button onClick={onClose} style={{background:"none",border:"none",color
        </div>
      <div style={{display:"grid",gridTemplateColumns:"repeat(2,1fr)",gap:8,mar
        {BUILDING_TYPES.map(bt=>{
          <div key={bt.id} onClick={()=>setSelected(bt)} style={{background:sel
            <span style={{fontSize:20}}>{bt.icon}</span>
            <span style={{color:selected?.id===bt.id?C.accent:C.muted,fontSize:
          </div>
        })}
      </div>
    {selected&&{

```

```

    <div style={{display:"flex",flexDirection:"column",gap:10,marginBottom:
      <div>
        <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
          <input value={customLabel} onChange={e=>setCustomLabel(e.target.val
            style={{width:"100%",background:C.card,border:`1px solid ${C.bord
          </div>
        <div>
          <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
            <input value={notes} onChange={e=>setNotes(e.target.value)} placeho
              style={{width:"100%",background:C.card,border:`1px solid ${C.bord
            </div>
          </div>
        </div>
      </div>
    )}
  <div style={{display:"flex",gap:10}}>
    <Btn variant="ghost" onClick={onClose}>Cancel</Btn>
    <Btn full color={C.accent} disabled={!selected} onClick={()=>onSave({
      id: selected.id + "_" + Date.now(),
      type: selected.id,
      icon: selected.icon,
      label: customLabel || selected.label,
      notes,
    })}>Add Structure</Btn>
  </div>
</div>
</div>
);
}

```

```

// — Fast Field Log —————
function FastFieldLog({properties, setProperties, onDone}) {
  const [step, setStep] = useState(1);
  const [address, setAddress] = useState("");
  const [city, setCity] = useState("Marion");
  const [selectedType, setSelectedType] = useState(null);
  const [year, setYear] = useState(new Date().getFullYear());
  const [note, setNote] = useState("");
  const [jobNum, setJobNum] = useState("");
  const [saved, setSaved] = useState(false);
  const [buildingId, setBuildingId] = useState(null);

  const matchedProp = properties.find(p =>
    address && p.address.toLowerCase().includes(address.toLowerCase()) &&
    p.city.toLowerCase().includes(city.toLowerCase())
  );

  const handleSave = () => {
    if(!address || !selectedType) return;

```

```

try {
const tc = TYPE_CFG[selectedType];
const event = {
  id: `ev-${Date.now()}`,
  year: parseInt(year),
  type: selectedType,
  label: `${tc.label} - Completed`,
  note: (note || `${tc.label} work completed.`) + (jobNum ? " Job #" + jobNum :
  source: "Our Work",
  verified: true,
  ourJob: true,
  buildingId: buildingId || "main_house",
};
if(matchedProp) {
  const updated = { ...matchedProp, timeline: [...matchedProp.timeline, event
  if(selectedType === "roof") { updated.lastRoof=parseInt(year); updated.roof
  setProperties(prev => prev.map(p => p.id === matchedProp.id ? updated : p))
  } else {
    const age = selectedType==="roof" ? new Date().getFullYear()-parseInt(year)
    setProperties(prev => [{id:`p-${Date.now()}`,address,city,state:"IL",zip:""
  }
  setSaved(true);
  setStep(4);
} catch(e) {
  console.error('Save error:', e);
  alert('Error saving job: ' + e.message);
}
};

const tc = selectedType ? TYPE_CFG[selectedType] : null;

if(step===4) return (
  <div style={{textAlign:"center",padding:"40px 0"}}>
    <div style={{fontSize:52,marginBottom:16}}>✓</div>
    <div style={{color:C.green,fontSize:20,fontWeight:800,marginBottom:6}}>Job
    <div style={{color:C.muted,fontSize:14,marginBottom:4}}>{address}, {city}</
    {tc}&&<div style={{color:C.dim,fontSize:13,marginBottom:32}}>{tc.icon} {tc.l
    <div style={{display:"flex",flexDirection:"column",gap:10}}>
      <Btn full color={C.accent} onClick={()=>{setStep(1);setAddress("");setSel
      <Btn full variant="ghost" onClick={onDone}>Back to Search</Btn>
    </div>
  </div>
);

return (
  <div style={{paddingBottom:40}}>
    <div style={{display:"flex",alignItems:"center",gap:12,marginBottom:22}}>

```

```

<div style={{fontSize:22}}>⚡</div>
<div><div style={{color:C.text,fontSize:18,fontWeight:800}}>Fast Field Lo
</div>
<div style={{display:"flex",gap:4,marginBottom:22}}>
  {[1,2,3].map(n=><div key={n} style={{flex:1,height:4,borderRadius:2,backg
</div>

{step===1&&(
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
    <div style={{display:"flex",flexDirection:"column",gap:10,marginBottom:
      <input value={address} onChange={e=>setAddress(e.target.value)} place
      style={{background:C.card,border:`1px solid ${C.border}`,borderRadi
    <div style={{display:"grid",gridTemplateColumns:"2fr 1fr",gap:10}}>
      <input value={city} onChange={e=>setCity(e.target.value)} placeholder
      style={{background:C.card,border:`1px solid ${C.border}`,borderRa
    <input defaultValue="IL" placeholder="ST"
      style={{background:C.card,border:`1px solid ${C.border}`,borderRa
    </div>
  </div>
  {address&&<div style={{color:matchedProp?C.green:C.dim,fontSize:12,marg
  <Btn full color={C.accent} onClick={()=>setStep(2)} disabled={!address}
</div>
)}

{step===2&&(
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
    {Object.entries(TRADE_CATEGORIES).map(([cat,types])=>(
      <div key={cat} style={{marginBottom:16}}>
        <div style={{color:C.dim,fontSize:10,fontWeight:700,letterSpacing:1
        <div style={{display:"grid",gridTemplateColumns:"repeat(2,1fr)",gap
          {types.map(type=>{
            const t=TYPE_CFG[type]; const sel=selectedType===type;
            return <div key={type} onClick={()=>setSelectedType(type)} styl
              <span style={{fontSize:18}}>{t.icon}</span><span style={{colo
            </div>;
          })})
        </div>
      </div>
    </div>
  </div>
  <div style={{display:"flex",gap:10,marginTop:8}}>
    <Btn variant="ghost" small onClick={()=>setStep(1)}>← Back</Btn>
    <Btn full color={C.accent} onClick={()=>setStep(3)} disabled={!select
  </div>
</div>
)}

```

```

{step===3&&tc&&(
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
    <div style={{background:tc.color+"11",border:`1px solid ${tc.color}33`,
      <span style={{fontSize:22}}>{tc.icon}</span>
      <div><div style={{color:tc.color,fontSize:14,fontWeight:700}}>{tc.lab
    </div>
    <div style={{display:"flex",flexDirection:"column",gap:12,marginBottom:
      <div>
        <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
        <input type="number" value={year} onChange={e=>setYear(e.target.val
          style={{width:"100%",background:C.card,border:`1px solid ${C.bord
        </div>
      <div>
        <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
        <input value={jobNum} onChange={e=>setJobNum(e.target.value)} place
          style={{width:"100%",background:C.card,border:`1px solid ${C.bord
        </div>
      <div>
        <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
        <textarea value={note} onChange={e=>setNote(e.target.value)} rows={
          placeholder={selectedType==="hvac"? "e.g. Carrier 3-ton, 10yr warr
          style={{width:"100%",background:C.card,border:`1px solid ${C.bord
        </div>
      </div>
    {LIFESPANS[selectedType]&&(
      <div style={{background:C.surface,borderRadius:10,padding:"10px 14px"
        <span style={{color:C.muted,fontSize:12}}><img alt="clock icon" data-bbox="655 585 675 600"/> Typical lifespan: <str
      </div>
    )}
  <div style={{display:"flex",gap:10}}>
    <Btn variant="ghost" small onClick={()=>setStep(2)}><- Back</Btn>
    <Btn full color={C.accent} onClick={handleSave}>✓ Log This Job</Btn>
  </div>
</div>
)}
</div>
);
}

```

```

function PropertyDetail({property,onBack,userTier='free',userRole=null,onShowPayw
  const [tab,setTab]=useState("report");
  const [notes,setNotes]=useState("");
  const [saved,setSaved]=useState(false);
  const [showAddBuilding,setShowAddBuilding]=useState(false);

```



```

const [selectedBuilding, setSelectedBuilding]=useState(null);
const [propBuildings, setPropBuildings]=useState(property.buildings||[{id:"main_
const s=STATUS[property.roofStatus];
return (
  <div style={{paddingBottom:60}}>
    <button onClick={onBack} style={{background:"none",border:"none",color:C.mu
    <div style={{background:`linear-gradient(135deg,${C.card},${C.card2})`,bord
      {property.ourJob}&&<div style={{marginBottom:10}}><Pill color={C.accent}>
    <div style={{color:C.text,fontSize:21,fontWeight:800,letterSpacing:-0.5,m
    <div style={{color:C.muted,fontSize:13,marginBottom:14}}>{property.city},
    <div style={{display:"flex",gap:8,flexWrap:"wrap",marginBottom:16}}>
      <Badge status={property.roofStatus}/>
      <Pill color={C.blue}>{property.roofAge}yr roof</Pill>
      <Pill color={C.muted}>{property.style}</Pill>
    </div>
    <div style={{display:"grid",gridTemplateColumns:"repeat(3,1fr)",gap:8}}>
      {[["Built",property.yearBuilt],["Last Roof",property.lastRoof],["Record
        <div key={k} style={{background:C.bg+"88",borderRadius:12,padding:"12
          <div style={{color:s.color,fontWeight:800,fontSize:20}}>{v}</div>
          <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransform:"u
            </div>
          )}}
        </div>
      </div>
    </div>

    { /* Tabs */ }
    <div style={{display:"flex",gap:6,marginBottom:18,overflowX:"auto",paddingB
      { (userTier==="landlord"||userRole==="landlord"
        ? [ ["report", "📄 Report"], ["weather", "☁️ Weather"], ["landlord", "🏠 Rent
        : userTier==="contractor"||userRole==="contractor"
        ? [ ["report", "📄 Report"], ["weather", "☁️ Weather"], ["summary", "🧠 AI"],
        : [ ["report", "📄 Report"], ["weather", "☁️ Weather"], ["inspection", "🔍 In
      )}.map(([k,l])=>{
        const isContractor=k==="contractor";
        return <button key={k} onClick={()=>setTab(k)} style={{background:tab==
        }}
      </div>

      {tab==="report"&&(
        userTier==="free"&&!paidReports.includes("Home Report") ? (
          <UpgradeBanner feature="Home Report" onUpgrade={()=>onShowPaywall&&onSh
        ) : (
          <HomeReportTab property={property} notes={notes} setNotes={setNotes} sa
        )
      )}
      {tab==="summary"&&(
        <AISummaryPanel property={property} userTier={userTier} onShowPaywall={on

```

```

    )}
    {tab==="measurements"&&(
      userTier==="free"&&!paidReports.includes("Measurements") ? (
        <UpgradeBanner feature="Measurements" onUpgrade={()=>onShowPaywall&&onS
      ) : (
        <MeasurementsPanel property={property} onUpdate={updated=>{}}/>
      )
    )}
    {tab==="buildings"&&(
      <div>
        {showAddBuilding&&(
          <AddBuildingModal
            onSave={b=>{setPropBuildings(prev=>[...prev,b]);setShowAddBuilding(
              onClose={()=>setShowAddBuilding(false)}
            )}/>
        )}
        {selectedBuilding?(
          <div>
            <button onClick={()=>setSelectedBuilding(null)} style={{background:
            <div style={{background:C.card,border:`1px solid ${C.accent}33`,bor
              <div style={{fontSize:32}}>{selectedBuilding.icon}</div>
            <div>
              <div style={{color:C.text,fontSize:17,fontWeight:800}}>{selecte
                <div style={{color:C.muted,fontSize:12,marginTop:2}}>{selectedB
              </div>
            </div>
            <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
              {property.timeline.filter(e=>e.buildingId===selectedBuilding.id).le
                <div style={{textAlign:"center",padding:32,color:C.dim,fontSize:1
              ):(
                <div style={{position:"relative",paddingLeft:32}}>
                  <div style={{position:"absolute",left:13,top:8,bottom:8,width:2
                    {property.timeline.filter(e=>e.buildingId===selectedBuilding.id
                      const tc=TYPE_CFG[ev.type]||TYPE_CFG.photo;
                      return (
                        <div key={ev.id} style={{position:"relative",marginBottom:1
                          <div style={{position:"absolute",left:-25,top:4,width:26,
                          <div style={{background:C.card,border:`1px solid ${C.bord
                            <div style={{display:"flex",justifyContent:"space-betwe
                              <div style={{color:C.text,fontWeight:700,fontSize:13}
                                <div style={{color:C.accent,fontWeight:800,fontSize:1
                              </div>
                            <div style={{color:C.muted,fontSize:12,marginTop:3,line
                              <div style={{display:"flex",gap:5,marginTop:6,flexWrap:
                                <Pill color={tc.color}>{tc.label}</Pill>
                                <Pill color={ev.source==="Our Work"?C.accent:C.dim}>{
                                  {ev.verified&&<Pill color={C.green}>✓ Verified</Pill>

```

```

        </div>
    </div>
</div>
    );
    })}
</div>
    })
</div>
): (
    <BuildingSelector
        property={{...property, buildings:propBuildings}}
        onSelect={setSelectedBuilding}
        onAdd={()=>setShowAddBuilding(true)}
    />
    )}
</div>
)}
{tab==="inspection"&&(
    <div>
        <div style={{background:`linear-gradient(135deg,${C.blue}11,${C.blue}0a`}}>
            <span style={{fontSize:28,flexShrink:0}}><img alt="house icon" data-bbox="625 430 645 445"/></span>
            <div style={{flex:1}}>
                <div style={{color:C.blue,fontSize:13,fontWeight:800,marginBottom:3}}>
                    <div style={{color:C.muted,fontSize:12,lineHeight:1.5}}>Upload the
                </div>
            </div>
            <div style={{display:"flex",gap:10,marginBottom:16}}>
                <Btn full color={C.blue} small onClick={()=>setTab("sale_upload")}><img alt="upload icon" data-bbox="870 565 890 580"/>
            </div>
            <HomeInspectionPanel property={property} userTier={userTier} onShowPayw
        </div>
    )}
{tab==="sale_upload"&&<SaleInspectionUpload property={property} onComplete=
{tab==="docs"&&<DocumentsFolder property={property}/>
{tab==="weather"&&<WeatherEventsPanel property={property}/>
{tab==="privacy"&&<PrivacySettings property={property} userRole={userTier}/
{tab==="landlord"&&<LandlordPanel property={property}/>
{tab==="photos"&&<PhotoTimeline photos={property.photos}/>
{tab==="jobs"&&<JobPhotoTimeline property={property} userTier={userTier} co
{tab==="timeline"&&<div><div style={{color:C.muted,fontSize:12,marginBottom
{tab==="contractor"&&(
    <div>
        <div style={{background:C.accent+"11",border:`1px solid ${C.accent}33`,
            <span style={{fontSize:16}}><img alt="wrench icon" data-bbox="500 870 520 885"/></span>
            <div><div style={{color:C.accent,fontSize:12,fontWeight:700}}>Contrac
        </div>
        <div style={{background:C.card,border:`1px solid ${C.border}` ,borderRad

```

```

        <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"
        [[["Address",`${property.address}, ${property.city}, ${property.state
        <div key={k} style={{display:"flex",justifyContent:"space-between",
        <span style={{color:C.muted,fontSize:13,flexShrink:0}}>{k}</span>
        <span style={{color:C.text,fontSize:13,fontWeight:600,textAlign:"
        </div>
        )}}
    </div>
    {property.notes&&(
        <div style={{background:C.accent+"0a",border:`1px solid ${C.accent}}33
        <div style={{color:C.accent,fontSize:11,fontWeight:700,textTransfor
        <div style={{color:C.muted,fontSize:13,lineHeight:1.7}}>{property.n
        </div>
        )}
    {property.claimHistory?.length>0&&(
        <div style={{background:C.yellow+"0a",border:`1px solid ${C.yellow}}33
        <div style={{color:C.yellow,fontSize:11,fontWeight:700,textTransfor
        {property.claimHistory.map((c,i)=>(
            <div key={i}><div style={{color:C.text,fontSize:14,fontWeight:700
            )}}
        </div>
        )}
    </div>
    )}
</div>
);
}

```

// — Landing Page —————

// — Role Selection —————

```

function RoleSelect({onSelect}) {
    return (
        <div style={{minHeight:"100vh",background:C.bg,display:"flex",flexDirection:"
        <div style={{width:"100%",maxWidth:400}}>
            <div style={{textAlign:"center",marginBottom:36}}>
                <div style={{background:C.accent,width:56,height:56,borderRadius:14,dis
                <div style={{fontFamily:"'Instrument Serif',serif",fontSize:28,fontWeig
                <div style={{color:C.muted,fontSize:14,lineHeight:1.6}}>The verified pr
            </div>
            <div style={{display:"flex",flexDirection:"column",gap:12}}>
                {[
                    {role:"contractor", icon:"🔧", title:"Contractor", color:C.acc
                    {role:"landlord", icon:"🏠", title:"Landlord", color:"#0ea
                    {role:"adjuster", icon:"📄", title:"Insurance Adjuster", color:C.pu
                    {role:"homeowner", icon:"🏠", title:"Homeowner / Buyer", color:C.gr
                ]}.map(r=>(

```

```

    <div key={r.role} onClick={()=>onSelect(r.role)} style={{background:C
      onMouseEnter={e=>{e.currentTarget.style.borderColor=r.color;e.curre
      onMouseLeave={e=>{e.currentTarget.style.borderColor=C.border;e.curre
    <div style={{width:48,height:48,borderRadius:12,background:r.color+
    <div style={{flex:1}}>
      <div style={{color:C.text,fontSize:15,fontWeight:800,marginBottom
      <div style={{color:C.muted,fontSize:12,lineHeight:1.5}}>{r.desc}<
    </div>
    <div style={{color:C.dim,fontSize:20,flexShrink:0}}></div>
    </div>
  )})
</div>
<div style={{textAlign:"center",marginTop:20}}>
  <button onClick={()=>onSelect("browse")} style={{background:"none",bord
</div>
</div>
</div>
);
}

```

```

function Landing({onGetStarted,onSearch,userRole}) {
  const [email,setEmail]=useState("");
  const [role,setRole]=useState("");
  const [submitted,setSubmitted]=useState(false);

  return (
    <div style={{paddingBottom:60}}>
      </* Hero */>
      <div style={{textAlign:"center",padding:"48px 0 40px",position:"relative"}}
        <div style={{display:"inline-flex",alignItems:"center",gap:8,background:C
          <span style={{width:7,height:7,borderRadius:"50%",background:C.green,di
            Southern Illinois · Now in Beta
          </div>
          <h1 style={{fontFamily:"'Instrument Serif',serif",fontSize:"clamp(36px,8v
            {userRole==="landlord"
              ? <span>Manage every property.<br/><em style={{background:`linear-gra
                : <span>The property history<br/>every home <em style={{background:`l
              }
            </h1>
            <p style={{color:C.muted,fontSize:16,lineHeight:1.7,maxWidth:480,margin:"
              {userRole==="landlord"
                ? "HomeStory gives landlords a complete system for rental documentati
                : "HomeStory builds a verified condition record for every property -
              }
            </p>
            <div style={{display:"flex",gap:12,justifyContent:"center",flexWrap:"wrap

```

```

        <Btn color={C.accent} onClick={onSearch}>Search Any Address →</Btn>
        <Btn variant="ghost" onClick={() => document.getElementById('early-access
    </div>
</div>

{/* Mock report preview */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
    <div style={{background:C.accent,padding:"14px 18px",display:"flex",justi
        <div><div style={{color:"#ffffff88",fontSize:9,fontWeight:700,letterSpa
            <div style={{width:44,height:44,borderRadius:"50%",background:"rgba(255
        </div>
    <div style={{padding:18}}>
        <div style={{color:C.green,fontSize:16,fontWeight:800,marginBottom:2}}>
        <div style={{color:C.muted,fontSize:12,marginBottom:2}}>5814 Northwind
        <div style={{color:C.blue,fontSize:11,fontWeight:600,marginBottom:14}}>
        <div style={{display:"grid",gridTemplateColumns:"repeat(4,1fr)",gap:8,m
            {[["1987","Built"],["1,750","Sq Ft"],["2022","Last Roof"],["2yr","Roo
                <div key={k} style={{background:C.surface,borderRadius:10,padding:"
                    )}}
            </div>
        {[{year:2022,icon:"🏠",label:"Roof Replaced – Our Crew ✓",note:"GAF Tir
            <div key={i} style={{display:"flex",gap:10,paddingBottom:10,marginBot
                <div style={{width:30,height:30,borderRadius:"50%",background:ev.co
                    <div style={{flex:1}}>
                        <div style={{display:"flex",justifyContent:"space-between"}}><div
                            <div style={{color:C.muted,fontSize:11,marginTop:2}}>{ev.note}</d
                        </div>
                    </div>
                </div>
            </div>
        <div style={{marginTop:4;background:C.green+"11",border:`1px solid ${C.
            <div style={{color:C.green,fontSize:11,fontWeight:700,marginBottom:3}}
            <div style={{color:C.muted,fontSize:12}}>GPS-tagged contractor docume
        </div>
    </div>
</div>

{/* How it works */}
<div style={{marginBottom:40}}>
    <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
    <h2 style={{fontFamily:"'Instrument Serif',serif",fontSize:28,lineHeight:
    <p style={{color:C.muted,fontSize:14,lineHeight:1.7,marginBottom:24}}>Con
    <div style={{display:"flex",flexDirection:"column",gap:12}}>
        {[
            ["🔗", "01", "Connect", "Link Roofr and CompanyCam in minutes. No new wc
            ["📸", "02", "Capture", "Every photo, every completed job flows in autom
            ["📄", "03", "Report", "Search any address. Pull a verified Home Report
            ["🗺️", "04", "Scale", "Map your territory by roof age. Know which neigh

```

```

].map(([icon,num,title,desc])=>(
  <div key={num} style={{background:C.card,border:`1px solid ${C.border
    <div style={{width:44,height:44,borderRadius:12,background:C.accent
      <div>
        <div style={{color:C.accent,fontSize:9,fontWeight:700,letterSpaci
          <div style={{color:C.text,fontSize:15,fontWeight:700,marginBottom
            <div style={{color:C.muted,fontSize:13,lineHeight:1.6}}>{desc}</d
          </div>
        </div>
      </div>
    )})
  </div>
</div>

```

```

{/* Who it's for */}
<div style={{marginBottom:40}}>
  <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
    <h2 style={{fontFamily:`Instrument Serif`,serif,fontSize:28,lineHeight:
      <div style={{display:"flex",flexDirection:"column",gap:12}}>
        {[
          {icon:"🔧",title:"Contractors",sub:"Know every property before you ar
            items:["Pre-job property intelligence","Auto photo documentation vi
          {icon:"🏠",title:"Landlords",sub:"Protect your investment with docume
            items:["Move-in & move-out inspections","Tenant maintenance request
          {icon:"📄",title:"Insurance",sub:"Pre-loss documentation that closes
            items:["Timestamped pre-loss photos","Verified roof age and materia
          {icon:"🏡",title:"Homeowners & Agents",sub:"Know exactly what has bee
            items:["Full property condition history","Verified construction rec
        ].map(a=>(
          <div key={a.title} style={{background:C.card,border:`1px solid ${C.bo
            <div style={{display:"flex",alignItems:"center",gap:12,marginBottom
              <div style={{fontSize:28}}>{a.icon}</div>
              <div><div style={{color:C.text,fontSize:16,fontWeight:800}}>{a.ti
            </div>
            <div style={{display:"flex",flexDirection:"column",gap:6}}>
              {a.items.map(item=>(
                <div key={item} style={{display:"flex",alignItems:"center",gap:
                  <span style={{color:a.color,fontWeight:700,flexShrink:0}}>✓</
                </div>
              )})
            </div>
          </div>
        )})
      </div>
    </div>

```

```

{/* Integrations */}
<div style={{marginBottom:40}}>

```

```

<div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
<h2 style={{fontFamily:"'Instrument Serif',serif",fontSize:28,lineHeight:
<div style={{display:"flex",flexWrap:"wrap",gap:10}}>
  {[["📷", "CompanyCam", true], ["🏠", "Roofr", true], ["🗺️", "County GIS", false],
    <div key={name} style={{background:C.card,border:`1px solid ${C.borde
      <span>{icon}</span>{name}
      {live&&<div style={{width:7,height:7,borderRadius:"50%",background:
    </div>
  )}}
</div>
</div>

{/* Early Access */}
<div id="early-access" style={{background:C.card,border:`1px solid ${C.bord
  <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
  <h2 style={{fontFamily:"'Instrument Serif',serif",fontSize:26,lineHeight:
  <p style={{color:C.muted,fontSize:13,lineHeight:1.7,marginBottom:20}}>We'
  {submitted?(
    <div style={{background:C.green+"11",border:`1px solid ${C.green}33`,bo
      <div style={{fontSize:32,marginBottom:8}}>✓</div>
      <div style={{color:C.green,fontSize:16,fontWeight:700,marginBottom:4}
        <div style={{color:C.muted,fontSize:13}}>We'll be in touch soon with
      </div>
    ):(
      <div style={{display:"flex",flexDirection:"column",gap:10}}>
        <input placeholder="Your name" style={{background:C.surface,border:`1
        <input placeholder="Email address" type="email" value={email} onChange
          style={{background:C.surface,border:`1px solid ${C.border}`,borderR
        <select value={role} onChange={e=>setRole(e.target.value)}
          style={{background:C.surface,border:`1px solid ${C.border}`,borderR
            <option value="">I am a...</option>
            <option>Roofing Contractor</option>
            <option>General Contractor</option>
            <option>Insurance Adjuster</option>
            <option>Insurance Agent / Underwriter</option>
            <option>Real Estate Agent</option>
            <option>Homeowner</option>
          </select>
          <Btn full color={C.accent} onClick={()=>setSubmitted(true)}>Request E
          <div style={{color:C.dim,fontSize:11,textAlign:"center"}}>No credit c
        </div>
      </div>
    )}
  </div>
</div>
);
}

```



```
// — Search Screen —————
function SearchScreen({properties, onSelect, regridToken, setRegridToken}) {
  const [search, setSearch]=useState("");
  const [filter, setFilter]=useState("all");
  const [sortBy, setSortBy]=useState("age_desc");
  const counts={critical:properties.filter(p=>p.roofStatus==="critical").length, a
  const filtered=properties
    .filter(p=>filter==="all"||p.roofStatus===filter||(filter==="ourjobs"&&p.ourJ
    .filter(p=>`${p.address} ${p.city} ${p.zip} ${p.ownerName||""}`.toLowerCase()
    .sort((a,b)=>sortBy==="age_desc"?b.roofAge-a.roofAge:sortBy==="age_asc"?a.roo

  return (
    <div>
      <div style={{marginBottom:18}}>
        <h2 style={{fontFamily:"'Instrument Serif', serif", fontSize:26, lineHeight:
        <p style={{color:C.muted, fontSize:13}}>Southern Illinois property databas
      </div>

      { /* Map */ }
      <ParcelMap properties={properties} onSelect={onSelect} regridToken={regridT

      { /* Stats */ }
      <div style={{display:"grid", gridTemplateColumns:"repeat(3,1fr)", gap:8, margi
        [[["critical", "Replace Now", C.red], ["aging", "Aging", C.yellow], ["good", "Go
        <div key={k} onClick={()=>setFilter(filter===k?"all":k)} style={{backgr
          <div style={{color:col, fontSize:28, fontWeight:800, lineHeight:1}}>{cou
          <div style={{color:C.muted, fontSize:10, fontWeight:700, marginTop:4, let
          </div>
        </div>
      </div>

      { /* Filter pills */ }
      <div style={{display:"flex", gap:6, marginBottom:10, overflowX:"auto", paddingB
        [[["all", "All"], ["ourjobs", "Our Work"], ["claims", "Has Claims"]].map(([k, l
          <button key={k} onClick={()=>setFilter(k)} style={{background:filter===
          </div>
        </div>

      { /* Search + sort */ }
      <div style={{display:"flex", flexDirection:"column", gap:8, marginBottom:14}}>
        <div style={{position:"relative"}}>
          <span style={{position:"absolute", left:12, top:"50%", transform:"translat
          <input value={search} onChange={e=>setSearch(e.target.value)} placehold
          style={{width:"100%", background:C.card, border:`1px solid ${C.border}`
        </div>
      </div>
    </div>
  )
}
```

```

<div style={{display:"flex",gap:8,alignItems:"center"}}>
  <span style={{color:C.dim,fontSize:11,fontWeight:700,flexShrink:0}}>Sort</span>
  <select value={sortBy} onChange={e=>setSortBy(e.target.value)} style={{
    <option value="age_desc">Oldest Roof First</option>
    <option value="age_asc">Newest Roof First</option>
    <option value="address">Address A-Z</option>
    <option value="owner">Owner A-Z</option>
    <option value="year_built">Oldest Property</option>
  }}>
</div>
</div>

{ (search||filter!=="all") && (
  <div style={{display:"flex",alignItems:"center",gap:8,marginBottom:10,padding:10}}>
    <span style={{color:C.muted,fontSize:11}}>Showing {filtered.length} of {total}</span>
    <button onClick={()=>{setSearch("");setFilter("all");}} style={{background-color:C.white,color:C.dim,fontWeight:700,fontSize:11}}>Reset</button>
  </div>
)}

<div style={{display:"flex",flexDirection:"column",gap:8}}>
  {filtered.map(p=>{
    const s=STATUS[p.roofStatus];
    return (
      <div key={p.id} onClick={()=>onSelect(p)} style={{background:C.card,border:1px solid C.border,color:C.dim,padding:10}}>
        <div style={{display:"flex",alignItems:"center",gap:10}}>
          <div style={{color:C.dim,fontWeight:700,fontSize:14}}>{p.add}</div>
          <div style={{color:C.dim,fontWeight:700,fontSize:14}}>{p.ourJob}</div>
          <div style={{color:C.dim,fontWeight:700,fontSize:14}}>{p.claimHistory?.length>0}</div>
          <div style={{color:C.dim,fontWeight:700,fontSize:14}}>{p.weather}</div>
        </div>
        <div style={{color:C.dim,fontWeight:700,fontSize:14}}>{p.city}, {p.state}</div>
        <div style={{color:C.dim,fontWeight:700,fontSize:14}}>{p.ownerName}</div>
        <div style={{color:C.dim,fontWeight:700,fontSize:14}}>{p.timeline}</div>
        <div style={{textAlign:"right",flexShrink:0}}>
          <div style={{color:s.color,fontWeight:800,fontSize:22,lineHeight:1}}>{s}</div>
          <div style={{color:C.dim,fontWeight:700,fontSize:14}}>{p.roofStatus}</div>
        </div>
      </div>
    );
  })}
  {!filtered.length && <div style={{textAlign:"center",color:C.dim,padding:40}}>No results found</div>}
</div>

```

```

        </div>
        <div style={{color:C.dim,fontSize:11,textAlign:"center",marginTop:16,paddin
    </div>
    );
}

// — App —————

// — Contractor Dashboard —————

// — HomeStory Verified Program —————

// — Community Standards —————
function CommunityStandards({properties, userTier}) {
    const [activeTab, setActiveTab] = useState("standards");
    const [showDisputeForm, setShowDisputeForm] = useState(false);
    const [dispute, setDispute] = useState({address:"",year:"",issue:"",details:"",
    const [submitted, setSubmitted] = useState(false);

    const ISSUE_TYPES = [
        "Work was not performed as documented",
        "Materials used differ from what was logged",
        "Job was logged at wrong address",
        "Work caused property damage",
        "Contractor misrepresented credentials",
        "Other",
    ];

    const STATUS_CONFIG = {
        verified: { icon:"🏆", label:"Verified", color:C.accent, desc:"Meets all
        unverified:{ icon:"🔴", label:"Unverified", color:C.muted, desc:"Has not cc
        suspended: { icon:"⚠️", label:"Suspended", color:C.yellow, desc:"Verificati
        removed: { icon:"🚫", label:"Removed", color:C.red, desc:"No longer
    };

    // Demo dispute records
    const DEMO_DISPUTES = [
        { id:"d1", address:"324 Magnolia Street", city:"Herrin", year:2021, issue:"Wo
        { id:"d2", address:"1847 Oak Ridge Road", city:"Carterville", year:2023, issu
    ];

    return (
        <div style={{paddingBottom:40}}>
            <div style={{marginBottom:20}}>
                <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
                <h2 style={{fontFamily:"'Instrument Serif',serif",fontSize:24,lineHeight:
                <p style={{color:C.muted,fontSize:13,lineHeight:1.6}}>HomeStory maintains

```

```

</div>

{/* Sub tabs */}
<div style={{display:"flex",gap:6,marginBottom:18,overflowX:"auto",paddingB
  [{"standards","Standards"],["status","Contractor Status"],["disputes","D
    <button key={k} onClick={()=>setActiveTab(k)} style={{background:active
      )}}
  </div>

{/* Standards */}
{activeTab==="standards"&&(
  <div>
    <div style={{background:C.card,border:`1px solid ${C.border}`,borderRad
      <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1
        [
          {icon:"📅",title:"Accurate Job Logging",desc:"Jobs must be logged a
            {icon:"📷",title:"Honest Documentation",desc:"Photos must be from t
            {icon:"🛡️",title:"Valid Credentials",desc:"Insurance, bonding, or l
            {icon:"🤝",title:"Dispute Cooperation",desc:"Contractors must respc
            {icon:"⭐",title:"Professional Conduct",desc:"HomeStory Verified cc
        ].map(s=>(
          <div key={s.title} style={{display:"flex",gap:12,marginBottom:16,al
            <span style={{fontSize:20,flexShrink:0}}>{s.icon}</span>
            <div><div style={{color:C.text,fontSize:13,fontWeight:700,marginB
              </div>
            </div>
          </div>
        </div>
      <div style={{background:C.blue+"0a",border:`1px solid ${C.blue}33`,bord
        <div style={{color:C.blue,fontSize:12,fontWeight:700,marginBottom:4}}
        <div style={{color:C.muted,fontSize:12,lineHeight:1.7}}>Flags and rem
      </div>
    </div>
  )}

{/* Contractor Status */}
{activeTab==="status"&&(
  <div>
    <div style={{display:"flex",flexDirection:"column",gap:10,marginBottom:
      (Object.entries(STATUS_CONFIG).map(([key,s])=>(
        <div key={key} style={{background:C.card,border:`1px solid ${s.col
          <div style={{fontSize:28,flexShrink:0}}>{s.icon}</div>
          <div style={{flex:1}}>
            <div style={{color:s.color,fontSize:14,fontWeight:800,marginBot
              <div style={{color:C.muted,fontSize:12}}>{s.desc}</div>
            </div>
          </div>
        </div>
      </div>
    </div>
  )}

```

```
</div>
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRad
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1
    {[
      ["Verified → Suspended","Credentials lapse, dispute filed, or unusu
      ["Suspended → Verified"],"Contractor resolves the issue and resubmit
      ["Suspended → Removed"],"No response within 30 days or pattern of vi
      ["Removed → Appeal"],"Contractors may appeal removal once with new d
    ]}.map(([step,desc])=>(
      <div key={step} style={{paddingBottom:10,marginBottom:10,borderBott
        <div style={{color:C.text,fontSize:12,fontWeight:700,marginBottom
          <div style={{color:C.dim,fontSize:12}}>{desc}</div>
        </div>
      )))
    </div>
  </div>
)}

{/* Dispute System */}
{activeTab==="disputes"&&(
  <div>
    <div style={{background:C.card,border:`1px solid ${C.border}`,borderRad
      <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1
        {[
          {num:"1",title:"Filed Against a Job Record",desc:"Every dispute is
          {num:"2",title:"Contractor Notified",desc:"The contractor receives
          {num:"3",title:"Both Sides Visible",desc:"The dispute and the contr
          {num:"4",title:"Resolution Logged",desc:"Whether resolved or unreso
        ]}.map(s=>(
          <div key={s.num} style={{display:"flex",gap:12,marginBottom:14,alig
            <div style={{width:28,height:28,borderRadius:"50%",background:C.a
              <div><div style={{color:C.text,fontSize:13,fontWeight:700,marginB
                </div>
              </div>
            </div>
          </div>
        ))}
      </div>

    </div>

    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
    {DEMO_DISPUTES.map(d=>(
      <div key={d.id} style={{background:C.card,border:`1px solid ${d.statu
        <div style={{display:"flex",justifyContent:"space-between",alignIt
          <div>
            <div style={{color:C.text,fontSize:13,fontWeight:700}}>{d.addre
              <div style={{color:C.muted,fontSize:11,marginTop:2}}>Job year:
            </div>
          </div>
          <Pill color={d.status==="resolved"?C.green:C.yellow}>{d.status===
        </div>
      )}
```

```

        <div style={{color:C.muted,fontSize:12,marginBottom:d.resolution?8:
        {d.resolution&&<div style={{background:C.green+"0a",border:`1px sol
    </div>
    )}}
  </div>
)}

{ /* File a Report */ }
{activeTab==="file"&&(
  submitted?(
    <div style={{textAlign:"center",padding:"40px 0"}}>
      <div style={{fontSize:48,marginBottom:16}}>✓</div>
      <div style={{color:C.green,fontSize:18,fontWeight:800,marginBottom:8}}
      <div style={{color:C.muted,fontSize:13,lineHeight:1.7,marginBottom:24}}
      <Btn variant="ghost" onClick={()=>{setSubmitted(false);setDispute({ad
    </div>
  ):(
    <div>
      <div style={{background:C.yellow+"0a",border:`1px solid ${C.yellow}33}}
        <div style={{color:C.yellow,fontSize:12,fontWeight:700,marginBottom:
        <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>Reports mus
      </div>
      <div style={{display:"flex",flexDirection:"column",gap:12,marginBotto
        <div>
          <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpaci
          <input value={dispute.address} onChange={e=>setDispute(p=>({...p,
            style={{width:"100%",background:C.card,border:`1px solid ${C.bo
          </div>
          <div>
            <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpaci
            <input value={dispute.year} onChange={e=>setDispute(p=>({...p,yea
              style={{width:"100%",background:C.card,border:`1px solid ${C.bo
            </div>
            <div>
              <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpaci
              <select value={dispute.issue} onChange={e=>setDispute(p=>({...p,i
                style={{width:"100%",background:C.card,border:`1px solid ${C.bo
                <option value="">Select issue type...</option>
                {ISSUE_TYPES.map(t=><option key={t} value={t}>{t}</option>)}
              </select>
            </div>
          </div>
          <div>
            <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpaci
            <textarea value={dispute.details} onChange={e=>setDispute(p=>({...
              placeholder="Describe the issue in detail. Include any document
              style={{width:"100%",background:C.card,border:`1px solid ${C.bo
            </div>

```

```

        <div>
            <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpaci
            <input value={dispute.contact} onChange={e=>setDispute(p=>({...p,
            style={{width:"100%",background:C.card,border:`1px solid ${C.bo
            </div>
        </div>
        <Btn full color={C.accent} disabled={!dispute.address||!dispute.issue
            onClick={()=>setSubmitted(true)}>Submit Report</Btn>
        </div>
    )
    })
</div>
);
}

```

```

function VerifiedProgram({userTier, properties, onUpgrade}) {
    const ourJobs = properties.filter(p=>p.ourJob||p.timeline?.some(e=>e.ourJob));
    const jobCount = ourJobs.length;
    const [credentials,setCredentials] = useState({license:"",insurance:"",bonding:
    const [showCredForm,setShowCredForm] = useState(false);
    const reqs = {
        subscription: userTier==="contractor",
        jobs: jobCount>=5,
        companycam: false,
        credentials: credentials.submitted&&(credentials.license||credentials.insuran
    };
    const metCount = Object.values(reqs).filter(Boolean).length;
    const totalReqs = 4;
    const isVerified = Object.values(reqs).every(Boolean);

    return (
        <div style={{paddingBottom:20}}>
            {/* Hero */}
            <div style={{background:`linear-gradient(135deg,${C.accent},#f59e3f)`},borde
                <div style={{position:"absolute",top:-20,right:-20,width:120,height:120,b
                <div style={{position:"relative"}}>
                    <div style={{fontSize:40,marginBottom:10}}>🏆</div>
                    <div style={{color:"#fff",fontSize:22,fontWeight:800,marginBottom:4,let
                    <div style={{color:"#ffffffcc",fontSize:13,lineHeight:1.6,marginBottom:
                        {isVerified
                            ?<div style={{background:"rgba(255,255,255,0.2)",borderRadius:12,padd
                                :<div style={{background:"rgba(255,255,255,0.15)",borderRadius:12,pad
                            }
                        </div>
                    </div>
                </div>
            </div>
        </div>
    )
}

```

```

{/* Requirements */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,tex
    {[
      {key:"subscription",icon:"⚡",label:"Active Pro Subscription",desc:"$49
      {key:"jobs",icon:"🔧",label:"5+ Jobs Documented",desc:`${jobCount} of 5
      {key:"companycam",icon:"📷",label:"CompanyCam Connected",desc:"Photo dc
      {key:"credentials",icon:"📁",label:"Credentials on File",desc:"License,
    ]}.map(req=>(
      <div key={req.key} style={{display:"flex",gap:14,paddingBottom:14,margi
        <div style={{width:36,height:36,borderRadius:10,background:req.met?C.
          {req.met?"✓":req.icon}
        </div>
        <div style={{flex:1,minWidth:0}}>
          <div style={{display:"flex",justifyContent:"space-between",alignIte
            <div style={{color:req.met?C.green:C.text,fontSize:13,fontWeight:
              {req.met&&<Pill color={C.green}>Met</Pill>}
            </div>
            <div style={{color:C.dim,fontSize:12,marginTop:3}}>{req.desc}</div>
            {req.progress!==undefined&&!req.met&&(
              <div style={{marginTop:8}}>
                <div style={{background:C.border,borderRadius:4,height:6,overfl
                  <div style={{width:`${req.progress}%`,height:"100%",backgroun
                  </div>
                  <div style={{color:C.dim,fontSize:10}}>{req.progress}% complete
                </div>
              </div>
            ))
            {req.action&&!req.met&&(
              <button onClick={req.key==="subscription"?onUpgrade:()=>{}} style
                {req.action} →
              </button>
            ))
            {req.key==="credentials"&&!req.met&&(
              <div style={{marginTop:10}}>
                <button onClick={()=>setShowCredForm(!showCredForm)} style={{ba
                  {showCredForm?"Hide Form":"Submit Credentials →"}
                </button>
                {showCredForm&&(
                  <div style={{marginTop:12,background:C.surface,borderRadius:1
                    <div style={{color:C.muted,fontSize:11,fontWeight:700,lette
                    <div style={{display:"flex",flexDirection:"column",gap:10,m
                      {[
                        {key:"license",icon:"📁",label:"Contractor License #",h
                        {key:"insurance",icon:"🛡️",label:"Proof of Insurance",h
                        {key:"bonding",icon:"🔒",label:"Bonding Information",hi
                      ]}.map(f=>(
                        <div key={f.key}>

```



```

        <div style={{color:C.muted,fontSize:11,marginBottom:5
            <span>{f.icon}</span> {f.label}
            {f.recommended}&&<span style={{color:C.green,fontSiz
        </div>
        <input value={credentials[f.key]} onChange={e=>setCre
            style={{width:"100%",background:C.card,border:`1px
        </div>
    )))
</div>
<div style={{background:C.blue+"0a",border:`1px solid ${C.b
    <div style={{color:C.blue,fontSize:11,lineHeight:1.6}}>Un
</div>
    <Btn small color={C.accent} disabled={!credentials.license&
        onClick={()=>{setCredentials(p=>({...p,submitted:true}));
        Submit for Review
    </Btn>
</div>
    ))
</div>
    ))
</div>
</div>

{/* Benefits */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,tex
    {
        {icon:"🏆",title:"Verified Badge",desc:"Digital badge for your website,
        {icon:"🏠",title:"Verified Label on All Reports",desc:"Every Home Repor
        {icon:"🔍",title:"Discovery Listing",desc:"Listed first in the HomeStor
        {icon:"⚡",title:"Priority Claim Support",desc:"Adjusters working claim
        {icon:"📝",title:"Annual Verification Report",desc:"Year-end summary of
        {icon:"👏",title:"Founding Member Pricing",desc:"First 50 verified cont
    ].map(b=>(
        <div key={b.title} style={{display:"flex",gap:12,marginBottom:14,alignI
            <span style={{fontSize:20,flexShrink:0}}>{b.icon}</span>
            <div><div style={{color:C.text,fontSize:13,fontWeight:700,marginBotto
            </div>
        )))
</div>

{/* Badge preview */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,tex
    <div style={{display:"flex",justifyContent:"center",marginBottom:14}}>

```

```

    <div style={{background:`linear-gradient(135deg,${C.accent},#f59e3f)`},b
      <div style={{fontSize:32,marginBottom:6}}>🏆</div>
      <div style={{color:"#fff",fontSize:14,fontWeight:800,letterSpacing:-0
      <div style={{color:"#ffffffcc",fontSize:11,fontWeight:700,letterSpaci
      <div style={{color:"rgba(255,255,255,0.5)",fontSize:9,marginTop:6,let
    </div>
  </div>
  <div style={{color:C.dim,fontSize:12,textAlign:"center",lineHeight:1.6}}>
</div>

  { /* CTA */ }
  { isVerified? (
    <div style={{background:C.green+"11",border:`1px solid ${C.green}33`,bord
      <div style={{fontSize:36,marginBottom:8}}>🏆</div>
      <div style={{color:C.green,fontSize:16,fontWeight:800,marginBottom:6}}>
      <div style={{color:C.muted,fontSize:13,marginBottom:16}}>Your badge is
      <Btn full color={C.green} onClick={()=>{
        const lines=["HOMESTORY VERIFIED CONTRACTOR","="+".repeat(39),"","Thi
        const blob=new Blob([lines.join("\n")],{type:"text/plain"});
        const url=URL.createObjectURL(blob);
        const a=document.createElement("a");a.href=url;a.download="HomeStory_Ve
      }}>Download Verified Certificate</Btn>
    </div>
  ):userTier!=="contractor"? (
    <Btn full color={C.accent} onClick={onUpgrade}>Upgrade to Pro to Start Ve
  ): (
    <div style={{background:C.accent+"0a",border:`1px solid ${C.accent}33`,bo
      <div style={{color:C.accent,fontSize:14,fontWeight:700,marginBottom:6}}
      <div style={{color:C.muted,fontSize:13,marginBottom:8}}>Complete the {t
      <div style={{color:C.dim,fontSize:12}}>Questions? Contact us at verifie
    </div>
  )}
</div>
);
}

```

// — Landlord Dashboard —————

// — Rental Listing Page —————

// — Tenant Maintenance Request —————

```

function TenantRequest({property, onSubmit}) {
  const [step, setStep] = useState(1); // 1=describe, 2=photo, 3=confirm, 4=done
  const [form, setForm] = useState({
    category:"general", description:"", urgency:"medium", name:"", phone:"",

```

```

});
const [photo, setPhoto] = useState(null);
const [photoPreview, setPhotoPreview] = useState(null);
const fileRef = useRef();

// Auto-detect urgency from keywords
const detectUrgency = (text) => {
  const high = ["leak", "flood", "no heat", "no hot water", "electrical", "sparks", "
  const low = ["light bulb", "cosmetic", "paint", "scratch", "minor", "small"];
  const t = text.toLowerCase();
  if(high.some(k=>t.includes(k))) return "high";
  if(low.some(k=>t.includes(k))) return "low";
  return "medium";
};

const handleDescriptionChange = (val) => {
  setForm(p=>({...p, description:val, urgency:detectUrgency(val)}));
};

const handlePhoto = (files) => {
  if(!files[0]) return;
  const reader = new FileReader();
  reader.onload = e => { setPhoto(files[0]); setPhotoPreview(e.target.result);
  reader.readAsDataURL(files[0]);
};

const urgencyConfig = {
  high: {color:C.red, label:"Urgent", icon:"🔴", desc:"Needs immediate att
  medium:{color:C.yellow, label:"Normal", icon:"🟡", desc:"Within a few days"
  low: {color:C.green, label:"Low", icon:"🟢", desc:"When convenient"},
};
const uc = urgencyConfig[form.urgency];

const CATEGORIES = [
  {id:"plumbing", icon:"💧", label:"Plumbing"},
  {id:"electrical", icon:"⚡", label:"Electrical"},
  {id:"hvac", icon:"❄️", label:"Heating/AC"},
  {id:"appliances", icon:"🔍", label:"Appliances"},
  {id:"doors", icon:"🚪", label:"Doors/Windows"},
  {id:"pest", icon:"🐛", label:"Pest"},
  {id:"exterior", icon:"☁️", label:"Exterior/Roof"},
  {id:"general", icon:"🔧", label:"General"},
];

if(step===4) return (
  <div style={{textAlign:"center",padding:"60px 20px"}}>
    <div style={{fontSize:56,marginBottom:16}}>✅</div>

```

```

<div style={{color:C.green,fontSize:20,fontWeight:800,marginBottom:8}}>Requ
<div style={{color:C.muted,fontSize:14,lineHeight:1.7,marginBottom:8}}>{pro
<div style={{background:C.green+"11",border:`1px solid ${C.green}33`,border
  <div style={{color:C.green,fontSize:12,fontWeight:700,marginBottom:4}}>
    {form.urgency==="high"?" Marked Urgent – Landlord and maintenance not
  </div>
  <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>Your request has
</div>
<div style={{color:C.dim,fontSize:12,marginBottom:24}}>Request #{Date.now()
<Btn variant="ghost" onClick={()=>{setStep(1);setForm({category:"general",d
</div>
);

return (
  <div style={{paddingBottom:40}}>
    {/* Header */}
    <div style={{background:`linear-gradient(135deg,${C.card},${C.card2})`,bord
      <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
      <div style={{color:C.text,fontSize:18,fontWeight:800,marginBottom:2}}>{pr
      <div style={{color:C.muted,fontSize:13}}>{property.city}, {property.state
    </div>

    {/* Progress */}
    <div style={{display:"flex",gap:4,marginBottom:24}}>
      {[1,2,3].map(n=><div key={n} style={{flex:1,height:4,borderRadius:2,backg
    </div>

    {/* Step 1 – Describe */}
    {step===1&&(
      <div>
        <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t

        {/* Category picker */}
        <div style={{display:"grid",gridTemplateColumns:"repeat(4,1fr)",gap:8,m
          {CATEGORIES.map(cat=>{
            <div key={cat.id} onClick={()=>setForm(p=>({...p,category:cat.id}))
              style={{background:form.category===cat.id?C.accent+"22":C.card,bo
              <div style={{fontSize:22,marginBottom:4}}>{cat.icon}</div>
              <div style={{color:form.category===cat.id?C.accent:C.muted,fontSi
            </div>
          )}}
        </div>

        {/* Description */}
        <div style={{marginBottom:14}}>
          <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1
          <textarea value={form.description} onChange={e=>handleDescriptionChan

```

```

        placeholder="Describe what's happening in your own words. The more
        style={{width:"100%",background:C.card,border:`1px solid ${C.border
</div>

{/* Auto-detected urgency */}
{form.description.length>10&&(
  <div style={{background:uc.color+"11",border:`1px solid ${uc.color}33
    <span style={{fontSize:18}}>{uc.icon}</span>
    <div>
      <div style={{color:uc.color,fontSize:12,fontWeight:700}}>Detected
      <div style={{color:C.muted,fontSize:11,marginTop:2}}>{uc.desc}</d
    </div>
    <div style={{marginLeft:"auto",display:"flex",gap:6}}>
      {Object.entries(urgencyConfig).map(([k,v])=>(
        <div key={k} onClick={()=>setForm(p=>({...p,urgency:k}))} style
          <span style={{fontSize:10}}>{v.icon}</span>
        </div>
      ))}
    </div>
  </div>
)}

{/* Contact info */}
<div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10,margin
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
    <input value={form.name} onChange={e=>setForm(p=>({...p,name:e.targ
      style={{width:"100%",background:C.card,border:`1px solid ${C.bord
    </div>
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
    <input value={form.phone} onChange={e=>setForm(p=>({...p,phone:e.ta
      style={{width:"100%",background:C.card,border:`1px solid ${C.bord
    </div>
  </div>

  <Btn full color={C.accent} disabled={!form.description||!form.name} onC
  {form.urgency==="high"&&form.description.length>10&&(
    <div style={{marginTop:10,color:C.red,fontSize:12,fontWeight:600,text
    )}
  </div>
)}

{/* Step 2 - Photo */}
{step===2&&(
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t

```

```

<div style={{color:C.muted,fontSize:13,lineHeight:1.6,marginBottom:16}}

{!photoPreview?(
  <div onClick={()=>fileRef.current.click()}
    style={{border:`2px dashed ${C.border}`,borderRadius:14,padding:"40
  <div style={{fontSize:40,marginBottom:10}}>📷</div>
  <div style={{color:C.text,fontWeight:700,fontSize:15,marginBottom:4
  <div style={{color:C.muted,fontSize:12}}>Tap to open camera or choo
  <input ref={fileRef} type="file" accept="image/*" capture="environm
  </div>
): (
  <div style={{marginBottom:16}}>
    <div style={{position:"relative",borderRadius:14,overflow:"hidden",
      <img src={photoPreview} alt="maintenance" style={{width:"100%",ma
      <button onClick={()=>{setPhoto(null);setPhotoPreview(null);}} sty
    </div>
    <div style={{color:C.green,fontSize:12,fontWeight:700,textAlign:"ce
  </div>
)}

<div style={{display:"flex",gap:10}}>
  <Btn variant="ghost" small onClick={()=>setStep(1)}>← Back</Btn>
  <Btn full color={C.accent} onClick={()=>setStep(3)}>{photoPreview?"Ne
</div>
</div>
)}

{/* Step 3 – Confirm */}
{step===3&&(
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t

  <div style={{background:C.card,border:`1px solid ${uc.color}44`,borderR
    <div style={{display:"flex",justifyContent:"space-between",alignItems
      <div>
        <div style={{color:C.text,fontSize:15,fontWeight:800,marginBottom
          <div style={{color:C.muted,fontSize:12}}>{property.address} · {fo
        </div>
        < pill color={uc.color}>{uc.icon} {uc.label}</pill>
      </div>
      <div style={{background:C.surface,borderRadius:10,padding:"10px 12px"
        <div style={{color:C.text,fontSize:13,lineHeight:1.6}}>{form.descri
      </div>
      {photoPreview&&(
        <img src={photoPreview} alt="maintenance" style={{width:"100%",maxH
      )}
    </div>
  </div>
}

```

```

<div style={{background:C.accent+"0a",border:`1px solid ${C.accent}33`,
  <div style={{color:C.accent,fontSize:12,fontWeight:700,marginBottom:4
  <div style={{display:"flex",flexDirection:"column",gap:6}}>
    {[
      "Your request is logged as a work order immediately",
      form.urgency==="high"? "Owner and maintenance notified right now v
      "You can reference request #"+Date.now().toString().slice(-6)+" f
    ].map((t,i)=>(
      <div key={i} style={{display:"flex",gap:8,color:C.muted,fontSize:
    )))
  </div>
</div>

<div style={{display:"flex",gap:10}}>
  <Btn variant="ghost" small onClick={()=>setStep(2)}>← Back</Btn>
  <Btn full color={form.urgency==="high"?C.red:C.accent} onClick={()=>{
    {form.urgency==="high"? "🔴 Submit Urgent Request":"Submit Request"}
  </Btn>
</div>
</div>
  )}
</div>
);
}

```

```

function RentalListing({property, onBack, onTenantRequest}) {
  const [showContact, setShowContact] = useState(false);
  const [contactForm, setContactForm] = useState({name:"",email:"",phone:"",messa
  const [inquirySent, setInquirySent] = useState(false);
  const s = STATUS[property.roofStatus];

  // Demo listing data – in production pulled from landlord's listing setup
  const listing = property.listing || {
    rent: 995,
    deposit: 995,
    bedrooms: 3,
    bathrooms: 2,
    sqft: property.sqft || 1600,
    available: "February 1, 2025",
    leaseTerms: ["12 months","6 months"],
    petPolicy: "No pets",
    utilities: "Tenant pays all utilities",
    parking: "1-car garage included",
    laundry: "In-unit washer/dryer hookups",
    description: `Well-maintained ${property.style||"ranch"}-style home in ${prop

```

```

        zillowUrl: `https://zillow.com/rental-manager`,
        apartmentsUrl: null,
        facebookUrl: null,
        photos: property.photos || [],
        amenities: ["Central Air", "Dishwasher", "Garage", "Yard", "Storage"],
    };

    return (
        <div style={{paddingBottom:60}}>
            <button onClick={onBack} style={{background:"none",border:"none",color:C.mu

        { /* Hero */ }
        <div style={{background:`linear-gradient(135deg,${C.card},${C.card2})`,bord
            { /* Photo area */ }
            <div style={{background:C.accent+"11",height:180,display:"flex",alignItem
                <div style={{textAlign:"center"}}>
                    <div style={{fontSize:48,marginBottom:8}}><img alt="house icon" data-bbox="635 350 655 365"/></div>
                    <div style={{color:C.muted,fontSize:12}}>Photos sync from CompanyCam<
                </div>
                <div style={{position:"absolute",top:12,right:12;background:C.green+"ee
                    <span style={{color:"#fff",fontSize:11,fontWeight:700}}>Available {li
                </div>
                <div style={{position:"absolute",top:12,left:12;background:C.accent+"ee
                    <span style={{fontSize:12}}><img alt="medal icon" data-bbox="505 485 525 500"/></span>
                    <span style={{color:"#fff",fontSize:10,fontWeight:700}}>HomeStory Ver
                </div>
            </div>

        { /* Key details */ }
        <div style={{padding:"18px 18px 14px"}}>
            <div style={{display:"flex",justifyContent:"space-between",alignItems:"
                <div>
                    <div style={{color:C.text,fontSize:22,fontWeight:800,letterSpacing:
                        <div style={{color:C.muted,fontSize:13,marginTop:2}}>{property.addr
                        <div style={{color:C.muted,fontSize:12}}>{property.city}, {property
                    </div>
                    <div style={{textAlign:"right"}}>
                        <div style={{color:C.dim,fontSize:11,marginBottom:4}}>Deposit</div>
                        <div style={{color:C.text,fontSize:16,fontWeight:700}}>${listing.de
                    </div>
                </div>

        { /* Quick stats */ }
        <div style={{display:"grid",gridTemplateColumns:"repeat(4,1fr)",gap:8,m
            [[
                ["<img alt="bed icon" data-bbox="275 910 295 925"/>,listing.bedrooms,"Beds"],
                ["<img alt="bath icon" data-bbox="275 930 295 945"/>,listing.bathrooms,"Baths"],

```



```

["🏠", listing.sqft?.toLocaleString(), "Sq Ft"],
["📅", new Date().getFullYear() - property.yearBuilt + "yr", "Old"],
].map(([icon, val, label]) => (
  <div key={label} style={{background:C.bg+"88",borderRadius:10,paddi
    <div style={{fontSize:16,marginBottom:3}}>{icon}</div>
    <div style={{color:C.text,fontSize:14,fontWeight:800}}>{val}</div>
    <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransform:
    </div>
  )})
</div>

{/* Apply button */}
<a href={listing.zillowUrl} target="_blank" rel="noopener noreferrer" s
  <Btn full color={C.blue}>Apply on Zillow →</Btn>
</a>
<div style={{color:C.dim,fontSize:11,textAlign:"center",marginTop:6}}>P
</div>
</div>

{/* HomeStory Verified section */}
<div style={{background:`linear-gradient(135deg,${C.accent}11,${C.accent}0a
  <div style={{display:"flex",alignItems:"center",gap:10,marginBottom:12}}>
    <span style={{fontSize:24}}>🏆</span>
    <div>
      <div style={{color:C.accent,fontSize:13,fontWeight:800}}>HomeStory Ve
      <div style={{color:C.muted,fontSize:11,marginTop:1}}>Condition record
    </div>
  </div>
<div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8,marginBot
  [
    ["🏠", "Roof", `${property.roofMaterial} | "Asphalt" } · ${property.lastRc
    ["⚡", "Condition", STATUS[property.roofStatus]?.label],
    ["📅", "Year Built", property.yearBuilt],
    ["📁", "Records", `${property.timeline?.length||0} on file`],
  ].map(([icon, label, val]) => (
    <div key={label} style={{background:C.card,borderRadius:10,padding:"1
      <span style={{fontSize:16}}>{icon}</span>
      <div>
        <div style={{color:C.dim,fontSize:10,fontWeight:700,textTransform
          <div style={{color:C.text,fontSize:12,fontWeight:600,marginTop:1}
        </div>
      </div>
    </div>
  )})
</div>

{/* Recent work highlights */}
{property.timeline?.filter(e=>e.ourJob||e.source==="Our Work").slice(0,3)

```

```

const tc = TYPE_CFG[ev.type] || TYPE_CFG.photo;
return (
  <div key={ev.id} style={{display:"flex",gap:8,alignItems:"center",padding:8}}>
    <span style={{fontSize:14}}>{tc.icon}</span>
    <div style={{flex:1,color:C.muted,fontSize:12}}>{ev.label}</div>
    <div style={{color:C.accent,fontSize:12,fontWeight:700,flexShrink:0}}>
      {ev.price}</div>
  </div>
);
}}}
<div style={{marginTop:10}}>
  <div style={{color:C.muted,fontSize:11,textAlign:"center"}}>Full proper
</div>
</div>

{/* Description */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:12,padding:10}}>
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,marginBottom:10}}>
    <div style={{color:C.text,fontSize:13,lineHeight:1.8,marginBottom:14}}>{1}
    <div style={{display:"flex",flexWrap:"wrap",gap:6}}>
      {listing.amenities.map(a=>(
        <div key={a} style={{background:C.surface,border:`1px solid ${C.border}`,padding:5}}>
          {a}</div>
      ))}
    </div>
  </div>
</div>

{/* Lease details */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:12,padding:10}}>
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,marginBottom:10}}>
    {
      [
        ["Available",listing.available],
        ["Lease Terms",listing.leaseTerms.join(" or ")],
        ["Security Deposit","$"+listing.deposit.toLocaleString()],
        ["Pets",listing.petPolicy],
        ["Utilities",listing.utilities],
        ["Parking",listing.parking],
        ["Laundry",listing.laundry],
      ].map(([k,v])=>(
        <div key={k} style={{display:"flex",justifyContent:"space-between",padding:5}}>
          <span style={{color:C.muted,fontSize:13,flexShrink:0}}>{k}</span>
          <span style={{color:C.text,fontSize:13,fontWeight:600,textAlign:"right"}}>{v}</span>
        </div>
      ))}
  </div>
</div>

{/* Listed on */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:12,padding:10}}>
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,marginBottom:10}}>
    {
      [
        ["Listed on",listing.listedOn.toLocaleDateString()],
      ].map(([k,v])=>(
        <div key={k} style={{display:"flex",justifyContent:"space-between",padding:5}}>
          <span style={{color:C.muted,fontSize:13,flexShrink:0}}>{k}</span>
          <span style={{color:C.text,fontSize:13,fontWeight:600,textAlign:"right"}}>{v}</span>
        </div>
      ))}
  </div>
</div>

```

```

<div style={{display:"flex",flexDirection:"column",gap:8}}>
  <a href={listing.zillowUrl} target="_blank" rel="noopener noreferrer" s
    <div style={{background:C.surface,border:`1px solid ${C.green}44`,bor
      <div style={{display:"flex",alignItems:"center",gap:10}}>
        <span style={{fontSize:20}}><img alt="house icon" data-bbox="538 123 558 140"/></span>
        <div><div style={{color:C.text,fontSize:13,fontWeight:700}}>Zillo
      </div>
      <div style={{display:"flex",alignItems:"center",gap:6}}><div style=
    </div>
  </a>
  <[
    {name:"Apartments.com",icon:"<img alt="apartments icon" data-bbox="513 258 533 275"/>",url:null},
    {name:"Facebook Marketplace",icon:"<img alt="facebook marketplace icon" data-bbox="568 278 588 295"/>",url:null},
    {name:"Craigslist",icon:"<img alt="craigslist icon" data-bbox="473 298 493 315"/>",url:null},
  ].map(site=>(
    <div key={site.name} style={{background:C.surface,border:`1px solid $
      <div style={{display:"flex",alignItems:"center",gap:10}}>
        <span style={{fontSize:20}}><img alt={site.icon} data-bbox={site.icon}"/></span>
        <div><div style={{color:C.text,fontSize:13,fontWeight:700}}><{site
      </div>
      <div style={{color:C.dim,fontSize:11}}>Not listed</div>
    </div>
  )))
</div>
</div>

{/* Contact / Question form */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,tex
    {inquirySent?(
      <div style={{textAlign:"center",padding:"20px 0"}}>
        <div style={{fontSize:32,marginBottom:8}}><img alt="checkmark icon" data-bbox="538 643 558 660"/></div>
        <div style={{color:C.green,fontSize:14,fontWeight:700,marginBottom:4}}
          <div style={{color:C.muted,fontSize:12}}>The landlord will respond wi
        </div>
      </div>
    ): (
      <div>
        <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10,marg
          <input value={contactForm.name} onChange={e=>setContactForm(p=>({..
            style={{background:C.surface,border:`1px solid ${C.border}`,borde
          <input value={contactForm.phone} onChange={e=>setContactForm(p=>({.
            style={{background:C.surface,border:`1px solid ${C.border}`,borde
          </div>
          <input value={contactForm.email} onChange={e=>setContactForm(p=>({...
            style={{width:"100%",background:C.surface,border:`1px solid ${C.bor
          <textarea value={contactForm.message} onChange={e=>setContactForm(p=>
            placeholder="Ask about availability, schedule a showing, or any que

```

```

        style={{width:"100%",background:C.surface,border:`1px solid ${C.bor
        <Btn full color={C.accent} disabled={!contactForm.name||!contactForm.
    </div>
  )}
</div>

{/* Tenant maintenance request */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,tex
  <div style={{color:C.muted,fontSize:13,lineHeight:1.6,marginBottom:14}}>S
  <Btn full variant="ghost" onClick={()=>onTenantRequest&&onTenantRequest(p
</div>

{/* Apply CTA */}
<div style={{background:`linear-gradient(135deg,${C.blue}22,${C.blue}0a)`},b
  <div style={{color:C.text,fontSize:16,fontWeight:800,marginBottom:6}}>Rea
  <div style={{color:C.muted,fontSize:13,lineHeight:1.6,marginBottom:16}}>A
  <a href={listing.zillowUrl} target="_blank" rel="noopener noreferrer" sty
    <Btn full color={C.blue}>Apply Now on Zillow →</Btn>
  </a>
  <div style={{color:C.dim,fontSize:11,marginTop:8}}>Application fee may ap
</div>
</div>
);
}

```

```

// — Add Unit Modal —————
function AddUnitModal({onSave, onClose, existingProperties}) {
  const [form, setForm] = useState({
    address:"", city:"Marion", state:"IL", zip:"",
    units:"1", yearBuilt:"", sqft:"", type:"single_family",
    rent:"", notes:"",
  });
  const [saved, setSaved] = useState(false);
  const f = k => e => setForm(p=>({...p,[k]:e.target.value}));

  const PROPERTY_TYPES = [
    {id:"single_family", icon:"🏠", label:"Single Family"},
    {id:"duplex", icon:"🏡", label:"Duplex"},
    {id:"multi", icon:"🏢", label:"Multi-Unit"},
    {id:"commercial", icon:"🏢", label:"Commercial"},
    {id:"mobile", icon:"🚐", label:"Mobile Home"},
    {id:"other", icon:"📦", label:"Other"},
  ];
}

```

```

const handleSave = () => {
  if(!form.address||!form.city) return;
  const newProp = {
    id: `p-${Date.now()}`,
    address: form.address,
    city: form.city,
    state: form.state,
    zip: form.zip,
    yearBuilt: parseInt(form.yearBuilt)||1990,
    sqft: parseInt(form.sqft)||1200,
    stories: 1,
    style: form.type,
    lastRoof: 2010,
    roofMaterial: "Unknown",
    roofWarranty: "Unknown",
    roofAge: new Date().getFullYear()-2010,
    roofStatus: roofStatus(new Date().getFullYear()-2010),
    ourJob: true,
    ownerName: "",
    notes: form.notes,
    claimHistory: [],
    timeline: [],
    units: parseInt(form.units)||1,
    monthlyRent: parseFloat(form.rent)||0,
  };
  onSave(newProp);
  setSaved(true);
  setTimeout(()=>{setSaved(false);onClose();}, 1500);
};

return (
  <div style={{position:"fixed",inset:0,background:"#000c",zIndex:300,display:"
    <div onClick={e=>e.stopPropagation()} style={{background:C.surface,border:`

      <div style={{display:"flex",justifyContent:"space-between",alignItems:"ce
        <div style={{color:C.text,fontSize:17,fontWeight:800}}>Add Rental Unit<
          <button onClick={onClose} style={{background:"none",border:"none",color
        </div>

      {saved?(
        <div style={{textAlign:"center",padding:"30px 0"}}>
          <div style={{fontSize:44,marginBottom:10}}>✓</div>
          <div style={{color:C.green,fontSize:16,fontWeight:700}}>Unit Added!</
        </div>
      ):(
        <div>
          {/* Property type */}

```

```

<div style={{color:C.muted,fontSize:10,fontWeight:700,textTransform:"
<div style={{display:"grid",gridTemplateColumns:"repeat(3,1fr)",gap:8
  {PROPERTY_TYPES.map(t=>{
    <div key={t.id} onClick={()=>setForm(p=>({...p,type:t.id}))} styl
      <div style={{fontSize:22,marginBottom:4}}>{t.icon}</div>
      <div style={{color:form.type===t.id?C.accent:C.muted,fontSize:1
    </div>
  })}
</div>

{/* Address */}
<div style={{display:"flex",flexDirection:"column",gap:10,marginBotto
  <div>
    <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransfo
    <input value={form.address} onChange={f("address")} placeholder="
      style={{width:"100%",background:C.card,border:`1px solid ${C.bo
    </div>
  <div style={{display:"grid",gridTemplateColumns:"2fr 1fr 1fr",gap:1
    <div>
      <div style={{color:C.muted,fontSize:10,fontWeight:700,textTrans
      <input value={form.city} onChange={f("city")} placeholder="Mari
        style={{width:"100%",background:C.card,border:`1px solid ${C.
      </div>
    <div>
      <div style={{color:C.muted,fontSize:10,fontWeight:700,textTrans
      <input value={form.state} onChange={f("state")} placeholder="IL
        style={{width:"100%",background:C.card,border:`1px solid ${C.
      </div>
    <div>
      <div style={{color:C.muted,fontSize:10,fontWeight:700,textTrans
      <input value={form.zip} onChange={f("zip")} placeholder="62959"
        style={{width:"100%",background:C.card,border:`1px solid ${C.
      </div>
    </div>
  <div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap:1
    <div>
      <div style={{color:C.muted,fontSize:10,fontWeight:700,textTrans
      <input value={form.yearBuilt} onChange={f("yearBuilt")} placeho
        style={{width:"100%",background:C.card,border:`1px solid ${C.
      </div>
    <div>
      <div style={{color:C.muted,fontSize:10,fontWeight:700,textTrans
      <input value={form.sqft} onChange={f("sqft")} placeholder="1200
        style={{width:"100%",background:C.card,border:`1px solid ${C.
      </div>
    <div>
      <div style={{color:C.muted,fontSize:10,fontWeight:700,textTrans

```

```

        <input value={form.units} onChange={f("units")} placeholder="1"
          style={{width:"100%",background:C.card,border:`1px solid ${C.
    </div>
  </div>
  <div>
    <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransfo
    <input value={form.rent} onChange={f("rent")} placeholder="$0,000
      style={{width:"100%",background:C.card,border:`1px solid ${C.bo
    </div>
    <div>
      <div style={{color:C.muted,fontSize:10,fontWeight:700,textTransfo
      <textarea value={form.notes} onChange={f("notes")} placeholder="A
        style={{width:"100%",background:C.card,border:`1px solid ${C.bo
      </div>
    </div>
  </div>

  <div style={{display:"flex",gap:10}}>
    <Btn variant="ghost" onClick={onClose}>Cancel</Btn>
    <Btn full color={C.accent} disabled={!form.address||!form.city} onC
  </div>
</div>
  )}
</div>
</div>
);
}

```

```

function LandlordDashboard({properties, setProperties, onSelect, onLogJob}) {
  const [tab, setTab] = useState("portfolio");
  const [showAddUnit, setShowAddUnit] = useState(false);
  const [showWorkOrder, setShowWorkOrder] = useState(false);
  const [workOrders, setWorkOrders] = useState([
    {id:"wo1", address:"5814 Northwind Drive", city:"Marion", unit:"", priority:"
    {id:"wo2", address:"1847 Oak Ridge Road", city:"Carterville", unit:"Unit 2",
    {id:"wo3", address:"324 Magnolia Street", city:"Herrin", unit:"", priority:"l
  ]});
  const [newWO, setNewWO] = useState({address:"",city:"",unit:"",priority:"medium

  const rentalProps = properties.filter(p=>p.ourJob|p.timeline?.some(e=>["move_i
  const allProps = [...properties]; // In production: filter to landlord's portfo

  const STATUS_CFG = {
    open:      {label:"Open",      color:C.yellow, icon:"🔴"},
    in_progress:{label:"In Progress",color:C.blue,   icon:"🔵"},
    completed: {label:"Completed",  color:C.green, icon:"✅"},
    cancelled: {label:"Cancelled",  color:C.dim,   icon:"🔴"},
  }

```

```

};
const PRIORITY_CFG = {
  high: {label:"High", color:C.red},
  medium:{label:"Medium",color:C.yellow},
  low: {label:"Low", color:C.green},
};
const CATEGORIES = ["general","plumbing","electrical","hvac","appliances","roof

const openWOs = workOrders.filter(w=>w.status==="open"||w.status==="in_progress
const completedWOs = workOrders.filter(w=>w.status==="completed");

const saveWorkOrder = () => {
  if(!newWO.title||!newWO.address) return;
  setWorkOrders(prev=>[...newWO,id:`wo-${Date.now()}`,status:"open",created:ne
  setNewWO({address:"",city:"",unit:"",priority:"medium",category:"general",tit
  setShowWorkOrder(false);
};

const updateWOStatus = (id, status) => {
  setWorkOrders(prev=>prev.map(w=>w.id===id?{...w,status}:w));
};

return (
  <div style={{paddingBottom:48}}>
    { /* Header */ }
    <div style={{marginBottom:18}}>
      <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
      <div style={{display:"flex",alignItems:"center",gap:10,marginBottom:4}}>
        <h2 style={{fontFamily:"'Instrument Serif',serif",fontSize:24,lineHeigh
      </div>
      <p style={{color:C.muted,fontSize:13}}>Manage your rental units, inspecti
    </div>

    { /* Stats */ }
    <div style={{display:"grid",gridTemplateColumns:"repeat(4,1fr)",gap:8,margi
      {[
        [allProps.length,"Units","total",C.accent],
        [openWOs.length,"Open","work orders",C.yellow],
        [workOrders.filter(w=>w.priority==="high"&&w.status!=="completed").leng
        [completedWOs.length,"Done","this month",C.green],
      ]}.map(([val,label,sub,col])=>(
        <div key={label} style={{background:C.card,border:`1px solid ${C.border
          <div style={{color:col,fontSize:22,fontWeight:800,lineHeight:1}}>{val
          <div style={{color:C.text,fontSize:10,fontWeight:700,marginTop:3}}>{1
          <div style={{color:C.dim,fontSize:9,marginTop:1}}>{sub}</div>
        </div>
      ))}
    )]}

```



```

</div>

{/* Sub tabs */}
<div style={{display:"flex",gap:6,marginBottom:18,overflowX:"auto",paddingB
  [{"portfolio","🏠 Portfolio"],["workorders","🔧 Work Orders"],["inspecti
    <button key={k} onClick={()=>setTab(k)} style={{background:tab===k?C.ac
      )}}
  </div>

{/* Add Unit Modal */}
{showAddUnit&&<AddUnitModal onSave={unit=>{if(typeof setProperties==="funct

{/* Portfolio tab */}
{tab==="portfolio"&&(
  <div>
    <div style={{display:"flex",justifyContent:"space-between",alignItems:"
      <div style={{color:C.muted,fontSize:12}}>{allProps.length} properties
      <Btn small color={C.accent} onClick={()=>setShowAddUnit(true)}>+ Add
    </div>
    <div style={{display:"flex",flexDirection:"column",gap:8}}>
      {allProps.map(p=>{
        const s=STATUS[p.roofStatus];
        const hasOpenWO = workOrders.some(w=>w.address===p.address&&(w.stat
        const lastInspection = p.timeline?.filter(e=>["move_in","rental_ins
        return (
          <div key={p.id} onClick={()=>onSelect(p)} style={{background:C.ca
            onMouseEnter={e=>e.currentTarget.style.borderColor=C.accent}
            onMouseLeave={e=>e.currentTarget.style.borderColor=hasOpenWO?C.
          <div style={{display:"flex",justifyContent:"space-between",alig
            <div style={{flex:1,minWidth:0}}>
              <div style={{display:"flex",alignItems:"center",gap:6,margi
                <div style={{color:C.text,fontWeight:700,fontSize:14}}>{p
                  {hasOpenWO&&<Pill color={C.yellow}>🔧 Work Order</Pill>}
                </div>
                <div style={{color:C.muted,fontSize:12}}>{p.city}, {p.state
                <div style={{color:C.dim,fontSize:11,marginTop:3}}>
                  {lastInspection?`Last inspection: ${lastInspection.year}`
                  {p.ownerName&&` · ${p.ownerName}`}
                </div>
              </div>
            </div>
          <div style={{textAlign:"right",flexShrink:0}}>
            <div style={{color:s.color,fontWeight:800,fontSize:18,lineH
              <Badge status={p.roofStatus} small/>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
);

```

```

    }}}
  </div>
</div>
))

{/* Work Orders tab */}
{tab==="workorders"&&(
  <div>
    <div style={{background:C.green+"0a",border:`1px solid ${C.green}33`,bo
      <span style={{fontSize:18,flexShrink:0}}><img alt="Work Orders icon" data-bbox="628 218 642 232" style="vertical-align: middle;"/></span>
      <div style={{flex:1}}>
        <div style={{color:C.green,fontSize:12,fontWeight:700}}>Tenant requ
        <div style={{color:C.muted,fontSize:11,marginTop:2}}>When a tenant
      </div>
    </div>
    <div style={{display:"flex",justifyContent:"space-between",alignItems:"
      <div style={{color:C.muted,fontSize:12}}>{openWOs.length} open · {com
      <Btn small color={C.accent} onClick={()=>setShowWorkOrder(true)}>+ Ne
    </div>

    {/* New work order form */}
    {showWorkOrder&&(
      <div style={{background:C.card,border:`1px solid ${C.accent}44`,borde
        <div style={{color:C.accent,fontSize:11,fontWeight:700,letterSpacin
        <div style={{display:"flex",flexDirection:"column",gap:10,marginBot
          <div style={{display:"grid",gridTemplateColumns:"2fr 1fr",gap:10}}
            <div>
              <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransf
                <input value={newWO.address} onChange={e=>setNewWO(p=>({...p,
                  style={{width:"100%",background:C.surface,border:`1px solid
                </div>
              <div>
                <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransf
                  <input value={newWO.unit} onChange={e=>setNewWO(p=>({...p,uni
                    style={{width:"100%",background:C.surface,border:`1px solid
                  </div>
                </div>
              </div>
            <div>
              <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransfor
                <input value={newWO.title} onChange={e=>setNewWO(p=>({...p,titl
                  style={{width:"100%",background:C.surface,border:`1px solid $
                </div>
              <div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap
                <div>
                  <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransf
                    <select value={newWO.priority} onChange={e=>setNewWO(p=>({...
                      <option value="high">High</option>

```

```

        <option value="medium">Medium</option>
        <option value="low">Low</option>
    </select>
</div>
<div>
    <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransf
    <select value={newWO.category} onChange={e=>setNewWO(p=>({...
        {CATEGORIES.map(c=><option key={c} value={c}>{c.charAt(0).t
    </select>
    </div>
    <div>
        <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransf
        <input type="date" value={newWO.due} onChange={e=>setNewWO(p=
    </div>
    </div>
    <div>
        <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransfor
        <input value={newWO.assignedTo} onChange={e=>setNewWO(p=>({...p,n
            style={{width:"100%",background:C.surface,border:`1px solid $
    </div>
    <div>
        <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransfor
        <textarea value={newWO.notes} onChange={e=>setNewWO(p=>({...p,n
            style={{width:"100%",background:C.surface,border:`1px solid $
    </div>
    </div>
    <div style={{display:"flex",gap:10}}>
        <Btn full color={C.accent} onClick={saveWorkOrder} disabled={!new
        <Btn variant="ghost" small onClick={()=>setShowWorkOrder(false)}>
    </div>
</div>
)}

```

```

{/* Work order list */}
[["open","in_progress","completed"].map(status=>{
    const wos = workOrders.filter(w=>w.status===status);
    if(!vos.length) return null;
    const sc = STATUS_CFG[status];
    return (
        <div key={status} style={{marginBottom:18}}>
            <div style={{color:sc.color,fontSize:11,fontWeight:700,letterSpac
                {sc.icon} {sc.label} ({vos.length})
            </div>
            <div style={{display:"flex",flexDirection:"column",gap:8}}>
                {vos.map(wo=>{
                    const pc = PRIORITY_CFG[wo.priority];
                    const tc = TYPE_CFG[wo.category]||TYPE_CFG.note;

```

```

    return (
      <div key={wo.id} style={{background:C.card,border:`1px soli
        <div style={{display:"flex",justifyContent:"space-between
          <div style={{flex:1}}>
            <div style={{display:"flex",alignItems:"center",gap:6
              <span style={{fontSize:16}}>{tc.icon}</span>
              <div style={{color:C.text,fontWeight:700,fontSize:1
                <Pill color={pc.color}>{pc.label}</Pill>
              </div>
            <div style={{color:C.muted,fontSize:12}}>{wo.address}
              {wo.assignedTo}&&<div style={{color:C.blue,fontSize:11
                {wo.due}&&<div style={{color:C.dim,fontSize:11,marginT
              </div>
            </div>
          <div style={{color:C.muted,fontSize:12,lineHei
            {status!=="completed"&&(
              <div style={{display:"flex",gap:6,flexWrap:"wrap"}}>
                {status==="open"&&<Btn small color={C.blue} onClick={
                  {status==="in_progress"&&<Btn small color={C.green} o
                    <Btn small variant="ghost" onClick={()=>updateWOStatu
                </div>
              </div>
            </div>
          <div style={{color:C.muted,fontSize:12,lineHei
            {status==="completed"&&<Pill color={C.green}>✓ Completed<
          </div>
        </div>
      </div>
    );
  }}}
</div>
</div>
);
)}}
</div>
))
}

{/* Inspections tab */}
{tab==="inspections"&&(
  <div>
    <div style={{color:C.muted,fontSize:13,marginBottom:16,lineHeight:1.7}}
    <div style={{display:"flex",flexDirection:"column",gap:8}}>
      {allProps.map(p=>{
        const lastInsp = p.timeline?.filter(e=>["move_in","rental_insp","ho
        const yearsSince = lastInsp ? new Date().getFullYear()-lastInsp.yea
        const isDue = yearsSince>=1;
        return (
          <div key={p.id} onClick={()=>onSelect(p)} style={{background:C.ca
            <div style={{display:"flex",justifyContent:"space-between",alig
              <div>
                <div style={{color:C.text,fontWeight:700,fontSize:14}}>{p.a

```

```

        <div style={{color:C.muted,fontSize:12,marginTop:2}}>{p.cit
        <div style={{marginTop:6}}>
            {lastInsp
                ? <Pill color={isDue?C.yellow:C.green}>{isDue?`⚠ Last i
                : <Pill color={C.red}>⚠ Never inspected</Pill>
            }
        </div>
    </div>
    <div style={{color:C.dim,fontSize:20}}>></div>
</div>
</div>
    );
    })}
</div>
</div>
)}

{/* Reports tab */}
{tab==="reports"&&(
    <div>
        <div style={{background:C.card,border:`1px solid ${C.border}`,borderRad
        <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1
        {[
            ["Total Units",allProps.length],
            ["Properties with Open Work Orders",openWOs.length],
            ["Properties Needing Inspection",allProps.filter(p=>!p.timeline?.so
            ["Critical Roof Condition",allProps.filter(p=>p.roofStatus==="criti
            ["Aging Roof Condition",allProps.filter(p=>p.roofStatus==="aging")
            ["Work Orders Completed This Month",completedWOs.length],
        ].map(([k,v])=>(
            <div key={k} style={{display:"flex",justifyContent:"space-between",
                <span style={{color:C.muted,fontSize:13}}>{k}</span>
                <span style={{color:C.text,fontSize:13,fontWeight:700}}>{v}</span>
            </div>
        ))}
    </div>
    <div style={{display:"flex",gap:10}}>
        <Btn full color={C.accent} onClick={()=>{
const lines=["HOMESTORY LANDLORD PORTFOLIO REPORT","Generated: "+new Da
    "PORTFOLIO SUMMARY","-".repeat(50),
    "Total Units: "+allProps.length,
    "Open Work Orders: "+openWOs.length,
    "Urgent (High Priority): "+workOrders.filter(w=>w.priority==="high"&&
    "Completed This Period: "+completedWOs.length,
    "", "PROPERTIES", "-".repeat(50),
    ...allProps.map(p=>`${p.address}, ${p.city} | Built ${p.yearBuilt} |
    "", "OPEN WORK ORDERS", "-".repeat(50),

```

```

        ...openWOs.map(w=>`[${w.priority.toUpperCase()}] ${w.title} - ${w.add
        "", "="+"=".repeat(50), "HomeStory · homestory.app · For landlord use o
    ];
    const blob=new Blob([lines.join("\n")],{type:"text/plain"});
    const url=URL.createObjectURL(blob);
    const a=document.createElement("a");a.href=url;a.download="HomeStory_Po
    }}>Download Portfolio Report</Btn>
    </div>
    <div style={{color:C.dim,fontSize:11,textAlign:"center",marginTop:8}}>P
    </div>
    )}
    </div>
    );
}

```

```

function ContractorDashboard({properties, onSelect, onLogJob, userTier='free', on
    const [contractorTab, setContractorTab] = useState('dashboard');
    const ourJobs = properties.filter(p => p.ourJob || p.timeline?.some(e=>e.ourJob
    const criticalOurs = ourJobs.filter(p=>p.roofStatus==="critical");
    const recentJobs = [...ourJobs]
        .sort((a,b)=>{
            const aEvs = a.timeline?.filter(e=>e.ourJob)||[];
            const bEvs = b.timeline?.filter(e=>e.ourJob)||[];
            const aMax = aEvs.length ? Math.max(...aEvs.map(e=>e.year)) : 0;
            const bMax = bEvs.length ? Math.max(...bEvs.map(e=>e.year)) : 0;
            return bMax - aMax;
        }).slice(0, 10);

    const allMechTypes = TRADE_CATEGORIES["Mechanical"];
    const mechJobs = properties.filter(p=>p.timeline?.some(e=>allMechTypes.includes

    return (
        <div style={{paddingBottom:48}}>
            {/* Header */}
            <div style={{marginBottom:16}}>
                <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
                <div style={{display:"flex",alignItems:"center",gap:10,marginBottom:4}}>
                    <h2 style={{fontFamily:"'Instrument Serif',serif",fontSize:24,lineHeigh
                    {userTier==="contractor"&&ourJobs.length>=5}&&<div style={{background:`1
                </div>
                <p style={{color:C.muted,fontSize:13}}>All jobs your company has on file
            </div>

            {/* Sub nav */}
            <div style={{display:"flex",gap:6,marginBottom:18,overflowX:"auto",paddingB
                {[["dashboard","Dashboard"],["verified","🏆 Verified"]].map(([k,l])=>(

```

```

        <button key={k} onClick={()=>setContractorTab(k)} style={{background:co
    )}}
</div>

{contractorTab==="verified"&&<VerifiedProgram userTier={userTier} propertie
{contractorTab==="dashboard"&&<div>

{/* Stats row */}
<div style={{display:"grid",gridTemplateColumns:"repeat(3,1fr)",gap:8,margi
    [[
        [ourJobs.length,"Properties","total on file",C.accent],
        [recentJobs.filter(p=>p.timeline?.some(e=>e.ourJob&&e.year===new Date()
        [criticalOurs.length,"Need Attention","aging roofs",C.red],
    ].map(([val,label,sub,col])=>(
        <div key={label} style={{background:C.card,border:`1px solid ${C.border
            <div style={{color:col,fontSize:26,fontWeight:800,lineHeight:1}}>{val
            <div style={{color:C.text,fontSize:11,fontWeight:700,marginTop:4}}>{1
            <div style={{color:C.dim,fontSize:9,marginTop:2}}>{sub}</div>
        </div>
    )}}
</div>

{/* Upgrade prompt for free tier */}
{userTier==="free"&&(
    <div style={{background:C.card,border:`1px solid ${C.accent}44`,borderRad
        <div style={{display:"flex",justifyContent:"space-between",alignItems:"
            <div>
                <div style={{color:C.accent,fontSize:13,fontWeight:700,marginBottom
                <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>Your data i
            </div>
        </div>
        <Btn full color={C.accent} onClick={onUpgrade}>Upgrade to Pro – $49/mo<
        <div style={{color:C.dim,fontSize:11,textAlign:"center",marginTop:8}}>3
    </div>
)}

{/* Quick log button */}
<div style={{background:`linear-gradient(135deg,${C.accent}22,${C.accent}0a
    <div>
        <div style={{color:C.accent,fontSize:14,fontWeight:800,marginBottom:3}}
        <div style={{color:C.muted,fontSize:12}}>Roof, HVAC, plumbing, electric
    </div>
    <Btn small color={C.accent} onClick={onLogJob}>Log Now →</Btn>
</div>

{/* Integrations status */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:

```

```

<div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,
[[
  {name:"CompanyCam",icon:"📷",status:"Connect to sync photos automatical
  {name:"Roofr",icon:"🔧",status:"Connect to sync jobs automatically",con
  {name:"Zapier",icon:"⚡",status:"Connect any CRM via webhook",connected
].map(int=>{
  <div key={int.name} style={{display:"flex",alignItems:"center",gap:12,p
    <span style={{fontSize:20}}>{int.icon}</span>
    <div style={{flex:1}}>
      <div style={{color:C.text,fontSize:13,fontWeight:600}}>{int.name}</
      <div style={{color:C.dim,fontSize:11,marginTop:1}}>{int.status}</di
    </div>
    <div style={{background:int.connected?C.green+"22":C.surface,border:`
      {int.connected?"✓ Connected":"Connect"}
    </div>
  </div>
  )})
  <div style={{color:C.dim,fontSize:11,marginTop:10}}>Requires server - sta
</div>

{/* Mechanical jobs */}
{mechJobs.length>0&&(
  <div style={{marginBottom:20}}>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
    <div style={{display:"flex",flexDirection:"column",gap:8}}>
      {mechJobs.slice(0,5).map(p=>{
        const mechEvs = p.timeline.filter(e=>allMechTypes.includes(e.type) &
        return (
          <div key={p.id} onClick={()=>onSelect(p)} style={{background:C.ca
            onMouseEnter={e=>e.currentTarget.style.borderColor=C.accent}
            onMouseLeave={e=>e.currentTarget.style.borderColor=C.border}>
            <div style={{color:C.text,fontWeight:700,fontSize:13,marginBott
            <div style={{display:"flex",gap:6,flexWrap:"wrap"}}>
              {mechEvs.map(ev=>{
                const tc=TYPE_CFG[ev.type];
                return <span key={ev.id} style={{background:tc.color+"22",c
              })}
            </div>
          </div>
        );
      })}
    </div>
  </div>
)}

{/* Recent jobs */}
<div style={{marginBottom:20}}>

```



```

<div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,
{recentJobs.length===0&&(
  <div style={{textAlign:"center",padding:32,color:C.dim,fontSize:13}}>
    No jobs logged yet. Tap "Log Now" to add your first job.
  </div>
)}
<div style={{display:"flex",flexDirection:"column",gap:8}}>
  {recentJobs.map(p=>{
    const latestJob = [...(p.timeline||[])].filter(e=>e.ourJob).sort((a,b
    const s = STATUS[p.roofStatus];
    return (
      <div key={p.id} onClick={()=>onSelect(p)} style={{background:C.card
        onMouseEnter={e=>e.currentTarget.style.borderColor=C.accent}
        onMouseLeave={e=>e.currentTarget.style.borderColor=C.accent+"33"}
        <div style={{display:"flex",justifyContent:"space-between",alignI
          <div style={{flex:1,minWidth:0}}>
            <div style={{display:"flex",alignItems:"center",gap:6,marginB
              <div style={{color:C.text,fontWeight:700,fontSize:14}}>{p.a
                < Pill color={C.accent}>Our Work</Pill>
              </div>
            <div style={{color:C.muted,fontSize:12}}>{p.city}, {p.state}<
              {latestJob&&(
                <div style={{color:C.accent,fontSize:11,marginTop:4}}>
                  {TYPE_CFG[latestJob.type]?.icon} {latestJob.label} · {lat
                </div>
              )}
            </div>
          <div style={{textAlign:"right",flexShrink:0}}>
            <div style={{color:s.color,fontWeight:800,fontSize:20,lineHei
              <Badge status={p.roofStatus} small/>
            </div>
          </div>
        </div>
      )}
    )}
  </div>
)}
</div>
</div>

{/* Aging roofs from our jobs */}
{criticalOurs.length>0&&(
  <div>
    <div style={{color:C.red,fontSize:11,fontWeight:700,letterSpacing:1,
    <div style={{display:"flex",flexDirection:"column",gap:8}}>
      {criticalOurs.map(p=>{
        <div key={p.id} onClick={()=>onSelect(p)} style={{background:C.red+
          <div style={{display:"flex",justifyContent:"space-between",alignI
            <div>

```

```

        <div style={{color:C.text,fontWeight:700,fontSize:14}}>{p.add
        <div style={{color:C.muted,fontSize:12,marginTop:2}}>{p.city}
        </div>
        <div style={{color:C.red,fontWeight:800,fontSize:20}}>{p.roofAg
        </div>
        </div>
        )}}
    </div>
</div>
)}
</div>
</div>
);
}

```

// — Documents Folder

// — Point of Sale Inspection Upload

```

function SaleInspectionUpload({property, onComplete}) {
  if(!property) return null;
  const [step, setStep] = useState(1); // 1=who, 2=upload, 3=parse, 4=review, 5=d
  const [role, setRole] = useState(null);
  const [file, setFile] = useState(null);
  const [parsing, setParsing] = useState(false);
  const [parsed, setParsed] = useState(null);
  const [saleDetails, setSaleDetails] = useState({
    saleDate:"", salePrice:"", buyer:"", seller:"",
    agentBuyer:"", agentSeller:"", inspector:"", inspectorLicense:"",
    inspectionDate:"", inspectionCompany:"",
  });
  const [systemRatings, setSystemRatings] = useState({
    roof:"", hvac:"", plumbing:"", electrical:"",
    foundation:"", windows:"", insulation:"", attic:"",
  });
  const [overallRating, setOverallRating] = useState("good");
  const [keyFindings, setKeyFindings] = useState("");
  const fileRef = useRef();

  const ROLES = [
    {id:"buyer", icon:"🏠", label:"Buyer", desc:"You are purchasing th
    {id:"seller", icon:"💰", label:"Seller", desc:"You are selling this
    {id:"agent", icon:"🤝", label:"Real Estate Agent",desc:"You are representin
    {id:"inspector",icon:"🔍",label:"Home Inspector", desc:"You performed the in
  ];

```

```

const CONDITIONS = [
  {v:"good", l:"Good", c:C.green},
  {v:"fair", l:"Fair", c:C.yellow},
  {v:"poor", l:"Poor", c:C.red},
  {v:"na", l:"N/A", c:C.dim},
];

const SYSTEMS = [
  {key:"roof", icon:"🏠", label:"Roof"},
  {key:"hvac", icon:"❄️", label:"HVAC"},
  {key:"plumbing", icon:"💧", label:"Plumbing"},
  {key:"electrical", icon:"⚡", label:"Electrical"},
  {key:"foundation", icon:"🏠", label:"Foundation"},
  {key:"windows", icon:"🪟", label:"Windows"},
  {key:"insulation", icon:"🔧", label:"Insulation"},
  {key:"attic", icon:"⬆️", label:"Attic"},
];

const parseReport = async () => {
  setParsing(true);
  setStep(3);
  // Simulate AI parsing - in production hits Claude API with PDF content
  await new Promise(r => setTimeout(r, 2500));
  setParsed({
    inspector: "James R. Holloway",
    company: "Southern Illinois Home Inspections",
    license: "IL-INSP-44821",
    date: "2024-01-15",
    pages: 42,
    systems: {
      roof: "fair", hvac: "good", plumbing: "good",
      electrical: "good", foundation: "good",
      windows: "fair", insulation: "fair", attic: "good",
    },
    keyFindings: "Roof showing granule loss consistent with age (16yr). Recomme
    overall: "fair",
  });
  setSystemRatings({roof:"fair",hvac:"good",plumbing:"good",electrical:"good",f
  setOverallRating("fair");
  setKeyFindings("Roof showing granule loss consistent with age (16yr). Recomme
  setParsing(false);
  setStep(4);
};

const handleSave = () => {
  // In production: save to database and attach PDF to documents folder

```

```

onComplete && onComplete({
  type:"home_inspection", role, saleDetails,
  systemRatings, overallRating, keyFindings,
  file: file?.name,
});
setStep(5);
};

if(step===5) return (
  <div style={{textAlign:"center",padding:"48px 0"}}>
    <div style={{fontSize:52,marginBottom:16}}>✔</div>
    <div style={{color:C.green,fontSize:20,fontWeight:800,marginBottom:8}}>Insp
    <div style={{color:C.muted,fontSize:13,lineHeight:1.7,marginBottom:8}}>{pro
    <div style={{background:C.green+"11",border:`1px solid ${C.green}33`,border
      <div style={{display:"flex",flexDirection:"column",gap:6}}>
        {[
          "Inspection report permanently attached to this address",
          "Key findings extracted and added to property timeline",
          "System condition ratings saved to Home Report",
          "PDF stored in HomeStory cloud documents folder",
          "Future buyers and adjusters will see this record",
        ]}.map((t,i)=>(
          <div key={i} style={{display:"flex",gap:8,color:C.muted,fontSize:12}}
            <span style={{color:C.green,flexShrink:0}}>✔</span>{t}
          </div>
        )))
      </div>
    </div>
    <Btn full variant="ghost" onClick={()=>setStep(1)}>Upload Another Report</B
  </div>
);

return (
  <div style={{paddingBottom:40}}>
    {/* Header */}
    <div style={{background:`linear-gradient(135deg,${C.card},${C.card2})`,bord
      <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
        <div style={{color:C.text,fontSize:18,fontWeight:800,marginBottom:4}}>Ins
        <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>{property.address
        <div style={{background:C.blue+"0a",border:`1px solid ${C.blue}33`,border
          <div style={{color:C.blue,fontSize:11,fontWeight:700,marginBottom:3}}>W
          <div style={{color:C.muted,fontSize:11,lineHeight:1.6}}>Home inspection
        </div>
      </div>

    {/* Progress */}
    <div style={{display:"flex",gap:4,marginBottom:24}}>

```

```
{[1,2,4].map(n=><div key={n} style={{flex:1,height:4,borderRadius:2,backg
</div>

{/* Step 1 - Who are you */}
{step===1&&(
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
    <div style={{display:"flex",flexDirection:"column",gap:10,marginBottom:
      {ROLES.map(r=>(
        <div key={r.id} onClick={()=>setRole(r.id)} style={{background:role
          <span style={{fontSize:26,flexShrink:0}}>{r.icon}</span>
          <div>
            <div style={{color:role===r.id?C.accent:C.text,fontSize:14,font
              <div style={{color:C.muted,fontSize:12,marginTop:2}}>{r.desc}</
            </div>
          </div>
        )})
      </div>
    )})
  </div>

  {/* Sale details */}
  {role&&(
    <div style={{background:C.card,border:`1px solid ${C.border}`,borderR
      <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing
      <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10}}>
        {[
          {key:"saleDate", label:"Sale Date", type:"date"},
          {key:"salePrice", label:"Sale Price", placeholder:"$000,000"},
          {key:"buyer", label:"Buyer Name", placeholder:"Full nam
          {key:"seller", label:"Seller Name", placeholder:"Full nam
          {key:"agentBuyer", label:"Buyer's Agent",placeholder:"Agent na
          {key:"agentSeller", label:"Seller's Agent",placeholder:"Agent n
        ]}.map(f=>(
          <div key={f.key}>
            <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransf
              <input type={f.type||"text"} value={saleDetails[f.key]} onCha
                style={{width:"100%",background:C.surface,border:`1px solid
              </div>
            </div>
          </div>
        </div>
      )})
    </div>
  </div>
  <Btn full color={C.accent} disabled={!role} onClick={()=>setStep(2)}>Ne
</div>
) }

{/* Step 2 - Upload */}
```

```

{step===2&&(
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t

    {!file?(
      <div>
        <div onClick={()=>fileRef.current.click()} style={{border:`2px dash
          <div style={{fontSize:44,marginBottom:12}}><img alt="document icon" data-bbox="683 181 698 196"/></div>
          <div style={{color:C.text,fontSize:16,fontWeight:700,marginBottom
            <div style={{color:C.muted,fontSize:13,marginBottom:8}}>Tap to ch
              <div style={{color:C.dim,fontSize:11}}>PDF · JPG · PNG – report,
            </div>
          <input ref={fileRef} type="file" accept=".pdf,.jpg,.jpeg,.png" styl

          <div style={{background:C.card,border:`1px solid ${C.border}`,borde
            <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransfo
              <div style={{color:C.muted,fontSize:12,lineHeight:1.7,marginBotto
                <Btn small variant="ghost" onClick={()=>setStep(4)}>Enter Manuall
              </div>
            </div>
          </div>
        ):(
          <div>
            <div style={{background:C.green+"11",border:`1px solid ${C.green}33
              <span style={{fontSize:28,flexShrink:0}}><img alt="document icon" data-bbox="663 488 678 503"/></span>
              <div style={{flex:1}}>
                <div style={{color:C.green,fontSize:13,fontWeight:700,marginBot
                  <div style={{color:C.muted,fontSize:12}}>{file.name}</div>
                  <div style={{color:C.dim,fontSize:11,marginTop:2}}>{file.size}>1
                </div>
                <button onClick={()=>setFile(null)} style={{background:"none",bor
              </div>

            <div style={{background:C.blue+"0a",border:`1px solid ${C.blue}33`,
              <div style={{color:C.blue,fontSize:12,fontWeight:700,marginBottom
                <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>HomeStory
              </div>
            </div>
          </div>
        )}

      <div style={{display:"flex",gap:10}}>
        <Btn variant="ghost" small onClick={()=>setStep(1)}>← Back</Btn>
        <Btn full color={C.accent} disabled={!file&&step!==2} onClick={file?p
          {file?"🤖 Parse Report with AI →":"Enter Manually →"}
        </Btn>
      </div>
    </div>
  </div>
)}

```

```

{/* Step 3 - Parsing */}
{step===3&&(
  <div style={{textAlign:"center",padding:"48px 20px"}}>
    <div style={{marginBottom:24}}>
      <Spinner size={48}/>
    </div>
    <div style={{color:C.text,fontSize:17,fontWeight:700,marginBottom:8}}>R
    <div style={{color:C.muted,fontSize:13,lineHeight:1.7,maxWidth:300,marg
      HomeStory AI is extracting system ratings, key findings, inspector de
    </div>
    <div style={{marginTop:24,display:"flex",flexDirection:"column",gap:8,m
      [{"Identifying property details","Reading system condition ratings","
        <div key={i} style={{display:"flex",alignItems:"center",gap:10}}>
          <div style={{width:16,height:16,borderRadius:"50%",background:C.a
            <div style={{width:6,height:6,borderRadius:"50%",background:C.a
          </div>
          <div style={{color:C.muted,fontSize:12}}><t}</div>
        </div>
      )})
    </div>
  </div>
)}

{/* Step 4 - Review / Manual entry */}
{step===4&&(
  <div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
      {parsed?"Review Parsed Data":"Enter Inspection Details"}
    </div>

    {parsed&&(
      <div style={{background:C.green+"0a",border:`1px solid ${C.green}33`,
        <span style={{fontSize:16}}><img alt="AI icon" data-bbox="525 680 540 695"/></span>
        <div style={{color:C.green,fontSize:12,fontWeight:700}}>>AI parsed {
      </div>
    )}

    {/* Inspector details */}
    <div style={{background:C.card,border:`1px solid ${C.border}` ,borderRad
      <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"
      <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:10}}>
        {[
          {key:"inspector",          label:"Inspector Name",      placeholder:"
          {key:"inspectorLicense",  label:"License #",          placeholder:"
          {key:"inspectionCompany", label:"Company",              placeholder:"
          {key:"inspectionDate",    label:"Inspection Date",     type:"date",

```

```

].map(f=>{
  <div key={f.key}>
    <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransfor
      <input type={f.type||"text"} defaultValue={f.val} onChange={e=>
        style={{width:"100%",background:C.surface,border:`1px solid $
      </div>
    }}}
  </div>
</div>

{/* Overall rating */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRad
  <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"
  <div style={{display:"flex",gap:8,marginBottom:8}}>
    {CONDITIONS.filter(c=>c.v!=="na").map(c=>{
      <div key={c.v} onClick={()=>setOverallRating(c.v)} style={{flex:1
        <div style={{color:overallRating===c.v?c.c:C.muted,fontSize:13,
        </div>
      }}}
    </div>
  </div>
</div>

{/* System ratings */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRad
  <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"
  <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8}}>
    {SYSTEMS.map(sys=>{
      <div key={sys.key} style={{background:C.surface,borderRadius:10,p
        <div style={{display:"flex",alignItems:"center",gap:6,marginBot
          <span style={{fontSize:14}}>{sys.icon}</span>
          <span style={{color:C.text,fontSize:12,fontWeight:600}}>{sys.
        </div>
      <div style={{display:"flex",gap:4}}>
        {CONDITIONS.map(c=>{
          <div key={c.v} onClick={()=>setSystemRatings(p=>({...p,[sys
            style={{flex:1,background:systemRatings[sys.key]===c.v?c.
            <span style={{color:systemRatings[sys.key]===c.v?c.c:C.di
          </div>
        }}}
      </div>
    </div>
  </div>
  </div>
  </div>
  </div>

{/* Key findings */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRad

```



```

<div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"
<textarea value={keyFindings} onChange={e=>setKeyFindings(e.target.va
placeholder="Summary of key findings, items needing attention, and
style={{width:"100%",background:C.surface,border:`1px solid ${C.bor
</div>

{/* What gets saved */}
<div style={{background:C.accent+"0a",border:`1px solid ${C.accent}33`,
  <div style={{color:C.accent,fontSize:11,fontWeight:700,marginBottom:6
  <div style={{display:"flex",flexDirection:"column",gap:5}}>
    {[
      "Inspection report PDF → Documents folder",
      "System ratings → Home Report and timeline",
      "Key findings → Property timeline entry",
      "Inspector credentials → Verified source tag",
      "Sale details → Ownership history",
    ]}.map((t,i)=>(
      <div key={i} style={{display:"flex",gap:8,color:C.muted,fontSize:
        <span style={{color:C.accent,flexShrink:0}}>✓</span><t>
      </div>
    )))
  </div>
</div>

<div style={{display:"flex",gap:10}}>
  <Btn variant="ghost" small onClick={()=>setStep(file?2:1)}>← Back</Bt
  <Btn full color={C.accent} onClick={handleSave}>Save to HomeStory →</
</div>
</div>
  )}
</div>
);
}

```

```

function DocumentsFolder({property}) {
  const [docs, setDocs] = useState([
    {id:"d1",name:"Move-In Inspection – Apr 2021.pdf", type:"inspection",size:"1
    {id:"d2",name:"Lease Agreement – 2021-2022.pdf", type:"lease", size:"
    {id:"d3",name:"HomeStory Home Report.pdf", type:"report", size:"
    {id:"d4",name:"Roof Warranty – GAF 30yr.pdf", type:"warranty", size:"
    {id:"d5",name:"Insurance Certificate 2024.pdf", type:"insurance", size:"
  ]);
  const [filter,setFilter]=useState("all");
  const [uploading,setUploading]=useState(false);
  const fileRef=useRef();
}

```

```

const DOC_TYPES=[{id:"all",label:"All"},{id:"inspection",label:"Inspections"},{
const TYPE_COLORS={inspection:C.blue,lease:C.purple,warranty:C.accent,insurance

const handleUpload=(files)=>{
  setUploading(true);
  Array.from(files).forEach(file=>{
    setTimeout(()=>{
      setDocs(prev=>[{id:`d-${Date.now()}`,name:file.name,type:"other",size:fil
      setUploading(false);
    },600);
  });
};

const filtered=filter==="all"?docs:docs.filter(d=>d.type===filter);

return (
  <div>
    <div style={{display:"flex",justifyContent:"space-between",alignItems:"cent
      <div><div style={{color:C.text,fontSize:15,fontWeight:800}}><img alt="document icon" data-bbox="765 392 785 405"/> Documents<
      <button onClick={()=>fileRef.current.click()} style={{background:C.accent
        {uploading?<Spinner size={12}/>:"+"} Upload
      </button>
      <input ref={fileRef} type="file" multiple accept=".pdf,.jpg,.png,.doc,.do
    </div>

    <div style={{display:"flex",gap:6,overflowX:"auto",paddingBottom:8,marginBo
      {DOC_TYPES.map(t=>{
        <button key={t.id} onClick={()=>setFilter(t.id)} style={{background:fil
      })}
    </div>

    <div onClick={()=>fileRef.current.click()} style={{border:`2px dashed ${C.b
      <div style={{fontSize:24,marginBottom:6}}><img alt="paperclip icon" data-bbox="595 658 615 675"/> </div>
      <div style={{color:C.muted,fontSize:13}}>Drop files or <span style={{colo
      <div style={{color:C.dim,fontSize:11,marginTop:4}}>PDF, JPG, PNG – inspec
    </div>

    <div style={{display:"flex",flexDirection:"column",gap:8}}>
      {filtered.map(doc=>{
        const col=TYPE_COLORS[doc.type]||C.muted;
        return (
          <div key={doc.id} style={{background:C.card,border:`1px solid ${C.bor
            <div style={{width:42,height:42,borderRadius:10;background:col+"22"
              <div style={{flex:1,minWidth:0}}>
                <div style={{color:C.text,fontSize:13,fontWeight:600,marginBottom
                  <div style={{display:"flex",gap:8,alignItems:"center",flexWrap:"w
                    <span style={{background:col+"22",color:col,borderRadius:4,padd

```

```

        <span style={{color:C.dim,fontSize:11}}>{doc.size}</span>
        <span style={{color:C.dim,fontSize:11}}>{doc.date}</span>
      </div>
    </div>
    <div style={{display:"flex",gap:6,flexShrink:0}}>
      <button style={{background:"none",border:`1px solid ${C.border}`,
      <button onClick={()=>setDocs(prev=>prev.filter(d=>d.id!==doc.id))
    </div>
  </div>
  );
  }}}
  {!filtered.length&&<div style={{textAlign:"center",padding:"32px 0",color
</div>

<div style={{background:C.accent+"0a",border:`1px solid ${C.accent}33`,bord
  <div style={{color:C.accent,fontSize:11,fontWeight:700,marginBottom:4}}>A
  <div style={{color:C.muted,fontSize:12,lineHeight:1.6}}>Home Reports and
</div>
</div>
);
}

```

```

// — CSV Import Screen —————
function CSVImportScreen({onComplete}) {
  const [status, setStatus] = useState("idle"); // idle | parsing | uploading | d
  const [result, setResult] = useState(null);
  const [preview, setPreview] = useState([]);
  const fileRef = useRef();

  const parseCSV = (text) => {
    const lines = text.split("\n").filter(l=>l.trim());
    const headers = lines[0].split(",").map(h=>h.replace(/"/g,"").trim());
    const rows = [];
    for(let i=1;i<lines.length;i++) {
      const vals = [];
      let cur = "", inQ = false;
      for(const ch of lines[i]) {
        if(ch==='\"') inQ=!inQ;
        else if(ch===',"&&!inQ) { vals.push(cur.trim()); cur=""; }
        else cur+=ch;
      }
      vals.push(cur.trim());
      const row = {};
      headers.forEach((h,j)=>{ row[h]=vals[j]||""; });
    }
  }
}

```

```

        rows.push(row);
    }
    return rows;
};

const handleFile = async (file) => {
    if(!file) return;
    setStatus("parsing");
    const text = await file.text();
    const rows = parseCSV(text);
    setPreview(rows.slice(0,5));
    setStatus("ready");
    window._csvRows = rows;
};

const handleImport = async () => {
    const rows = window._csvRows;
    if(!rows||!rows.length) return;
    setStatus("uploading");
    try {
        const res = await fetch("https://homestory-server-production.up.railway.app
            method:"POST",
            headers:{"Content-Type":"application/json"},
            body: JSON.stringify({rows}),
        });
        const data = await res.json();
        setResult(data);
        setStatus("done");
    } catch(err) {
        setStatus("error");
        setResult({error: err.message});
    }
};

return (
    <div style={{paddingBottom:40}}>
        <div style={{marginBottom:20}}>
            <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
            <h2 style={{fontFamily:"'Instrument Serif',serif",fontSize:24,letterSpaci
            <p style={{color:C.muted,fontSize:13,lineHeight:1.7}}>Upload your Roofr j
        </div>

        {status==="idle"&&(
            <div>
                <div onClick={()=>fileRef.current.click()} style={{border:`2px dashed $
                <div style={{fontSize:40,marginBottom:10}}><img alt="upload icon" data-bbox="645 910 665 925" style="vertical-align: middle;"/></div>
                <div style={{color:C.text,fontSize:15,fontWeight:700,marginBottom:6}}>

```

```

    <div style={{color:C.muted,fontSize:13}}>job-report-export-*.csv</div>
  </div>
  <input ref={fileRef} type="file" accept=".csv" style={{display:"none"}}
  <div style={{background:C.card,border:`1px solid ${C.border}`,borderRad
    <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransform:"
      [{"1. Go to Jobs in Roofr","2. Click Export or Download","3. Select A
        <div key={i} style={{color:C.muted,fontSize:13,padding:"4px 0"}}>{s
          )}}
        </div>
      </div>
    </div>
  )}

{status==="parsing"&&(
  <div style={{textAlign:"center",padding:"48px 0"}}>
    <Spinner size={40}/>
    <div style={{color:C.muted,fontSize:14,marginTop:16}}>Reading CSV file.
  </div>
)}

{status==="ready"&&(
  <div>
    <div style={{background:C.green+"0a",border:`1px solid ${C.green}33`,bo
      <div style={{color:C.green,fontSize:14,fontWeight:700,marginBottom:4}
        <div style={{color:C.muted,fontSize:12}}>Preview of first 5 rows:</di
      </div>
      {preview.map((row,i)=>(
        <div key={i} style={{background:C.card,border:`1px solid ${C.border}`}
          <div style={{color:C.text,fontSize:13,fontWeight:600,marginBottom:2
            <div style={{display:"flex",gap:8,flexWrap:"wrap"}}>
              <Pill color={row["Stage category"]==="Completed"?C.green:row["Sta
                {row["Customer name"]}&&<Pill color={C.dim}>{row["Customer name"]}
                {parseFloat(row["Job value"])>0&&<Pill color={C.accent}>${parseFl
              </div>
            </div>
          )}}
        <div style={{marginTop:16,display:"flex",gap:10}}>
          <Btn variant="ghost" onClick={()=>{setStatus("idle");setPreview([]);}
          <Btn full color={C.accent} onClick={handleImport}>Import All {window.
        </div>
      </div>
    )}

{status==="uploading"&&(
  <div style={{textAlign:"center",padding:"48px 0"}}>
    <Spinner size={40}/>
    <div style={{color:C.text,fontSize:16,fontWeight:700,marginTop:16,margi
      <div style={{color:C.muted,fontSize:13}}>Building your Southern Illinois

```

```

    </div>
  ))

  {status=== "done"&&result&&(
    <div style={{textAlign:"center",padding:"32px 0"}}>
      <div style={{fontSize:52,marginBottom:16}}>✓</div>
      <div style={{color:C.green,fontSize:20,fontWeight:800,marginBottom:8}}>
        <div style={{display:"grid",gridTemplateColumns:"repeat(3,1fr)",gap:10,
          [[["Imported",result.imported,C.green],["Skipped",result.skipped,C.ye
            <div key={1} style={{background:C.card,border:`1px solid ${c}33`,bo
              <div style={{color:c,fontSize:24,fontWeight:800}}>{v}</div>
              <div style={{color:C.muted,fontSize:11,fontWeight:700,textTransfo
                </div>
            )]]}
          </div>
          <div style={{color:C.muted,fontSize:13,marginBottom:24}}>Your property
          <Btn full color={C.accent} onClick={()=>{setStatus("idle");onComplete&&
        </div>
      )}
    </div>

    {status=== "error"&&(
      <div style={{textAlign:"center",padding:"32px 0"}}>
        <div style={{fontSize:40,marginBottom:12}}>✗</div>
        <div style={{color:C.red,fontSize:16,fontWeight:700,marginBottom:8}}>Im
        <div style={{color:C.muted,fontSize:13,marginBottom:16}}>{result?.error
        <Btn variant="ghost" onClick={()=>setStatus("idle")}>Try Again</Btn>
      </div>
    )}
  </div>
);
}

```

```

// — Cloud Storage UI —————
function CloudStoragePanel({userTier}) {
  const [status, setStatus] = useState("checking"); // checking | connected | off
  const [stats, setStats] = useState({photos:0, size:"0 MB", properties:0});
  const [uploading, setUploading] = useState(false);
  const [recentUploads, setRecentUploads] = useState([
    {id:"u1", name:"5814 Northwind Dr – Roof After.jpg", property:"5814 Northwi
    {id:"u2", name:"1847 Oak Ridge – Pre-Loss Hail.jpg", property:"1847 Oak Rid
    {id:"u3", name:"Tenant Request – Dripping Faucet.jpg", property:"5814 Northwi
    {id:"u4", name:"Move-In Inspection – Unit 2.jpg", property:"1847 Oak Rid
  ]);
  const fileRef = useRef();

  useEffect(()=>{

```

```

    fetch("https://homestory-server-production.up.railway.app/api/storage/status"
      .then(r=>r.json())
      .then(d=>{ setStatus(d.configured?"connected":"offline"); setStats({photos:
        .catch(()=>setStatus("offline")));
    },[]);

const handleUpload = async (files) => {
  setUploading(true);
  for(const file of Array.from(files)) {
    await new Promise(resolve => {
      const reader = new FileReader();
      reader.onload = async e => {
        const base64 = e.target.result.split(",")[1];
        if(status==="connected") {
          try {
            await fetch("https://homestory-server-production.up.railway.app/api
              method:"POST",
              headers:{"Content-Type":"application/json"},
              body: JSON.stringify({ imageBase64:base64, mediaType:file.type, s
            });
          } catch(err) { console.error(err); }
        }
      }
      setRecentUploads(prev=>[
        id:`u-${Date.now()}`, name:file.name, property:"Manual Upload",
        size: file.size>1000000?(file.size/1000000).toFixed(1)+" MB":Math.rou
        source:"Upload", time:"Just now", synced:status==="connected",
      ],...prev]);
      resolve();
    });
    reader.readAsDataURL(file);
  }
  setUploading(false);
};

const SOURCE_COLORS = { CompanyCam:C.accent, Upload:C.blue, Tenant:C.purple, Ro

return (
  <div style={{paddingBottom:40}}>
    <div style={{marginBottom:20}}>
      <div style={{color:C.accent,fontSize:10,fontWeight:700,letterSpacing:2,te
        <h2 style={{fontFamily:"'Instrument Serif',serif",fontSize:24,lineHeight:
          <p style={{color:C.muted,fontSize:13}}>Every photo from every source – Co
        </div>

      {/* Status card */}
      <div style={{background:C.card,border:`1px solid ${status==="connected"?C.g

```

```

<div style={{display:"flex",alignItems:"center",gap:12,marginBottom:16}}>
  <div style={{fontSize:32}}><img alt="Cloudflare icon" data-bbox="478 68 498 82"/></div>
  <div style={{flex:1}}>
    <div style={{display:"flex",alignItems:"center",gap:8,marginBottom:3}}
      <div style={{color:C.text,fontSize:15,fontWeight:800}}>Cloudflare R
      <div style={{width:8,height:8,borderRadius:"50%",background:status=
        <span style={{color:status==="connected"?C.green:status==="checking
          {status==="connected"?"Connected":status==="checking"?"Checking..
        </span>
      </div>
    </div>
    <div style={{color:C.muted,fontSize:12}}>Global CDN · No egress fees
  </div>
</div>

{/* Stats */}
<div style={{display:"grid",gridTemplateColumns:"repeat(3,1fr)",gap:10,ma
  {[
    ["<img alt="camera icon" data-bbox="261 378 278 391"/>",stats.photos,"Photos stored"],
    ["<img alt="storage icon" data-bbox="261 394 278 407"/>",stats.size,"Total size"],
    ["<img alt="house icon" data-bbox="261 410 278 423"/>",stats.properties,"Properties"],
  ]}.map(([icon,val,label])=>(
    <div key={label} style={{background:C.surface,borderRadius:10,padding
      <div style={{fontSize:18,marginBottom:4}}><img alt={icon} data-bbox={icon}/></div>
      <div style={{color:C.text,fontSize:16,fontWeight:800}}><val></div>
      <div style={{color:C.dim,fontSize:9,fontWeight:700,textTransform:"u
    </div>
  )))
</div>

{status!=="connected"&&(
  <div style={{background:C.yellow+"0a",border:`1px solid ${C.yellow}33`,
    <div style={{color:C.yellow,fontSize:11,fontWeight:700,marginBottom:3
      <div style={{color:C.muted,fontSize:11,lineHeight:1.6}}>Start your se
    </div>
  )}
</div>

{/* Auto-sync sources */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,tex
    {[
      {icon:"<img alt="camera icon" data-bbox="294 834 311 847"/>",name:"CompanyCam",      desc:"Photos sync the moment your cre
      {icon:"<img alt="roof icon" data-bbox="294 850 311 863"/>",name:"Roofr",          desc:"Job completion photos attached
      {icon:"<img alt="people icon" data-bbox="294 866 311 879"/>",name:"Tenant Requests",desc:"Maintenance request photos save
      {icon:"<img alt="calendar icon" data-bbox="294 882 311 895"/>",name:"Inspections",    desc:"Move-in, move-out, and routine
    ]}.map(src=>(
      <div key={src.name} style={{display:"flex",alignItems:"center",gap:12,p

```



```

        <span style={{fontSize:22,width:32,textAlign:"center"}}>{src.icon}</s
    <div style={{flex:1}}>
        <div style={{color:C.text,fontSize:13,fontWeight:600}}>{src.name}</
        <div style={{color:C.dim,fontSize:11,marginTop:1}}>{src.desc}</div>
    </div>
    <div style={{background:src.connected?C.green+"22":C.surface,border:`
        {src.connected?"✓ Active":"Connect"}
    </div>
</div>
    )})
</div>

{/* Manual upload */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,te
    <div onClick={()=>fileRef.current.click()} style={{border:`2px dashed ${C
        {uploading?<div style={{display:"flex",alignItems:"center",justifyConte
            :<div><div style={{fontSize:32,marginBottom:8}}><img alt="upload icon" data-bbox="675 375 695 390"/></div><div style={{cc
        </div>
    <input ref={fileRef} type="file" accept="image/*" multiple style={{displa
</div>

{/* Recent uploads */}
<div>
    <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,te
    <div style={{display:"flex",flexDirection:"column",gap:8}}>
        {recentUploads.map(u=>{
            const col = SOURCE_COLORS[u.source]||C.muted;
            return (
                <div key={u.id} style={{background:C.card,border:`1px solid ${C.bor
                    <div style={{width:40,height:40,borderRadius:9,background:col+"22
                    <div style={{flex:1,minWidth:0}}>
                        <div style={{color:C.text,fontSize:12,fontWeight:600,overflow:"
                        <div style={{display:"flex",gap:6,alignItems:"center",flexWrap:
                            <span style={{background:col+"22",color:col,borderRadius:4,pa
                            <span style={{color:C.dim,fontSize:10}}>{u.size}</span>
                            <span style={{color:C.dim,fontSize:10}}>{u.time}</span>
                        </div>
                        <div style={{color:C.dim,fontSize:10,marginTop:2}}><img alt="flag icon" data-bbox="780 775 795 790"/> {u.proper
                    </div>
                    <div style={{display:"flex",flexDirection:"column",alignItems:"ce
                        {u.synced
                            ?<span style={{color:C.green,fontSize:16}}><img alt="cloud icon" data-bbox="725 855 745 870"/></span>
                            :<Spinner size={14}/>
                        }
                    <span style={{color:u.synced?C.green:C.muted,fontSize:8,fontWei
                    </div>

```

```

        </div>
      );
    }
  }
</div>
</div>

{/* Storage info */}
<div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
  <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,tex
    <div style={{display:"flex",flexDirection:"column",gap:8}}>
      {[
        {icon:"☁️",text:"Powered by Cloudflare R2 – global CDN, 99.9% uptime"
        {icon:"🔒",text:"Photos are private by default – access controlled by
        {icon:"♾️",text:"Permanent storage – photos never expire or get delet
        {icon:"💰",text:"Included with Pro and Landlord subscriptions · Free
        {icon:"📍",text:"GPS metadata preserved – photos are verifiably tied
      ].map((item,i)=>(
        <div key={i} style={{display:"flex",gap:10,alignItems:"flex-start"}}>
          <span style={{fontSize:16,flexShrink:0}}>{item.icon}</span>
          <div style={{color:C.muted,fontSize:12,lineHeight:1.5}}>{item.text}
        </div>
      </div>
    </div>
  </div>
);
}

```

```

// — Privacy Settings —————
const PRIVACY_LEVELS = {
  private: { icon:"🔒", label:"Private",          color:C.red,    desc:"Only your
  team:    { icon:"👥", label:"Team",              color:C.blue,   desc:"You and
  role:    { icon:"👤", label:"Role-Based",        color:C.accent, desc:"Relevant
  purchased:{ icon:"💳", label:"Paid & Shareable", color:C.purple, desc:"Generate
  public:  { icon:"🌐", label:"Public",            color:C.green,  desc:"Anyone w
};

```

```

function PrivacyBadge({level, small}) {
  const cfg = PRIVACY_LEVELS[level]||PRIVACY_LEVELS.private;
  return <span style={{display:"inline-flex",alignItems:"center",gap:4,background
}

```

```

function PrivacyPicker({value, onChange, label}) {
  const [open, setOpen] = useState(false);
  const cfg = PRIVACY_LEVELS[value]||PRIVACY_LEVELS.private;
  return (

```

```

<div style={{position:"relative"}}>
  {label}&&<div style={{color:C.muted,fontSize:10,fontWeight:700,textTransform
<div onClick={()=>setOpen(!open)} style={{background:C.card,border:`1px sol
  <div style={{display:"flex",alignItems:"center",gap:8}}>
    <span style={{fontSize:16}}><cfg.icon></span>
    <div><div style={{color:cfg.color,fontSize:12,fontWeight:700}}><cfg.lab
  </div>
  <span style={{color:C.dim,fontSize:12}}>>▼</span>
</div>
{open}&&(
  <div style={{position:"absolute",top:"100%",left:0,right:0;background:C.s
    {Object.entries(PrivacyLevels).map(([key,c])=>(
      <div key={key} onClick={()=>{onChange(key);setOpen(false);}} style={{
        onMouseEnter={e=>e.currentTarget.style.background=C.card}
        onMouseLeave={e=>e.currentTarget.style.background="transparent"}>
        <span style={{fontSize:18}}><c.icon></span>
        <div><div style={{color:C.text,fontSize:13,fontWeight:700}}><c.labe
      </div>
    ))}
  </div>
)}
</div>
);
}

```

```

function PrivacySettings({property}) {
  const [settings, setSettings] = useState({
    homeReport:"purchased", contractorNotes:"private", landlordNotes:"private",
    adjusterNotes:"role", measurements:"private", jobPhotos:"role",
    inspectionDocs:"team", financialData:"private", tenantInfo:"private",
    claimHistory:"role", documents:"team",
  });
  const [saved, setSaved] = useState(false);

  const GROUPS = [
    {label:"Reports & Data", icon:"📁", items:[
      {key:"homeReport", label:"Home Report", desc:"Generated after paym
      {key:"claimHistory", label:"Claim History", desc:"Prior insurance clai
      {key:"measurements", label:"Measurements", desc:"EagleView / Roofr me
    ]},
    {label:"Notes", icon:"📝", items:[
      {key:"contractorNotes", label:"Contractor Notes", desc:"Field notes from co
      {key:"landlordNotes", label:"Landlord Notes", desc:"Property management
      {key:"adjusterNotes", label:"Adjuster Notes", desc:"Insurance claim doc
    ]},
    {label:"Documentation", icon:"📁", items:[
      {key:"jobPhotos", label:"Job Photos", desc:"Photos from contra

```

```

    {key:"inspectionDocs", label:"Inspection Records", desc:"Move-in, move-out,
    {key:"documents", label:"Document Folder", desc:"Leases, warranties
  ]},
  {label:"Sensitive Data", icon:"🔒", items:[
    {key:"tenantInfo", label:"Tenant Information", desc:"Names, contact info
    {key:"financialData", label:"Financial Data", desc:"Rent amounts, depos
  ]},
];

return (
  <div>
    {/* Legend */}
    <div style={{background:C.card,border:`1px solid ${C.border}`,borderRadius:
      <div style={{color:C.text,fontSize:14,fontWeight:800,marginBottom:12}}>🔒
      <div style={{color:C.muted,fontSize:12,lineHeight:1.6,marginBottom:12}}>C
      <div style={{background:C.purple+"0a",border:`1px solid ${C.purple}33`,bo
        <div style={{color:C.purple,fontSize:11,fontWeight:700,marginBottom:3}}
        <div style={{color:C.muted,fontSize:11,lineHeight:1.6}}>Privacy control
      </div>
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8}}>
      {Object.entries(PRIVACY_LEVELS).map(([key,cfg])=>(
        <div key={key} style={{background:C.surface,borderRadius:8,padding:"8
          <span style={{fontSize:16}}>{cfg.icon}</span>
          <div><div style={{color:cfg.color,fontSize:11,fontWeight:700}}>{cfg
            </div>
        )))}
    </div>
  </div>

  {GROUPS.map(group=>(
    <div key={group.label} style={{background:C.card,border:`1px solid ${C.bo
      <div style={{color:C.muted,fontSize:11,fontWeight:700,letterSpacing:1,t
      <div style={{display:"flex",flexDirection:"column",gap:16}}>
        {group.items.map(item=>(
          <div key={item.key}>
            <div style={{display:"flex",justifyContent:"space-between",alignI
              <div><div style={{color:C.text,fontSize:13,fontWeight:600}}>{it
                <PrivacyBadge level={settings[item.key]} small/>
              </div>
            <PrivacyPicker value={settings[item.key]} onChange={val=>setSetti
          </div>
        )))}
      </div>
    </div>
  )))}

  <div style={{background:C.blue+"0a",border:`1px solid ${C.blue}33`,borderRa

```

```

    <div style={{color:C.blue,fontSize:12,fontWeight:700,marginBottom:4}}>Rol
    <div style={{color:C.muted,fontSize:12,lineHeight:1.7}}>Role-Based means
  </div>

  <div style={{display:"flex",alignItems:"center",gap:12}}>
    <Btn full color={C.accent} onClick={()=>{setSaved(true);setTimeout(()=>se
      {saved&&<span style={{color:C.green,fontSize:12,fontWeight:700,flexShrink
    </div>
  </div>
);
}

export default function HomeStory() {
  const [screen,setScreen]=useState("role_select"); // role_select | landing | se
  const [selected,setSelected]=useState(null);
  const [properties,setProperties]=useState(DEMO_PROPERTIES);
  const [userTier,setUserTier]=useState("contractor");

  useEffect(()=>{
    fetch("https://homestory-server-production.up.railway.app/api/properties")
      .then(r=>r.json())
      .then(data=>{
        if(!data.properties||!data.properties.length) return;
        const dbProps=data.properties.map(p=>({
          id:"db-"+p.id,
          address:p.address||"Unknown",
          city:p.city||"",
          state:p.state||"IL",
          zip:p.zip||"",
          yearBuilt:p.year_built||1990,
          sqft:p.sqft||1500,
          stories:1,
          style:p.style||"Ranch",
          lastRoof:p.last_roof||2010,
          roofMaterial:p.roof_material||"Unknown",
          roofWarranty:p.roof_warranty||"Unknown",
          roofAge:p.roof_age||15,
          roofStatus:(p.roof_status&&p.roof_status!=="unknown"?p.roof_status:"ag
          ourJob:true,
          ownerName:p.owner_name||"",
          notes:p.notes||"",
          claimHistory:[],
          timeline:(p.timeline||[]).filter(Boolean).map(e=>({
            id:"ev-"+e.id,
            year:e.year||new Date().getFullYear(),
            type:e.type||"roof",
            label:e.label||"Job logged",

```

```

        note:e.note||"",
        source:e.source||"Our Work",
        verified:e.verified!==false,
        ourJob:e.our_job||false,
    })),
    photos:[],
    buildings:[{id:"main_house",type:"main_house",icon:"🏠",label:"Main Hou
    )});
    setProperties(prev=>[...dbProps,...DEMO_PROPERTIES]);
  })
  .catch(()=>{});
},[]);
// free | contractor | adjuster | landlord
const [userRole,setUserRole]=useState(null); // null | contractor | landlord |
const [showPaywall,setShowPaywall]=useState(null); // null or feature name
const [listingProperty,setListingProperty]=useState(null);
const [tenantRequestProp,setTenantRequestProp]=useState(null);
const [paidReports,setPaidReports]=useState([]);
const [regridToken,setRegridToken]=useState("");
const [menuOpen,setMenuOpen]=useState(false);
const [navOpen,setNavOpen]=useState(false);

useEffect(()=>{
  (async())=>{const saved=await storageGet("hs:regrid");if(saved)setRegridToken(
  },[]);
useEffect(()=>{if(regridToken)storageSet("hs:regrid",regridToken);},[regridToke

const handleSelect=(p)=>{setSelected(p);setScreen("property");};
const handleBack=(p)=>{setScreen("search");setSelected(null);};

return (
  <div style={{minHeight:"100vh",background:C.bg,fontFamily:"'DM Sans','Helveti
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Instrument+Serif:it
      @keyframes spin{to{transform:rotate(360deg)}}
      @keyframes pulse{0%,100%{opacity:1}50%{opacity:0.4}}
      *{box-sizing:border-box;-webkit-tap-highlight-color:transparent}
      input,textarea,select{font-size:16px!important;-webkit-appearance:none}
      input::placeholder,textarea::placeholder{color:#2d3f5e}
      ::-webkit-scrollbar{width:4px;height:4px}
      ::-webkit-scrollbar-thumb{background:#1e2d47;border-radius:2px}
      button{touch-action:manipulation}
    `}</style>

    {/* Nav */}
    <div style={{background:"rgba(8,11,18,0.92)",backdropFilter:"blur(20px)",bo
      {/* Dropdown menu */}

```

```

{navOpen&&(
  <div style={{position:"absolute",top:56,left:0,right:0;background:C.sur
    {[
      {icon:"🏠",label:"Home",screen:"landing"},
      {icon:"🔍",label:"Search Properties",screen:"search"},
      {icon:"📝",label:"Upload Inspection Report",screen:"sale_inspection"},
      {icon:"🏠",label:"Landlord Hub",screen:"landlord"},
      {icon:"⚡",label:"Log a Job",screen:"log"},
      {icon:"🔧",label:"Contractor Pro",screen:"contractor"},
      {icon:"☁",label:"Cloud Storage",screen:"cloud"},
      {icon:"📁",label:"Import from Roofr CSV",screen:"csv_import"},
      {icon:"💰",label:"Plans & Pricing",screen:"pricing"},
      {icon:"🏆",label:"Verified Program",screen:"contractor"},
      {icon:"⚖",label:"Community Standards",screen:"standards"},
    ]}.map(item=>(
      <div key={item.label} onClick={()=>{setScreen(item.screen);setNavOp
        onMouseEnter={e=>e.currentTarget.style.background=C.card}
        onMouseLeave={e=>e.currentTarget.style.background="transparent"}>
        <span style={{fontSize:20,width:28,textAlign:"center"}}>{item.ico
        <div>
          <div style={{color:C.text,fontSize:14,fontWeight:600}}>{item.la
          </div>
          {item.screen===screen&&<div style={{marginLeft:"auto",width:6,hei
          </div>
        ))}
      <div style={{padding:"12px 20px",borderTop:`1px solid ${C.border}`}}>
        <div style={{color:C.dim,fontSize:11}}>HomeStory Beta · Southern Il
        </div>
      </div>
    ))
  {navOpen&&<div style={{position:"fixed",inset:0,zIndex:199}} onClick={()=

<div style={{padding:"0 16px",display:"flex",alignItems:"center",justifyC
  <div style={{display:"flex",alignItems:"center",gap:8,cursor:"pointer"}
    {screen!=="landing"&&screen!=="role_select"&&<button onClick={e=>{e.s
      <div style={{background:C.accent,width:28,height:28,borderRadius:7,di
        <span style={{fontWeight:800,fontSize:16,letterSpacing:-0.5,fontFamil
        <span style={{background:C.accent+"22",color:C.accent,fontSize:8,font
      </div>
    <div style={{display:"flex",gap:8,alignItems:"center"}}>
      {screen==="landing"&&<Btn small color={C.accent} onClick={()=>setScre
      {screen!=="landing"&&<div onClick={()=>setScreen("pricing")} style={{

    <button onClick={()=>setNavOpen(!navOpen)} style={{background:navOpen
      <div style={{width:16,height:2;background:navOpen?C.accent:C.muted,
        <div style={{width:16,height:2;background:navOpen?C.accent:C.muted,
          <div style={{width:16,height:2;background:navOpen?C.accent:C.muted,

```

```

        </button>
      </div>
    </div>

    { /* Nav tabs for search/contractor */ }
    { (screen=== "search" || screen=== "log" || screen=== "contractor" || screen=== "pri
      <div style={{display: "flex", borderTop: `1px solid ${C.border}`}}>
        { (userRole=== "landlord"
          ? [ ["search", "🔍 Search"], ["landlord", "🏠 Units"], ["log", "⚡ Log"],
            : userRole=== "contractor"
          ? [ ["search", "🔍 Search"], ["log", "⚡ Log"], ["contractor", "🔧 Pro"],
            : [ ["search", "🔍 Search"], ["landlord", "🏠 Landlord"], ["contractor",
          ) .map(( [k, l]) => (
            <button key={k} onClick={() => setScreen(k)} style={{flex: 1, backgroun
            ))}
          </div>
        )}
      </div>

    { /* Content */ }
    <div style={{padding: "20px 16px"}}>
      {screen=== "role_select" && <RoleSelect onSelect={role => {
        setUserRole(role);
        if (role=== "landlord") {setUserTier("landlord"); setScreen("landlord");}
        else if (role=== "contractor") {setScreen("landing");}
        else if (role=== "adjuster") {setScreen("search");}
        else {setScreen("landing");}
      }}/> }
      {screen=== "landing" && <Landing onGetStarted={() => setScreen("search")} onSe
      {screen=== "search" && <SearchScreen properties={properties} onSelect={handl
      {screen=== "property" && selected && <PropertyDetail property={selected} onBac
      {screen=== "log" && <FastFieldLog properties={properties} setProperties={set
      {screen=== "contractor" && <ContractorDashboard properties={properties} onSe
      {screen=== "pricing" && <PricingPage onUpgrade={() => {setUserTier("contractor
      {screen=== "standards" && <CommunityStandards properties={properties} userTi
      {screen=== "cloud" && <CloudStoragePanel userTier={userTier}/> }
      {screen=== "csv_import" && <CSVImportScreen onComplete={() => setScreen("searc
      {screen=== "sale_inspection" && <SaleInspectionUpload property={selected} || DE
      {screen=== "landlord" && <LandlordDashboard properties={properties} setPrope
      {screen=== "listing" && listingProperty && <RentalListing property={listingPro
      {screen=== "tenant_request" && tenantRequestProp && <TenantRequest property={t
      {showPaywall && <PaywallModal feature={showPaywall} userTier={userTier} onU
    </div>

  </div>

  );
}

```


