Things you must have memorized

The Momentum Principle	The Energy Principle	The Angular Momentum Principle
Definition of Momentum	Definition of Velocity	Definition of Angular Momentum
Definitions of angular velocity, particle energy, kinetic energy, and work		

Other potentially useful relationships and quantities

$$\gamma \equiv \frac{1}{\sqrt{1 - \left(\frac{|\vec{v}|}{c}\right)^2}}$$

$$E^2 - (pc)^2 = \left(mc^2\right)^2$$

$$\frac{d\vec{p}}{dt} = \frac{d|\vec{p}|}{dt}\hat{p} + |\vec{p}|\frac{d\hat{p}}{dt}$$

$$\vec{F}_{\parallel} = \frac{d|\vec{p}|}{dt}\hat{p} \text{ and } \vec{F}_{\perp} = |\vec{p}|\frac{d\hat{p}}{dt} = |\vec{p}|\frac{|\vec{v}|}{R}\hat{n}$$

$$\vec{F}_{grav} = -G\frac{m_1 m_2}{|\vec{r}|^2}\hat{r}$$

$$U_{grav} = -G\frac{m_1 m_2}{|\vec{r}|}$$

$$\left|\vec{F}_{grav}\right| \approx mg \text{ near Earth's surface}$$

$$\Delta U_{grav} \approx mg\Delta y \text{ near Earth's surface}$$

$$\vec{F}_{elec} = \frac{1}{4\pi\epsilon_0}\frac{q_1 q_2}{|\vec{r}|^2}\hat{r}$$

$$U_{elec} = \frac{1}{4\pi\epsilon_0}\frac{q_1 q_2}{|\vec{r}|}$$

$$\left|\vec{F}_{spring}\right| = k_s s$$

$$U_{spring} = \frac{1}{2}k_s s^2$$

$$U_i \approx \frac{1}{2}k_{si}s^2 - E_M$$

$$\Delta E_{thermal} = mC\Delta T$$

$$\vec{r}_{cm} = \frac{m_1\vec{r}_1 + m_2\vec{r}_2 + \ldots}{m_1 + m_2 + \ldots}$$

$$I = m_1 r_{1\perp}^2 + m_2 r_{2\perp}^2 + \ldots$$

$$K_{tot} = K_{trans} + K_{rel}$$

$$K_{rel} = K_{rot} + K_{vib}$$

$$K_{rot} = \frac{L_{rot}^2}{2I}$$

$$K_{rot} == \frac{1}{2}I\omega^2$$

$$\vec{L}_A = \vec{L}_{trans,A} + \vec{L}_{rot}$$

$$\vec{L}_{rot} = I\vec{\omega}$$

$$\omega = \sqrt{\frac{k_s}{m}}$$

$$v = d\sqrt{\frac{k_{si}}{m_a}}$$

$$Y = \frac{F/A}{\Delta L/L} \text{ (macro)}$$

$$Y = \frac{k_{si}}{d} \text{ (micro)}$$

$$\Omega = \frac{(q + N - 1)!}{q!\,(N - 1)!}$$

$$S \equiv k\ln\Omega$$

$$\frac{1}{T} \equiv \frac{\partial S}{\partial E}$$

$$\Delta S = \frac{Q}{T} \text{ (small } Q\text{)}$$

$$\text{prob}(E) \propto \Omega(E)\, e^{-\frac{E}{kT}}$$

$$E_N = -\frac{13.6\text{eV}}{N^2} \text{ where } N = 1, 2, 3\ldots$$

$$E_N = N\hbar\omega_0 + E_0 \text{ where } N = 0, 1, 2\ldots \text{ and } \omega_0 = \sqrt{\frac{k_{si}}{m_a}} \text{ (Quantized oscillator energy levels)}$$

Moment of intertia for rotation about indicated axis

$I = \dfrac{2}{5}MR^2$	$I = \dfrac{1}{2}MR^2$	$I = \dfrac{1}{12}ML^2$	$I = \dfrac{1}{3}ML^2$	$I = \dfrac{1}{12}ML^2 + \dfrac{1}{4}MR^2$

Constant	Symbol	Approximate Value
Speed of light	c	3×10^8 m/s
Gravitational constant	G	6.7×10^{-11} N $\cdot$ m^2/kg^2
Approx. grav field near Earth's surface	g	9.8 N/kg
Electron mass	m_e	9×10^{-31} kg
Proton mass	m_p	1.7×10^{-27} kg
Neutron mass	m_n	1.7×10^{-27} kg
Electric constant	$\dfrac{1}{4\pi\epsilon_0}$	9×10^9 N $\cdot$ m^2/C^2
Proton charge	e	1.6×10^{-19} C
Electron volt	1 eV	1.6×10^{-19} J
Avogadro's number	N_A	6.02×10^{23} atoms/mol
Plank's constant	h	6.6×10^{-34} joule $\cdot$ second
hbar $= \dfrac{h}{2\pi}$	$\hbar$	1.05×10^{-34} joule $\cdot$ second
specific heat capacity of water	C	4.2 J/g/K
Boltzmann constant	k	1.38×10^{-23} J/K

milli	m	1×10^{-3}		kilo	K	1×10^3
micro	μ	1×10^{-6}		mega	M	1×10^6
nano	n	1×10^{-9}		giga	G	1×10^9
pico	p	1×10^{-12}		tera	T	1×10^{12}