

Call Analysis - Roadmap and Release Deliverables

Principle: get every interaction categorized and stored first, ship the reports people are already waiting for, then widen what is extracted and how it can be explored. Each release is usable on its own and feeds the next. Feature (F) and component (C) references match the Features and Components document.

Release overview

Release	Goal	Deliverables (summary)	Done when
R0 - Foundation	Decisions, data model signed off, seed taxonomy agreed	Reviewed table design; seed category/subcategory list; CareSource sets loaded; sample data walked through	Design sign-off; taxonomy approved by business
R1 - Capture and report	Every interaction categorized and stored; first reports out	Categorization service on the summarization pipeline; analytics tables live; CareSource Ohio PCIR and PCDR generated from the system; per-group category report	Manual PCIR/PCDR process retired; per-group report sent to a customer
R2 - Insight	Actionable detail per subcategory; data reachable by BI	Drill-down extraction (benefits/eligibility first, then find-a-dentist, toolkit); reprocessing; static reporting UI; Power BI / Tableau views	Business confirms drill-downs are actionable for the first three subcategories
R3 - Curate and discover	Business owns the taxonomy; new categories surface automatically	Category admin UI; clustering discovery; set versioning in use; dashboards; chatbot sessions categorized	New set version published by business without a feature-team change
R4 - Explore	Ask any question of the data	Ad-hoc mining and keyword search; conversational analytics; misroute and call-flow effectiveness; predictive use; e-mail channel	Stakeholders answer an unplanned question without a request to IT

Release detail

R0 - Foundation

Goal: Close the design questions so R1 builds on a stable model.

Deliverable	What it includes	Features / components	Depends on
Data model sign-off	Resolve: finding anchor (interaction vs. case); storage for drill-down attributes; link from found category to transcript; standard-set applicability; version rule. Review with reporting/warehouse engineering; walk sample data through the tables in a sandbox.	Domain model items 1-8; C2, C5	Design session follow-up; reporting engineering availability
Seed taxonomy v1	Category/subcategory list for dental-insurance interactions; decide whether member and provider get separate sets. Reviewed by Ashley, Carmen, Linda.	F2, F3	Business review
Client-specific sets loaded	CareSource Ohio PCIR and PCDR category sets configured against payer/plan; opt-out list for plans that refuse AI processing.	F3, F8, F21; C2, C13	CareSource category lists; opt-out confirmation

R1 - Capture and report

Goal: Every interaction categorized as it arrives; the reports already requested come out of the system.

Deliverable	What it includes	Features / components	Depends on
Analytics tables in Oracle	Category definition and findings tables created per signed-off model; joinable to interaction, group, subgroup.	F4, F9; C2, C5, C6	R0 sign-off; DBA
Categorization service	Runs after Call Summarization; classifies each interaction against the standard set plus any client-specific set that applies; records set version; skips excluded plans.	F1, F3, F4, F21; C1, C3, C13	Summarization hook; LLM capacity for ~1,500+ interactions/day
CareSource Ohio PCIR and PCDR	Monthly provider inquiry and provider dispute reports produced from the analytics tables (PCIR from the two provider queues; PCDR from CSR dispute flag).	F8; C9	Queue attribution; RCST dispute flag on case
Per-group category report	Canned category/subcategory percentages per group for customers.	F6, F7; C6, C9	Group/subgroup on interaction (assumed available)

R2 - Insight

Goal: Move from 'what they called about' to 'what is actionable'.

Deliverable	What it includes	Features / components	Depends on
Drill-down extraction	Per-subcategory attributes: benefits/eligibility first (procedure vs. max/deductible, procedure code), then find-a-dentist (known vs. new, list emailed vs. read), then toolkit (password, MFA). Specs reviewed with the business per subcategory.	F5; C4	Attribute storage decided in R0; business review per subcategory
Reprocessing	Re-run categorization/extraction for interactions matching date range and filters after definitions change.	F10; C8	Job scheduler; LLM cost budget
Static reporting UI	Simple screens over the canned reports and drill-downs, filterable by group, caller type, queue, date.	F6, F7; C9	Reporting UI framework decision
BI views	Curated views / warehouse feed for Power BI or Tableau.	F13; C10	Warehouse engineering; typed identifiers on set configuration

R3 - Curate and discover

Goal: Business owns the taxonomy; the system tells us what we did not think to look for.

Deliverable	What it includes	Features / components	Depends on
Category admin UI	Create, edit (as new rows), retire categories; manage sets and versions; apply sets to payer/group/subgroup.	F12; C11	Set versioning in production; authentication, audit
Category discovery	Periodic clustering over historical interactions; candidate categories surfaced for curation; cadence agreed.	F11; C7	Embedding/clustering service; batch window
Dashboards	Trend dashboards over categories, subcategories and drill-downs.	F16; C9, C10	BI views from R2
Chatbot sessions	Categorize member chatbot interactions; record whether the request was fulfilled.	F20; C1, C3	Chatbot in production; session transcripts available

R4 - Explore

Goal: Answer unplanned questions directly from the data.

Deliverable	What it includes	Features / components	Depends on
Ad-hoc mining	Keyword search and user-defined filters/time windows (e.g. interactions mentioning a mailer since it was sent).	F14; C12	Indexed transcript/finding data
Conversational analytics	Chat interface that aggregates on the fly; approach researched during R3.	F15; C12	LLM with data access; research spike
Routing and call-flow insight	Original queue vs. actual group; cross-plan transfers; effect of IVR/routing changes.	F17, F18; C6	Original-queue export from Genesys; definition of 'effectiveness' agreed
Predictive and e-mail	Learn from past conversions to forecast volume; extend categorization to e-mail.	F19, F20	History from R1-R3; e-mail source

Deferred or out of scope

Item	Reason
Genesys native analytics	Proceed regardless; revisit only if a demo shows exportable data (F23).
Outbound and mail channels	Channel list not yet agreed (O7).
Provider-level category sets	Discussed as too specific; category type table can accommodate later without redesign.

Key risks

Risk	Mitigation
Multi-case interactions make case mapping non-deterministic and add an LLM call per interaction	Decide anchor in R0; if Case is kept, budget the extra call and start with interaction-level reporting
Group/subgroup not actually on the interaction	Validate in R0 sandbox walkthrough before R1 build
Drill-down specs drift and require constant reprocessing	Version the extraction spec; reprocess by criteria rather than wholesale
Queue data locked in Genesys	Request export path early; PCIR and misroute analysis depend on it