

Basic Stopwatch App Project

This project is a simple Stopwatch Application built using HTML, CSS, and JavaScript. The app displays **minutes**, **seconds**, and **milliseconds** and allows users to **Start**, **Pause**, and **Reset** the timer.

Feature	Description
Start Timer	Starts the stopwatch timer.
Pause Timer	Pauses the stopwatch at the current time.
Reset Timer	Resets minutes, seconds, and milliseconds to zero.
Live Display	Shows real-time stopwatch updates.

Complete Source Code

```
<!DOCTYPE html>
<html>
<head>
  <title>Stopwatch App</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #f4f4f4;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
    }

    .container {
      background: white;
      padding: 30px;
      border-radius: 10px;
      text-align: center;
      box-shadow: 0 0 10px rgba(0,0,0,0.2);
    }

    h1 {
      margin-bottom: 20px;
    }

    #display {
      font-size: 40px;
      margin-bottom: 20px;
    }

    button {
      padding: 10px 15px;
      margin: 5px;
      border: none;
      border-radius: 5px;
      cursor: pointer;
      font-size: 16px;
    }

    .start {
      background: green;
      color: white;
    }

    .pause {
      background: orange;
      color: white;
    }

    .reset {
```

```

        background: red;
        color: white;
    }
</style>
</head>
<body>

<div class="container">
    <h1>Stopwatch</h1>

    <div id="display">00 : 00 : 00</div>

    <button class="start" onclick="startTimer()">Start</button>
    <button class="pause" onclick="pauseTimer()">Pause</button>
    <button class="reset" onclick="resetTimer()">Reset</button>
</div>

<script>
    let minutes = 0;
    let seconds = 0;
    let milliseconds = 0;
    let timer;

    function updateDisplay() {
        document.getElementById("display").innerText =
            (minutes < 10 ? "0" : "") + minutes + " : " +
            (seconds < 10 ? "0" : "") + seconds + " : " +
            (milliseconds < 10 ? "0" : "") + milliseconds;
    }

    function startTimer() {
        if (!timer) {
            timer = setInterval(() => {
                milliseconds++;

                if (milliseconds == 100) {
                    milliseconds = 0;
                    seconds++;
                }

                if (seconds == 60) {
                    seconds = 0;
                    minutes++;
                }

                updateDisplay();
            }, 10);
        }
    }

    function pauseTimer() {
        clearInterval(timer);
        timer = null;
    }

    function resetTimer() {
        clearInterval(timer);
        timer = null;

        minutes = 0;
        seconds = 0;
        milliseconds = 0;

        updateDisplay();
    }
</script>
</body>
</html>

```

Save this code in a file named **index.html** and open it in your browser to run the Stopwatch App.