

Connecting Salesforce & Gong to Claude Desktop

Connect Claude Desktop to Salesforce and/or Gong so Claude can access your data directly.

What you need before starting

Tool	Key to request
Salesforce	Salesforce MCP Token
Gong	Gong API Key

To get your keys, reach out to Shubhi Maheshwari (smaheshwari@netchexonline.com) or Pranav Mankar (pmankar@netchexonline.com).

You also need the config text file(s) shared alongside this guide.

Step 1 — Install Node.js

1

Download and install Node.js

Go to <https://nodejs.org> in your browser.

Click the large button labelled "Download Node.js (LTS)" — LTS is the stable, recommended version.

Open the downloaded file and follow the installer: Continue → Continue → Continue → Install.

Enter your computer password if prompted, then click Close when done.

Node.js runs silently in the background — you do not need to open it.

Windows: when the installer reaches the "Destination Folder" screen, click **Change** and set the install path to somewhere with no spaces — e.g. **C:\nodejs** instead of the default C:\Program Files\nodejs. This avoids a known Windows issue where MCP servers fail to start with a '**C:\Program**' is not recognized error.

Step 2 — Open Claude Desktop Settings

2

Get to Settings

Mac: Click your profile icon or name at the bottom-left of Claude → select Settings.

Windows: Click the ■ menu icon at the top-left → Settings.




Step 3 — Go to Developer and click Edit Config

3

Open the config file

In the Settings window, scroll down the left sidebar and click Developer (1).

Click Edit Config (2) — this opens your config file in a text editor.



Click Developer (1) in the sidebar, then Edit Config (2)

Step 4 — Update the Config File

Choose the config file that matches your setup:

I want to connect...	Use this file
Salesforce only	config_salesforce_only.txt
Gong only	config_gong_only.txt
Both Salesforce and Gong	config_salesforce_and_gong.txt

4

Replace the config file contents

In the text editor, select all: **⌘A** (Mac) or **Ctrl+A** (Windows), then delete.

Open your config text file, copy all its contents, and paste into the now-empty config file.

Save: **⌘S** (Mac) / **Ctrl+S** (Windows).

5

Replace the placeholder text with your actual keys

Find **PASTE_YOUR_SALESFORCE_TOKEN_HERE** → replace with your Salesforce token.

Find **PASTE_YOUR_GONG_API_KEY_HERE** → replace with your Gong API key.

Keep the quotation marks on both sides — only replace the placeholder text inside them.

Save the file again.

Step 5 — Restart Claude and Verify

6

Fully quit and relaunch Claude Desktop

Mac: Right-click Claude in the Dock → Quit

Windows: Closing the window does not quit Claude — it minimizes to the system tray. Right-click the Claude icon in the system tray (bottom-right, near the clock — click the **▮** arrow if it's hidden) → Quit, and wait a few seconds for it to fully close. If Claude doesn't reopen properly, open Task Manager (**Ctrl+Shift+Esc**), find any Claude entries under Processes, and click End Task before relaunching.

Then reopen Claude Desktop.

7

Confirm the connection

Go to Settings → Developer. Your MCP servers should appear with a blue running badge.



Your connected servers listed on the left, each showing a blue running badge

■ Try it out

- "Show me my top 5 open opportunities in Salesforce"
- "Summarise my last Gong call with [customer name]"
- "Which deals are at risk of closing late this quarter?"

Troubleshooting

■ Server shows 'failed'

Check that your token/API key is correct — no extra spaces or missing characters.

Make sure you kept the quotation marks and only replaced the placeholder text inside them.

Fully quit and relaunch Claude Desktop after saving.

■ Servers not listed at all

Open the config file again (Settings → Developer → Edit Config) and confirm your content is still there.

Make sure you saved the file before restarting Claude.

■ Token expired or invalid

Request a fresh token/key and update it in the config file, save, and restart Claude.

■ Error mentions 'C:\Program' is not recognized (Windows)

This happens when Node.js is installed at the default path C:\Program Files\nodejs — the space in "Program Files" breaks command execution on Windows.

Fix: reinstall Node.js and choose a custom install path with no spaces (e.g. C:\nodejs), then fully quit Claude Desktop (see Step 5) and relaunch.