



Name: Syeda Malika Zainab Kazmi

Batch: Pana-101-P011

Course: AI-101

REPORT WRITING

Task 3 — Lecture Slide Generation Using LLMs

Slides link:

file:///C:/Users/H%20P/OneDrive/Documents/Panaversity/panaversity_presentation.html

- **Which AI Tools Were Used**

For this task, I provided the Panaversity Orientation Lecture (<https://youtu.be/a1NIVLrComg>) to Claude and used it to understand and summarize the lecture content, then generated structured presentation slides from it.

- **Prompts Used**

Prompt 1 (initial):

"Here is the link to a Panaversity orientation lecture on YouTube: [link]. Watch/read the content and summarize the key topics covered."

This worked reasonably well but gave a very broad summary without enough structure for slides.

Prompt 2 (refined):

"Based on the Panaversity orientation lecture content, generate 10 presentation slides. Each slide should have a title and 3–5 bullet points. Make it suitable for a student audience who is new to AI."

This was much better it produced clear, well-structured slides with headings and bullets.

Prompt 3 (further refinement):

"Review the slides you generated. Are there any topics from the lecture that are missing? Add slides for anything important that was left out. Also animate the slides that subtly shift and glide which makes strong hook for the audience."

This caught a few missing topics and significantly improved the opening slide.

- **What Worked Well**

Giving the AI a specific format instruction ("each slide should have a title and have atleast 3–5 bullets") worked very well it kept the output consistently structured. Asking it to self-review and fill in gaps also produced genuinely useful additions.

- **What Did Not Work**

The first vague prompt ("summarize the key topics") was too open-ended and returned a paragraph instead of something usable as slides. Prompts without format constraints produce prose, not presentations.

- **How Prompts Were Refined**

The refinement process followed the brainstorm-iterate loop: start broad to map the content, then get structured output, then review and fill gaps. Each iteration was more specific than the last, and asking the AI to critique its own output before finalizing caught missing content.

