



KEYUAN
PETROCHEMICALS

2025 长鸿炭黑

www.changhongpolymer.com paloma@kygroup.ltd

目录

CONTENTS



KEYUAN
PETROCHEMICALS

1

Group Introduction

2

**Introduction to
Changhong Carbon
Black**

3

**Catalogue for
Carbon Black**



01 Group Introduction

Keyuan Holding Group Co.,Ltd

A large domestic group engaged in fine chemicals, thermoplastic elastomers, biodegradable plastics, and engineering plastics.

- **Strategically positioned along the full value chain of green chemical manufacturing**
- **Annual output value has exceeded 10 billion RMB since 2018**
- **Strong technical foundation in production and R&D**

六大生产基地

Ningbo, Zhejiang

Shengzhou, Zhejiang

Taizhou, Zhejiang

Fangchenggang,
Guangxi

Hezhou,
Guangxi

Maoming,
Guangdong

NATIONAL-LEVEL HONORS

Chinese Private Manufacturing Enterprises (2020, 2021)

TOP 500

Vice-Chair Unit of the Biodegradable Plastics & Products Professional Committee

One of the standard-setting organizations

宁波市工商业联合会



Staying True to Our Mission



Actively assumes social responsibilities as a large enterprise



Over 30 million RMB in charitable donations

Provincial-Level Honors

- “Eagle Cultivation” enterprise in Zhejiang Province
- Leading enterprise in per-acre benefit (Zhejiang)
- Included in the First Batch of **Zhejiang Key Industrial & Supply Chain Whitelist**
- **“Top 200 Zhejiang Private Enterprises” “Top 100 Zhejiang Private Enterprises in R&D Investment” (2020,2021)**
- Top 100 Zhejiang Private Manufacturing Enterprises

Municipal-Level Honors

- Ningbo "Large, Excellent & Strong" Enterprise (50 Billion CNY Cultivation Tier) **50 Billion CNY Cultivation Tier**
- **TOP 50** Ningbo Private Enterprises
- **TOP 100** Ningbo Comprehensive Enterprises
- **TOP 100** Ningbo Competitive Enterprises
- **TOP 100** private manufacturing companies
- Key taxpayer and competitive enterprise in Ningbo
- **“Top 10** Ningbo High-Tech Enterprises in R&D Investment” (2019, 2020)

Industry Segments and Subsidiaries

The infographic features a central blue diamond with a gear icon and the text 'Industry sector'. Six lines radiate from this center to six red rounded rectangular boxes, each representing a subsidiary. Each subsidiary box is connected to a white text box on the outer edge of the diagram, which provides details about the subsidiary's products and capabilities. The background is a scenic view of misty mountains.

KEYUAN
PETROCHEMICALS



KEYUAN
PETROCHEMICALS

Leading in aromatic solvents and industrial cleaners; integrated with by-product asphalt.

**KEYUAN
CHEMICALS**

Largest asphalt storage in East China with 67,000 m³ capacity.

**GUOPEI
PETROLEUM**

One of China's largest road asphalt suppliers, main product portfolio includes:
Heavy-duty road petroleum asphalt, General-purpose SBS modified asphalt.

**GUOCHUANG
HIGH - TECH**
002377.SZ

605008.SH
**CHANGHONG
HIGH-TECH**

Thermoplastic elastomers; upcoming acrylic acid sector; Production capacity ranking top 3 in China, top 5 globally.

**CHANGHONG
BIOTEC**

Biodegradable plastics industry; full industry chain integration, become the leader in the field.

**CHANGKE NEW
MATERIALS**

Engineering plastics; Advanced MASS (Modified Advanced Solution Styrene) ABS production technology,, first in China to develop transparent-grade .

*Industry
sector*

GUANGXI CHANGHONG

- **Base** : Hezhou, Guangxi
- **Mines**: Two marble mines with total reserves of 120 million tons
- **Main Products**: Calcium carbonate powder, modified masterbatches, biodegradable materials, panels



ZHENGJIANG CHANGHONG

- **Base**: Shengzhou, Zhejiang
- **Main Products**: Black masterbatches, PBAT, PBS, PBT, biodegradable materials, THF



Industry Segments and Subsidiaries

KEYUAN
PETROCHEMICALS



KEYUAN
PETROCHEMICALS

CHANGHONG HIGH-TECH

- ◆ **Base:** Ningbo, Zhejiang
- ◆ **Main products:** Black masterbatches, SSBR, LCBR, SIS, SEPS, SBS, SEBS, ES



GUANGXI CHANGKE

- ◆ **Base:** Fangchenggang, Guangxi
- ◆ **Main products:** Black masterbatches, MABS, ABS, MS, SAN, HIPS, GPPS





02

Changhong

Carbon black

Changhong Carbon black

**China's first carbon black
plant using aromatic oil as
raw material**


**Innovative Process
Superior Quality**

Raw Material Advantage

Unique technology removes all impurities, resulting in superior quality carbon black and masterbatch at lower cost and energy use.

**Byproduct Utilization
Cost Efficiency
Synergistic Effects**

Steam and tail gas from production reused across facilities, replacing natural gas and purchased steam—boosting efficiency and synergy



Changhong Carbon Black: Pioneering Dual Leadership in High Performance and Sustainability Through Multi-Dimensional Technological Breakthroughs

- - N326 model: 113% tint strength (industry average: 108% & purer black performance)
- - 45 μ m washed residue: <300ppm (National standard $\leq$ 1000ppm, Industry $\leq$ 500ppm)
- - The heating loss internal control standard achieves 0.8% (National standard: 2.5%)
- - Optimized Particle Size Distribution for Enhanced Abrasion Resistance in Compliance with GB/T 3778-2021
- - Heavy metal content: Not Detected (ND)

Through precision control technologies that comprehensively surpass national standards and industry benchmarks, we have established new industry paradigms in tinting performance, product purity, moisture stability, and environmental sustainability

113%



N326 tint strength
Comparison value
industry average 108%
(purer black)

<300ppm


45 μ m washed residue
Comparison value
National standard $\leq$ 1000ppm
Industry $\leq$ 500ppm

<0.8%

Heating loss
Comparison value
National $\leq$ 2.5%
Industry 2-2.5%

Abrasion Resistance
Implementation standards

GB/T 3778-2021
Particle Size
Distribution Uniformity



浙江 NINGBO,ZHEJIANG

Ningbo Changhong Polymer
Scientific & Technical Inc


浙江 SHENGZHOU,ZHEJIANG

Zhejiang Changhong Biological
Material Co. Ltd.

广西 FANGCHENGANG,GUANGXI

Guangxi Changke New
Materials Co., Ltd.

Capacity planning (ten thousand tons)




Base	Planning Grade
Shengzhou	N220、N330、N326、N234、N375(hard carbon black), future specialty fiber carbon black
Ningbo	N330、N326(hard carbon black)
Fangchenggang	N550、N660、N774(soft carbon black), future specialty conductive carbon black

Geographical advantages

KEYUAN
PETROCHEMICALS



KEYUAN
PETROCHEMICALS



Zhejiang Changhong
-Zhejiang Hangzhou **91KM**


Zhejiang Changhong-Jiaxing **127KM**

Zhejiang Changhong-Ningbo port **5KM**
supports containerized shipping

Zhejiang Changhong-Jiangsu Changzhou **257KM**

Zhejiang Changhong-Jiangsu Yancheng **420KM**

Zhejiang Changhong-Jiangsu Suzhou **189KM**




Geographical advantages

KEYUAN
PETROCHEMICALS



KEYUAN
PETROCHEMICALS

Guangxi Changke – Hanoi, Vietnam, 275KM,
Land transportation radiates to the
Vietnamese region.



Guangxi Changke–
Fangchenggang port, 35KM
It can be loaded into containers for
water transport export, radiating to
Southeast Asia.

Raw material advantages

KEYUAN
PETROCHEMICALS



KEYUAN
PETROCHEMICALS

5 million Ethylene Tar

- China's output reached 5 million tons by 2024
- Key by-product of ethylene production
- Important for industrial optimization

12 million SCO

- Annual output: 8–12 million tons
- Higher potential due to refining improvements

Other Consumption tax

All non-carbon black uses are subject to consumption tax



Changhong Hi-Tech, Changhong Bio, and Guangxi Changke all have supporting production facilities for other products, **enabling effective utilization of carbon black by-products.**

01

Changhong Hi-Tech has an annual production capacity of **80,000 tons of SSBR** and LCBR for tire applications, with a total synthetic rubber capacity of **290,000 tons.**

02

Zhejiang Changhong has an annual production capacity of **300,000 tons of PBT**, which is supplied alongside **calcium carbonate and conductive carbon black** to cable and fiber optic manufacturers for producing various types of shielded jackets.

03



03

Catalogue for Carbon Black

Properties	Standard	Test Method
吸碘值 Iodine Adsorption Number	88±6 (g/kg)	GB/T 3780.1-2015
吸油值 Oil Adsorption Number (OAN)	72±6 (10 ⁻⁵ m ³ /kg)	GB/T 3780.2-2017
压缩吸油值 Crushed OAN	68±6 (10 ⁻⁵ m ³ /kg)	GB/T 3780.4-2017
着色强度 Tint Test	111±8 (%)	GB/T 3780.6-2016
CTAB 吸附比表面积 CTAB Surface Area		
外表面积 STSA	70~82 (10 ³ m ² /kg)	
总表面积 NSA	72~84 (10 ³ m ² /kg)	
加热减量 Heating Loss	≤0.5 (%)	GB/T 3780.8-2019
倾注密度 Pour Density	455±40 (kg/m ³)	GB/T 14853.1-2013
300%定伸应力 300%Modulus	-3.5±1.5 (MPa)	
灰分 Ash Content	≤0.5 (%)	GB/T 3780.10-2017
45 μ m 筛余物 45 μ m Sieve Sieve	≤300 (ppm)	GB/T 3780.21-2016
500 μ m 筛余物 500 μ m Sieve Sieve		
细分含量 Fine Content	≤7.0 (%)	



Properties	Standard	Test Method
吸碘值 Iodine Adsorption Number	82±6 (g/kg)	GB/T 3780.1-2015
吸油值 Oil Adsorption Number (OAN)	102±6 (10 ⁻⁵ m ³ /kg)	GB/T 3780.2-2017
压缩吸油值 Crushed OAN	88±6 (10 ⁻⁵ m ³ /kg)	GB/T 3780.4-2017
着色强度 Tint Test	104±8 (%)	GB/T 3780.6-2016
CTAB 吸附比表面积 CTAB Surface Area		
外表面积 STSA	75±6 (10 ³ m ² /kg)	GB/T 10722-2014
总表面积 NSA	78±6 (10 ³ m ² /kg)	GB/T 10722-2014
加热减量 Heating Loss	≤0.5 (%)	GB/T 3780.8-2019
倾注密度 Pour Density	380±40 (kg/m ³)	GB/T 14853.1-2013
300%定伸应力 300%Modulus	-0.5±1.5 (MPa)	
灰分 Ash Content	≤0.5 (%)	GB/T 3780.10-2017
45 μm 筛余物 45 μm Sieve Sieve	≤300 (ppm)	GB/T 3780.21-2016
500 μm 筛余物 500 μm Sieve Sieve		
细分含量 Fine Content	≤7.0 (%)	





KEYUAN
PETROCHEMICALS

长鸿炭黑

Thank you for listening

www.changhongpolymer.com paloma@kygroup.ltd

