

# PRESCRIPTION SEARCH SUPPORT

Educational Web Application

## Table of contents

|                                                  |    |
|--------------------------------------------------|----|
| Table of contents .....                          | 2  |
| 1. Document version .....                        | 3  |
| 2. Purpose and Scope.....                        | 3  |
| 3. Glossary.....                                 | 4  |
| 4. Student registration, login and logout.....   | 5  |
| 4.1. Introduction .....                          | 5  |
| 4.2 Steps.....                                   | 6  |
| 4.2.1 Step 1: Registration.....                  | 6  |
| 4.2.2 Step 2: Account activation .....           | 9  |
| 4.2.3 Step 3: Login.....                         | 10 |
| 4.2.4 Step 4: Logout .....                       | 11 |
| 5 Antimicrobial.....                             | 12 |
| 5.1 Introduction .....                           | 12 |
| 5.2 Front-end .....                              | 12 |
| 5.2.1 Step 1: Choose an indication.....          | 12 |
| 5.2.2 Step 2: Fill in guideline parameters ..... | 14 |
| 5.2.3 Step 3: Recommendations .....              | 17 |
| 5.3 Backend.....                                 | 19 |
| 6 Radiology.....                                 | 20 |
| 6.1 Introduction .....                           | 20 |
| 6.2 Front-end .....                              | 21 |
| 6.2.1 Step 1: Patient Parameters .....           | 21 |
| 6.2.2 Step 2: Choose an indication.....          | 22 |
| 6.2.3 Step 3: Recommendations .....              | 25 |
| 6.3 Backend.....                                 | 27 |
| 7 Clinical biology .....                         | 28 |
| 7.1 Introduction .....                           | 28 |
| 7.2 Front-end .....                              | 29 |
| 7.2.1 Step 1: Profile.....                       | 29 |
| 7.2.2 Step 2: Support parameters.....            | 31 |
| 7.2.3 Step 3: Recommendations .....              | 32 |
| 7.3 Back-end.....                                | 34 |

## 1. Document version

| Version | Status     | Date     | Author | Description                              |
|---------|------------|----------|--------|------------------------------------------|
| 1.0     | For review | 16/06/26 | Smals  | Initial version                          |
| 1.1     | For review | 17/06/26 | Smals  | Addition glossary and field descriptions |
| 1.2     | Final      | 18/06/26 | Smals  | Addition registration & login process    |
| 1.3     | Final      | 19/06/26 | Smals  | Add PSSr and PSSa                        |

## 2. Purpose and Scope

This document provides the functional documentation of the PSS Educational Web Application. The purpose of this document is to describe the user flows, functionalities, and system interactions of the application across the different supported domains (antimicrobial, radiology, and clinical biology).

The PSS Educational Web Application is designed as a learning tool for students and (future) prescribers, allowing them to explore evidence-based recommendations based on validated clinical guidelines. The application supports an interactive, step-by-step approach to understand how clinical inputs influence recommendations.

The document is intended for business stakeholders, analysts, developers, and testers involved in the design, implementation, and validation of the PSS educational solution. This document focuses on the functional behaviour of the application and does not describe the full technical architecture or production integration of the core PSS services.

### 3. Glossary

| Term                         | Definition                                                                                                                                                                                                                                                                                                                  |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PSS</b>                   | PSS stands for “Prescription Search Support”.                                                                                                                                                                                                                                                                               |
| <b>PSSa</b>                  | Prescription Search Support specifically for the domain antimicrobial                                                                                                                                                                                                                                                       |
| <b>PSSr</b>                  | Prescription Search Support specifically for the domain radiology                                                                                                                                                                                                                                                           |
| <b>PSSc</b>                  | Prescription Search Support specifically for the domain clinical biology                                                                                                                                                                                                                                                    |
| <b>Indication</b>            | The (clinical) indication is a disease, symptom or circumstance that makes a particular test, medication or procedure advisable.                                                                                                                                                                                            |
| <b>Examination/Procedure</b> | A medical diagnostic test, imaging study, or therapeutic intervention that PSS evaluates and recommends based on clinical indications and evidence-based guidelines.                                                                                                                                                        |
| <b>Support parameters</b>    | A Support Parameter represents a question or condition (such as “outcome value last eGFR test?”) in order to collect all factors needed for PSS to search the best support for the given profiles. The list of Support Parameters that is required, and their possible values, can vary depending on the selected profiles. |
| <b>Recommendations</b>       | Based on the given profiles and support parameter values, PSS returns Recommendations as a result. The tests for which the decision trees in the PSS database have been activated, are listed and ranked by relevance.                                                                                                      |
| <b>DMN</b>                   | DMN stands for Decision Model and Notation, used for automation of the decision-making process.                                                                                                                                                                                                                             |

## 4. Student registration, login and logout

### 4.1. Introduction

This chapter explains how students access the PSS Educational Web Application, including registration, account activation, login and logout. Access is restricted to email addresses linked to an educational institution. The email domain is checked against an approved whitelist before an account can be created.

Students access the application via the dedicated student URL:

[www.prescriptionsearchsupport.be/student](http://www.prescriptionsearchsupport.be/student)



The screenshot shows the student login page. At the top, there are logos for the European Union (Cofinancé par l'Union européenne), INAMI, and the French Republic (Santé publique, Sécurité de la Chaîne alimentaire, Environnement). The page is titled 'Bienvenue !' and has a language dropdown set to 'FRANÇAIS'. Below the title are input fields for 'Email' and 'Mot de passe'. A link 'Mot de passe oublié ?' is next to the password field. A blue button 'Se connecter en tant qu'étudiant' is below the fields. At the bottom, there is a link 'Pas encore de compte? [Inscrivez-vous ici](#)'.

Via this URL, students land on the student login page. From this page, the student can either sign in with an existing account or navigate to the registration page. A more detailed description for each step can be found below.

| Step | Title                     | Description                                                                  |
|------|---------------------------|------------------------------------------------------------------------------|
| 1    | <b>Registration</b>       | The student creates an account with an approved institutional email address. |
| 2    | <b>Account activation</b> | The student activates the account via the link received by email.            |
| 2    | <b>Login</b>              | The student signs in with the activated account.                             |
| 3    | <b>Logout</b>             | The student signs out and is redirected to the login page.                   |

## 4.2 Steps

### 4.2.1 Step 1: Registration


A student who does not yet have an account clicks the registration link on the login page:



The screenshot shows the login page with the following elements:

- Logos at the top: European Union, INAMI, and Santé publique Sécurité de la Chaîne alimentaire Environnement.
- Greeting: "Bienvenue !"
- Language selector: "FRANÇAIS" with a dropdown arrow.
- Input fields for "Email" and "Mot de passe".
- Link: "Mot de passe oublié ?"
- Button: "Se connecter en tant qu'étudiant"
- Registration link (highlighted in yellow): "Pas encore de compte? [Inscrivez-vous ici](#)"

The user then arrives on the registration form:



The screenshot shows the registration form with the following elements:

- Language selector: "NL" and "FR".
- Header: "Andere informatie en diensten van de overheid: [belgium.be](https://belgium.be)"
- Logos: European Union, RIZIV, and Vollegezondheid Veiligheid van de Voedselketen Leefmilieu.
- Buttons: "Al een account? Inloggen"
- Section: "Account aanmaken"
- Text: "Registreer je studenten e-mailadres, dat verbonden is aan je onderwijsinstelling. Gelieve een ander wachtwoord te gebruiken dan het wachtwoord dat je binnen de onderwijsinstelling gebruikt."
- Input fields: "Email\*", "Voornaam\*", "Achternaam\*", "Taal\*" (dropdown), "Wachtwoord\*", "Bevestig Wachtwoord\*"
- Section: "Statistieken"
- Radio buttons:
  - ☒ Ik geef toestemming om gegevens over mijn gebruik van deze app anoniem te verzamelen op het niveau van mijn onderwijsinstelling (cluster) voor statistische doeleinden.
  - ☐ Ik geef de voorkeur aan volledige anonimiteit wanneer voor statistische doeleinden gegevens worden verzameld over mijn gebruik van deze app.
- Text: "Voor meer informatie kunt u de 'gebruiksvoorwaarden en privacyverklaring' raadplegen."
- Checkbox: ☐ Door een account aan te maken gaat u akkoord met de [Gebruiksvoorwaarden en privacyverklaring](#).
- Button: "Account aanmaken"

The registration form contains the following mandatory fields: email address, first name, last name, language, password, confirm password, consent for statistics and acceptance of the terms of use and privacy conditions. The email address must have a valid format and the domain must be on the whitelist. Personal email addresses are not allowed.

Upon successful registration, the user is informed that an email containing an **activation link** has been sent. The activation link must be used to complete the registration.

#### UI Labels & Translations


| UI Element                   | NL – Nederlands                                                                                                                                                                               | FR – Français                                                                                                                                                                                                        |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Switch to login              | Al een account ? Inloggen                                                                                                                                                                     | Déjà un compte ? Se connecter                                                                                                                                                                                        |
| Registration page title      | Account aanmaken                                                                                                                                                                              | Créer un compte                                                                                                                                                                                                      |
| Instruction for registration | Registreer je studenten e-mailadres, dat verbonden is aan je onderwijsinstelling. Gelieve een ander wachtwoord te gebruiken dan het wachtwoord dat je binnen de onderwijsinstelling gebruikt. | Enregistrez votre adresse e-mail d'étudiant, qui est liée à votre établissement d'enseignement. Veuillez utiliser un mot de passe différent de celui que vous utilisez au sein de votre établissement universitaire. |
| Email                        | E-mail                                                                                                                                                                                        | Email                                                                                                                                                                                                                |
| First name                   | Voornaam                                                                                                                                                                                      | Prénom                                                                                                                                                                                                               |
| Last name                    | Achternaam                                                                                                                                                                                    | Nom                                                                                                                                                                                                                  |
| Language                     | Taal                                                                                                                                                                                          | Langue                                                                                                                                                                                                               |
| Password                     | Wachtwoord                                                                                                                                                                                    | Mot de passe                                                                                                                                                                                                         |
| Confirm password             | Bevestig wachtwoord                                                                                                                                                                           | Confirmez votre mot de passe                                                                                                                                                                                         |
| Statistics title             | Statistieken                                                                                                                                                                                  | Statistiques                                                                                                                                                                                                         |
| Statistics consent           | Ik geef toestemming om gegevens over mijn gebruik van deze app anoniem te verzamelen op het niveau van mijn onderwijsinstelling (cluster) voor statistische doeleinden.                       | Je donne mon consentement pour que les données concernant mon utilisation de cette application soient collectées anonymement au niveau de mon établissement                                                          |

|                                                       |                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                       |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                       |                                                                                                                                                                                                                                       | d'enseignement (cluster) à des fins statistiques.                                                                                                                                                                                     |
| Statistics consent                                    | Ik geef de voorkeur aan volledige anonimiteit wanneer voor statistische doeleinden gegevens worden verzameld over mijn gebruik van deze app.                                                                                          | Je préfère une anonymité totale lors de la collecte de données sur mon utilisation de cette application à des fins statistiques.                                                                                                      |
| Statistics info                                       | Voor meer informatie kunt u de 'gebruiksvoorwaarden en privacyverklaring' raadplegen.                                                                                                                                                 | Pour plus d'informations, vous pouvez consulter "les conditions d'utilisation et la politique de confidentialité".                                                                                                                    |
| Acceptance of the terms of use and privacy conditions | Door een account aan te maken gaat u akkoord met de Gebruiksvoorwaarden en privacyverklaring.                                                                                                                                         | En créant un compte, vous acceptez les Conditions d'utilisation et politique de confidentialité.                                                                                                                                      |
| Create account button                                 | Account aanmaken                                                                                                                                                                                                                      | Créer un compte                                                                                                                                                                                                                       |
| Registration confirmation title                       | Bevestigingsmail met activatielink verstuurd!                                                                                                                                                                                         | E-mail de confirmation avec lien d'activation envoyé !                                                                                                                                                                                |
| Registration confirmation body                        | Er is een mail verstuurd naar het opgegeven e-mailadres om je registratie verder te zetten. Die ontvang je binnen enkele ogenblikken. Kijk ook je spamfolder na. Klik op de activatielink in de mail om je registratie te bevestigen. | Un e-mail a été envoyé à l'adresse fournie pour poursuivre votre inscription. Vous le recevrez dans quelques instants. Vérifiez également votre dossier spam. Suivez les instructions dans l'e-mail pour finaliser votre inscription. |



## 4.2.2 Step 2: Account activation

After successful registration, an email containing an activation link is sent to the registered email address. Account activation by email is required before first login:



When user clicks on the activation link, a confirmation of successful registration and account activation is shown. From now on, the student can sign in via the login page.


### UI Labels & Translations

| UI Element          | NL – Nederlands                                 | FR – Français                                   |
|---------------------|-------------------------------------------------|-------------------------------------------------|
| Activation complete | Uw registratie is voltooid!                     | Votre enregistrement est complet !              |
| Return to home page | Klik hier om terug te gaan naar de startpagina. | Cliquez ici pour retourner à la page d'accueil. |

### 4.2.3 Step 3: Login

The student login page is the entry point for existing accounts. To sign in, the student enters the registered email address and password and clicks the login button.

If the credentials are correct and the account is activated, the student is logged in and redirected to the application. If the credentials are incorrect, an error message is shown and the user remains on the login page. The page also contains a forgot password link.




| UI Element      | NL – Nederlands       | FR – Français                    |
|-----------------|-----------------------|----------------------------------|
| Welcome title   | Welkom!               | Bienvenue !                      |
| Email           | E-mail                | Email                            |
| Password        | Wachtwoord            | Mot de passe                     |
| Forgot password | Wachtwoord vergeten?  | Mot de passe oublié ?            |
| Login button    | Aanmelden als student | Se connecter en tant qu'étudiant |

|               |                                   |                                           |
|---------------|-----------------------------------|-------------------------------------------|
| Register link | Nog geen account? Registreer hier | Pas encore de compte ? Inscrivez-vous ici |
|---------------|-----------------------------------|-------------------------------------------|

## 4.2.4 Step 4: Logout

From the profile menu, the user can click the logout button to sign out of the application.




## 5 Antimicrobial

### 5.1 Introduction

The PSS educational web app for antimicrobial assists (future) prescribers/students finding evidence-based recommendations based on the BAPCOC guidelines published by BCFI.

### 5.2 Front-end

#### 5.2.1 Step 1: Choose an indication



The screenshot shows the 'Antimicrobiële middelen' (Antimicrobial substances) web application. At the top, there are language options (NL, FR) and a link to 'Andere informatie en diensten van de overheid: [belgium.be](https://belgium.be)'. Below this are logos for the European Union, RIZIV, and the Flemish Government. A user profile 'Nick Snejers, Academisch' is visible. The main heading is 'Antimicrobiële middelen' with a link to 'Herbekijk de introductie'. A disclaimer states that the app is for educational use only, based on the BAPCOC guidelines. The first step, 'Kies een indicatie' (Choose an indication), is active. It features a dropdown for 'Infectiedomeinen' (Infection domains) with 'Alle infectiedomeinen' (All infection domains) selected, and a search bar for 'Indicaties \*' (Indications \*) with the placeholder 'Type en selecteer een indicatie\*'. A 'Bevestigen' (Confirm) button is below. A progress bar shows three steps: 1. Kies een indicatie, 2. Vul de richtlijnparameters in (Fill in the guideline parameters), and 3. Aanbevelingen (Recommendations). The footer contains copyright information for RIZIV and links to the terms of use and privacy policy.

Step 1 collects the clinical indication. The prescriber first optionally filters by infection domain, then selects the relevant indication from the dropdown. The indication field is mandatory before proceeding.

| Field                   | Description                                                                                                                                            |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Infection domain</b> | Dropdown to filter indications by infection domain. Optional. Defaults to "All infection domains".                                                     |
| <b>Indication *</b>     | Combobox: type and select a clinical indication. Mandatory. Placeholder: "Type en selecteer een indicatie* / Encodez et sélectionnez une indication*". |

No personal data is stored. The selected indication is transmitted to the PSS API to retrieve the matching guideline parameters.

Once the indication is selected, click “Confirm” to proceed to Step 2.

#### UI Labels & Translations

| UI Element               | NL – Nederlands                  | FR – Français                           |
|--------------------------|----------------------------------|-----------------------------------------|
| Step header              | Kies een indicatie               | Choisir une indication                  |
| Infection domain label   | Infectiedomeinen                 | Domaines infectieux                     |
| Indication field label   | Indicaties *                     | Indications *                           |
| Infection domain default | Alle infectiedomeinen            | Tous les domaines infectieux            |
| Indication placeholder   | Type en selecteer een indicatie* | Encodez et sélectionnez une indication* |
| Confirm button           | Bevestigen                       | Confirmer                               |

## 5.2.2 Step 2: Fill in guideline parameters

**2** In aanmerking genomen parameters

Gelieve alle parameters te controleren en te wijzigen indien nodig.

|                                                                    |                                                    |
|--------------------------------------------------------------------|----------------------------------------------------|
| <input type="checkbox"/> Risico op gecompliceerd verloop bij vrouw | ▼ Twijfels? Specificeer de situatie van de patiënt |
| <input type="checkbox"/> IgE gemedieerde penicilline allergie      |                                                    |
| <input checked="" type="checkbox"/> Leeftijd                       |                                                    |
| Gelieve te specificeren:                                           |                                                    |
| <input type="text" value=" &gt;16 jaar"/>                          |                                                    |
| <input type="checkbox"/> Recidiverende cystitis                    |                                                    |
| <input type="checkbox"/> Cultuur en antibiogram gekend             |                                                    |
| <input type="checkbox"/> Kwetsbare oudere                          |                                                    |
| <input type="checkbox"/> eGFR gekend                               |                                                    |
| <input type="checkbox"/> Vermoeden SOA bij man                     |                                                    |
| <input type="checkbox"/> Klinische symptomen bij kwetsbare oudere  | ▼ Twijfels? Specificeer de situatie van de patiënt |
| <input checked="" type="checkbox"/> Geslacht                       |                                                    |
| Gelieve te specificeren:                                           |                                                    |
| <input type="text" value=" Man"/>                                  |                                                    |
| <input type="checkbox"/> Contra indicaties voor nitrofurantoïne    | ▼ Twijfels? Specificeer de situatie van de patiënt |
| <input type="checkbox"/> G6PD-deficiëntie                          |                                                    |
| <input type="checkbox"/> Laatste weken zwangerschap (>24 weken)    |                                                    |
| <input type="checkbox"/> Allergie voor nitrofurantoïne             |                                                    |
| <input type="checkbox"/> eGFR onder 30                             |                                                    |

✓ Bekijk de aanbevelingen

Step 2 displays the applicable support parameters and patient variables for the selected indication. The prescriber selects the applicable parameters for the patient, then clicks “Bekijk de aanbevelingen / Voir les recommandations” to generate the recommendations. Parameters are never pre-filled; the prescriber always makes an active selection.

There are four types of parameter options: (1) a support parameter with no underlying patient variables; (2) a support parameter with underlying patient variables, expandable via “Twijfels? Specificeer de situatie van de patiënt / Un doute? Précisez la situation du patient”; (3) a mandatory support parameter where the prescriber must select a patient variable from a dropdown; (4) a non-mandatory support parameter where the prescriber may optionally select a patient variable from a dropdown.

## Support parameters

Each row represents a support parameter. Types 1 and 2 appear as a standalone checkbox. Type 2 can be expanded via “Twijfels? Specificeer de situatie van de patiënt / Un doute? Précisez la situation du patient” to reveal sub-options. Types 3 and 4 show a patient variable dropdown below the checkbox; type 3 is mandatory, type 4 is optional. Checking any parameter includes it in the recommendation query.

### "View recommendations" button

After selecting the applicable parameters, the prescriber clicks “Bekijk de aanbevelingen / Voir les recommandations” to submit and retrieve the scored antimicrobial recommendations. A “Terug naar de vorige stap / Retourner à l’étape précédente” back link is also shown at the bottom of the step.

- For type 3 (mandatory) parameters, the dropdown must be completed before proceeding. Leaving it empty shows a “Verplicht veld” validation error when the prescriber attempts to proceed.
- For type 4 (non-mandatory) parameters, the dropdown is optional; leaving it empty is valid and the parameter is not included in the query.

### Patient variable dropdowns

For support parameters of types 3 and 4, a patient variable dropdown appears beneath the checkbox, labelled “Gelieve te specificeren / Veuillez préciser”. The placeholder reads “Type en selecteer een waarde\* / Tapez et sélectionnez une valeur\*”. Step 2 ends with the “Bekijk de aanbevelingen / Voir les recommandations” button at the bottom left.

### UI Labels & Translations

| UI Element                 | NL – Nederlands                                                     | FR – Français                                                    |
|----------------------------|---------------------------------------------------------------------|------------------------------------------------------------------|
| <b>Step header</b>         | In aanmerking genomen parameters                                    | Paramètres pris en compte                                        |
| <b>Intro text</b>          | Gelieve alle parameters te controleren en te wijzigen indien nodig. | Veuillez vérifier tous les paramètres et modifier si nécessaire. |
| <b>Doubt panel link</b>    | Twijfels? Specificeer de situatie van de patiënt                    | Un doute? Précisez la situation du patient                       |
| <b>Specify field label</b> | Gelieve te specificeren                                             | Veuillez préciser                                                |
| <b>Specify placeholder</b> | Type en selecteer een waarde*                                       | Tapez et sélectionnez une valeur*                                |

|                                    |                           |                                |
|------------------------------------|---------------------------|--------------------------------|
| <b>View recommendations button</b> | Bekijk de aanbevelingen   | Voir les recommandations       |
| <b>Back link</b>                   | Terug naar de vorige stap | Retourner à l'étape précédente |
| <b>Mandatory field validation</b>  | Verplicht veld            | Champ obligatoire              |



### 5.2.3 Step 3: Recommendations

 Aanbevelingen

 Opgelet: in deze aanbevelingen is nog geen rekening gehouden met alle mogelijke contra-indicaties of intoleranties voor de vermelde geneesmiddelen.

[Legende](#) 

**Behandeling op geleide van (PCR) resultaten**

**Urinecultuur + SOA screening**  
Urinestaal afnemen voor cultuur en antibiogram alvorens antibiotica te starten.

Test op SOA's op basis van het seksuele risicogedrag van de patiënt. Cfr. [SOA-tool](#) van het KCE.  
Wacht PCR resultaten af alvorens behandeling te starten.

Overweeg de diagnose urethritis bij een sterk vermoeden van SOAs.

**Nitrofurantoïne**

Bij uitgesproken klachten is een empirische behandeling met Nitrofurantoïne oraal mogelijk: 300 mg per dag in 3 giften gedurende 7 dagen.

**Urinecultuur + SOA screening**  
Urinestaal afnemen voor cultuur en antibiogram alvorens antibiotica te starten.

Test op SOA's op basis van het seksuele risicogedrag van de patiënt. Cfr. [SOA-tool](#) van het KCE.

**Fosfomycine**

Niet aangewezen

**Chinolonen**

Niet aangewezen

**Amoxicilline**

Niet aangewezen

[Meer details op de BCFI site](#)

[Download het beslismodel van EBPNET](#)

Deze aanbeveling is gebaseerd op de volgende patiënt parameters:

- Leeftijd
  - >16 jaar
- Vermoeden SOA bij man
- Geslacht
  - Man

[← Terug naar de vorige stap](#)

[Opnieuw starten](#)

Step 3 displays the scored antimicrobial recommendations. An orange warning banner is shown at the top indicating that contra-indications and intolerances are not yet taken into account. A “Legende / Légende” link opens the colour legend in a new tab. Each row contains three columns:

| Column                                             | Description                                                                                                                                                 |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Relevance / Pertinence                             | Numeric score (1–3) shown as a proportionally filled colour bar.                                                                                            |
| Antimicrobial treatment / Traitement antimicrobien | Name of the antimicrobial treatment option, displayed in bold (e.g. “Nitrofurantoïne”). May include supporting sub-text with dosage or additional guidance. |

## Colour Coding

Each row is colour-coded based on the relevance score:

| Score | Colour | Meaning               |
|-------|--------|-----------------------|
| 3     | Green  | Generally recommended |
| 2     | Yellow | Possibly recommended  |
| 1     | Red    | Not recommended       |

Below the recommendations, two external links are shown: “Meer details op de BCFI site / Plus de détails sur le site CBIP” and “Download het beslismodel van EBPNET / Télécharger le modèle de décision d’EBPNET”. A summary of the active patient parameters is also shown. The prescriber can return to Step 2 via “Terug naar de vorige stap / Retourner à l’étape précédente”, or restart via “Opnieuw starten / Réinitialiser” (bottom right).

## UI Labels & Translations

| UI Element                 | NL – Nederlands                                                                                                                                     | FR – Français                                                                                                                                    |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Step header                | Aanbevelingen                                                                                                                                       | Recommandations                                                                                                                                  |
| Warning banner             | Opgelet: in deze aanbevelingen is nog geen rekening gehouden met alle mogelijke contra-indicaties of intoleranties voor de vermelde geneesmiddelen. | Attention : ces recommandations ne prennent pas encore en compte toutes les contre-indications ou intolérances possibles aux médicaments listés. |
| Legend link                | Legende                                                                                                                                             | Légende                                                                                                                                          |
| Restart link               | Opnieuw starten                                                                                                                                     | Réinitialiser                                                                                                                                    |
| BCFI/CBIP link             | Meer details op de BCFI site                                                                                                                        | Plus de détails sur le site CBIP                                                                                                                 |
| EBPNET decision model link | Download het beslismodel van EBPNET                                                                                                                 | Télécharger le modèle de décision d’EBPNET                                                                                                       |

## 5.3 Backend

The educational web app communicates with the PSS backend via the REST API. The table below maps each step to its corresponding FHIR endpoint.

| Step                   | FHIR Endpoint                                             | Input                                        | Output                                        |
|------------------------|-----------------------------------------------------------|----------------------------------------------|-----------------------------------------------|
| <b>1<br/>and<br/>2</b> | POST<br>/v1/domains/ANTIMICROBIALS/indications/parameters | Infection domain (optional), indication      | Guideline parameters for selected indication  |
| <b>3</b>               | POST /v1/supportRequests/ANTIMICROBIALS                   | Filled in parameters for selected indication | Scored antimicrobial Recommendation resources |

## 6 Radiology

### 6.1 Introduction

The PSS educational web app for radiology assists (future) prescribers/students finding evidence-based imaging recommendations based on the ESR iGuide guidelines published by the European Society of Radiology (ESR).

The recommendations are intended to support evidence-based prescribing of imaging examinations and are not a substitute for the medical expertise of the prescriber and the radiologist.

The application consists of three sequential steps:

| Step | Title                | Description                                                                                                                 |
|------|----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| 1    | Patient parameters   | Enter the patient's age and sex                                                                                             |
| 2    | Choose an indication | Enter indication keywords, optionally select an examination for comparison, then generate and select clinical indication(s) |
| 3    | Recommendations      | Review the scored list, in order to learn the recommendations or compare the given exam with the recommendations            |

## 6.2 Front-end

### 6.2.1 Step 1: Patient Parameters

NLFR

Andere informatie en diensten van de overheid: [belgium.be](https://belgium.be)

   Vlaamse Gemeenschap Leefmilieu

Nick Professional, Tandarts ▾

[← Home](#)**Radiologie**

1 Patiënt parameters

Leeftijd\* :

Geslacht\* :

Vrouw

Man

Onbekend

Volgende

2 Kies een indicatie

3 Aanbevelingen

© RIZIV - Alle rechten voorbehouden | 1.2.1-SNAPSHOT.1781509293 | [Gebruiksvoorwaarden en privacyverklaring](#)

The first step collects anonymous demographic data about the patient. Both fields are mandatory before proceeding.

| Field | Description                                                               |
|-------|---------------------------------------------------------------------------|
| Age * | Numeric input field. Patient's age in years. Mandatory.                   |
| Sex * | Toggle buttons: Female / Male / Unknown. Mandatory. No default selection. |

No personal data is stored. Age and sex are transmitted anonymously to the PSS API.

Once both mandatory fields are filled in, you can go to the next step.

## UI Labels & Translations

| UI Element       | NL – Nederlands | FR – Français |
|------------------|-----------------|---------------|
| Age field label  | Leeftijd *      | Âge *         |
| Sex field label  | Geslacht *      | Sexe *        |
| Toggle – Female  | Vrouw           | Féminin       |
| Toggle – Male    | Man             | Masculin      |
| Toggle – Unknown | Onbekend        | Non défini    |
| Next button      | Volgende        | Suivant       |

### 6.2.2 Step 2: Choose an indication




 Volksgezondheid  
Veiligheid van de Voedselketen  
Leefmilieu

Nick Professional, Tandarts ▾

[← Home](#)

## Radiologie

1 Patiënt parameters

2 Kies een indicatie

3 Aanbevelingen

**Voeg trefwoorden** om indicaties te genereren en **selecteer de indicaties** die de patiëntsituatie het best beschrijven.

Trefwoorden voor indicaties\* :

Type trefwoorden in het Engels (bijv: head, skull, spine)

Onderzoek (optioneel):

Selecteer een onderzoek voor vergelijking met aanbevelingen in stap 3

**Genereer indicaties**

Selecteer de meest relevante indicaties voor de patiënt\*

Type en selecteer een indicatie\*

**Volgende**

© RIZIV - Alle rechten voorbehouden | 1.2.1-SNAPSHOT:1781509293 | [Gebruiksvoorwaarden en privacyverklaring](#)

Step 2 collects the clinical context. The prescriber enters one or more indication keywords (mandatory), optionally selects an examination for comparison, generates a list of indications, and selects the most relevant indication(s).

An information banner at the top of the step explains the flow: add keywords to generate indications, then select the indications that best describe the patient's situation.

### Field 1 – Indication Keywords (Mandatory, English only)

The prescriber types one or more clinical keywords in English. A placeholder hint reminds the prescriber to enter the keywords in English (e.g. head, skull, spine). Confirmed keywords appear as removable chips inside the input field. Multiple keywords are allowed. This field is mandatory.

### Field 2 – Examination (Optional)

Allows the prescriber to optionally select a single imaging examination. The examination is used only for comparison with the recommendations shown in Step 3; it filters the indication list.

- Only one selection allowed.
- The field is entirely optional.

After entering keywords, the prescriber clicks **Generate indications** to retrieve a list of clinical indications from the PSS API.

### Field 3 - Indication Selection

From the returned list, the prescriber selects one or more relevant indications. Selected indications appear as removable chips (e.g. "Headache, positional ×"). Multi-select is supported (max 5). If no indication matches the entered keywords, an inline message is shown below the selector inviting the prescriber to try other search terms (see UI labels below).

### UI Labels & Translations

| UI Element                     | NL – Nederlands                                                                                                         | FR – Français                                                                                                                      |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Info banner</b>             | Voeg trefwoorden toe om indicaties te genereren en selecteer de indicaties die de patiëntsituatie het best beschrijven. | Ajoutez des mots-clés pour générer des indications et sélectionnez les indications qui décrivent le mieux la situation du patient. |
| <b>Keywords field label</b>    | Trefwoorden voor indicaties *                                                                                           | Mots clés pour les indications*                                                                                                    |
| <b>Keywords placeholder</b>    | Type trefwoorden in het Engels (bijv: head, skull, spine)                                                               | Tapez des mots-clés en anglais (par ex.: head, skull, spine)                                                                       |
| <b>Examination field label</b> | Onderzoek (optioneel)                                                                                                   | Examen (optionnel)                                                                                                                 |
| <b>Examination placeholder</b> | Selecteer een onderzoek voor vergelijking met aanbevelingen in stap 3                                                   | Sélectionnez un examen pour la comparaison avec les recommandations à l'étape 3                                                    |

|                                    |                                                                                                |                                                                                                                       |
|------------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Generate indications button</b> | Genereer indicaties                                                                            | Générer des indications                                                                                               |
| <b>Indication selector label</b>   | Selecteer de meest relevante indicaties voor de patiënt*                                       | Sélectionnez les indications les plus pertinentes pour le patient*                                                    |
| <b>Indication placeholder</b>      | Type en selecteer een indicatie*                                                               | Encodez et sélectionnez une indication*                                                                               |
| <b>No results message</b>          | Er is geen PSS-indicatie gevonden op basis van uw invoer. Probeer eventueel andere zoektermen. | Il n'y a pas d'indication PSS basée sur votre entrée de données. Essayez éventuellement d'autres termes de recherche. |
| <b>Next button</b>                 | Volgende                                                                                       | Suivant                                                                                                               |



## 6.2.3 Step 3: Recommendations

### Radiologie

- ☒ Patiënt parameters
- ☒ Kies een indicatie
- ☒ Aanbevelingen

#### Intentie:

| Relevantie              | Onderzoek               | Radiatie |
|-------------------------|-------------------------|----------|
| <div><div>4</div></div> | CT, head, w iv contrast | ☠☠☠      |

#### Aanbevelingen:

| Relevantie              | Onderzoek                               | Radiatie |
|-------------------------|-----------------------------------------|----------|
| <div><div>8</div></div> | MR, head, wo/w iv contrast              |          |
| <div><div>7</div></div> | MR, head, wo iv contrast                |          |
| <div><div>7</div></div> | MR, spine, incl MR myelography          |          |
| <div><div>7</div></div> | CT, myelography, spine                  | ☠☠☠☠     |
| <div><div>5</div></div> | CT, head, wo iv contrast                | ☠☠☠      |
| <div><div>5</div></div> | CT, head, wo/w iv contrast              | ☠☠☠      |
| <div><div>3</div></div> | MR, angiography, head, wo iv contrast   |          |
| <div><div>3</div></div> | MR, angiography, head, wo/w iv contrast |          |
| <div><div>3</div></div> | CT, angiography, head, w iv contrast    | ☠☠☠      |

[Raadpleeg de referentieliteratuur](#)

[Opnieuw starten](#)

© RIZIV - Alle rechten voorbehouden | 1.2.1-SNAPSHOT.1781603268 | [Gebruiksvoorwaarden en privacyverklaring](#)

Step 3 displays the imaging recommendations as scored rows. When an examination was selected in Step 2, a “intention” section is shown first with the score for that examination, followed by an “recommendations” section listing the scored alternatives. When no examination was selected, only the “Alternatives” section is shown. Each row contains three columns:

| Column                 | Description                                                                                                               |
|------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Relevance / Pertinence | Numeric score (1–9) shown as a proportionally filled colour bar with the number displayed inside, or a "no score" option. |
| Examination / Examen   | Name of the imaging examination, displayed in bold (e.g. "MR, head, wo iv contrast").                                     |

|                              |                                                                                     |
|------------------------------|-------------------------------------------------------------------------------------|
| <b>Radiation / Radiation</b> | Radiation level indicated with radiation icons (☼). MRI examinations have no icons. |
|------------------------------|-------------------------------------------------------------------------------------|

### Colour Coding

Each row is colour-coded based on the relevance score:

| Score   | Colour | Meaning                                          |
|---------|--------|--------------------------------------------------|
| 9, 8, 7 | Green  | Generally recommended                            |
| 6, 5, 4 | Yellow | Less recommended – reason for deviation required |
| 3, 2, 1 | Red    | Not recommended – reason for deviation required  |
| —       | Grey   | No score available                               |

Once the recommendations have been generated, the prescriber can still navigate back to Step 1 and Step 2, but all previously entered fields are shown read-only and can no longer be edited. To start a new request, the prescriber must refresh the page or click the “Restart” link displayed at the bottom right of the recommendations screen.

Below the table, a link **Raadpleeg de referentieliteratuur / Consulter la littérature de référence** opens the full ESR iGuide source in a new browser tab.

### UI Labels & Translations

| UI Element                              | NL – Nederlands                   | FR – Français                         |
|-----------------------------------------|-----------------------------------|---------------------------------------|
| <b>Section header – Intention</b>       | Intentie                          | Intention                             |
| <b>Section header – Recommendations</b> | Aanbevelingen                     | Recommandations                       |
| <b>Restart link</b>                     | Opnieuw starten                   | Réinitialiser                         |
| <b>Column header – Relevance</b>        | Relevantie                        | Pertinence                            |
| <b>Column header – Examination</b>      | Onderzoek                         | Examen                                |
| <b>Column header – Radiation</b>        | Radiatie                          | Radiation                             |
| <b>Reference literature link</b>        | Raadpleeg de referentieliteratuur | Consulter la littérature de référence |

## 6.3 Backend

The educational web app communicates with the PSS backend via the Rest API. The table below maps each step to its corresponding API call.

| Step                   | FHIR Endpoint                          | Input                                                            | Output                                                   |
|------------------------|----------------------------------------|------------------------------------------------------------------|----------------------------------------------------------|
| <b>1<br/>and<br/>2</b> | POST /v1/domains/RADIOLOGY/indications | Patient age, sex,<br>indication<br>keywords,<br>optional exam ID | List of Condition<br>resources (clinical<br>indications) |
| <b>3</b>               | POST /v1/supportRequests/RADIOLOGY     | List of Condition<br>resources<br>(clinical<br>indications)      | List of<br>Recommendations                               |

## 7 Clinical biology

### 7.1 Introduction

The PSS educational web app for clinical biology assists students in finding evidence-based recommendations based on the WOREL guidelines, published by the Working group Development of Primary Care Guidelines in Belgium.

The recommendations are intended to support evidence-based prescribing of laboratory tests and are not a substitute for the medical expertise of a prescriber.

The flow for clinical biology consists of three sequential steps:

| Step | Title              | Description                                                      |
|------|--------------------|------------------------------------------------------------------|
| 1    | Profile            | Select one or more profiles                                      |
| 2    | Support parameters | Insert values for the parameters linked to the selected profiles |
| 3    | Recommendations    | Review the scored list of recommendations                        |


## 7.2 Front-end

The stepper guides the user through three steps to generate evidence-based laboratory test recommendations based on WOREL guidelines:

1. Profile selection
2. Support parameters input
3. Resulting recommendations

As user completes each step, its number turns into a blue checkmark for clear progress tracking. In Step 1, the selected profiles are also displayed in the left-side menu for quick reference. User can revisit and modify Steps 1 and 2 at any time to explore how different inputs impact the recommendations in Step 3, enabling an interactive, learning-by-exploration approach.

### 7.2.1 Step 1: Profile



The screenshot shows the 'Klinische biologie' web application interface. At the top, there are language options (NL, FR) and a link to 'Andere informatie en diensten van de overheid: [belgium.be](https://belgium.be)'. Below this are logos for the European Union, RIZIV, and the Flemish Government. A user profile 'Inge Sneepe, Academisch' is logged in. The main heading is 'Klinische biologie'. A blue information box states: 'Deze webapplicatie is uitsluitend bedoeld voor educationeel gebruik. De aanbevelingen zijn gebaseerd op de WOREL richtlijnen voor het rationeel en doelmatig aanvragen van laboratoriumtests in de ambulante praktijk. De webapplicatie kan dus enkel gebruikt worden voor dit en gelijkaardige toepassingsgebieden.' The left sidebar shows three steps: '1. Profiel' (selected with a blue checkmark), '2. Richtlijnparameters', and '3. Aanbevelingen'. The main content area is titled 'Kies een profiel' and contains the instruction 'Duid aan voor welke profielen u de aanbevelen testen wil zien.' Below this is a dropdown menu labeled 'Profielen\*' with the text 'Selecteren'. Under the dropdown, four removable chips are displayed: 'Antidiabetica', 'Chronisch nierbelastende medicatie', 'CNI', and 'Diabeet'. At the bottom right of the main content area is a blue button labeled 'Volgende >'. The footer contains the copyright notice '© RIZIV - Alle rechten voorbehouden | 1.2.1-SNAPSHOT.1781603268 | [Gebruiksvoorwaarden en privacyverklaring](#)'.

The first step allows user to select one or more profiles. The selected profiles are displayed as removable chips below the dropdown. It is mandatory to fill in at least 1 profile in order to proceed to the next step.

| Field    | Description                                           |
|----------|-------------------------------------------------------|
| Profiles | Multi-select dropdown (values are preset). Mandatory. |

|              |                                                                                                                                                       |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Chips</b> | The selected profiles are displayed as chips below the multi-select dropdown. User can click on the cross in the chip to remove the selected profile. |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|

#### UI Labels & Translations

| UI Element                  | NL – Nederlands                                                  | FR – Français                                                               |
|-----------------------------|------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <b>Title</b>                | Kies een profiel                                                 | Choisir un profil                                                           |
| <b>Info</b>                 | Duid aan voor welke profielen u de aanbevolen testen wil zien.   | Indiquez pour quels profils vous souhaitez voir les tests recommandés.      |
| <b>User instruction</b>     | Selecteer één of meerdere profielen                              | Selectionnez un ou plusieurs profils                                        |
| <b>Profiles field label</b> | Profielen                                                        | Profils                                                                     |
| <b>Placeholder</b>          | Selecteren                                                       | Selectionner                                                                |
| <b>Helptext</b>             | Duid alle profielen aan waarvoor u de onderzoeken wil evalueren. | Indiquez tous les profils pour lesquels vous souhaitez évaluer les examens. |
| <b>Next button</b>          | Volgende                                                         | Suivant                                                                     |

## 7.2.2 Step 2: Support parameters

NL
FR
Andere informatie en diensten van de overheid: [belgium.be](https://belgium.be)




Voorgezondheid  
Veiligheid van de Voedselketen  
Leefmilieu

Inge Sneppe, Academisch

[← Home](#)
*i* Deze webapplicatie is uitsluitend bedoeld voor educationeel gebruik. De aanbevelingen zijn gebaseerd op de WOREL richtlijnen voor het rationeel en doelmatig aanvragen van laboratoriumtests in de ambulante praktijk. De webapplicatie kan dus enkel gebruikt worden voor dit en gelijkaardige toepassingsgebieden.

1
Profiel

- Antidiabetica
- Chronisch nierbelastende medicatie
- CNI
- Diabeet

2
Richtlijnparameters

3
Aanbevelingen

#### Richtlijnparameters

Gelieve alle parameters te controleren en te wijzigen indien nodig. Indien er nog geen onderzoek gebeurd is, mag u dit veld leeg laten.

**Vershil tussen laatste eGFR-meting en start medicatie**

Minder dan 3 maanden

Onbekend

Minder dan 3 maanden

Meer dan 3 maanden

Selecteren

**Waarde laatste meting ACR**

Selecteren

[← Vorige](#)
[Volgende →](#)

© RIZIV - Alle rechten voorbehouden | 1.2.1-SNAPSHOT.1781603268 | [Gebruiksvoorwaarden en privacyverklaring](#)

Step 2 captures additional clinical context, including the timing and outcomes of prior tests. Based on the profile(s) selected in Step 1, a predefined set of parameters is presented. The available values for each parameter are configured according to the underlying DMN logic. The labels for the support parameter and the parameter values are not described in the table below, as this depends on the profiles selected in step 1.

All mandatory parameters must be completed before the user can proceed to Step 3.

### UI Labels & Translations

| UI Element   | NL – Nederlands                                                                                                                         | FR – Français                                                                                                                                         |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Title</b> | <b>Richtlijnparameters</b>                                                                                                              | <b>Paramètres</b>                                                                                                                                     |
| <b>Info</b>  | Gelieve alle parameters te controleren en te wijzigen indien nodig. Indien er nog geen onderzoek gebeurd is, mag u dit veld leeg laten. | Veuillez vérifier tous les paramètres et les modifier si nécessaire. Si aucune recherche n'a encore été effectuée, vous pouvez laisser ce champ vide. |

|                 |          |           |
|-----------------|----------|-----------|
| Previous button | Vorige   | Précédent |
| Next button     | Volgende | Suivant   |

### 7.2.3 Step 3: Recommendations

Step 3 displays the recommendation results based on the given profiles and parameters.

NL
FR

Andere informatie en diensten van de overheid: [belgium.be](https://belgium.be)





Volksgesondheid  
Veiligheid van de Voedselketen  
Leestellen

Inge Sneepe, Academisch

[Home](#)

## Klinische biologie

Deze webapplicatie is uitsluitend bedoeld voor educationeel gebruik. De aanbevelingen zijn gebaseerd op de [WOREL](#) richtlijnen voor het rationeel en doelmatig aanvragen van laboratoriumtests in de ambulante praktijk. De webapplicatie kan dus enkel gebruikt worden voor dit en gelijkaardige toepassingsgebieden.

Profiel

- CNI
- Diabeet
- Diabetes mellitus type II
- Diuretica
- Hartfalen
- Hypertensie
- Jicht

Richtlijnparameters

Aanbevelingen

### Aanbevelingen

Opgelet: in deze aanbevelingen is nog geen rekening gehouden met alle mogelijke labotesten per indicatie.

Ingevoerde patiënt parameters

Op basis van de gegevens die u invulde zijn dit de aanbevolen tests.

**Aanbevolen**

eGFR

**Mogelijks aanbevolen**

Sodium

**Niet aanbevolen**

Geen niet-aanbevolen testen

**Meer info**

[Meer details op de Worel site](#)

[Vorige](#) [Opnieuw starten](#)

© RIZIV - Alle rechten voorbehouden | 1.2.1-SNAPSHOT.1781521383 | [Gebruiksvoorwaarden en privacyverklaring](#)

### Warning

A warning is displayed in step 3 to inform user that not all labo tests per indication are taken into account yet.

### Parameters

User can consult the parameter values that were given in order to get the recommendations. By default, this information is collapsed. To view these parameter values, the user has to click on the small downward facing arrow.

### Recommendations

The recommendations are grouped by level of relevance:

- Recommended



- Possibly recommended
- Not recommended

One recommendation for a lab test consists of a score and a test.

| Column    | Description                                       |
|-----------|---------------------------------------------------|
| Relevance | Score: filled colour bar                          |
| Test      | Name of the test, displayed in bold (e.g. "eGFR") |

### Colour Coding

Each row is colour-coded based on the relevance score:

| Relevance | Colour | Meaning                                                                                                                                                                                        |
|-----------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Green  | Generally recommended                                                                                                                                                                          |
|           | Yellow | Less recommended but user can add this if considered relevant (usually because timelapse to recommended moment for next lab-test is almost fulfilled)                                          |
|           | Red    | Not recommended                                                                                                                                                                                |
|           | Grey   | If no tests are available in the "Recommended", "Possibly recommended", or "Not recommended" categories, the section is displayed in grey with a label indicating that no tests are available. |

Below the recommendations, a link to the evidence (WOREL site) is displayed.

Once the recommendations have been generated, the user can navigate back to Step 1 and Step 2. User can edit the data in step 1 and step 2 to learn the impact on the recommendations.

To restart the flow, the user can click the "Restart" button displayed at the bottom right of the recommendations screen.

### UI Labels & Translations

| UI Element            | NL – Nederlands | FR – Français   |
|-----------------------|-----------------|-----------------|
| Recommendations title | Aanbevelingen   | Recommandations |
| Recommended tests     | Aanbevolen      | Recommandé      |

|                                   |                               |                                   |
|-----------------------------------|-------------------------------|-----------------------------------|
| <b>Possibly recommended tests</b> | Mogelijks aanbevolen          | Possiblement recommandé           |
| <b>Not recommended tests</b>      | Niet aanbevolen               | Non recommandé                    |
| <b>Evidence link</b>              | Meer details op de Worel site | Plus de détails sur le site Worel |
| <b>Previous button</b>            | Vorige                        | Précédent                         |
| <b>Restart link</b>               | Opnieuw starten               | Réinitialiser                     |

## 7.3 Back-end

The educational web app communicates with the PSS backend via the REST API. The table below maps each step to its corresponding API call.

| Step     | REST Endpoint                                            | Input                                        | Output                                                                          |
|----------|----------------------------------------------------------|----------------------------------------------|---------------------------------------------------------------------------------|
| <b>1</b> | GET /v1/domains/BIOLOGY/profiles                         |                                              | Get the list of profiles that is displayed in the “profiles dropdown” in step 1 |
| <b>2</b> | GET<br>v1/domains/BIOLOGY/supportParameters?profiles=... | Selected profiles                            | List of parameters that is displayed in step 2                                  |
| <b>3</b> | POST /v1/domains/BIOLOGY/support                         | Selected profiles + support parameter values | List of Recommendations                                                         |