Introduction & Objectives

Introduction

”Tourisam Management System”

A Tourism Management System (TMS) is a software platform designed to automate and manage various operations within the tourism industry. These systems handle a broad range of tasks, including tour package creation, bookings, customer management, and itinerary planning

The primary goal of a TMS is to streamline the management of tourism-related activities, increase operational efficiency, and enhance the customer experience by reducing manual work, minimizing errors, and providing real-time data and insights.

It aims to improve the coordination between various departments, such as sales, customer service, and finance, while offering personalized services to travelers.

Objectives

Objectives of the Project

The main objectives of the **Tourism Management System .NET Project** are as follows:

The main objectives of this project are:

- ✓ To develop a user-friendly and efficient tourism management system.
- ✓ The purpose is to design a system using which one perform all operations related to travelling and site seeing.
- ✓ This system connects customers and agents directly, provides a feedback mechanism for tourists, maintains and gives a
- ✓ variety of travel services.

System Analysis

Problem Definition

1. Background of the Problem

In today's digital era, the tourism and travel industry has experienced rapid growth due to increased internet usage and online services. Travel agencies and tourism operators manage a wide range of activities such as tourist information, tour packages, hotel bookings, transport arrangements, payments, and customer support.Traditionally, many small and medium-sized tourism businesses rely on manual methods, paper records, spreadsheets, or standalone software applications to manage these operations.

These manual or semi-automated systems often lead to inefficiency, data inconsistency, delayed responses, and poor coordination between tourists, travel agents, and administrators. As the number of tourists, destinations, and services increases, managing tourism operations without a centralized system becomes complex, time- consuming, and prone to errors.

2. Existing System Issues

The existing tourism management approach suffers from several limitations:

1. **Manual Data Handling**
   - Tourist details, booking information, and tour package data are often maintained manually or in spreadsheets.
   - Manual entry increases the risk of errors, duplication, and data loss.

2. **Lack of Centralized Management**
   - No single platform to manage advertisers, campaigns, ad content, billing, and reports.
   - Difficult to track campaign status and performance in real time.

3. **Poor Communication**
   - Communication between advertisers and agency staff happens through emails or phone calls.
   - No structured way to approve advertisements or track feedback.

4. **Inefficient Reporting**
   - Generating performance reports is time-consuming.
   - Advertisers do not get instant insights into ad reach, clicks, or campaign effectiveness.

5. **Limited Transparency**
   - Clients have limited visibility into campaign progress and spending.
   - Trust issues may arise due to delayed or incomplete reporting.

6. **Scalability Problems**
   - Existing systems cannot efficiently handle a growing number of clients and advertisements.
   - Expansion to new advertising channels becomes difficult.

3. Problem Statement

There is a need for a centralized, automated, and web-based Tourism Management System that can efficiently manage tourism operations, reduce manual effort, improve transparency, and provide real-time access to booking and tour information for both administrators and tourists.

The absence of such a system results in operational inefficiencies, increased workload, and reduced customer satisfaction.

4. Proposed Solution

The proposed Tourism Management System aims to overcome these challenges by providing:

- A centralized database for managing advertisers, campaigns, and advertisements
- Automated campaign creation, scheduling, and approval workflows
- Secure login and role-based access (Admin, Advertiser)

- Online advertisement submission and tracking
- Automated billing and report generation
- Real-time campaign performance monitoring

5. Scope of the Problem

The system focuses on solving operational and management challenges within an advertising agency, including:

- Managing multiple advertisers and campaigns
- Reducing paperwork and manual pr

Feasibility Study

❖ **Tool Used:**

- Front End Tool: Microsoft Visual Studio 2013 for ASP.NET
- Back End Tool: SQL Server (Database)

❖ **Software Specification:**

- Operating System: Windows 10
- Version**:** 2002 SP3
- Intel(R) Core(TM) i3-7020U CPU
- @2.30GHz 2.30GHz
- 500 MB of. RAM
- Physical Address Extension
- Opera 9.0 or Above

  (Recommended) Mozilla Fire fox
- IIS (Internet Information Service)

❖ **Microsoft Visual Studio 2013:**

- **Version :- Visual Studio 2013**
- **Minimum Requirements :-**

8GB RAM

500 GB or above Hard Disk

1024 x 56 Display Screen, 1.22 Spaces

System Design

DFD

➢ **Data Flow**

The Flow Diagrams Are an Intuitive Way of Showing. How Data is Processed by a System.

The System Used in The DFD for this Project are Show Bellow.

❖ **Data Flow:**

Following Symbol is Used to Show Data Flow. The Data Flow is Packet of Data.

❖ **Process:**

People, Procedures or Devices that use or Product Data.



- **Source Or Destination or Data:**

  These are Entities, Which Interact with the System from Outside Its Boundaries.

- **Data Storage:**

  Here Data are Stored or Referenced in The System.


Admin
User
Tour Grant
Booking Request
Tourism Management System
Tour Details
Login & Registration
Database
User

➢ "0 (Zero)" Level Diagram (Context Diagram):



“Use Case Diagram:



"1 (First)" Level Diagram:

- 2.1 Sign up Flow



- 2.2 Log in Flow



- 2.3 Contact Flow



- Login Process:



- Sign up Process:



➢ Contact Process:



E-R Diagram


Admin login
- Id
- UserName
- Password
- CreatedAt
- Name
- MobileNumber
- Email
Mange
Users
- Id
- fname
- password
- email
- MobileNumber
- CreatedAt
Bookings
- Bookingid
- packageid
- useremail
- fromdate
- todate
- comment
- regdate
- status
- cancelby
- updationdate
Tourpackages
- PackageId
- Packagename
- PackageType
- PackageLocation
- Packageprice
- PackageFeatures
- PackageDetails
- PackageImage
- CreationDate
- Person
- days
Enquiries
- Id
- fullname
- email
- mobile
- subject
- description
- postdate
- status
Issues
- Id
- Useremail
- Issues
- Description
- Postdate
- AdminRemark
- AdminRemarkDate
Pagedata
- Pagetype
- PageDetails
- CretedDate
- UpdatedDate

Data Dictionary

1. **AdminLogin**

Column Name	Data Type	Size	Constrain
Id	int	11	PRIMARY KEY
UserName	NVARCHAR	100	Not null
password	NVARCHAR	100	Not null
CreatedAt	DATETIME	-	GETDATE()
Name	NVARCHAR	100	null
MobileNumber	NVARCHAR	15	null
Email	VARCHAR	255	Not null

LAPTOP-QMQT7FC0...- dbo.AdminLogin

Column Name	Data Type	Allow Nulls
Id	int	☐
UserName	nvarchar(100)	☐
Password	nvarchar(100)	☐
CreatedAt	datetime	☑
Name	nvarchar(100)	☑
MobileNumber	nvarchar(15)	☑
Email	varchar(255)	☐
		☐

2. Bookings

Column Name	Data Type	Size	Constrain
bookingid	INT	11	PRIMARY KEY
packageid	INT	-	Not null
useremail	VARCHAR	255	Not null
Fromdate	DATE	-	Not null
todate	DATE	11	Not null
Comment	TEXT	1	Null
regdate	DATETIME	-	-
status	VARCHAR	50	Null
cancelby	VARCHAR	255	Null
updationdate	DATETIME	-	Null

LAPTOP-QMQT7FC0\...s - dbo.Bookings

Column Name	Data Type	Allow Nulls
bookingid	int	☐
packageid	int	☐
useremail	varchar(255)	☐
fromdate	date	☐
todate	date	☐
comment	text	☑
regdate	datetime	☑
status	varchar(50)	☑
cancelby	varchar(255)	☑
updationdate	datetime	☑
		☐

3. Enquiry

Column Name	Data Type	Size	Constrain
id	INT	11	PRIMARY KEY
fullname	VARCHAR	255	NOT NULL
email	VARCHAR	255	NOT NULL
mobile	VARCHAR	15	NOT NULL
subject	VARCHAR	255	NOT NULL
description	TEXT	-	NULL
postdate	DATETIME	-	-
status	INT	-	NULL

LAPTOP-QMQT7FC0\...tms - dbo.Enquiry

Column Name	Data Type	Allow Nulls
id	int	☐
fullname	varchar(255)	☐
email	varchar(255)	☐
mobile	varchar(15)	☐
subject	varchar(255)	☐
description	text	☑
postdate	datetime	☑
status	int	☑
		☐

4. Issues

Column Name	Data Type	Size	Constrain
Id	INT	11	PRIMARY KEY
UserEmail	VARCHAR	255	NOT NULL
Issue	VARCHAR	255	NOT NULL
Description	TEXT	-	NULL
PostDate	DATETIME	-	
AdminRemark	TEXT		NULL
AdminRemarkDate	DATETIME		NULL

LAPTOP-QMQT7FC0\S....tms - dbo.Issues

Column Name	Data Type	Allow Nulls
Id	int	☐
UserEmail	varchar(255)	☐
Issue	varchar(255)	☐
Description	text	☑
PostDate	datetime	☑
AdminRemark	text	☑
AdminRemarkDate	datetime	☑
		☐

5. Pagedata

Column Name	Data Type	Size	Constrain
Id	INT	11	PRIMARY KEY
PageType	VARCHAR	100	NOT NULL
PageDetails	TEXT	-	NULL
CreatedDate	DATETIME	-	-
UpdatedDate	DATETIME	-	NULL

LAPTOP-QMQT7FC0\...s - dbo.PageData

Column Name	Data Type	Allow Nulls
ID	int	☐
PageType	varchar(100)	☐
PageDetails	text	☑
CreatedDate	datetime	☑
UpdatedDate	datetime	☑
		☐

6. TourPackages

Column Name	Data Type	Size	Constrain
PackageId	INT	11	PRIMARY KEY
PackageName	NVARCHAR	100	NOT NULL
PackageType	NVARCHAR	100	NOT NULL
PackageLocation	NVARCHAR	100	NOT NULL
PackagePrice	DECIMAL	18,2	NOT NULL
PackageFeatures	NVARCHAR	500	NOT NULL
PackageDetails	NVARCHAR	1000	NOT NULL
PackageImage	NVARCHAR	255	NOT NULL
CreationDate	DATETIME	-	NULL
Person	INT	11	NULL
Day	INT	11	NULL

MSI\SQLEXPRESS.T...dbo.TourPackages

Column Name	Data Type	Allow Nulls
PackageId	int	☐
PackageName	nvarchar(100)	☐
PackageType	nvarchar(100)	☐
PackageLocation	nvarchar(100)	☐
PackagePrice	decimal(18, 2)	☐
PackageFeatures	nvarchar(500)	☐
PackageDetails	nvarchar(1000)	☐
PackageImage	nvarchar(255)	☐
CreationDate	datetime	☑
person	int	☑
days	int	☑
		☐

7. Users

Column Name	Data Type	Size	Constrain
Id	INT	11	PRIMARY KEY
FName	NVARCHAR	255	NOT NULL
Password	NVARCHAR	255	NOT NULL
Email	NVARCHAR	255	NOT NULL
MobileNumber	NVARCHAR	50	NOT NULL
CreatedAt	DATETIME	-	NOT NULL

LAPTOP-QMQT7FC0\...S.tms - dbo.Users

Column Name	Data Type	Allow Nulls
Id	int	☐
FName	nvarchar(255)	☐
Password	nvarchar(255)	☐
Email	nvarchar(255)	☐
MobileNumber	nvarchar(50)	☐
CreatedAt	datetime	☐
		☐

Screen Layout

User side

Home page



Code:

```
using System;

namespace TMS_WebForms

{

public partial class Signup : System.Web.UI.Page

{

protected void Page_Load(object sender, EventArgs e)

{

}

}

}
```

Registration Page



Code:

```
using System;
using System.Web;
namespace TMS_WebForms
{
public class SignupHandler : IHttpHandler
{
public void ProcessRequest(HttpContext context)
{
context.Response.ContentType = "application/json";
string fname = context.Request["fname"] ?? "";
string email = context.Request["email"] ?? "";
```

```
int result = model.Insert(fname, email, password, mobilenumber);

if (result == -1)

context.Response.Write("{\"success\":false,\"message\":\"This email address is already in use.\"}");

else

context.Response.Write("{\"success\":true,\"message\":\"User created successfully!\"}");

}



 .then(function(json){

 if(json.success){ result.style.color='green'; result.textContent = json.message; form.reset(); }

 else { result.style.color='red'; result.textContent = json.message; }

 }).catch(function(err){ result.style.color='red'; result.textContent = 'Error submitting form'; });

 });

 })();

 </script>

 </asp:Content>
```

```
using System;

using System.Web;

namespace TMS_WebForms

{

public class SignupHandler : IHttpHandler

{

public void ProcessRequest(HttpContext context)

{

context.Response.ContentType = "application/json";

string fname = context.Request["fname"] ?? "";

string email = context.Request["email"] ?? "";

string password = context.Request["password"] ?? "";

string mobilenumber = context.Request["mobilenumber"] ?? "";

var model = new UserModel();

int result = model.Insert(fname, email, password, mobilenumber);

if (result == -1)

context.Response.Write("{\"success\":false,\"message\":\"This email address is already
in use.\"}");

else

context.Response.Write("{\"success\":true,\"message\":\"User created
successfully!\"}");

}
```

}

}

About Us Page



Code:

```
 using System;
using System.Web.UI;
namespace TMS_WebForms
{
public partial class about : Page
{
protected void Page_Load(object sender, EventArgs e)
{
if (!IsPostBack)
```

```
        {
var pm = new PageModel();
litContent.Text = pm.SelectByType("aboutus");
if (string.IsNullOrEmpty(litContent.Text)) litContent.Text = "About us content.";
}
}
}
}
```

MANAGE ISSUES



CODE :

```
using System;

using System.Configuration;

using System.Data;

using System.Data.SqlClient;

using System.Web.UI;

namespace TMS_WebForms.Admin

{

public partial class Manage_Issues : Page

{

private readonly string _connectionString;
```

```
{

_connectionString =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString

?? "Data Source=.\\SQLEXPRESS;Database=tms;User
Id=sa;pwd=123;TrustServerCertificate=True;";

}

protected void Page_Load(object sender, EventArgs e)

{

if (Session["admin_id"] == null)

{

Response.Redirect("Login.aspx");

return;

}

if (!IsPostBack)

{

LoadIssues();

}

}

private void LoadIssues()

{

try

{

using (var con = new SqlConnection(_connectionString))

using (var cmd = new SqlCommand(

"SELECT id, Issue, Description, UserEmail, PostDate, AdminRemark,
```

```
 var da = new SqlDataAdapter(cmd);

  var dt = new DataTable();

da.Fill(dt);

gvIssues.DataSource = dt;

gvIssues.DataBind();

}

}

catch (Exception ex)

{

litResult.Text = $"<div class=\"alert alert-danger\">Error loading issues:
{ex.Message}</div>";

}

}

protected void gvIssues_RowCommand(object sender,
System.Web.UI.WebControls.GridViewCommandEventArgs e)

{

try

{

{

using (var con = new SqlConnection(_connectionString))

using (var cmd = new SqlCommand(

"SELECT id, Issue, Description, UserEmail, PostDate, AdminRemark,



AdminRemarkDate FROM [dbo].[Issues] ORDER BY id DESC", con))
```

```
    litResult.Text = $"<div class=\"alert alert-danger\">Error loading issues:
{ex.Message}</div>";

}

}

protected void gvIssues_RowCommand(object sender,
System.Web.UI.WebControls.GridViewCommandEventArgs e)

{

try

{

int id = Convert.ToInt32(e.CommandArgument);

if (e.CommandName == "ViewIssue")

{

LoadIssueDetails(id);

}

else if (e.CommandName == "DeleteIssue")

{

DeleteIssue(id);

}

}

catch (Exception ex)

{

}
```

```
cmd.Parameters.AddWithValue("@id", id);

var da = new SqlDataAdapter(cmd);

var dt = new DataTable();

da.Fill(dt);

if (dt.Rows.Count > 0)

{

var r = dt.Rows[0];

litIssueId.Text = r["id"].ToString();

litIssueTitle.Text = r["Issue"].ToString();

litIssueDesc.Text = r["Description"].ToString();

litUserEmail.Text = r["UserEmail"].ToString();

litIssueDate.Text = Convert.ToDateTime(r["PostDate"]).ToString("yyyy-MM-dd
HH:mm");

if (r["AdminRemark"] != DBNull.Value &&
!string.IsNullOrEmpty(r["AdminRemark"].ToString()))

{

txtAdminRemark.Text = r["AdminRemark"].ToString();

litPrevRemark.Text = r["AdminRemark"].ToString();

litPrevRemarkDate.Text =
Convert.ToDateTime(r["AdminRemarkDate"]).ToString("yyyy-MM-dd HH:mm");

pnlExistingRemark.Visible = true;

}

else
```

```
btnAddRemark.CommandArgument = id.ToString();

pnlIssueDetails.Visible = true;

}

}

}

catch (Exception ex)

{

litResult.Text = $"<div class=\"alert alert-danger\">Error loading details:
{ex.Message}</div>";

}

}

protected void btnAddRemark_Click(object sender, EventArgs e)

{

try

{

int issueId = Convert.ToInt32(btnAddRemark.CommandArgument);

var remark = txtAdminRemark.Text.Trim();

if (string.IsNullOrEmpty(remark))

{

litResult.Text = "<div class=\"alert alert-warning\">Please enter a remark.</div>";

return;


using (var con = new SqlConnection(_connectionString))
```

```
{

var cmd = new SqlCommand(

    "UPDATE [dbo].[Issues] SET AdminRemark = @remark, AdminRemarkDate =
    GETDATE() WHERE id = @id", con);

    cmd.Parameters.AddWithValue("@remark", remark);

    cmd.Parameters.AddWithValue("@id", issueId);

    con.Open();

    int result = cmd.ExecuteNonQuery();

    if (result > 0)

    {

    litResult.Text = "<div class=\"alert alert-success\">Remark added
    successfully.</div>";

    LoadIssues();

    pnlIssueDetails.Visible = false;

    }

    else

    {

    litResult.Text = "<div class=\"alert alert-danger\">Failed to add remark. Please try
    again.</div>";

    }

    }

    }

    catch (Exception ex)

    {
```

Privacy Policy



Code:

```
using System;

using System.Web.UI;

namespace TMS_WebForms {

public partial class Privacypolicy : Page

{

protected void Page_Load(object sender, EventArgs e)

{

if (!IsPostBack)

{

var pm = new PageModel();



}
```

```
}

}
```

Contact Us



CODE :

```
using System;
    using System.Web.UI;
    namespace TMS_WebForms
    {
    public partial class contact : Page
    {
    protected void Page_Load(object sender, EventArgs e)
    {
    if (!IsPostBack)
    {
    var pm = new PageModel();
    litContent.Text = pm.SelectByType("contact");
```

```
    if (string.IsNullOrEmpty(litContent.Text)) litContent.Text = "Contact information."
    }
    }
    }
    }

using System;
    using System.Web.UI;
    namespace TMS_WebForms
    {
    public partial class contact : Page
    {
    protected void Page_Load(object sender, EventArgs e)
    {
    if (!IsPostBack)
    {
    var pm = new PageModel();
    litContent.Text = pm.SelectByType("contact");
    if (string.IsNullOrEmpty(litContent.Text)) litContent.Text = "Contact information.";
    }

    {
    var pm = new PageModel();
```

Admin side

Login page



Code:

```
using System;
using System.Configuration;
using System.Data;
using System.Data.SqlClient;
using System.Web.UI;
namespace TMS_WebForms.Admin
{
public partial class Manage_Users : Page
{
```

```
protected void Page_Load(object sender, EventArgs e)
{
if (Session["admin_id"] == null)
{
Response.Redirect("Login.aspx");
return;
}
if (!IsPostBack)
{
LoadUsers();
}
}
var model = new AdminUserModel();
DataSet ds = model.AdminLogin(username, password);
if (ds != null && ds.Tables.Count > 0 && ds.Tables[0].Rows.Count > 0)
{
DataRow row = ds.Tables[0].Rows[0];
Session["admin_id"] = row["Id"]?.ToString();
Response.Redirect("Dashboard.aspx");
}
else
{
lblError.Text = "Invalid username or password.";
lblError.Visible = true;
```

```
}

}
```

Home page



Code:

```
using System;

using System.Configuration;

using System.Data;

using System.Data.SqlClient;

using System.Web.UI;

namespace TMS_WebForms.Admin

{
```

```
{
protected void Page_Load(object sender, EventArgs e)
{
if (Session["admin_id"] == null)
{
Response.Redirect("Login.aspx");
return;
}
if (!IsPostBack)
{
LoadStats();
}
}
private void LoadStats()
{
string cs =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString
;
if (string.IsNullOrEmpty(cs)) return;
using (var con = new SqlConnection(cs))
{
con.Open();
using (var cmd = new SqlCommand("SELECT COUNT(1) FROM [dbo].[Users]",
con))
{
```

```
using (var cmd = new SqlCommand("SELECT COUNT(1) FROM
[dbo].[TourPackages]", con))

{

lblPackages.InnerText = Convert.ToString(cmd.ExecuteScalar() ?? "0");

}

using (var cmd = new SqlCommand("SELECT COUNT(1) FROM
[dbo].[Bookings]", con))

{

lblBookings.InnerText = Convert.ToString(cmd.ExecuteScalar() ?? "0");

}

using (var cmd = new SqlCommand("SELECT COUNT(1) FROM
[dbo].[Enquiry]", con))

{

lblEnquiries.InnerText = Convert.ToString(cmd.ExecuteScalar() ?? "0");

}

using (var cmd = new SqlCommand("SELECT TOP 5 id, fullname, email, mobile,
subject, createdate, status FROM [dbo].[Enquiry] ORDER BY id DESC", con))

{

var da = new SqlDataAdapter(cmd);

var dt = new DataTable();

da.Fill(dt);

gvEnquiries.DataSource = dt;

gvEnquiries.DataBind();

}

}

}
```

```
}

}
```

Dashboard



Code:

```
using System;
 using System.Configuration;
 using System.Data;
 using System.Data.SqlClient;
 using System.Web.UI;
 namespace TMS_WebForms.Admin
 {

 public partial class Dashboard : Page
```

```
{
protected void Page_Load(object sender, EventArgs e)
{
if (Session["admin_id"] == null)
{
Response.Redirect("Login.aspx");
return;
}
if (!IsPostBack)
{
LoadStats();
}
}
private void LoadStats()
{
string cs =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString
if (string.IsNullOrEmpty(cs)) return;
using (var con = new SqlConnection(cs))
{
con.Open();
using (var cmd = new SqlCommand("SELECT COUNT(1) FROM [dbo].[Users]",
con))
{
lblUsers.InnerText = Convert.ToString(cmd.ExecuteScalar() ?? "0");
```

```
        using (var cmd = new SqlCommand("SELECT COUNT(1) FROM
        [dbo].[TourPackages]", con))

        {

        lblPackages.InnerText = Convert.ToString(cmd.ExecuteScalar() ?? "0");

        }

        using (var cmd = new SqlCommand("SELECT COUNT(1) FROM
        [dbo].[Bookings]", con))

        {

        lblBookings.InnerText = Convert.ToString(cmd.ExecuteScalar() ?? "0");

        }

        using (var cmd = new SqlCommand("SELECT COUNT(1) FROM
        [dbo].[Enquiry]", con))

        {

        lblEnquiries.InnerText = Convert.ToString(cmd.ExecuteScalar() ?? "0");

        }

        using (var cmd = new SqlCommand("SELECT TOP 5 id, fullname, email, mobile,
        subject, createdate, status FROM [dbo].[Enquiry] ORDER BY id DESC", con))

        var da = new SqlDataAdapter(cmd);

        var dt = new DataTable();

        da.Fill(dt);

        gvEnquiries.DataSource = dt;

        gvEnquiries.DataBind();

        }

        }

}

}

}
```

```
<asp:BoundField DataField="email" HeaderText="Email" />

<asp:BoundField DataField="mobile" HeaderText="Mobile" />

<asp:BoundField DataField="subject" HeaderText="Subject" />

<asp:BoundField DataField="createdate" HeaderText="Date"
DataFormatString="{0:yyyy-MM-dd HH:mm}" />

<asp:BoundField DataField="status" HeaderText="Status" />

</Columns>

</asp:GridView>

</div>

</div>

</asp:Content>
```

Admin Create Package



Code:

```
using System;

using System.Configuration;

using System.Data;

using System.Data.SqlClient;

using System.Web.UI;

using System.Web.UI.WebControls;

namespace TMS_WebForms.Admin

{

public partial class Manage_TourPackages : Page

{

private readonly string _connectionString;
```

```
}
protected void Page_Load(object sender, EventArgs e)
{
if (Session["admin_id"] == null)
{
Response.Redirect("Login.aspx");
return;
}
if (!IsPostBack)
{
LoadPackages();
}
}
private void LoadPackages()
{
try
{
using (var con = new SqlConnection(_connectionString))
using (var cmd = new SqlCommand(
"SELECT PackageId, PackageName, PackageType, PackageLocation,
PackagePrice, PackageFeatures, PackageDetails, PackageImage, CreationDate,
Person, Days FROM [dbo].[TourPackages] ORDER BY PackageId DESC", con))
{
var da = new SqlDataAdapter(cmd);
var dt = new DataTable();
```

```
gvPackages.DataBind();

}

}

catch (Exception ex)

{

litResult.Text = $"<div class=\"alert alert-danger\">Error loading packages:
{ex.Message}</div>";

}

}

protected void btnAddNew_Click(object sender, EventArgs e)

{

_editingPackageId = 0;

ClearForm();

litFormTitle.Text = "Add New Package";

pnlPackageForm.Visible = true;

pnlPackageDetails.Visible = false;
```

```
<@model tms.Models.PackageModel


@{
    ViewBag.Title = "Create Package";
    Layout = "~/Views/Shared/_adminLayout.cshtml";  // Adjust layout path if
necessary
```

User Details



Code:

```
using System;

using System.Configuration;

using System.Data;

using System.Data.SqlClient;

using System.Web.UI;

namespace TMS_WebForms.Admin

{

public partial class Manage_Users : Page

{

  {
```

```
if (Session["admin_id"] == null)

{

Response.Redirect("Login.aspx");

return;

}

if (!IsPostBack)

{

LoadUsers();

}

}

private void LoadUsers()

{

string cs =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString;

using (var con = new SqlConnection(cs))

using (var cmd = new SqlCommand("SELECT Id, FName, Email, MobileNumber,
RegistrationDate FROM [dbo].[Users] ORDER BY Id DESC", con))

{

var da = new SqlDataAdapter(cmd);

var dt = new DataTable();

da.Fill(dt);

gvUsers.DataSource = dt;

gvUsers.DataBind();

}

protected void gvUsers_RowCommand(object sender,
System.Web.UI.WebControls.GridViewCommandEventArgs e)
```

```
{
int id = Convert.ToInt32(e.CommandArgument);
if (e.CommandName == "ViewUser")
{
LoadUserDetails(id);
}
else if (e.CommandName == "DeleteUser")
{
DeleteUser(id);
}
}
private void LoadUserDetails(int id)
{
string cs =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString;
using (var con = new SqlConnection(cs))
using (var cmd = new SqlCommand("SELECT Id, FName, Email, MobileNumber,
RegistrationDate FROM [dbo].[Users] WHERE Id = @id", con))
{
cmd.Parameters.AddWithValue("@id", id);
var da = new SqlDataAdapter(cmd);
var dt = new DataTable();
da.Fill(dt);
{
    var row = dt.Rows[0];
```

```
litUserName.Text = row["FName"].ToString();

litUserEmail.Text = row["Email"].ToString();

litUserMobile.Text = row["MobileNumber"].ToString();

litUserReg.Text = Convert.ToDateTime(row["RegistrationDate"]).ToString("yyyy-
MM-dd HH:mm");

pnlDetails.Visible = true;

}

}

}

private void DeleteUser(int id)

{

string cs =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString;

using (var con = new SqlConnection(cs))

using (var cmd = new SqlCommand("DELETE FROM [dbo].[Users] WHERE Id =
@id", con))

{

cmd.Parameters.AddWithValue("@id", id);

con.Open();

cmd.ExecuteNonQuery();

}

LoadUsers();

}

protected void btnCloseDetails_Click(object sender, EventArgs e)

{

pnlDetails.Visible = false;
```

```
}
}
}

</asp:Content>
```

Manage Enquire



Code:

```
using System.Configuration;

using System.Data;

using System.Data.SqlClient;

using System.Web.UI;

namespace TMS_WebForms.Admin

{

public partial class Manage_Enquiry : Page

{

protected void Page_Load(object sender, EventArgs e)

{

   Response.Redirect("Login.aspx");
```

```
return;

}

if (!IsPostBack)

{

LoadEnquiries();

}

}

private void LoadEnquiries()

{

string cs =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString
;

using (var con = new SqlConnection(cs))

using (var cmd = new SqlCommand("SELECT id, fullname, email, mobile, subject,
description, createdate, status FROM [dbo].[Enquiry] ORDER BY id DESC", con))

{

var da = new SqlDataAdapter(cmd);

var dt = new DataTable();

da.Fill(dt);

gvEnq.DataSource = dt;

gvEnq.DataBind();

}

protected void gvEnq_RowCommand(object sender, S

{

int id = Convert.ToInt32(e.CommandArgument);

if (e.CommandName == "ViewEnquiry")
```

```
{
LoadEnquiryDetails(id);
}
else if (e.CommandName == "Resolve")
{
UpdateStatus(id, 1);
}
else if (e.CommandName == "DeleteEnquiry")
{
DeleteEnquiry(id);
}
}
private void LoadEnquiryDetails(int id)
{
string cs =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString
;
using (var con = new SqlConnection(cs))
using (var cmd = new SqlCommand("SELECT id, fullname, email, mobile, subject,
description, createdate, status FROM [dbo].[Enquiry] WHERE id = @id", con))


cmd.Parameters.AddWithValue("@id", id);
var da = new SqlD
```

```
da.Fill(dt);

if (dt.Rows.Count > 0)

{

var r = dt.Rows[0];

litEnqId.Text = r["id"].ToString();

litEnqName.Text = r["fullname"].ToString();

litEnqEmail.Text = r["email"].ToString();

litEnqMobile.Text = r["mobile"].ToString();

litEnqSubject.Text = r["subject"].ToString();

litEnqDesc.Text = r["description"].ToString();

pnlEnqDetails.Visible = true;

}

}

}

private void UpdateStatus(int id, int status)

{

string cs =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString
;

using (var con = new SqlConnection(cs))

using (var cmd = new SqlCommand("UPDATE [dbo].[Enquiry] SET status =
@status WHERE id = @id", con))

{

cmd.Parameters.AddWithValue("@status", status);



con.Open();
```

```
cmd.ExecuteNonQuery();

}

LoadEnquiries();

}

private void DeleteEnquiry(int id)

{

string cs =
ConfigurationManager.ConnectionStrings["DefaultConnection"]?.ConnectionString
;

using (var con = new SqlConnection(cs))

using (var cmd = new SqlCommand("DELETE FROM [dbo].[Enquiry] WHERE id
= @id", con))

{

cmd.Parameters.AddWithValue("@id", id);

con.Open();

cmd.ExecuteNonQuery();

}

LoadEnquiries();

}

protected void btnCloseEnq_Click(object sender, EventArgs e)

{

pnlEnqDetails.Visible = false;

}

}
```

Testing

ADMIN TESTING

Test	Date	Action	Expected result	Actual result	Pass
1	10-12-25	Login page	Show the login	You can show login page	✓
2	12-12-25	Home	You can show the tours	You can show the tours	✓
3	20-12-25	User info	Show All in info	Show to user info.	✓
4	24-12-25	Create Package	Create Package	Create Package	✓
5	29-12-25	Manage Inquire	Manage inquire	You can on inquire	✓
6	03-01-26	Logout	Log out the page	You can show the Page	✓

USER TESTING

Test	Date	Action	Expected result	Actual result	Pass
1	11-01-26	Home page	Show the Home page	You can show the Home page	✓
2	19-01-26	Registration	Show the all News	You can show all news	✓
3	22-01-26	Inquire	show the all Inquire	You can show the Inquire	✓
4	29-01-26	About us	Show the info.	You can Show info.	✓
5	03-02-26	Contact us	Write to user info	Show to user info.	✓
6	12-02-26	Log out	show Log out the page	You can show Log out the page	✓

Conclusion & Future Scope

Conclusion

The Tourism Management System project successfully achieves its goal of providing an efficient, reliable, and user-friendly platform for managing tourism-related activities. The system automates essential processes such as tourist registration, tour package management, booking and scheduling, payment handling, and itinerary management, thereby reducing manual workload and minimizing errors.

By utilizing a centralized database and role-based access for administrators, agents, and users, the application ensures secure data handling and smooth coordination between different modules. The system improves operational efficiency by allowing administrators to manage destinations, packages, and bookings effectively, while users can easily browse, book, and track their tours in a transparent manner.

The use of modern development technologies enhances the system's performance, scalability, and maintainability, making it suitable for real-world tourism businesses with growing user demands. Additionally, the system supports better decision-making through reports and booking analytics, helping tourism operators optimize services and improve customer satisfaction.

Overall, the Tourism Management System demonstrates how digital solutions can streamline tourism operations and enhance the overall travel experience. The project provides a strong foundation for future enhancements such as real- time booking updates, mobile application integration, online reviews, GPS-based navigation, and AI-driven personalized travel recommendations. Hence, the Tourism Management System proves to be a practical and effective solution for managing tourism services in today's digital environment

Future Scope

The Tourism Management System can be further enhanced in several ways to improve its functionality, performance, and user experience.With the continuous growth of the travel and tourism industry, this system has wide future potential. Some of the major future enhancements are listed below:

1. Advanced Analytics and Reporting

Future versions of the system can include advanced analytics dashboards to track bookings, tourist preferences, seasonal demand, and revenue trends.Detailed reports will help administrators and travel agencies make better business and marketing decisions.

2. AI and Machine Learning Integration

Artificial Intelligence can be integrated to analyze user behavior and provide personalized tour package recommendations. AI-based suggestions can help tourists choose destinations, hotels, and activities based on their interests and budget..

3. Mobile Application Support

A dedicated mobile application (Android/iOS) can be developed to allow users to browse tour packages, make bookings, receive real-time updates, and access itineraries anytime and anywhere.

4. Integration with Social Media Platforms

The system can be integrated with hotel booking services, airline APIs, bus and car rental systems to provide an all-in-one travel solution through a single platform.

5. Real-Time Bidding System

In the future, real-time availability of hotels, transport, and tour slots can be implemented to avoid overbooking and improve customer satisfaction.

6. Cloud Deployment

The Deploying the application on cloud platforms such as AWS or Azure can enhance scalability, data security, and system availability while reducing infrastructure and maintenance costs

7. Multi-Language and Multi-Currency Support

To support international tourists, the system can be enhanced with multi-language and multi-currency features, making it suitable for global tourism operations.

8. Enhanced Security Features

Future improvements may include stronger security measures such as two- factor authentication, secure payment gateways, encrypted data storage, and role-based access control to protect user information.

THANK YOU