

NTUC Automation Test Report

19 Oct, 2021 12:56:20 AM

Start : Oct 19, 12:55:36.401 AM

End : Oct 19, 12:56:19.030 AM

Duration : 42.629 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 12



FAILED - 0


SKIPPED - 0

PASSED - 106


FAILED - 0

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	NTUC NEDigital QE PRETEST	12	12	0	0	42.629 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>NTUC NEDigital QE PRETEST</u>	<u>verify by default submit button is disable until user enters any name or click populate button</u>	11	11	0	0	5.496 s
2	<u>NTUC NEDigital QE PRETEST</u>	<u>verify by default rating and comment are disable until user clicks on testcafe checkbox</u>	13	13	0	0	3.304 s
3	<u>NTUC NEDigital QE PRETEST</u>	<u>verify by default rating and comment are disable until user clicks on testcafe checkbox</u>	13	13	0	0	3.073 s
4	<u>NTUC NEDigital QE PRETEST</u>	<u>verify by default rating and comment are disable until user clicks on testcafe checkbox</u>	13	13	0	0	2.834 s
5	<u>NTUC NEDigital QE PRETEST</u>	<u>verify user can multi select important features</u>	4	4	0	0	2.668 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
6	<u>NTUC NEDigital QE PRETEST</u>	<u>verify user can select an operating system</u>	4	4	0	0	2.356 s
7	<u>NTUC NEDigital QE PRETEST</u>	<u>verify user can select testcafe interface</u>	4	4	0	0	2.556 s
8	<u>NTUC NEDigital QE PRETEST</u>	<u>verify user entered name gets displayed on thanks page on clicking submit button</u>	5	5	0	0	3.269 s
9	<u>NTUC NEDigital QE PRETEST</u>	<u>verify system default user name gets displayed on thanks page when populate and submit button are click in sequence</u>	7	7	0	0	3.205 s
10	<u>NTUC NEDigital QE PRETEST</u>	<u>verify testcafe.io web app get open by clicking testcafe link on thanks page</u>	7	7	0	0	4.835 s
11	<u>NTUC NEDigital QE PRETEST</u>	<u>verify e2e testcafe application functionality for user entered name</u>	12	12	0	0	4.489 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
12	<u>NTUC NEDigital QE PRETEST</u>	<u>verify e2e testcafe application functionality for default system entered name</u>	13	13	0	0	4.479 s

(F)- NTUC NEDigital QE PRETEST

PASSED	DURATION - 42.629 s	Scenarios		Steps	
/ 12:55:36.401 AM // 12:56:19.030 AM /		Total - 12		Total - 106	
		Pass - 12		Pass - 106	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify by default submit button is disable until user enters any name or click populate button

PASSED		DURATION - 5.496 s			Steps	
/ 12:55:36.405 AM // 12:55:41.901 AM /					Total - 11	
NTUC NEDigital QE PRETEST					Pass - 11	
@Test @GUI @TC					Fail - 0	
					Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	2.823 s
	STARTING TEST: verify by default submit button is disable until user enters any name or click populate button		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.475 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.003 s
	Verified: Page Title - TestCafe Example Page		
2	Then the user validates submit element is disable	PASSED	0.026 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Submit Button Disable		
3	When the user enters name as test user	PASSED	0.114 s
4	And the user validates submit element is enable	PASSED	0.016 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Submit Button Enable		
5	When the user clear the name field	PASSED	0.065 s
6	And the user validates submit element is disable	PASSED	0.015 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
	Verified: Submit Button Disable		
7	And the user clicks on Populate button	PASSED	0.090 s
8	Then the user validates the pop up message and clicks OK	PASSED	0.020 s
9	And the user validates submit element is enable	PASSED	0.017 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Submit Button Enable		
10	And the user submit the example page	PASSED	1.117 s
11	Then the user validate thank you webpage title	PASSED	0.005 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Page Title - Thank you!		
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.652 s
	COMPLETE TEST: verify by default submit button is disable until user enters any name or click populate button		

(S)- verify by default rating and comment are disable until user clicks on testcafe checkbox

PASSED DURATION - 3.304 s / 12:55:41.914 AM // 12:55:45.218 AM / NTUC NEDigital QE PRETEST @Test @GUI @TC		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
---	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.511 s
	STARTING TEST: verify by default rating and comment are disable until user clicks on testcafe checkbox		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.283 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Page Title - TestCafe Example Page		
2	Then the user validates rating element is disable	PASSED	0.085 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating Slider Disable		
3	And the user validates comment element is disable	PASSED	0.028 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
	Verified: Comment Text Area Disable		
4	When the user click on TestCafe Checkbox	PASSED	0.095 s
5	Then the user validates rating element is enable	PASSED	0.061 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating Slider Enable		
6	And the user validates comment element is enable	PASSED	0.017 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Comment Text Area Enable		
7	Then the user validates 1-10 rating options are displayed	PASSED	0.018 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating value displayed from 1-10		
8	And the user select rating as 10 and add comment	PASSED	0.251 s
9	And the user click on TestCafe Checkbox	PASSED	0.050 s
10	Then the user validates rating element is disable	PASSED	0.057 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating Slider Disable		
11	And the user validates comment element is disable	PASSED	0.012 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Comment Text Area Disable		
12	And the user click on TestCafe Checkbox	PASSED	0.051 s
13	And the user verify rating as 10 and add comment	PASSED	0.082 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating Comment: Rated: 10 Verified: Rating Value: 10		
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.660 s
	COMPLETE TEST: verify by default rating and comment are disable until user clicks on testcafe checkbox		



(S)- verify by default rating and comment are disable until user clicks on testcafe checkbox

PASSED	DURATION - 3.073 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 12:55:45.223 AM // 12:55:48.296 AM /				
NTUC NEDigital QE PRETEST				
@Test @GUI @TC				

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.503 s
	STARTING TEST: verify by default rating and comment are disable until user clicks on testcafe checkbox		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.249 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Page Title - TestCafe Example Page		
2	Then the user validates rating element is disable	PASSED	0.071 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating Slider Disable		
3	And the user validates comment element is disable	PASSED	0.026 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Comment Text Area Disable		
4	When the user click on TestCafe Checkbox	PASSED	0.078 s
5	Then the user validates rating element is enable	PASSED	0.048 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating Slider Enable		
6	And the user validates comment element is enable	PASSED	0.016 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Comment Text Area Enable		
7	Then the user validates 1-10 rating options are displayed	PASSED	0.014 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating value displayed from 1-10		
8	And the user select rating as 1 and add comment	PASSED	0.169 s
9	And the user click on TestCafe Checkbox	PASSED	0.049 s

#	Step / Hook Details	Status	Duration
10	Then the user validates rating element is disable	PASSED	0.036 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating Slider Disable		
11	And the user validates comment element is disable	PASSED	0.013 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Comment Text Area Disable		
12	And the user click on TestCafe Checkbox	PASSED	0.045 s
13	And the user verify rating as 1 and add comment	PASSED	0.069 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Rating Comment: Rated: 1 Verified: Rating Value: 1		
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.658 s
	COMPLETE TEST: verify by default rating and comment are disable until user clicks on testcafe checkbox		



(S)- verify by default rating and comment are disable until user clicks on testcafe checkbox

PASSED		DURATION - 2.834 s			Steps Total - 13 Pass - 13 Fail - 0 Skip - 0			
/ 12:55:48.302 AM // 12:55:51.136 AM /								
NTUC NEDigital QE PRETEST								
@Test @GUI @TC								

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.321 s
	STARTING TEST: verify by default rating and comment are disable until user clicks on testcafe checkbox		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.196 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Page Title - TestCafe Example Page		
2	Then the user validates rating element is disable	PASSED	0.061 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Rating Slider Disable		
3	And the user validates comment element is disable	PASSED	0.026 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Comment Text Area Disable	PASSED	0.002 s
4	When the user click on TestCafe Checkbox	PASSED	0.082 s
5	Then the user validates rating element is enable	PASSED	0.049 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Rating Slider Enable	PASSED	0.002 s
6	And the user validates comment element is enable	PASSED	0.014 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Comment Text Area Enable	PASSED	0.001 s
7	Then the user validates 1-10 rating options are displayed	PASSED	0.015 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Rating value displayed from 1-10	PASSED	0.001 s
8	And the user select rating as 5 and add comment	PASSED	0.188 s
9	And the user click on TestCafe Checkbox	PASSED	0.044 s
10	Then the user validates rating element is disable	PASSED	0.032 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Rating Slider Disable	PASSED	0.002 s
11	And the user validates comment element is disable	PASSED	0.014 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Comment Text Area Disable	PASSED	0.001 s
12	And the user click on TestCafe Checkbox	PASSED	0.042 s
13	And the user verify rating as 5 and add comment	PASSED	0.068 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Rating Comment: Rated: 5 Verified: Rating Value: 5	PASSED	0.002 s
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario) COMPLETE TEST: verify by default rating and comment are disable until user clicks on testcafe checkbox	PASSED	0.653 s



(S)- verify user can multi select important features

PASSED	DURATION - 2.668 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:55:51.144 AM // 12:55:53.812 AM /				
NTUC NEDigital QE PRETEST				
@Test @GUI @TC				

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.343 s
	STARTING TEST: verify user can multi select important features		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.193 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Page Title - TestCafe Example Page		
2	Given the user validates find following important features	PASSED	0.224 s
	<div>featureList</div> <div>Support for testing on remote devices</div> <div>Re-using existing JavaScript code for testing</div> <div>Running tests in background and/or in parallel in multiple browsers</div> <div>Easy embedding into a Continuous integration system</div> <div>Advanced traffic and markup analysis</div>		
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Feature Option - Support for testing on remote devices Verified: Feature Option - Re-using existing JavaScript code for testing Verified: Feature Option - Running tests in background and/or in parallel in multiple browsers Verified: Feature Option - Easy embedding into a Continuous integration system Verified: Feature Option - Advanced traffic and markup analysis		
3	When the user validates select following important features	PASSED	0.172 s
	<div>featureList</div> <div>Support for testing on remote devices</div> <div>Re-using existing JavaScript code for testing</div>		
4	When the user validates selected following important features	PASSED	0.063 s
	<div>featureList</div> <div>Support for testing on remote devices</div>		

#	Step / Hook Details	Status	Duration
	Re-using existing JavaScript code for testing		
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Selected Feature - Support for testing on remote devices Verified: Selected Feature - Re-using existing JavaScript code for testing	PASSED	0.002 s
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario) COMPLETE TEST: verify user can multi select important features	PASSED	0.665 s



(S)- verify user can select an operating system

PASSED		DURATION - 2.356 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0			
/ 12:55:53.817 AM // 12:55:56.173 AM /								
NTUC NEDigital QE PRETEST								
@Test @GUI @TC								

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario) STARTING TEST: verify user can select an operating system	PASSED	1.239 s
1	Given the user open testcafe example webpage and validates page title	PASSED	0.201 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Page Title - TestCafe Example Page	PASSED	0.002 s
2	Given the user validates find following operating system OSList Windows MacOS Linux	PASSED	0.105 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: OS Option - Windows Verified: OS Option - MacOS Verified: OS Option - Linux	PASSED	0.001 s
3	When the user validates select following operating system OSList	PASSED	0.096 s

#	Step / Hook Details	Status	Duration
	Linux		
4	Then the user validates selected following operating system	PASSED	0.044 s
	OSList Linux		
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Selected OS - Linux		
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.660 s
	COMPLETE TEST: verify user can select an operating system		

(S)- verify user can select testcafe interface

PASSED	DURATION - 2.556 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:55:56.177 AM // 12:55:58.733 AM /				
NTUC NEDigital QE PRETEST				
@Test @GUI @TC				

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.283 s
	STARTING TEST: verify user can select testcafe interface		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.203 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Page Title - TestCafe Example Page		
2	Given the user validates find following interface	PASSED	0.187 s
	interfaceList Command Line JavaScript API Both		
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Interface Option - Command Line Verified: Interface Option - JavaScript API Verified: Interface Option - Both		

#	Step / Hook Details	Status	Duration
3	When the user validates select following interface interfaceList JavaScript API	PASSED	0.136 s
4	Then the user validates selected following interface interfaceList JavaScript API	PASSED	0.069 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Interface Option - JavaScript API	PASSED	0.002 s
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario) COMPLETE TEST: verify user can select testcafe interface	PASSED	0.668 s



(S)- verify user entered name gets displayed on thanks page on clicking submit button

PASSED	DURATION - 3.269 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:55:58.737 AM // 12:56:02.006 AM /				
NTUC NEDigital QE PRETEST				
@Test @GUI @TC				

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario) STARTING TEST: verify user entered name gets displayed on thanks page on clicking submit button	PASSED	1.342 s
1	Given the user open testcafe example webpage and validates page title AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Page Title - TestCafe Example Page	PASSED	0.207 s
2	When the user enters name as Test User	PASSED	0.100 s
3	And the user submit the example page	PASSED	0.954 s
4	Then the user validate thank you webpage title AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario) Verified: Page Title - Thank you!	PASSED	0.004 s
5	And the user validates message on thank page for Test User AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.026 s
		PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	Verified: Name Matched on Thank Page		
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.625 s
	COMPLETE TEST: verify user entered name gets displayed on thanks page on clicking submit button		



(S)- verify system default user name gets displayed on thanks page when populate and submit button are click in sequence

PASSED	DURATION - 3.205 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:56:02.009 AM // 12:56:05.214 AM /				
NTUC NEDigital QE PRETEST				
@Test @GUI @TC				

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.316 s
	STARTING TEST: verify system default user name gets displayed on thanks page when populate and submit button are click in sequence		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.197 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Page Title - TestCafe Example Page		
2	When the user clicks on Populate button	PASSED	0.077 s
3	And the user validates the pop up message and clicks OK	PASSED	0.009 s
4	And the user validates the default name is displayed as Peter Parker	PASSED	0.051 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: User Name - : Peter Parker		
5	When the user submit the example page	PASSED	0.868 s
6	Then the user validate thank you webpage title	PASSED	0.004 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Page Title - Thank you!		
7	And the user validates message on thank page for Peter Parker	PASSED	0.022 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Name Matched on Thank Page		

#	Step / Hook Details	Status	Duration
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.649 s
	COMPLETE TEST: verify system default user name gets displayed on thanks page when populate and submit button are click in sequence		

(S)- verify testcafe.io web app get open by clicking testcafe link on thanks page

PASSED		DURATION - 4.835 s			Steps Total - 7 Pass - 7 Fail - 0 Skip - 0			
/ 12:56:05.218 AM // 12:56:10.053 AM /								
NTUC NEDigital QE PRETEST								
@Test @GUI @TC								

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.491 s
	STARTING TEST: verify testcafe.io web app get open by clicking testcafe link on thanks page		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.187 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Page Title - TestCafe Example Page		
2	When the user enters name as Test User	PASSED	0.107 s
3	And the user submit the example page	PASSED	0.877 s
4	Then the user validate thank you webpage title	PASSED	0.004 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Page Title - Thank you!		
5	And the user validates message on thank page for Test User	PASSED	0.026 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Name Matched on Thank Page		
6	And the user click on href link for more detail TestCafe Application	PASSED	1.430 s
7	And the user validate TestCafe Web Application webpage title	PASSED	0.004 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Page Title - Cross-Browser End-to-End Testing Framework TestCafe		
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.679 s
	COMPLETE TEST: verify testcafe.io web app get open by clicking testcafe link on thanks page		

(S)- verify e2e testcafe application functionality for user entered name

PASSED	DURATION - 4.489 s		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 12:56:10.057 AM // 12:56:14.546 AM /				
NTUC NEDigital QE PRETEST				
@Test @GUI @TC				

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.304 s
	STARTING TEST: verify e2e testcafe application functionality for user entered name		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.192 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Page Title - TestCafe Example Page		
2	When the user enters name as Test User	PASSED	0.103 s
3	And the user click on TestCafe Checkbox	PASSED	0.070 s
4	And the user select rating as 4 and add comment	PASSED	0.192 s
5	And the user validates select following important features	PASSED	0.160 s
	<div>featureList</div> <div>Support for testing on remote devices</div> <div>Re-using existing JavaScript code for testing</div>		
6	And the user validates select following operating system	PASSED	0.098 s
	<div>OSList</div> <div>Linux</div>		
7	And the user validates select following interface	PASSED	0.125 s
	<div>interfaceList</div> <div>JavaScript API</div>		
8	And the user submit the example page	PASSED	0.866 s
9	Then the user validates message on thank page for Test User	PASSED	0.024 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Name Matched on Thank Page		
10	Then the user validate thank you webpage title	PASSED	0.003 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	Verified: Page Title - Thank you!		
11	And the user click on href link for more detail TestCafe Application	PASSED	0.641 s
12	And the user validate TestCafe Web Application webpage title	PASSED	0.005 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Page Title - Cross-Browser End-to-End Testing Framework TestCafe		
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.687 s
	COMPLETE TEST: verify e2e testcafe application functionality for user entered name		

(S)- verify e2e testcafe application functionality for default system entered name

PASSED	DURATION - 4.479 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 12:56:14.551 AM // 12:56:19.030 AM /				
NTUC NEDigital QE PRETEST				
@Test @GUI @TC				

#	Step / Hook Details	Status	Duration
	BEFORE - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	PASSED	1.311 s
	STARTING TEST: verify e2e testcafe application functionality for default system entered name		
1	Given the user open testcafe example webpage and validates page title	PASSED	0.183 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Page Title - TestCafe Example Page		
2	When the user clicks on Populate button	PASSED	0.082 s
3	Then the user validates the pop up message and clicks OK	PASSED	0.009 s
4	And the user click on TestCafe Checkbox	PASSED	0.070 s
5	And the user select rating as 6 and add comment	PASSED	0.193 s
6	And the user validates select following important features	PASSED	0.157 s
	featureList		
	Support for testing on remote devices		
	Re-using existing JavaScript code for testing		
7	And the user validates select following operating system	PASSED	0.094 s
	OSList		

#	Step / Hook Details	Status	Duration
	Linux		
8	And the user validates select following interface	PASSED	0.106 s
	interfaceList JavaScript API		
9	And the user submit the example page	PASSED	0.893 s
10	Then the user validates message on thank page for Peter Parker	PASSED	0.023 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.002 s
	Verified: Name Matched on Thank Page		
11	Then the user validate thank you webpage title	PASSED	0.004 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Page Title - Thank you!		
12	And the user click on href link for more detail TestCafe Application	PASSED	0.641 s
13	And the user validate TestCafe Web Application webpage title	PASSED	0.004 s
	AFTER_STEP - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.001 s
	Verified: Page Title - Cross-Browser End-to-End Testing Framework TestCafe		
	AFTER - com.ntuc.socialenterprises.qa.stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.691 s
	COMPLETE TEST: verify e2e testcafe application functionality for default system entered name		