


Feature			Scer	nario			Step T P F		
Name	Duration	T	P	F	S	T	P	F	S
Functional Scenarios for ASK Login and Logout	43.422 s	1	0	1	0	3	1	1	1

Tag		Scer	nario			Fea	eature		
Name	T	P	F	S	Т	P	F	S	
@Test	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Functional Scenarios for ASK Login and Logout	1	0	1	0	43.422 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Functional Scenarios for ASK Login and Logout	Validation of labels in Create Request page in ASK application	3	1	1	1	43.396 s

DETAILED SECTION -- 6 --

Functional Scenarios for ASK Login and Logout

FAILED	DURATION - 43.422 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 3:22:01.053 PM // 3	3:22:44.475 PM /	Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	🦶 ~ 🆊
		Skip - 0		Skip - 1	

Validation of labels in Create Request page in ASK application



#	Step / Hook Details	Status	Duration
1	Given user lanuch the "APP" application	PASSED	2.004 s
2	Then user login to "APP" application user as "REQUESTER"	FAILED	30.517 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for condition (presence of element located by: By.xpath: //input[@placeholder='Username']) to be refreshed (tried for 30 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at genericlibrary.CommonMethods.waitForPresenceOfWebElement(CommonMethods.java:199) at genericlibrary.CommonAppianMethods.populateTextFieldWithPlaceHolderName(CommonAppianMethods.java:245) at stepdefinition.Stepdefinition_LoginPage.user_login_to_something_application_user_as_something(Stepdefinition_LoginPage.java:69) at ?.user login to "APP" application user as "REQUESTER"(file:///C:/Users/smari/eclipse-workspace/TestMyApplication/src/test/java/features/logInPage.feature:12) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//input(@placeholder='Username']") (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'DESKTOP-6E3PJH8', ip: '192.168.1.69', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [090245154c352baf3ca27f4af8ccf015, findElement {using=xpath, value=//input[@placeholder='Username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.12 (1e0e3868ee06, userDataDir: C:Users\smari\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:62603}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(),		

#	Step / Hook Details	Status	Duration
	se:cdp: ws://localhost:62603/devtoo, se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 090245154c352baf3ca27f4af8ccf015		
	at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:174)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$25.apply(ExpectedConditions.java:721)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$25.apply(ExpectedConditions.java:717)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at genericlibrary.CommonMethods.waitForPresenceOfWebElement(CommonMethods.java:199)		
	at genericlibrary.CommonAppianMethods.populateTextFieldWithPlaceHolderName(CommonAppianMethods.java:245)		
	at stepdefinition.Stepdefinition_LoginPage.user_login_to_something_application_user_as_something(Stepdefinition_LoginPage.java:69)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at total and total and the total and		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
,	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinition.Hooks.stepFailure(io.cucumber.java.Scenario)	PASSED	0.329 s
l –	Validation_of_labels_in_Create_Request_page_in_ASK_application		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	Facebook Correct with firends and the world ground pipe of Pacebook. Tagget Ta		
3	And user clicks logout button	SKIPPED	0.002 s