Triangle meshes 2

CS 4620 Lecture 20

Simple computations with meshes

- **Smoothing**
  - Idea 1: move each vertex to the average of all neighboring vertices
  - Idea 2: move each vertex *partway towards* the avg. of its neighbors
  - there are many fancier ways to do this but with similar flavor
- **Computing normals**
  - Idea 1: faces already have normals; just use those.
  - Idea 2: set normal @ each vertex to the average of the neighboring triangles' normals
  - Idea 3: …to a *weighted* avg. of the neighboring triangles' normals
    - weight by area
    - weight by angle

Ops. that change mesh topology

- **Mesh simplification**

fewer triangles

  – popular approach based on edge-collapse operations:

Before   After

Queries on meshes

- **For face, find all:**
  - vertices
  - edges
  - neighboring faces
- **For vertex, find all:** ⟵ useful for smoothing/normal operations, if you want to compute them one vertex at a time (all at once is easier!)
  - incident edges
 - incident triangles
  - neighboring vertices
- **For edge, find:**
  - two adjacent faces
  - two adjacent vertices

most of these ops. required to implement edge-collapse-based simplification

Triangle neighbor structure

- **Extension to indexed triangle set**

- **Triangle points to its three neighboring triangles**

- **Vertex points to a single neighboring triangle**

- **Can now enumerate triangles around a vertex**

Triangle neighbor structure

- **Extension to indexed triangle set**

- **Triangle points to its three neighboring triangles**

- **Vertex points to a single neighboring triangle**

- **Can now enumerate triangles around a vertex**

Triangle neighbor structure

- **Extension to indexed triangle set**

- **Triangle points to its three neighboring triangles**

- **Vertex points to a single neighboring triangle**

- **Can now enumerate triangles around a vertex**

Triangle neighbor structure

```
Triangle {
  Triangle nbr[3];
  Vertex vertex[3];
  }
```

```
// t.neighbor[i] is adjacent
// across the edge from i to i+1
```

```
Vertex {
  // ... per-vertex data ...
  Triangle t;  // any adjacent tri
  }
```

```
// ... or ...
```

```
Mesh {
  // ... per-vertex data ...
  int tInd[nt][3];  // vertex indices
  int tNbr[nt][3]; // indices of neighbor triangles
  int vTri[nv]; // index of any adjacent triangle
  }
```

Triangle neighbor structure

tNbr[0] | 1, 6, 7
tNbr[1] | 10, 2, 0
tNbr[2] | 3, 1, 12
tNbr[3] | 2, 13, 4
| ⋮

vTri[0] | 0
vTri[1] | 6
vTri[2] | 1
vTri[3] | 1
| ⋮

tInd[0] | 0, 2, 1
tInd[1] | 0, 3, 2
tInd[2] | 10, 2, 3
tInd[3] | 2, 10, 7
| ⋮

Triangle neighbor structure

Triangle neighbor structure

Triangle neighbor structure

Triangle neighbor structure

Triangle neighbor structure

```
TrianglesOfVertex(v) {
    t = v.t;
    do {
        find t.vertex[i] == v;
        t = t.nbr[pred(i)];
    } while (t != v.t);
}

pred(i) = (i+2) % 3;
succ(i) = (i+1) % 3;
```

Triangle neighbor structure

- **indexed mesh was 36 bytes per vertex**

- **add an array of triples of indices (per triangle)**

  – int$[n_T][3]$: about 24 bytes per vertex

    - 2 triangles per vertex (on average)
    - (3 indices x 4 bytes) per triangle

- **add an array of representative triangle per vertex**

  – int$[n_V]$: 4 bytes per vertex

- **total storage: 64 bytes per vertex**

  – still not as much as separate triangles

Triangle neighbor structure—refined

```
Triangle {
  Edge nbr[3];
  Vertex vertex[3];
  }
```

```
// if t.nbr[i].i == j
// then t.nbr[i].t.nbr[j].t == t
```

```
Edge {
  // the i-th edge of triangle t
  Triangle t;
  int i;  // in {0,1,2}
  // in practice t and i share 32 bits
  }
```

```
Vertex {
  // ... per-vertex data ...
  Edge e;  // any edge leaving vertex
  }
```


$T_0.nbr[0] = \{ T_1, 2 \}$
$T_1.nbr[2] = \{ T_0, 0 \}$
$V_0.e = \{ T_1, 0 \}$

Triangle neighbor structure—refined

```
Triangle {
    Edge nbr[3];
    Vertex vertex[3];
}

// if t.nbr[i].i == j
// then t.nbr[i].t.nbr[j].t == t

Edge {
    // the i-th edge of triangle t
    Triangle t;
    int i;  // in {0,1,2}
    // in practice t and i share 32 bits
}

Vertex {
    // ... per-vertex data ...
    Edge e;  // any edge leaving vertex
}
```


$T_0.\text{nbr}[0] = \{ T_1, 2 \}$
$T_1.\text{nbr}[2] = \{ T_0, 0 \}$
$V_0.e = \{ T_1, 0 \}$

Triangle neighbor structure

```
TrianglesOfVertex(v) {
    {t, i} = v.e;
    do {
        {t, i} = t.nbr[pred(i)];
    } while (t != v.t);
}
```

$pred(i) = (i+2) \% 3;$
$succ(i) = (i+1) \% 3;$


$T_0.nbr[0] = \{ T_1, 2 \}$
$T_1.nbr[2] = \{ T_0, 0 \}$
$V_0.e = \{ T_1, 0 \}$

Winged-edge mesh

- **Edge-centric rather than face-centric**
  - therefore also works for polygon meshes
- **Each (oriented) edge points to:**
  - left and right forward edges
  - left and right backward edges
  - front and back vertices
  - left and right faces
- **Each face or vertex points to one edge**

Winged-edge mesh

- **Edge-centric rather than face-centric**
  - therefore also works for polygon meshes
- **Each (oriented) edge points to:**
  - left and right forward edges
  - left and right backward edges
  - front and back vertices
  - left and right faces
- **Each face or vertex points to one edge**

Winged-edge mesh

- **Edge-centric rather than face-centric**
  - therefore also works for polygon meshes
- **Each (oriented) edge points to:**
  - left and right forward edges
  - left and right backward edges
  - front and back vertices
  - left and right faces
- **Each face or vertex points to one edge**

Winged-edge mesh

```
Edge {
   Edge hl, hr, tl, tr;
   Vertex h, t;
   Face l, r;
   }

Face {
   // per-face data
   Edge e;  // any adjacent edge
   }

Vertex {
   // per-vertex data
   Edge e;  // any incident edge
   }
```

Winged-edge structure

	hl	hr	tl	tr
edge[0]	1	4	2	3
edge[1]	18	0	16	2
edge[2]	12	1	3	0
		⋮		

Winged-edge structure

```
EdgesOfFace(f) {
  e = f.e;
  do {
    if (e.l == f)
      e = e.hl;
    else
      e = e.tr;
  } while (e != f.e);
}
```

	hl	hr	tl	tr
edge[0]	1	4	2	3
edge[1]	18	0	16	2
edge[2]	12	1	3	0
		⋮		

Winged-edge structure

```
EdgesOfVertex(v) {
    e = v.e;
    do {
        if (e.t == v)
            e = e.tl;
        else
            e = e.hr;
    } while (e != v.e);
}
```

|	hl	hr	tl	tr
edge[0]	1	4	2	3
edge[1]	18	0	16	2
edge[2]	12	1	3	0
⋮				

Winged-edge structure

- **array of vertex positions: 12 bytes/vert**
- **array of 8-tuples of indices (per edge)**
  - head/tail left/right edges + head/tail verts + left/right tris
  - int$[n_E][8]$: about 96 bytes per vertex
    - 3 edges per vertex (on average)
    - (8 indices x 4 bytes) per edge
- **add a representative edge per vertex**
  - int$[n_V]$: 4 bytes per vertex
- **total storage: 112 bytes per vertex**
 - but it is cleaner and generalizes to polygon meshes

Winged-edge optimizations

- **Omit faces if not needed**
- **Omit one edge pointer on each side**
  - results in one-way traversal

Half-edge structure

- **Simplifies, cleans up winged edge**
  - still works for polygon meshes
- **Each half-edge points to:**
  - next edge (left forward)
  - next vertex (front)
  - the face (left)
  - the opposite half-edge
- **Each face or vertex points to one half-edge**

Half-edge structure

- **Simplifies, cleans up winged edge**
  - still works for polygon meshes
- **Each half-edge points to:**
  - next edge (left forward)
  - next vertex (front)
  - the face (left)
  - the opposite half-edge
- **Each face or vertex points to one half-edge**

Half-edge structure

- **Simplifies, cleans up winged edge**
  - still works for polygon meshes
- **Each half-edge points to:**
  - next edge (left forward)
  - next vertex (front)
  - the face (left)
  - the opposite half-edge
- **Each face or vertex points to one half-edge**

Half-edge structure

```
HEdge {
  HEdge pair, next;
  Vertex v;
  Face f;
  }

Face {
  // per-face data
  HEdge h;  // any adjacent h-edge
  }

Vertex {
  // per-vertex data
  HEdge h;  // any incident h-edge
  }
```

Half-edge structure

	pair	next
hedge[0]	1	2
hedge[1]	0	10
hedge[2]	3	4
hedge[3]	2	9
hedge[4]	5	0
hedge[5]	4	6
	⋮	

Half-edge structure

	pair	next
hedge[0]	1	2
hedge[1]	0	10
hedge[2]	3	4
hedge[3]	2	9
hedge[4]	5	0
hedge[5]	4	6
	⋮	

Half-edge structure

	pair	next
hedge[0]	1	2
hedge[1]	0	10
hedge[2]	3	4
hedge[3]	2	9
hedge[4]	5	0
hedge[5]	4	6
	⋮	

Half-edge structure

```
EdgesOfFace(f) {
    h = f.h;
    do {
        h = h.next;
    } while (h != f.h);
}
```

|	pair	next
hedge[0]	1	2
hedge[1]	0	10
hedge[2]	3	4
hedge[3]	2	9
hedge[4]	5	0
hedge[5]	4	6
	⋮	

Half-edge structure

```
EdgesOfVertex(v) {
  h = v.h;
  do {
      h = h.next.pair;
    } while (h != v.h);
}
```

	pair	next
hedge[0]	1	2
hedge[1]	0	10
hedge[2]	3	4
hedge[3]	2	9
hedge[4]	5	0
hedge[5]	4	6
	⋮	

Half-edge structure

- **array of vertex positions: 12 bytes/vert**
- **array of 4-tuples of indices (per h-edge)**
  - next, pair h-edges + head vert + left tri
  - int$[2n_E][4]$: about 96 bytes per vertex
    - 6 h-edges per vertex (on average)
    - (4 indices × 4 bytes) per h-edge
- **add a representative h-edge per vertex**
  - int$[n_V]$: 4 bytes per vertex
- **total storage: 112 bytes per vertex**

Half-edge optimizations

- **Omit faces if not needed**
- **Use implicit pair pointers**
  - they are allocated in pairs
  - they are even and odd in an array
- **Result: 2 indices per HEdge**
  - HEdges are 48 bytes/vertex
  - total 64 bytes/vertex
    (same as triangle neighbor)