

	Procedure for Warehouse Management-Royal Canin (Bhiwandi MCF-03)	Document No	FM_II_IMS_035
		Revision No	05
		Date Last updated on	26.03.2026

1 Purpose and Scope

1.1 Purpose

This procedure details the process unloading, receipt, binning (Put away), local (Mumbai), E-com, IDT, DC dispatches, Inventory count, Disposal, Sales return, Record keeping,

1.2 Scope

This procedure applies to: Royal canin customer operated at Bhiwandi MCF-03 for sections including Bhiwandi DC, Mumbai DC and Bonded DC.

1.3 Abbreviations

Abbreviation Full Form

SSCC – Serial Shipping Container Code
 FEFO- First expiry First Out
 WMS – Warehouse Management System
 LPN – Licensed Plate Number
 HHT – Handheld Terminal
 DEO – Data Entry Operator
 HDR – Heavy Duty Racking
 LLOP – Low Level Order Picker
 HDR – Heavy Duty Racking
 VNA – Very Narrow Aisle
 BOPT – Battery Operated Pallet Truck
 HPT – Hand Pallet Truck
 LR – Lorry Receipt

2 Applicability

2.1 3PL Operations

Prepared by- Prashant Mhatre (Assistant Operation Manager)	“Classified-Internal Use”	Approved by- Ajay Wagwankar (Senior Manager –Operations)
---	---------------------------	--

3 Process Steps

3.1 Receiving

3.1.1 Receiving (Non Bonded WH Inward)

Sr No	Process Steps	Responsible	System	MHE
1	ASN has been received at the Non-Bonded (BN&MI) warehouse (Documents of internal warehouse shipment)	DEO	WMS	-
	LPN will be generated and ASN sheet printed ASN will have below details : - SKU # - SKU Description - Batch - SSCC# - Expiry Date - Units - LPN -TO wise ASN (01 TO = 01 ASN)	Supervisor/DEO	WMS	-
2	Supervisor will hand over the document to the checker. Checker will check the physical material against Documents / ASN. Also check the Batch No/ SSCC /Description /Infestation /Damage at the time of receiving of materials physically and after scanning the materials.	Supervisor	ASN Report	-
3	LPN pasting the same on the pallets, receiving of LPN.	Supervisor / checker / Associate	RF	
4	Put away of material in HDR racking. Scan the LPN & Location for stock updating in the inventory	Supervisor / Material Handlers / Associates / MHE operators	HHT	
5	ASN will closed and then verified against ASN sheet, followed by auto GRN in Navision.	DEO	WMS	
6	Data Entry Operator will update the Inward MIS for the receipt transaction.	DEO	Excel	-
7	Data Entry Operator will file the documents	DEO		-
8	DEO will hand over the documents to bonded WH security personnel.	Supervisor		
9	The security personnel will maintain the documents and register.	Security		

	Procedure for Warehouse Management-Royal Canin (Bhiwandi MCF-03)	Document No	FM_II_IMS_035
		Revision No	05
		Date Last updated on	26.03.2026

3.1.2 Receiving (Bonded WH)

Sr No	Process Steps	Responsible	System	MHE
1	Bonded Warehouse will get the Pre-alert 1 week in advance - Based on Bill of Landing (01 or more containers will be in one BOL)	RC	Email	-
2	ASN is getting reflected in WMS (Creating manually ASN) ASN will have below details : - SKU # - SKU Description - Batch - SSCC# - Expiry Date - MFD Date - Units PO wise ASN (01 PO = 01 ASN)	DEO	WMS	-
3	Upon receipt of request from the CHA to provide a space certificate on the basis of the quantity (Numbers) of the containers, issue a space certificate confirming the space available for storing of the Products at the Warehouse Premises;	Assistant Manager	Email / Phone	
4	coordinate and ensure the submission of the space certificate to the designated office and provide an acknowledgment to the Company and the CHA	Assistant Manager	Email / Phone	
5	CHA to file the Inbound Bill Of Entry upon receipt of the space certificate	CHA	Email / Phone	
6	RC will inform on containers arrival to FM warehouse in prior	RC	Email / Phone	
7	Reporting of Vehicle at Warehouse and Security will ensure vehicle is of RC Inbound shipment. Security will make entry in Reporting Register including Date & Time of vehicle arrived then allow it inside premises.	Security	-	-
8	Security will handover document set along with Unloading sheet to Supervisor	Security	-	-

Prepared by- Prashant Mhatre (Assistant Operation Manager)	"Classified-Internal Use"	Approved by- Ajay Wagwankar (Senior Manager –Operations)
---	---------------------------	--

9	Supervisor will check the complete documents availability & Validation against ASN - LR - Invoice Copy - Packing Slip - Delivery Challan - Eway bill - BOE Sample removal intimation will receive from CHA separately	Supervisor	-	-
10	Supervisor will inform Security to send the vehicle on Dock for unloading	Supervisor / Checker	-	-
11	Supervisor will update the Details in Unloading checklist	Supervisor / Checker	-	-
12	Supervisor will check the seal No# Physical available against the mentioned on pass out copy	Supervisor / Checker	-	-
13	Supervisor will take snaps - Seal Photo - Seal breaking by Driver - Photo after opening Door	Supervisor / Checker	Camera	-
14	Supervisor will do the vehicle inspection and if found OK (if not, then will inform RC for further action), then instruct Unloaders & Forklift Operator to start unloading with Forklift/HPT/BOPT	Supervisor / Checker	-	Forklift / HPT/B OPT
15	Unloaders & Forklift Operator will unload the material and keep the same in inbound ante room	Associates & Forklift Operator	-	Forklift / HPT/B OPT
16	Checker will check the below with Material handlers - SSCC# (last 4 Digits), SKU Name, Batch #, Date of Expiry available on physical shipment is matching with ASN copy. - Count the No of Boxes / Bags available on same pallet - No Segregation of Material (Material will remain on same pallets). - In case more than one SKU on the pallets, Supervisor will make separate pallets / SKU/Batch/Batch Expiry & MFD, SSCC. - Loose Boxes to be kept on pallets (identification available on the cartons) - ensure one SSCC per pallet	Supervisor / Checker	-	Forklift / HPT/B OPT

	-Check pallet with 360° for any evidences of damages, kibbles and infestation while unloading the materials -If material found damage, rebagging is done after putting the red tape on it. -If any infestation found separate the pallet from other pallet and wrapping and red tape of pallet done. - Ensure no damage or infestation to material from outside. If any deviation, escalate to RC and act accordingly -Follow RC instructions and further action will take as per RC guidelines.			
17	Supervisor will follow the above process for all pallets. -Additionally follow the RMB and Big Bag Inbound procedure -Refer the RMB procedure - FM_II_IMS_59 and Big Bag Inbound Sop – FM_II_IMS_58 -For exception (RMB – RM/PM) – Follow as per guidelines study scenario shared by RMB quality team.	Supervisor / Checker	-	Forklift / HPT/B OPT
18	Damaged material report making, photographs capturing, inform to RC & move material to Damage Area (Outside container) as per RC confirmation	Supervisor / Checker / Material Handler		HPT/B OPT
19	Once container get unloaded, check the container internally for any physical damages, takes snaps and communicate to RC & CHA if any deviations	Supervisor / Checker		
20	Supervisor will provide the LR acknowledgement with discrepancy remark if any	Supervisor / Checker	-	-
21	Movement of Pallets to Staging area	Material Handler		BOPT / HPT
25	Generate the LPN, Print & Paste on the inbound Pallets parked at Anti room - Receiving full Qty and to update Staging locations in WMS	Supervisor / Checker / DEO	Barcode Printer	
26	Checker will ensure receipt of all material against the ASN – He will validate the Physical material against the SKU, SSCC, Batch, Date of Expiry, Qty available in the HHT.	Supervisor / Checker	-	-
27	Data Entry Operator will check whether scanning completed for ASN	DEO	WMS	-
21	Security will complete Inward Register entry	Security		

22	Warehouse team will send the inward documents to Custom authority with receipt stamp on it	Supervisor		
23	Inward entry in the Custom Portal & get MRP labelling approval	Asst Manager	Custom Portal	
28	Labelling and bagging activity will start after labelling approval receive from custom (Separate SOP for the same)	Supervisor / Material Handlers		
29	Supervisor will update the Discrepancy Checklist in case - Short/Excess Receipt - Damaged Receipt - Wrong Receipt of SKU - Expired Material - Others Discrepancy checklist will handover to DEO	Supervisor	-	-
30	After labelling & bagging activity, material move to staging area for Putaway.	Supervisor / Checker / Material Handlers		HPT/B OPT
32	Associate will do the Putaway of material in HDR racking. Scan the LPN & Location Barcode for stock updation in the inventory. During put away any damaged or short item found will be moved to respective location physically DEO will download the <u>ASN wise Putaway pending report</u> to check if any Putaway is pending. Damaged material to kept at Ante room – properly packed and ensure to avoid any infestation – till custom out of charge	Supervisor / Checker / Material Handlers / MHE operators	HHT	
33	Post receipt of Final approvals from Custom & Animal Dept., Data Entry Operator will verify the WMS GRN (Controlled by Super User) & accordingly it will reflect in the Navision for GRN in ERP	DEO	Navision	-
34	Any Reclassment or stock adjustment will take place after the GRN is performed	DEO		
35	Updating receipt details in Custom Portal (Bond WH System) and out of charge process	Asst Manager	Custom Portal	-

	Procedure for Warehouse Management-Royal Canin (Bhiwandi MCF-03)	Document No	FM_II_IMS_035
		Revision No	05
		Date Last updated on	26.03.2026

36	Data Entry Operator will update - Short receipt - Inward of short Qty with respective virtual location (Stock Journal entry - Adjustment Out to be initiate as soon as possible with RC approval) - Damaged receipt / Wrong Receipt / Expired Receipt - Inward of material with affected Qty in separate bin location and material to move for damaged container	DEO	WMS	HPT/B OPT
37	Data Entry Operator will update the Discrepancy mail to RC for Vital (Destuff Mail)	DEO	RC Portal -VITAL	-
38	Data Entry Operator will update the Inward MIS for the receipt transaction	DEO	Excel	-
39	Filing of documents	DEO		-

Prepared by- Prashant Mhatre (Assistant Operation Manager)	"Classified-Internal Use"	Approved by- Ajay Wagwankar (Senior Manager –Operations)
---	---------------------------	--

3.1.3 Labelling

Sr No	Process Steps	Responsible	System	MHE
1	Prealert from RC for Import shipment	RC	Email	
2	Preparation of MRP file by Import specialist using factory packing file as a reference MRP Labelling printing data preparation and validation - SKU - SKU Description - SSCC # - KG - No of Units - Pack Size - Expiry date - MRP - Price per Units - Labelling based on the BOL	RC	Email	
3	Verification of MRP file details by RC V5 person & confirmation to CHA team	RC		
4	Pdf preparation by printer basis MRP file shared & to send for approval to RC	RC		
5	Verification of pdf by Corporate affair specialist & confirmation to printer for printing the labels	RC		
6	Bonded warehouse to follow up with vendor for Label prints	RC	Email / Phone	
7	Printed MRP labels may arrive before the shipment arrival or may after shipment arrive to warehouse (through courier)	RC		
8	Receipt of Printed MRP Labels at warehouse	RC		
9	Physical sorting of labels as per container, making bunch of each SSCC Verification of label content against master file & MRP file by Supervisor, pasting one label/SKU on a register Cross checking of sample labels with std labels by RC V5 personal, FM Quality team & approval of labels for actual labelling	Labelling Supervisor	Register	
10	Post receipt of Labelling Allowance from Custom, warehouse will start the Labelling activity	Labelling Supervisor		

11	Checker (Sampling Personnel) will remove the shrink-wrapping of bags available on pallets & take out one piece from each pallet and paste the sample stickers & again will keep the bag on same pallet.	checker (Labelling)		
13	Labelling person will sort the bundle of MRP labels according to (for bags SKU stacking qty & for box SKU pack size qty). Cross Checking of MRP label and product before starting the labelling activity by labeler	Labeler		
14	Master Carton Box FG Labelling > After providing FG pallet having labels and one sample label pasted on one of the product on pallet labelling process will start > Labeler will take the master carton box from pallet > will put it on the table > Open the master carton box > take out the inner pieces from the master carton box > Visual inspection of pieces while labelling for damage/short/excess/batch printing/infestation > pasting of Labels on each piece. Helper will ensure whether label is correctly pasted or not and repack the Master carton box with labelled material > keep the ready box on a pallet in such way that the master carton label should be in outer side position.	Labeler and Helper		Table
15	Ensure no removal of Pallet LPN during the process and Lashing belt will be put on box pallet / shrink wrapping in case bag pallets. For paper bag SKUs bagging should be immediately done after labelling is completed.	Associate		
16	Entry in the Label register for task completion and reconciliation of labels. Buffer / Balance labels will keep aside and maintained the record and shredding will be done after approval of RC If any label defect identified at any stage from the labelling activity until dispatch, the issue must be immediately brought to the attention of the responsible personnel and the RC team and recorded in a designated error register. If Re sticking is necessary, then suitable evidence must be captured and record all re sticking activities in the re-stickering register.	Supervisor	Register	
17	Email to customs for labelling completion and MIS tracker updating	Assistant Manager	Custom Portal / Excel	
18	Report for any damage, short & excess, batch printing issue of material case found during labelling activity. Capture the photographs wherever is required & share both report & Photographs with RC	Assistant Manager	Custom Portal / Excel	
19	Ready pallets will move for put away	Associates		

	Procedure for Warehouse Management-Royal Canin (Bhiwandi MCF-03)	Document No	FM_II_IMS_035
		Revision No	05
		Date Last updated on	26.03.2026

3.1.4 Promo Stickering:

Sr No	Process Steps	Responsible	System	MHE
1	The products will vary every periods and same annexure will be send by customer to FML	RC	Email	
2	Guidelines for placement of stickers according to TS3 follow at every period. The annexure Copy ,Guidelines and evidence of promo stickers maintained by the supervisor at every period	Outbound Supervisor	Email/ Register/ Drive	
3	The stickers are received by courier from RC vendor followed by pre dispatch mail. The pictures of stickers of every period are stored at google drive.	Outbound Supervisor	Email	
4	The promo stickers are received at FML by courier same record has been maintained. GRN in WMS and Navision to be complete. If in receipt of extra stickers available inform to customer for further course of action.	Outbound Supervisor		
5	The stickers provided by the supervisor to checker as per required qty. No extra qty will be provided to checker and same entry will be mentioned at stickering register	Outbound Supervisor		
6	For SKU, Follow FEFO for pasting promotional stickers before invoicing. Use it on orders as and when SOs get generated.	Outbound Supervisor		
7	RC will place the order based on the schemes on the promotional products.	RC	Email / Phone	
8	Upon Receipt of order, RC team will validate the same and punch in Navision and share the same to 3 PL.	RC		
9	FML will cross check the same with the scheme announced and process the picklist.	Outbound Supervisor		
10	Order for product on which scheme is applicable processed only if sufficient stock is available with shelf life.	Supervisor		
11	Promo stickers schemes for every period displayed at the board at outbound area	Outbound Supervisor		
12	Stickering can be done at any point of staging (picking. after invoice generation). DEO and supervisor handover sufficient stickers as per the orders to checker to place the same.	Supervisor		

Prepared by- Prashant Mhatre (Assistant Operation Manager)	"Classified-Internal Use"	Approved by- Ajay Wagwankar (Senior Manager –Operations)
---	---------------------------	--

	Procedure for Warehouse Management-Royal Canin (Bhiwandi MCF-03)	Document No	FM_II_IMS_035
		Revision No	05
		Date Last updated on	26.03.2026

	In case of bags with overwrapping, remove the plastic bags and put a sticker on the product bag, unless communicated otherwise specifically. Put a new plastic bag once stickering is done.			
13	Once the stickers are placed on the product. Supervisor and DEO will cross verify the same.	Supervisor		
14	Invoice Copy and relevant documents given to transporter and delivery receipt collected from transporter.	Supervisor		

Prepared by- Prashant Mhatre (Assistant Operation Manager)	"Classified-Internal Use"	Approved by- Ajay Wagwankar (Senior Manager –Operations)
---	---------------------------	--

	Procedure for Warehouse Management-Royal Canin (Bhiwandi MCF-03)	Document No	FM_II_IMS_035
		Revision No	05
		Date Last updated on	26.03.2026

3.2. Bin consolidation

Sr No	Process Steps	Responsible	System	MHE
1	Download the Inventory report - Pack Size, Units available, etc will be available	Supervisor	WMS	-
2	Supervisor will prepare the list of tasks for associates	Supervisor	WMS	VNA / BOP T
3	To do the Putaway of Units available in Pick face locations with low volume to shelving or other decided locations.	Supervisor / Material Handlers / MHE operators	HHT	HHT
4	To download the new report to check the Bin Consolidation done correctly	DEO	WMS	

Prepared by- Prashant Mhatre (Assistant Operation Manager)	"Classified-Internal Use"	Approved by- Ajay Wagwankar (Senior Manager –Operations)
---	---------------------------	--

3.3 Dispatches

3.3.1 Outbound-Distributors (IDT & QCOM): -

Sr No	Process Steps	Responsible	System	MHE
1	RC V5 team (IDT order management team) releases the Orders in Navision	RC	Navision	-
2	Orders reflecting in WMS -Orders in release status For QCom: Above 53% Shelf life required.	FM	WMS	
3	LLOP Operators will scan the picklist barcode (order no) and start the picking. HHT will show item, product description, LPN, SSCC, QTY. Operator will press enter. Operator will scan location, then scan the item (from SSCC barcode) and then MHE operator will Pick the required Qty & enter Qty to pick in Qty in field. Picking will be done from Mumbai (Ground + Ground & 1) Any discrepancies (including short/excess/wrong SKU/Qty, damages, infestation) or errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list.	Checker / MHE Operator	HHT	All MHE
	Checker (supporting MHE operator for picking) will check physical material - Product Description (MRP) SSCC, Batch, Qty, Expiry date & shelf life against Picking list. He will ensure no damages / infestation for the picked material. For RMB materials, Only Batch will be verified if SSCC not available. He will move the picked material to Outbound Staging Area or Ante room for loading. (Do the changes in picklist - Qty, Item, etc. if applicable – DEO). If any errors must be immediately reported to the Outbound Supervisor and also mentioned in picklist.	Checker		
4	Complete packing to make the material ready for dispatch in case for loose material at staging area.	Checker		
5	FM will arrange Transporter	FM Person	Email / Phone	

6	Loading supervisor checks the SKU Description, SSCC# (Last 4 Digits), QTY available on the picked material against the Picklist list at the time of loading. Also check the damage and infestation if any in picked materials. For RMB materials, Batch will have verified if SSCC not available. Location wise stickers to paste on the cartons if vehicle is arranged for more than 01 distributors. For QCOM: Material will be dispatched by courier, for this material RC tape will be applied from all side of carton, and also shrink wrap will be done, and reference number will be pasted on carton box. Exception: Any discrepancies (Including short/excess/wrong SKU/qty, damages, infestation) or errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list and Material inspection checklist.	Loading supervisor		-
7	Associates will load the material - they will check the - condition of each and every box and bags - damages / infestation, if any. - MRP labels are available on bags and cartons (outer labels).	Loading supervisor / Associates	Pick List	HPT
8	Both loading supervisor and Transport representative will note down, loading pattern & No of Boxes and Bags loaded in vehicle.	Loading supervisor / Transport representative	Pick List	
9	Loading supervisor will take snap before and after loading the material into vehicle.	Loading Supervisor	Camera	-
10	Once the loading is completed, loading sup. handover the Picklist to DEO for invoice and Ewaybill preparation. Before the posting the document DEO will verify box and bags with loading sheet. Exception: Any discrepancies (including short/excess/wrong SKU/qty, damages, infestation) or errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list and Material inspection checklist.	DEO / Loading supervisor	Pick List	-

11	Loading supervisor will seal the vehicle with Wire seal and bottle seal and take the snap with driver	Loading supervisor	Camera	
12	DEO takes print of Invoice and create Ewaybill in Navision. DEO ensuring that Loading supervisor has filled all the necessary details in picklist, Vehicle inspection checklist, Material inspection checklist. Any damage material found during loading is addressed before invoice posting.	DEO	Navision	-
13	DEO handover the documents to Transporter representative for LR Preparation.	DEO	-	-
14	Transport representative submit the documents with Security	DEO / Loading supervisor	-	-
15	Security makes gate out entry in register and release the vehicle	Security	-	-
16	Data Entry Operator will file the documents and share the Dispatch details to Distributors.	DEO		-
17	Transporter to share the POD immediately post upon delivery.	Transporter		-

3.3.2 Outbound-DC: -

Sr No	Process Steps	Responsible	System	MHE
1	Receipt of stock Transfer orders in Navision	RC Sales Team	Navision	-
2	Orders reflecting in WMS	FM	WMS	
3	DEO generate picklist in WMS (Order Picking)	DEO	WMS	-
4	RC will arrange the Transport vehicle as per requirement.	RC Person	Email / Phone	
5	MHE Operators will scan the picklist barcode (order no) and start the picking. Operator will scan location, then scan the item (from SSCC barcode) and then MHE operator will Pick the displayed qty. and confirm the same in HHT. Picking will be done from Bhiwandi (3rd and above level) Any discrepancies (including short/excess/wrong SKU/Qty, damages, infestation) or errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list.	MHE Operator	HHT	VNA/BOPT/HPT
6	Checker (supporting MHE operator for picking) will check physical material - Product Description, SSCC, Batch, Expiry date, Qty & Shelf life against Picklist available with him. He will ensure no damages / infestation for the picked material. He will move the picked material to Outbound Staging Area or Ante room for loading.	Checker / Associates	-	BOPT/ HPT

	(Do the changes in picklist - Qty, Item, etc. if applicable – DEO). If any errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list.			
7	Complete packing of loose Qty to make the material ready for dispatch. (Do the changes in picklist - Qty, Item, etc if applicable). - Bonded WH to External DC - If less than Pack Size Qty for picking, to do the short pick and no new pallet break	Material handler/Operator	HHT	
8	Move ready for dispatch material to outbound ante room for loading.	Checker / Material handler	-	BOPT/ HPT
9	Loading supervisor will update the Vehicle inspection checklist containing Driver Name, Vehicle No. ,Size of Vehicle.	Loading supervisor	Checklist	
10	Carry out the inspection and if found satisfactory then only proceed for loading. He will reject the vehicle and inform to all accordingly for alternate vehicle arrangement. loading supervisor to take care - ensure debris, if any remove before loading. Also ensure vehicle floor is covered with tarpaulin, cartons boxes to avoid in transit damaged & cross contamination	Loading supervisor	Checklist	
11	Loading Supervisor checks the SKU, Description, SSCC# (Last 4 Digits), QTY available on the picked material against the Picklist / Picklist while loading is in process	Associates / Loading supervisor	HHT / WMS	-
12	Associates will load the material - they will check the - condition of each and every box and bags - damages / infestation, if any. - MRP labels are available on bags and cartons (outer labels).	Associates / Loading supervisor	-	HPT
13	DC Dispatches - Both Loading supervisor and Driver / representative will note down the No of Boxes and	Loading supervisor / Driver	Packing sheet	

	Bags, units loaded in vehicle. LR gets prepared accordingly. Exception: Any discrepancies (Including short/excess/wrong SKU/qty, damages, infestation) or errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list and material inspection checklist.			
14	Loading supervisor will take snap before and after loading the material into vehicle and seal the vehicle with Wire seal and bottle seal and take the snap with driver	Loading supervisor	Camera	-
15	Once the loading is completed, Loading supervisor handover the Loading documents to DEO for invoice DEO ensuring that Loading supervisor has filled all the necessary details in picklist, Vehicle inspection checklist, Material inspection checklist. Any damage material found during loading is addressed before invoice posting.	DEO / Loading supervisor	Pick List	-
16	DEO confirm the loading & ship the order in WMS	DEO	HHT/WMS	-
18	DEO takes print of Invoice and the Ewaybill will auto generate in Navision	DEO	Navision	-
19	DEO handover the documents to Transporter representative for LR Preparation	DEO	-	-
20	Transport representative submit the documents with Security	Supervisor/ Transport Representative	-	-
21	Security makes gate out entry in register and release the vehicle	Security	Security Register	-
23	Data Entry Operator will file the documents and share the Dispatch details to DC	DEO	Excel	-
24	Data Entry Operator will file the documents	DEO		-

3.3.3 Outbound-Retail & QCOM: -

Sr No	Process Steps	Responsible	System	MHE
1	Receipt of Retail orders in Navision	RC Team	Navision	-
2	Orders reflecting in WMS	FM	WMS	
3	DEO generate picklist in WMS (Order Picking or Wave Picking)	DEO	WMS	-
4	LLOP operator will pick the material from G & G1 Locations based on the Location ID, Item, LPN as shown in HHT. Picking will be done from Mumbai DC warehouse only with allocated locations (from HDR & Shelving) Exception: Any discrepancies (including short/excess/wrong SKU/qty, damages, infestation) or errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list.) For QCom: 53% Shelf life required.	Material Handler / LLOP Operator	HHT	LLOP/VN A/BOPT/ HPT
5	Floor Supervisor/Checker move the picked material to Outbound staging Area for checking.	Checker	-	BOPT/ HPT
6	Checker will keep the material Customer wise, Zone wise.	Checker	-	BOPT/ HPT
7	Checker checks the SKU Description, SSCC# (Last 4 Digits), Qty, Date of Expiry available on the picked material against the Picklist. He will also ensure material is not damaged and / or infested. 100 % checking done for all the orders. Including Damage, Infestation and Product name, Qty, SSCC etc. The customer SO no will be mentioned by checker at each pallet for order identification. Exception:	Checker	HHT	

	Any discrepancies (including short/excess/wrong SKU/qty, damages, infestation) or errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list. For RMB Material – except for Full pallet scenario – refer batch number in case SSCC label is not available.			
8	DEO will share the next day orders details to transport team for route planning Next Day – DEO will post the invoices in WMS / Navision and will hand over the invoices to delivery boy for loading. Move ready for dispatch material to outbound ante room for loading.	DEO / Checker / Material handler	-	BOPT/ HPT
9	FM assigned vendor will come for pick up in morning	Delivery Associate		
10	For QCOM (Zepto): V5 personnel send mail containing barcode sticker file to FM DEO, The DEO prints the barcode sticker and hands over the same to loading supervisor. Loading supervisor pastes the barcode on each and every box. Loading supervisor will update the Vehicle inspection checklist containing Driver Name, Vehicle#, Size of Vehicle	DEO /RC / Loading supervisor	Checklist	
11	Loading supervisor will carry out the vehicle inspection and if found satisfactory then only proceed for loading. He will reject the vehicle and inform to all accordingly for alternate vehicle arrangement, & submit the vehicle rejection checklist to QA personnel. Loading supervisor to take care - ensure debris, if any remove before loading. also ensure vehicle floor is covered with cartons boxes to avoid in transit damaged & cross contamination	Loading supervisor	Checklist	
12	Loading supervisor along with associate will check the condition of each and every box and bag while loading & Load the boxes into the vehicle. Loading will be based on the SKU description & Qty mentioned on the invoice.	Loading supervisor / Delivery Boy	-	HPT

	In case of multiple customer delivery in one vehicle - Delivery boy will mention Customer Name initial on carton boxes and the color stickers placed on the big bags (more than 6 Kg for identification to deliver the correct products to customer			
14	Both Loading supervisor and Delivery Associates will ensure all the shipments for assigned route is loaded into vehicle	Loading supervisor / Delivery Associates	Packing sheet / DSR	
15	Any discrepancies (including short/excess/wrong SKU/qty, damages, infestation) or errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list and material inspection checklist.	Loading supervisor		-
16	Once the loading is completed, Delivery boys handover the Loading documents & Invoices to DEO for Ewaybill preparation. DEO ensuring that Loading supervisor has filled all the necessary details in picklist, Vehicle inspection checklist, Material inspection checklist. Any damage material found during loading	Supervisor / Loading supervisor	Pick List	-
17	DEO will hand over the documents to Transport Supervisor for DRS preparation	Transport Supervisor /Loading supervisor	-	-
18	Transport Supervisor validate the entire set and handover the documents to Security	Transport Supervisor	-	-
19	Security makes gate out entry in register after checking of sign & stamp of authorized person & Eway bill and release the vehicle	Security	Security Register	-
20	Transport Supervisor share the dispatch details on Whatsup group for Sales team information	Transport Supervisor	Excel	-
21	Data Entry Operator will file the documents	DEO		-
22	Delivery associate will submit the DSR copies with transporter on day to day basis	Delivery Associate		-

3.3.4 Outbound-E com: -

Sr No	Process Steps	Responsible	System	MHE
1	E com Manager releases the Orders in Navision as per Scheduled Appointment	RC Ecom Manager	Navision	-
2	Orders reflecting in WMS -Orders in release status	FM	WMS	
3	DEO will change the Order Type from Sales order to Ecom in the WMS, so 50.1 % above balance shelf life stock will allocate to the order	DEO	WMS	
4	DEO will print picklist (Order based) - More than 50.1 % shelf life material to dispatch	DEO	WMS	-
5	MHE Operators will scan the picklist barcode (order no) and start the picking. Operator will scan location, then scan the item (from SSCC barcode) and then MHE operator will Pick the displayed qty. and confirm the same in HHT. Picking will be done from BN WH (3 and above level) If any errors must be immediately reported to the Outbound Supervisor and also mentioned it into the picking list.	Checker / MHE Operator	HHT	All MHE
6	Checker (supporting MHE operator for picking) will check physical material - Product Description, SSCC, Batch, Qty, Expiry date & Shelf life against Picklist available with him. He will ensure no damages / infestation for the picked material. For RMB materials, Only Batch will be verified if SSCC not available. He will move the picked material to Outbound Staging Area or Ante room for loading. (Do the changes in picklist - Qty, Item, etc. if applicable – DEO). Any discrepancies (including short/excess/wrong SKU/Qty, damages, infestation) or errors must be immediately	Checker / MHE Operator	-	BOP T/ HPT

	reported to the Outbound Supervisor and also mentioned it into the picking list and material inspection checklist			
7	After picking Complete Transparency sticker will be pasted on each and every units.	Checker / Supervisor		
10	If any loose material pack in the carton box and make ready for dispatch.	Checker		-
11	FM will arrange Transporter	FM Person	Email / Phone	
12	Loading supervisor checks the SKU, Description, SSCC# (Last 4 Digits), QTY available on the picked material against the Picklist at the time of loading For RMB materials, Only Batch will be verified if SSCC not available.	Loading supervisor	HHT	-
13	Associates will load the material - they will check the - condition of each and every box and bags - damages / infestation, if any. - MRP labels are available on bags and cartons (outer labels). While loading supervisor will paste the Outer Barcode Labels (E com) on the cartons, bags printed by DEO on PO basis.	Loading supervisor / Associate	Pick List	HPT
14	Both Loading supervisor will note down the No of Boxes and Bags loaded in vehicle.	Loading supervisor	Pick List	
15	Loading supervisor will take snap before and after loading the material into vehicle.	Loading supervisor	Camera	-
16	Once the loading is completed, Loading supervisor handover the Picklist to DEO for invoice and Ewaybill preparation Exception: Any discrepancies (including short/excess/wrong SKU/qty, damages, infestation) or errors must be immediately reported to the	DEO / Loading supervisor	Pick List	-

	Outbound Supervisor and also mentioned it into the picking list and material inspection checklist.			
17	DEO will take appointment letter from RC team for the shipment which driver will carry along with him	DEO	HHTW MS	-
18	Loading supervisor will seal the vehicle with Wire seal and bottle seal and take the snap with driver	Loading supervisor	Camera	
19	DEO takes print of Invoice and create Ewaybill in Navision DEO ensuring that Loading supervisor has filled all the necessary details in picklist, Vehicle inspection checklist, Material inspection checklist. Any damage material found during loading is addressed before invoice posting.	DEO	Navision	-
20	DEO handover the documents to Transporter representative for LR Preparation	DEO	-	-
21	Transport representative submit the documents with Security	Supervisor / Loading supervisor	-	-
22	Security makes gate out entry in register and release the vehicle	Security	-	-
23	Data Entry Operator will file the documents	DEO		-
24	Transporter to share the POD immediately post upon delivery.	Transporter		-

3.4 Cycle count: -

Sr No	Process Steps	Responsible	System	MHE
1	The Cycle Count Schedule maintained by supervisor including Daily, Weekly and Monthly. PHR-RMB, Location wise- Daily, Damage – Weekly, wall to wall - Monthly cycle count done. The second level to above – the cycle count done on availability of VNA.	Inventory supervisor	WMS	
2	Provide HHT to be cycle counted as per the locations	Inventory supervisor	WMS/ HHT	
3	Give the location as per rack and scan the location in RF for Location, item code, qty. Checker will complete the count in HHT - scan the location, Item - Count and Update Physical Qty -Report Damage goods/infestation, issues and pallet if any	Checker	WMS/ HHT	
4	Re-initiate Physical cycle count again for SKU's having discrepancy	Checker	WMS	
5	After completion of all tasks, Supervisor will download the discrepancy report and Damaged entry in WMS and move to discard container and Without detail investigation of discrepancy, the discrepancy adjustment not done.	Inventory supervisor	WMS	
6	Re-initiate count again for SKU's having discrepancy (Same task - Serial# 3)	Inventory supervisor	WMS	
7	Final Discrepancy report download	Inventory supervisor	WMS	
8	Reclassment or Inventory Adjustment in WMS & Navision, if required post approval from customer	Inventory supervisor	WMS	

3.5 Sales return:

Sr No	Process Steps	Responsible	System	MHE
1	Return of Material in Non-Bonded Bhiwandi Location : 1. Returned from Distributors - 2. Returned from Retail customers	Checker /DEO		
2	If material is good taken into return location(hold) and then moved to available location. Return/Refusal shall not be allocated status of release without customer approval	DEO	Checklist	
3	Creation of SRT (Sales Return) in Navision	RC	Navision	
4	Approval of SRT in Navision	RC	Navision	
5	Data Entry Operator will pass the reclassament entry in saleable location if good materials & non saleable location for Non Good material in WMS. Checker will complete the Put away for good materials and handover the documents to Data Entry Operator	Checker /DEO	WMS	VNA / LLOP / BOPT / HPT
6	Establish traceability of received material through SSCC, Batch no etc. Ensure remaining shelf life is in specification	DEO	WMS	
7	Data Entry Operator will check and close the ASN in WMS	DEO	WMS	

3.6 Consumer Complaint Returns:

Sr No	Process Steps	Responsible	System	MHE
1	Return of Material in Non-Bonded Bhiwandi Location : 1. Returned from Distributors - 2. Returned from Retail customers 3. Consumer complaints (Follow inbound procedure while receiving return/refusal material)	DEO		BOPT/ HPT
2	Quality Team will check the declaration letter and fill the document details in Google form	Quality Team	Google Form	
3	Quality Team will check the product status and fill the Google Form. Also weight of material to check and paste the rejection note and LPN on it with the help of checker followed the process of Damage Disposal. Damaged/Infestation Product stored in Damage container	Quality Team/DEO		
4	Quality Checker will provide the documents to Data Entry Operator for Manual ASN creation.	Quality Team	Checklist	
5	Data Entry Operator will create ASN	DEO	WMS	
6	Establish traceability of received material through SSCC, Batch no etc. Ensure remaining shelf life is in specification			
7	Creation of Consumer complaint return in Navision	RC	Navision	
8	Approval of Consumer complaint return in Navision	RC	Navision	
9	Data Entry Operator will pass the reclassification entry damage location for Non Good material in WMS	DEO	WMS	
10	Data Entry Operator will check and close the ASN in WMS	DEO	WMS	

	Procedure for Warehouse Management-Royal Canin (Bhiwandi MCF-03)	Document No	FM_II_IMS_035
		Revision No	05
		Date Last updated on	26.03.2026

3.7 Disposal handling: -

Sr No	Process Steps	Responsible	System
1	WH In-charge to send the disposal details to the Royal Canin.	Assistant Manager	Email
2	Royal Canin shall arrange third party Auditor to verify the stock	RC	Email
3	Third party Auditor confirms the physical vs ERP (WMS/Navision) system stock, i.e. Product, Batch, SSCC, Expiry and quantity.	RC Auditor	
4	Auditor report will be shared with RC for disposal approval.	Assistant Manager	Email
5	Once approval received by RC for disposal the audited/Approved damaged inventory will be removed from WMS & sent to RC for the same remove from ERP/Navision.	Assistant Manager	WMS / Navision
6	A vehicle will be arranged for disposal, the empty vehicle along with measure and recording the Tare weight i.e. weight of the empty vehicle. The weigh slip received from the Weigh Bridge Supplier is kept at the branch.	Assistant Manager	
7	All damage stocks to be repacked in plain transparent polybag and wet pouches & empty shredded pouches send for disposal as per RC instruction. The vehicle will load in presence of the auditor & The goods are loaded in the vehicle and the vehicle is re-send with gate pass to the same Weigh Bridge where the Tare Weighing was done, to get the Actual Weight of material. The vehicle is accompanied by the same authorized FM employee.	Supervisor	
8	Vehicle will be sealed and send for weighment with manual challan / Gate pass.	Supervisor	
9	The weigh slip received from the Weigh Bridge Supplier will share to RC to create invoice (Base on the Weight) in Navision.	Assistant Manager	
10	RC will generate invoice in Navision as per weighment slip for net weight loaded in the vehicle. E-way, Invoice bill prepared by RC for the vehicle and to be shared with transporter.	RC	Navision

Prepared by- Prashant Mhatre (Assistant Operation Manager)	"Classified-Internal Use"	Approved by- Ajay Wagwankar (Senior Manager –Operations)
---	---------------------------	--

11	The supervisor hands over the required documents to transporter i.e. Invoice, E-way bill, weigh slip, copy of damage and gate pass.	Supervisor	
12	The Warehouse Supervisor hands over the required documents i.e. Invoice, E-way Bill, weigh slip and a copy of the Damage DC to the Supplier and ensures acknowledgement of the same from the Supplier.	Supervisor	
13	Security enters the necessary details in the Outward Register.	Security	Register
14	Computer operator / Supervisor will share dispatch details with concern team.	Supervisor / Computer Operator	Email
15	Computer operator / Supervisor files the documents i.e. Invoice, E-way bill, weigh slip, copy of damage.	Supervisor / Computer Operator	
16	Post disposal, the FM will follow up for a disposal certificate from the supplier.	Assistant Manager	

4. Record Keeping: -

Step	Step Detail Record Keeping	Responsibility
1	After Loading and unloading Document prior to filing	Supervisors
2	All document filing as per period/date of activity	
3	1 year of retention period of these documents	

- 5. Supporting MHE (Material Handling Equipment's)

- Equipment's used in this process
 - HPT
 - VNA
 - LLOP
 - BOPT

	Procedure for Warehouse Management-Royal Canin (Bhiwandi MCF-03)	Document No	FM_II_IMS_035
		Revision No	05
		Date Last updated on	26.03.2026

- Sealing Machine

6. Training

Training conducted and assessed by Warehouse Manager

- Process Training – To Supervisors
- Material Handling – To Supervisors, Associates.
- MHE Handling – To MHE Operators.
- Safety – To Supervisor, Associates.
- 5 S & Quality – To Supervisor, Associates.
- Training will be conducted as per training plan (FM_IV_HR_06) and process changes.
- Training attendance and effectiveness will be recorded.

7. Revision History

Sr no	Date	Details
01	01.07.2023	Launch of procedure
02	19.06.2024	Changes made in Inbound process
03	01.01.2025	Changes in Ecom dispatch
04	01.02.2025	Change in outbound process
05	26.03.2026	Added Qcom channel

Prepared by- Prashant Mhatre (Assistant Operation Manager)	"Classified-Internal Use"	Approved by- Ajay Wagwankar (Senior Manager –Operations)
---	---------------------------	--