


	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022



ON-SITE EMERGENCY PLAN (OEP)

**National Distribution Centre
Saidhara**

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Sr.No	Date	Revision No.	Revision Edition
1.	01/10/2015	00	Enforced OEP
2.	01/08/2016	01	Change in authority matrix and in team Members
3.	01/01/2018	02	Change in authority matrix and in team Members
4.	18/04/2018	03	Inclusion of risk mitigation for dry vegetation & updating change in team members
5.	14/12/2019	04	-Incorporation of OHS Policy as a Guiding Principle through various developments at Saidhara Phase III Cluster. -Change in authority matrix of team members
6.	01/08/2021	05	-Incorporating COVID emergency process -Change in authority matrix of team members -Addition of new warehouse details -Updated WH fire-extinguisher layout
7.	01/02/2022	06	Change in authority matrix of team members

	Prepared By	Reviewed By	Approved By
Signature			
Name	Mr. Avinash Khairnar	Mr. Subodh Dharmadhikari	Mr. Girish Chandra
Designation	Assistant Safety Manager	Manager	Location Head, BCM
Date			

Godrej & Boyce Mfg. Co. Ltd.
Commercial, L&D,
Saidhara Complex,
Next to Sangrila Resort, Opp.R.K Petrol Pump,
Kuske – Boroli Village, Mumbai Nasik Highway,
Bhiwandi, District-Thane, 421302.
Maharashtra, India.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

INDEX		
Sr No	Contents	Page no
1	Message from the Chairman & Managing Director	5
2	OHS Policy	6
3	From the desk of Head Commercial	10
4	National Distribution Centre – Location Spread	11
5	Scope	12
6	Objectives	13
7	Definitions	14
8	OEP - Preamble	17
9	OEP - Introduction	18
10	Warehouse Emergency Response Team	19
11	Warehouse maintenance & welfare team	29
12	Emergency	30
13	OEP - General Guidelines	65
14	OEP - Emergency Control Centre (ECC)	66
15	OEP - Roles & responsibilities of OEP team members	67
16	OEP – Guidelines for Emergency Mitigation	74
17	OEP - Important telephone numbers	75
18	Annex II (A) - Process flow for emergency handling	76
19	Annex II (B) - Process flow after declaring emergency	77
20	Annex III - Head count matching board	78
21	Annex IV - Summary of fire extinguisher	79
22	Annex V - Fire extinguisher mapping	80
23	Annex VI - Materials in warehouse	93
24	Annex - VII - Flow chart for incident situation	94
25	Annex - VIII - SOP for fire tender vehicle	96
26	Annex - IX – Fire Tender Access inclusion of Phase III	103

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022



OHS Policy ...The Guiding Principle

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Message from the Chairman & Managing Director

At Godrej, we have a responsibility to provide a safe place to work for our employees - a natural manifestation of our Corporate Value, 'Respect'. To live up to this responsibility, we must design and institutionalize systems, processes and policies so that we can encourage behavior that makes Godrej a safer, healthier place to work.

In today's globally connected environment, a culture of Safety is essential in the context of improving both productivity & competitiveness. In fact, as we strive to win business against global competitors, we find that customers are, increasingly, considering the Safety Processes and Safety Track Record of their potential vendors.

Creating and maintaining a safe and productive work environment is not a discrete task but is a continuous and interactive process. Safety considerations need to be designed into operations at the planning stage itself, to ensure maximum preparedness. Also, safety processes need to be meticulously monitored so that they can be continuously improved.

This Occupational Health & Safety (OHS) Policy outlines the principles, processes and responsibilities that will help build a safe work environment for all.

Each one of us must diligently adhere to this policy as it applies to our area of work. We must take conscious and positive steps for the identification and elimination of safety hazards in every aspect of our jobs, so that we can achieve and maintain our goal of 'Zero Incident'. Leaders at all levels are expected to exemplify the Company's commitment to Safety and ensure full compliance to this OHS Policy.

Let us make Occupational Health and Safety an overarching priority so that all Godrejites are assured of their safety and, in turn, contribute to the safety of their colleagues.

I look forward to your commitment and contribution in making Godrej a Safe and Productive place to work in.




 (Jamshyd N. Godrej)

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Occupational Health and Safety Policy (OHS)

I) The Objective

To achieve the milestone of 'Zero Incident' in the organization.

II) Guiding Principles

This OHS Policy is guided by the following principles:

- 01.** It is essential to respect human life.
- 02.** Whatever we do, we shall do it safely.
- 03.** Safety shall be integrated into everything we do and become a way of life.
- 04.** Safety is about observable, measurable behavior, not perception or attitude.
- 05.** All incidents are preventable as all hazards can be safeguarded either physically or through safe working procedures.
- 06.** Working safely is a condition of employment.
- 07.** It is the responsibility of the management to ensure that injuries are prevented.
- 08.** Occupational Health and Safety training is essential at all levels.
- 09.** Periodic Occupational Health and Safety monitoring / review by management is **MUST**.
- 10.** Occupational Health and Safety promotes good business practices, pays high dividend.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

III) Scope

The Occupational Health and Safety (OHS) Policy covers:

- 01.** All permanent and non-permanent employees of the Company at all locations.
- 02.** Service providers including Contractors, Transporters, their sub-contractors and their employees.
- 03.** Vendors and their employees working at our establishments.
- 04.** All visitors to our establishments.

IV) Action Plan for Occupational Health and Safety (OHS)

The OHS goal shall be achieved by organizing and managing the OHS function at the Organizational level through defined employee responsibilities and accountability to build and support a culture that fosters and nurtures a safety mind-set in the organization. The Management is committed to providing a safe and healthy working environment for all employees, contractors, vendors and visitors. The Management aims to eliminate all risks to Health & Safety, and where elimination is not feasible, to reduce risks to Health and Safety to the minimum.

The following specific steps shall be taken to achieve the above.

A) Organizing the OHS function:

- 01.** Communicate OHS responsibilities and accountabilities to each and every employee.
- 02.** Empower each and every employee to take action for implementing the OHS policy requirements through a mandate promulgated by the Top Management.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- 03.** Establish an organizational structure to implement the OHS policy.
- 04.** Form OHS committees at unit (Corporate, Division, Plant, Branch, Project Site) levels, as well as at departmental level for active engagement and involvement of employees in promoting Occupational Health & Safety.
- 05.** Do regular and repeated Training at all levels.
- 06.** Integrate OHS requirements in all decisions involving material, machinery, processes as well as in the selection and deployment of personnel.
- 07.** Analyze and disseminate information from the monthly, quarterly and annual OHS performance reports to help improve company-wide performance in OHS.
- 08.** Communicate OHS related knowledge and information regularly, for fostering deeper understanding and sharing of the best practices.
- 09.** To conduct Audits, both internally and with external help, for reviewing and improving the status of Occupational Health and Safety at the workplace.

B) Role of Corporate OHS Department:

The Corporate OHS department will promote, coordinate and monitor the OHS policy implementation in the organization. The Head of the department will report to the designated "Occupier" or "Manager" under The Factories Act, 1948.

C) Role of Divisional OHS Department:

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

The Divisional OHS Heads will promote, co-ordinate, implement and monitor OHS activities at the business unit level in alignment with Corporate Policies and Guidelines. They will report administratively to the Divisional Head and functionally to the Corporate OHS Head.

D) Role of Occupational Health & Medical Centre:

The Occupational Health & Medical Centre will proactively advise to identify, reduce and eliminate Occupational Health Hazards arising out of occupational activities. The Company's Medical Officers will function as Factory Medical Officer for enhancing Occupational Health.

Review of OHS Policy

This OHS policy will be reviewed every three years or earlier, if required.

This new OHS Policy supersedes the earlier OHS Policy dated 04th June 2013 and will come into effect from 12th June 2018.



Anil G. Verma

Executive Director & President Godrej & Boyce Mfg. Co. Ltd.

'Occupier' under The Factories Act, 1948

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

From the Desk of Head Commercial

It's every warehouse operator's worst nightmare. An accident with injuries and /or fatalities. Fire, explosion, roof collapse, forklift accident flood, rack collapse, work stoppage suddenly we feel as if our world is falling apart.

The trauma to us, our employees and victims and their families can be overwhelming. Generally, we think it won't happen to us yet each year we hear more and more tales of serious warehouse and office accidents along with high insurance claims, legal action, even closures.

What will we do if the unexpected happen to us? How will we and our staff react? How will we comfort the families of those injured or worse? How will we take care of our employees? How will we deal with an unsympathetic news media relentlessly probing into every nook and cranny of our Company? How about our company's reputation—the reputation we have spent years crafting? How will our customers react? Our Board? Our Colleagues?

As a principal employer, there is a range of responsibilities and legislations which are required to have a plan to ensure the safety of employees, customers, contractors and others who may be on site when an emergency occurs. Equally important is the ability of facility/business to react quickly to an emergency, for saving time and money in restoring normal business.

The on-site emergency plan is not just an evacuation or fire safety plan. It is a plan which provides safety and security to employees from the time of an adverse impact until the business continuity or normal business plan can resume.

In this manual, we have tried to give basic guidelines for prevention and handling of emergencies. This manual also includes the action to be taken for business continuity and testing of the system.


We would, however, urge you to use this guide and conduct the mock drills to review your plan.

ALERT:

It is the duty of any witness of the beginning of an accident or of an anomaly which might lead to an accident to give the alert and to act with available means within the limits of his ability. Alert is the information given to ask for assistance, in principle using alarms which are inside or outside the establishment.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

National Distribution Centre (Location Spread)



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

SCOPE

The emergencies are identified from past incidents and hazards identified as exercise by the people working in the area at Saidhara warehouses.

There could be emergencies which are disasters (natural or biological) happening in the workplace or in surrounding environment. They may be addressed by Corporate Safety in consultation with public authorities.

The roles & responsibilities allocated for all the people in the on-site emergency plan are communicated to the concerned periodically.

The emergency preparedness at the work area level is checked in internal audits.

The complete on-site emergency plan – preparedness and response plan are checked by the mock drill/table top exercises conducted as per schedule.

Localized (small scale) emergency shall be controlled & mitigated by area owners, location supervisors and the location fire fighters & first aiders using appropriate resources.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

OBJECTIVE

An emergency plan specifies procedures for handling sudden unexpected situations.

The objective is to reduce possible consequences by:

- Preventing fatalities and injuries
- Reducing damage to buildings, stocks, and equipment's
- Accelerate resumption of normal operations
- To reduce potential impacts on environment and community

These objectives being accomplished through

- Clear responsibilities
- Reduced thinking time
- Clear communication channel

Order of priority in case of emergency

- Protect people
- Protect environment
- Protect branch, warehouse and property

Bring incident under control

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

DEFINITIONS

1. Hazard

It is potentially damaging physical event, phenomenon or human activity that may cause the loss of injury, property damage, social and economic disruption or environmental degradation.

2. Danger

Danger has two meanings as following

A condition or agent with the potential to cause an adverse effect.

It is synonym for severe hazard, threatening objects or individuals of a community.

3. Risk

It is product of probability and extent of damage due to particular hazard

Risk= Hazards x Probability

4. Emergency

An emergency is a situation, which is likely to result in large scale destruction to human life or property or environment, within or outside the factory. These may be controlled on local level with available resources. But sometimes their effects are so much that, without getting help from external agency, they could not be controlled.

5. Disaster

Local or regional effects managed with local or regional resources.

6. Catastrophe

Any natural or manmade incident, including terrorism that results into extraordinary levels of mass casualties, damage or disruption severely affecting population, infrastructure, environment, economy, national morale and/ or government functions

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

7. Emergency action plan

An emergency action plan covers designated actions employers and employees must take to ensure safety from fire and other emergencies. Not all employees are required to establish an emergency action plan.

8. MSDS (Material Safety Data Sheet)

It is prepared by manufacturer, to provide detailed information about chemical's characteristics, potential hazards and methods for safe use, handling, and storage of chemical.

9. Compressed gas

It is Gaseous material with pressure greater than atmospheric pressure.

10. Explosive

Substances which under certain conditions of shock, temperature or chemical reactions decompose with violent rapidity, usually releasing large quantities of heat and gases

11. Exposure/Exposed

Contact with hazardous chemical in the course of employment through any routes of entry and includes potential exposure

12. Flammable Liquids

A liquid, whose vapor can form an ignitable mixture with air, the liquid is fuel and surrounding air is oxidizer. For the mixture to burn an ignition source must be available.

13. Hazard Warning

Any words, pictures, symbols or combination thereof appearing on label or other appropriate form of warning which convey the Hazard of chemical in container

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

14. Hazardous Chemical

Any chemical, which is physical or health hazard

15. Work area

A room or defined space in a whole workplace where products are produced or used and where employees are present

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

ON-SITE EMERGENCY PLAN – PREAMBLE

The Chief coordinator is responsible for preparing and amending the On-site Emergency Plan for Warehouse.

Despite various preventive and precautionary measures taken in the Warehouse, the possibility of a mishap cannot be totally ruled out. Hence the need to prepare EMERGENCY PLAN for dealing with incidences which may still occur and are likely to affect LIFE and PROPERTY both within the warehouse and the immediate neighborhood.

Such an emergency could be the result of malfunctioning of the Warehouse & Equipment or non-observance of operating instructions. It could, at times, be the consequences of acts outside the control of Warehouse Management like severe storm, flooding or deliberate acts of arson or sabotage.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

INTRODUCTION

A major emergency in the Warehouse is one which may cause serious injury or loss of life and damage to the property. This ON-SITE EMERGENCY PLAN (OEP) explains the code of conduct of all personnel in the Warehouse along with the actions to be carried out in the event of an Emergency. It not only defines responsibilities but also informs about prompt rescue operations, evacuations, rehabilitation, co-ordination and communication among various Team Members.

The Emergency Procedures outlined are Suitable for round the clock coverage including holidays. These Emergency procedures shall be followed as outlined in this OEP during General Shift as well. The additional manpower available during general shifts will be at the disposal of the CHIEF CONTROLLER.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

ON-SITE EMERGENCY PLAN – TEAM

DESIGNATION	NAME	EXTN.	MOB. NO.
CHIEF CONTROLLER	Mr. Girish Chandra / Mr. Pravin Parab / Mr. Subodh Dharmadhikari	400 424 331	9819320857 9833274509 9167089681
CHIEF CO- ORDINATOR	Mr. Avinash Khairnar/ Mr. Shahan Khan	- 321	9768194847 8692029614
UNIT IN-CHARGE	Mr. Nikesh Madhavi (For WH- AB)	410	8693047827
	Mr. Abdul Samad (For KLO/I/H14)		9819691397
	Mr. Sanjay Jadhav (For WH-C/D)	325	9921795080
	Mr. Arshad Sayyed (For WH-N)	381	9664057049
	Mr. Kishor Kulkarni (For WH – E/P)	-	9619752893
	Mr. Rugved Ketkar (For WH – M1)	-	9869813874
	Mr. Arnab Rakshit (For WH- J)		8779639449
SITE CONTROLLER	Kameshwar Pandey	-	9823928308
	Sharfuddin Khan	329	7776059222
SECURITY TEAM	Mr. Adil Mr. Ketan		8149991613 7378945353

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Emergency Response Team

(Note: Every person in team should undergone Third Party Training)

WAREHOUSE FIRE TEAM - AB WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Organization	Cell No
1	Vishnu Lathad	AB	FM Logistics	9850779426
2	Arbindo Thakur	AB	FM Logistics	9730518806
3	Anil Bhosale	AB	FM Logistics	9920537800
4	Sachin Jadhav	AB	FM Logistics	9657586664
5	Mangesh Ghodvinde	AB	FM Logistics	7350263023

WAREHOUSE FIRE TEAM - M WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Organization	Cell No
1	Naresh Chalke	M	Elisha Logistics	8983814860
2	Ashok Bajage	M	Elisha Logistics	7875847589
3	Vijay Patil	M	Elisha Logistics	7709268068
4	Rajendra Patade	M	Elisha Logistics	9860440666
5	Mahesh Suryavanshi	M	Elisha Logistics	8806960844

WAREHOUSE FIRE TEAM – N1 WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Organization	Cell No
1	Prasad Gundu	N1	Elisha Logistics	9029531965
2	Abutala Kungle	N1	Elisha Logistics	7420830400
3	Akash Jogi	N1	Elisha Logistics	8888794992
4	Narayan Gaikwad	N1	Elisha Logistics	7506575918
5	Akshay Hode	N1	Elisha Logistics	9029531965

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

WAREHOUSE FIRE TEAM – C WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Organization	Cell No
1	Kundan Patil	C	Elisha Logistics	7775062000
2	Amol S Vandrekar	C	Elisha Logistics	8446239362
3	Ghanshyam Gaud	C	Elisha Logistics	7843088664

WAREHOUSE FIRE TEAM – D WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Organization	Cell No
1	Vasant Patil	D	Elisha Logistics	9881745039
2	Gangaram Sitaram Kaskar	D	Elisha Logistics	7507110696
3	Virander Kumar Chaurasiya	D	Elisha Logistics	9161108462
4	Anwar Ali	D	Elisha Logistics	7039180230

WAREHOUSE FIRE TEAM – E WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Organization	Cell No
1	Indel Chourasia	E	Elisha Logistics	8693047827
2	Akshaya Kumar	E	Elisha Logistics	6394209228
3	Abhijit Jadhav	E	Elisha Logistics	9096454209
4	Ulhas Vejare	E	Elisha Logistics	9011558936

WAREHOUSE FIRE TEAM – I WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Organization	Cell No
1	Suraj Yadav	I	Elisha Logistics	7620474816
2	Shashi Bhushan	I	Elisha Logistics	9648775911

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

WAREHOUSE FIRE TEAM – J WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Organization	Cell No
1	Deepak Gupta	J	Elisha Logistics	9699626708
2	Satyabham Kol	J	Elisha Logistics	7354980283

WAREHOUSE FIRE TEAM – K/L/O WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Organization	Cell No
1	Kalpesh Patil	K/L/O	FM Logistics	7710929577
2	Kailas Bhoir	K/L/O	FM Logistics	7304057735
3	Pramod kondlekar	K/L/O	Magna Housekeeping	9145464898
4	Akesh Jadhav	K/L/O	Elisha logistics	8830826749

WAREHOUSE FIRE TEAM – H14 WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Designation	Cell No
1	Sunil Patil	H14	FM Logistics	9820662444
2	Vijay Bhawar	H14	FM Logistics	9834619208
3	Vishal Dhangar	H14	FM Logistics	9604651519
4	Nitin Chorghe	H14	FM Logistics	9011160297

WAREHOUSE FIRE TEAM – P WAREHOUSE

Sr.No.	Fire Fighter Name	Warehouse	Designation	Cell No
1	Yogesh Gulvi	P	Elisha Logistics	7030602498

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

WAREHOUSE FIRST AIDERS TEAM – AB WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Sunil Ghodke	AB - WH	FM Logistics	8806676709
2	Sudhir Singh	AB - WH	FM Logistics	7498906969
3	Jayesh Pande	AB - WH	FM Logistics	9867315738
4	Pankaj Mahadik	AB - WH	FM Logistics	9029868712
5	Shaukat Ali	AB - WH	FM Logistics	9145461368

WAREHOUSE FIRST AIDERS TEAM – M1 WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Sambhaji Itatkar	M-WH	Elisha Logistics	9273470023
2	Paresh Ansari	M-WH	Elisha Logistics	9021690242
3	Shivaji Mali	M-WH	Elisha Logistics	9763669520
4	Nilesh B	M-WH	Elisha Logistics	9689409949

WAREHOUSE FIRST AIDERS TEAM – N1 WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Daro Boro	N1-WH	Geekay	8983814860
2	Dharmendra Kumar	N1-WH	Geekay	9028881344
3	Mohan M Gaikwad	N1-WH	Elisha Logistics	9604882401
4	Satish B Patil	N1-WH	Elisha Logistics	9594712722
5	Subhash Govind Patil	N1-WH	Elisha Logistics	9765089880

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

WAREHOUSE FIRST AIDERS TEAM – C WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Nirgesh Gaikwad	C -WH	Elisha Logistics	7757848846
2	Sudhir B Bhurbhura	C -WH	Elisha Logistics	7038700835
3	Dnyaneshwar Shinde	C -WH	Elisha Logistics	7776054000
4	Vijay Patade	C -WH	Elisha Logistics	9145789882

WAREHOUSE FIRST AIDERS TEAM – D WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Shailesh Pawar	D-WH	Elisha Logistics	9881745039
2	Amol Vangare	D-WH	Elisha Logistics	7507110696
3	Vasant Patil	D-WH	Elisha Logistics	9881745039

WAREHOUSE FIRST AIDERS TEAM – E WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Chhote Lal	E-WH	Elisha Logistics	7039446134
2	Anees Kumar	E-WH	Elisha Logistics	8601974831
3	Birendra Kumar	E-WH	Elisha Logistics	8976865741
4	Krishna Patil	E-WH	Elisha Logistics	9769944547

WAREHOUSE FIRST AIDERS TEAM – I WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Gangotri Prasad	I WH	Elisha Logistics	7208613066

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

WAREHOUSE FIRST AIDERS TEAM – J WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Dayanand Gharat	J WH	Elisha Logistics	8888917966
2	Ganesh Borade	J WH	WH Incharge	8698477941

WAREHOUSE FIRST AIDERS TEAM – K/L/O WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Rugved Ketkar	K/L/O WH	Godrej	9869813874
2	Swapnil Desai	K/L/O WH	FM Logistics	9619860272
3	Sachin Patil	K/L/O WH	FM Logistics	9225300243

WAREHOUSE FIRST AIDERS TEAM – H14 WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Vishal Pardhi	H-14	FM Logistics	9209604019
2	Datta Patekar	H-14	FM Logistics	8390924081
3	Shashikant Ahire	H-14	FM Logistics	8976880987
4	Ranjit Raut	H-14	FM Logistics	7276549201

WAREHOUSE FIRST AIDERS TEAM – P WAREHOUSE

Sr.No.	First Aider Name	Warehouse	Organization	Cell No
1	Umesh Bhoir	P	Elisha Logistics	9209571213

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

WAREHOUSE RESCUE TEAM

Sr. No.	Name & Employee	Designation	Organization
AB- Warehouse			
1	Prakash Jadhav	KAM	FM Logistics
2	Nikesh Madhavi	WH In charge	Godrej
3	Amol Ghodvinde	WH Manager	FM Logistics
4	Sudhir Singh	Sr Supervisor	FM Logistics
5	Marshal-1	Marshal	Elisha Logistics
6	Marshal-2	Marshal	Elisha Logistics
7	Security Guard-1	Security Guards	SIS Security
8	Security Guard-2	Security Guards	SIS Security
9	Security Guard-3	Security Guards	SIS Security
C- Warehouse			
1	Sanjay Jadhav	WH In charge	Godrej
2	Ravi Prajapati	Supervisor	Elisha Logistics
3	Marshal-1	Marshal	Elisha Logistics
4	Marshal-2	Marshal	Elisha Logistics
5	Security Guard-1	Security Guards	Geekay Security
6	Security Guard-2	Security Guards	Geekay Security
7	Security Guard-3	Security Guards	Geekay Security
D- Warehouse			
1	Sanjay Jadhav	WH In charge	Godrej
2	Dharma Barmade	Sr Supervisor	Elisha Logistics
3	Vasant Bangar	Team Leader	Elisha Logistic
4	Marshal-1	Marshal	Elisha Logistics
5	Marshal-2	Marshal	Elisha Logistics
6	Security Guard-1	Security Guards	Geekay Security
7	Security Guard-2	Security Guards	Geekay Security

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

E- Warehouse			
1	Kishor Kulkarni	WH In charge	Godrej
2	Karsen Tare	Sr Supervisor	Elisha Logistics
3	Janardan	Supervisor	Elisha Logistics
4	Nilesh Dalvi	Supervisor	Elisha Logistics
5	Marshal-1	Marshal	Elisha Logistics
6	Marshal-2	Marshal	Elisha Logistics
7	Security Guard-1	Security Guards	Geekay Security
8	Security Guard-2	Security Guards	Geekay Security
9	Security Guard-3	Security Guards	Geekay Security

M-1 Warehouse			
1	Rugved Ketkar	WH In charge	Godrej
2	Shivaji Mali	Sr Supervisor	Elisha Logistics
3	Vijay Patil	Supervisor	Elisha Logistics
4	Sambhaji	Supervisor	Elisha Logistics
5	Naresh Chalke	Team Leader	Elisha Logistics
6	Marshal-1	Marshal	Elisha Logistics
7	Security Guard-1	Security Guards	Geekay Security
8	Security Guard-2	Security Guards	Geekay Security

N-1 Warehouse			
1	Arhsad Sayyed	WH In charge	Godrej
2	Ajay Rapte	Supervisor	Elisha Logistics
3	Sandesh Patil	Supervisor	Elisha Logistics
4	Umesh Pawse	Sr Supervisor	Elisha Logistics
5	Marshal-1	Marshal	Elisha Logistics
6	Security Guard-1	Security Guards	Geekay Security
7	Security Guard-2	Security Guards	Geekay Security

J Warehouse			
1	Arnab Rakshit	WH In charge	Godrej
2	Jagdish Gorekar	Supervisor	Elisha Logistics
3	Ravi Kumbhar	Supervisor	Elisha Logistics
4	Security Guard-1	Security Guards	Geekay Security
5	Security Guard-2	Security Guards	Geekay Security

I Warehouse			
1	Abdual Samad	WH In charge	Godrej
2	Kailash Jadhav	Supervisor	Elisha Logistics
3	Milind Patil	FLT Operator	Elisha Logistics
4	Security Guard-1	Security Guards	Geekay Security
5	Security Guard-2	Security Guards	Geekay Security

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

K/L/O – Warehouse			
1.	Ramesh Dhamale	Logistics In charge	Godrej -Logistics
2.	Abdul Samad	WH In charge	Godrej
3.	Sameer Mane	Logistics In charge	Godrej -Logistics
4.	Pramod Nivalkar	WH Manager	FM Logistics
5.	Dnyaneshwar Walunj	Sr. Supervisor	FM Logistics
6.	Mahesh Lone	Floor Supervisor	FM Logistics
7.	Prakash Jadhav	KAM	FM Logistics
8.	Security Guard-1	Security Guards	SIS Security
9.	Security Guard-2	Security Guards	SIS Security
10.	Security Guard-3	Security Guards	SIS Security
H – Warehouse			
1	Abdul Samad	WH In charge	Godrej
2	Aditya Salunke	WH Manager	FM Logistics
3	Azhar Muqri	Supervisor	FM Logistics
4	Arfat Karel	DEO	FM Logistics
5	Sushil Pawar	KAC	FM Logistics
6	Security Guard-1	Security Guards	SIS Security
7	Security Guard-2	Security Guards	SIS Security
P – Warehouse			
1	Kishor Kulkarni	WH In charge	Godrej
2	Ritesh Wankhede	WH In chage	Godrej
2	Pinta Tare	Sr Supervisor	Elisha Logistics
3	Security Guard-1	Security Guards	Geekay Security
4	Security Guard-2	Security Guards	Geekay Security

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

WAREHOUSE MAINTENANCE AND WELFARE TEAM


<u>DESIGNATION & NAME</u>	<u>EXTN</u>	<u>MOBILE NO.</u>
Maintenance TEAM		
Prashant (Contractual - Electrical)	331	9004097687
WELFARE TEAM (Under Guidance of BCM)		
Abhijeet Mannil	-	8108872999
Ramesh Dhamale	-	9004690307
TP Singh	-	9769001981
Nishikant Hake	325	8108590099
Shahnawaz Khan	320	7045018942
Amol Jadhav	320	9527655777
Samid Murumkar	320	9881120302
Santosh Tandel	320	9823442544
Rahul Naik	340	9619464008
Vinod Gaikwad	342	7776031666
Sudhin Prabhu	342	9823135993
Vinod Habib	342	8698758271

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

EMERGENCY:

An Emergency is a situation, which may lead to or cause a large-scale damage or destruction of life or property or environment within or outside the Factory.

Such an unexpected situation may be too difficult to handle for the normal workforce within the Warehouse.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

NATURE OF EMERGENCY:

The Emergency specified in the OEP refers to occurrence of one or more of the following events

NATURE OF EMERGENCIES

Sr. No	Type Of Hazard	Location	Hazard Due To
1	Fire	Office area	Electrical Short Circ.
		Warehouse	Electrical Short Circ.
2	Explosion	Warehouse	Prima Batteries Area/gas cylinders
3	Injuries	Branch/ Warehouse premises	Improper Storage, Manual Material Handling
4	Major Accident	Warehouse premises	Forklift / HPT/ BOPT/ Crane/ Trucks Toppling
5	Heavy Rain	Warehouse premises	Natural calamity
6	Flooding/ Water Logging	Warehouse premises	Natural calamity
7	Structural Collapse	Warehouse premises	Earthquake, Accidents outside Warehouse premises
8	Snake / Scorpion Bite	Warehouse premises	Environment
9	COVID Suspect case	Warehouse premises	Virus infection

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

If you encounter someone who is injured, then apply the emergency action steps:

Check-Call-Care

Check

- The scene to make sure it is safe for you to approach.
- Then check the victim for unconsciousness and life-threatening conditions.
- Someone who has a life-threatening condition, such as not breathing or severe bleeding, requires immediate care by trained responders
- May require treatment by medical professionals.

Call


- Out for help.
- There are some steps that you can take, however, to

Care

- For someone who is hurt, but whose injuries are not life threatening.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Eye Injuries



Particle of dust or speck of dirt in the eye

- Do not rub your eye, as it may cause scratching and other injury to your cornea.
- Gently lift your upper eyelid down over your lower one, allowing your eye to flush the particle of dirt out.
- Hold your eyelid like this for a minute or so or until you feel the object has been removed. This may be repeated as necessary.
- You may also try to flush it out of your eye using a little bit of cool clean water. (This may be more effective for dust, smoke, and heat burn to the eyes as opposed to dirt particles.)
- Try not to remove it with your fingers as you may do damage to your eye.
- If object remains in the eye, keep it closed and go see your doctor.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- Cover both eyes with a clean sterile pad and go to the doctors
- Do not try to remove the object or touch the eye.

A hit or blow to the eye

- Quickly apply a cold compress to the area around the eye, not the eye itself, for about 15 minutes. This will reduce pain and swelling.
- A black eye or blurred vision may indicate eye damage and should be looked at by a doctor.

Cuts to the eye or eyelid

- Bandage the eye area gently with gauze and medical tape and get the person to the doctor as soon as possible.
- Do not attempt to remove any objects on the eye or touch the eye.
- Do not apply pressure to the injured area, and do not rub the affected area.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Chemical burns to the eye



- Immediately flush the area with water, using your fingers to hold open your eyelids. Make certain that your fingers are clean and have no chemicals on them to avoid further damage and possible reactions.
- Continue to flush eye for at least 15 minutes.
- You may want to move your eye around while doing this to help assure the removal of all chemicals.
- Make sure the head is tilted so the chemicals and water do not flow into the unaffected eye.
- These burns should be looked at by a doctor as soon as possible to make sure no damage was done to the eye.
- Remember, eye injuries are usually preventable if the proper gear is worn. Wherever requires always wear protective gear and goggles.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Broken Bones



- Make the person as comfortable as possible before immobilizing the injured area.
- To keep the area, restrict from moving, you'll have to make a splint. This works with leg and arm breaks where the arm is not bent. This can be done using a variety of materials such as boards, rolled newspapers, sticks, an umbrella, rolled blankets etc. Place the item around the injury and gently secure it with rope, strips of cloth, a tie; whatever you have available.
- If the above materials are unavailable, and the injury involves limbs, you may tape or tie the injured leg to the uninjured one, tape an injured arm to the chest, or to the side of the body (surround the limb with padding first) depending upon whether the elbow is bent.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- After you have wrapped and splinted the limb, check for a pulse. If you cannot find one, then it means the bonds are too tight and must be loosened.
- Because fractures cause swelling you should check this often to make sure the person remains comfortable. Other signs that the splint is too tight are a numbness, tingling, or bluish tint to the skin at the sight of the break.
- If the person has broken their arm and the arm is bent at the elbow, then take a cloth and fold it into a triangle. Then gently slip the widest part under the arm and tie the two ends around the neck, forming a makeshift sling. You want the arm resting at a 90° angle.
- To keep the swelling and pain down, apply an ice pack, ice wrapped in a cloth, or, if all else fails, a bag of frozen vegetables. Do not keep the ice on for much longer than 20 minutes as it can cause numbness and discomfort.
- Unless the person is bleeding, aspirin, ibuprofen, or another pain reliever may be used to ease the pain to keep the swelling and pain down, apply an ice pack, ice wrapped in a cloth, or, if all else fails, a bag of frozen vegetables. Do not keep the ice on for much longer than 20 minutes as it can cause numbness and discomfort.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Severe bleeding injuries



- First ensure the availability of Sterile Hand Gloves (Surgical Hand Gloves) in Medical First Aid Kit.
- If Surgical Hand Gloves are not available, then use a Clean Plastic paper or Plastic carry bag to avoid direct contact with blood of victim.
- Lay the person down. If possible, position the person's head slightly lower than the trunk, or elevate the legs. This position reduces the chances of fainting by increasing blood flow to the brain.
- If possible, elevate the site of bleeding.
- Remove any obvious dirt from the wound.
- Do not remove any objects pierced into the victim.
- Do not probe the wound or attempt to clean it at this point.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- Your principal concern is to stop the loss of blood.
- Apply pressure directly on the wound with a sterile bandage, clean cloth or even a piece of clothing. If nothing else is available, use your hand.
- Maintain pressure until the bleeding stops. When it does, bind the wound tightly with adhesive tape or a bandage. If none is available, use a piece of clean clothing.
- If the bleeding continues and seeps through the gauze or other material you are holding on the wound, do not remove it. Instead, add more absorbent material on top of it.
- If the bleeding does not stop with direct pressure, you may need to apply pressure to the major artery that delivers blood to the area of the wound.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- In the case of a wound on the hand or lower arm, for example, squeeze the main artery in the upper arm against the bone.
- Keep your fingers flat; with the other hand, continue to exert pressure on the wound itself.
- Immobilize the injured body part once the bleeding has been stopped.
- Leave the bandages in place and get the injured person to the nearby dispensary as soon as possible by calling Emergency Ambulance wherever applicable.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Treatment of electrical shock



- Lay the victim face up, on a blanket or coat if possible, and raise the feet above the head unless they are fractured.
- First ensure the availability of Sterile Hand Gloves (Surgical Hand Gloves) in Medical First Aid Kit.
- If Surgical Hand Gloves are not available, then use a Clean Plastic paper or Plastic carry bag to avoid direct contact with blood of victim.
- If the person is bleeding from the mouth or vomiting, tilt their head to the side to avoid fluids going into the lungs and airways. If you are unsure of injuries keeps the person lying flat.
- Loosen tight clothing, braces, belts, jewelry etc. to avoid constriction of the waist, neck and chest.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- Keep the victim comfortable and warm enough to be able to maintain their own body heat. If possible, remove wet clothing and place blankets beneath the victim. NEVER use artificial sources of heat. If they are bleeding severely do not apply heat to the wounded area as it will prevent the blood from clotting as easily
- Check for other injuries, such as **bleeding** and **burns** and treat the other injuries according to first aid procedures. If possible, try to splint **sprains** or **broken bones**. If you are unsure of how to do this, leave them as they are to avoid further damage.
- If they claim they are thirsty moisten their lips with water but DO NOT give them anything to drink, as it may induce vomiting.
- Try to keep the victim calm, excitement and excessive handling will worsen their condition try to assure them help is on the way.
- Remember, if you can perform these actions before shock has completely developed you may prevent its occurrence and if it had developed you may stop it from becoming fatal.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- If shock is left unattended to the victim will die, it is extremely important that first aid be performed as soon as possible



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Tilting of Forklift



- Ensure that driver is unharmed.
- If it is so call for medical help.
- Inform to his immediate supervisor.
- If incident has occurred on the road inform Ext 400/ BCM
- Stay away from the forklift if it is loaded with any hazardous chemicals.
- Block the access to the incident spot.
- Remove the tilted forklift with proper care.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Bursting of gas cylinders or air compressors



- Stay away from incident spot.
- If incident has involved any flammable materials, then try to remove other flammable / combustible material to reduce the impact.
- If the surrounding materials have caught fire, then initiate the action for executing OEP plan.
- Initiate appropriate action for medical treatment of injured person.
- In case of pressure vessels (air) stop the main valve.
- Block the access to this site.
- Inform Emergency Center with right information.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Burn Treatment



- First ensure the availability of Sterile Hand Gloves (Surgical Hand Gloves) in Medical First Aid Kit.
- If Surgical Hand Gloves are not available, then use a Clean Plastic paper or Plastic carry bag to avoid direct contact with blood of victim.
- Remove and constricting jewelry.
- Do NOT use oils or butter on a burn.
- Douse effected area with cool water ASAP! It can be cleansed gently with chlorhexidine solution.
- Do NOT use ice- or ice-cold water, this can cause additional damage.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

FIRE



General fire in the warehouse

Fire to any combustible matter

Location: Any location in the warehouse

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- Inform about details of emergency on telephone through land line 555 or by mobile 9167511555.
- Blow the emergency siren installed at Emergency Control Canter (ECC).
- Switched off electrical supply if required.
- Trained fire fighters to use suitable Fire Extinguishers till the further help is received.
- Evacuate the persons from the affected area to Safe Assembly area.
- Continue the actions as per directions of Chief Controller.



24 x 7 Call us on



- 555



- 9167511555

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Dry Grass Vegetation Fire



To mitigate the risk of Dry grass vegetation fire in surrounding area, ensure:

- Dry grass is regularly cut for maintaining low risk of fire.
- Survey to be conducted on scheduled basis with duly checks to maintain checking of dry vegetation
- In case of fire from dry vegetation follow guidelines of fire emergency.

Precautions:

Do not use water on electrical fire.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Structure/ Racks Collapse



- Inform Security / Emergency Controller on 555 / 9167511555 in detail.
- Keep people clear of the affected area & cordon off area.
- Evacuate the building if any structural collapse has occurred inside the building

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Earthquake



What to do after an earthquake?



Do's



Don'ts

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Do's


- Check for fire and, if any have controlled.
- Check your water and electrical lines for defects.
- If any damage is suspected, turn the system off from the main valve or, switch.
- Clean up household chemical spills, toxic and flammable materials to avoid any chain of unwanted events.
- Gather information any necessary instructions from battery operated radios.
- Obey public safety precaution
- Leave a message stating where you are going if you must evacuate your residence.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Don'ts

- Don't enter partially damaged buildings. Strong aftershocks can cause further damage to the buildings and weak structures may collapse.
- Don't use your telephone to call relatives and friends, call only for medical help.
- Don't use your two-wheeler /car to drive around the areas of damage. Rescue and relief operations need the road for mobility.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Some important facts about earthquakes

- Prediction of earthquakes is not possible. Do not listen to or, spread rumors.
- Expect aftershocks. Aftershocks are normally less intense and gradually die out
- “Earthquakes don’t kill people, unsafe buildings do”



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Evacuation

- Chief Controller, incident controller and nominated teams would play a similar role as that in case of fire.
- Immediate evacuation of the building will be necessary in major emergencies.
- Occupants should immediately evacuate the building through fire escape staircase to assembly point. As shown in site layout plan.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Gas release or tilting of petroleum tanker on nearby road



- If you smell gas, DO NOT smoke or strike matches or use mobile phone.
- Don't turn electrical switches on or off.
- Do keep people away from the affected areas.
- Do close burner and regulator knobs.
- Immediately inform the Chief Controller and follow his instruction.
- Follow the evacuation instructions
- Evacuate the building at the earliest.
- Go to the Assembly Point.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- Chief Controller to inform the Fire Bridge, Gas Agency for further guidance and action.
- Return to the building when normalcy is restored by EC and instructed to do so.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Flooding

- Do not plan to go to low raise areas.
- Listen and follow instruction given by government.
- Authorities on radio or similar communication system.
- Switch of the electrical boards installed at lower height.
- Be calm and have a patience.
- Follow the instructions of Chief Controller.
- Inform to your family members about your whereabouts.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Bomb threat

Could be genuine or false, and many a time they turn out to be hoax unscrupulous elements with the intention of creating a panic tend to resort to such hoax Confirmed militants however resort to such deeds with the intention of destruction and to strike terror.

It would therefore be prudent to assess the genuinely of bomb threats.

The threats are usually through phone calls, giving very little time to react, or through mail, giving a certain date of an explosion that could occur, it is very rare that the caller will identify himself, and the messages sent through any messenger, for fear of easy identification



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- Try to identify the caller and take as much information as possible.
- Inform ON **100 / 101**.
- Emergency controllers to inform police and get their guidance for further action. The local police is trained to handle such threats and have access to special bomb detection and disposal squads.
- Human life is most important and on receipt of such threats, emergency controller will take a call to evacuate the site, with the employees assembling at the site emergency point. All employees will be clearly informed about the threat and panic will be minimized.
- Follow the evacuation instructions given.
- Evacuate quietly through exit/emergency exit routes indicated by glow signs or pictorial display at each wing.
- Go to assembly point.
- The all-clear signal to be given only with police authorization.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Food Poisoning

- Referring the affected patients to nearby ESIC Hospital immediately calling ambulance and assistance provided as per guidelines given by Medical Officer, if any.

Snake bite

- Call emergency Ambulance and nearby Hospitals in touch with ESIC/Admin.
- Treat as a puncture wound.
- Note the Snake's Appearance.
- Be ready to describe the snake to emergency staff/Hospital Medical Officer.
- Protect the Person
- While waiting for medical help:
 - Move the person beyond striking distance of the snake.
 - Have the person lie down with wound below the heart.
 - Keep the person still to keep venom from spreading.
 - Cover the wound with loose, sterile bandage.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Do not -

- Cut a bite wound
- Attempt to suck out venom
- Apply tourniquet, ice, or water
- Give the person alcohol or caffeinated drinks



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Scorpion Bite



- Confirm about scorpion sting and follow guideline as per first aider.
- Move the victim to an open space.
- The affected area must be kept under cold application. If required immerse the affected area under water e.g. leg feet/hands/fingers.
- If affected area is neck, chest, head, back, get it covered with moist cloth or possible with ice cubes. Keep the other parts of body moistened by washing or bathing
- Give adequate amount of cool water or water if he/ she can swallow it.
- After the first aid some victims may need the help of a doctor


Commonly acute stage of sting will exist for 24 hours from the time of sting, so observe the victim carefully.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

PANDEMIC DISEASE SUSPECT AT WAREHOUSE

In the pandemic situation, new Emergency has come up where identification of a suspect is the most crucial task. After identification, isolating them from all individuals to a safe location, i.e. "Isolation Room" where a suspect can be escorted in PPE to have mandatory protocol checks.

Following flowgraph is to be followed.



NOTE : Suspected person: A person who complains about body ache/drowsiness/Feverish.
(In such case need to re-check his temperature & Oxygen level to decide further steps)
: All external and internal communication to be taken care by respective Admin team in consultation with location in charge.
: All used PPEs to be disposed in Bio Medical waste only
* Location in charge can customize this flow with location specific resource availability & keep adequate records.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

ON-SITE EMERGENCY PLAN (GENERAL GUIDELINES)



•	To control the emergency, localize it and if possible, eliminate it.
•	To avoid confusion & panic, handle the emergency with clear cut actions. Avoid people crowding at the site.
•	Minimize loss of life and property for the division as well as to the neighborhood warehouses.
•	Carryout head count and rescue operations.
•	Facilitate speedy treatment of injured.
•	Preserve records and take steps to prevent recurrence.
•	Restore normalcy as early as possible.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

ON-SITE EMERGENCY PLAN EMERGENCY CONTROL CENTRE (ECC)

For the purpose of handling emergency, Emergency Control Centre has been identified.

ECC is in Security/ Warehouse Head Cabin. All communications to and fro will originate at this CONTROL CENTRE.

List of Items to be kept in E.C.C.

Sr. No	ITEMS	No.
1	Safety goggles (plain glasses)	10
2	First Aid Kit	1
3	Leather cum canvas hand gloves	10
4	Copy of OEP	1
5	Copy of MSDS for each chemical	1
6	Torches	2

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

ON-SITE EMERGENCY PLAN

ROLE & RESPONSIBILITY OF OEP TEAM

CHIEF CONTROLLER	
a)	On getting the information he decides to declare emergency, reviews the situation along with Chief coordinator & Unit In-charge and proceeds promptly to the ECC and takes overall charge of all the activities for dealing with the emergency.
b)	He remains in the ECC till the emergency is called off so that all concerned are aware of his location during the emergency.
c)	He communicates and co-ordinates amongst various team leaders.
d)	He is the final authority on all matters related with the management of emergency.
CHIEF CO-ORDINATOR	
a)	Calls up all the teams & guides them till emergency is called off.
b)	Evaluate the safety and health hazards of all the actions.
c)	Is in touch with chief controller & helps him in decisions.
d)	He is the authority regarding synchronized working of all teams & all area agencies on site.
UNIT IN-CHARGE	
a)	On getting the information, reach the site immediately.
b)	Assess the status of equipment, machines & processes.
c)	Advice chief coordinator & teams to stop certain processes.
d)	Shut down process or warehouse, if necessary, with the assistance of cross functional teams.
e)	Instruct employees to start work after the emergency is called off.
SITE CONTROLLER	
a)	On getting the information, proceed promptly to the site and set up the appropriate emergency plan, in consultation with unit - in-charge.
b)	Cordon off the area to avoid crowding.
c)	Call the necessary security personnel for maintaining law and order, regulating entry and exit of personnel.
d)	Take command of the fire team and direct the firefighting operations / emergency control.
e)	Call local fire brigade, police station in case of necessity in consultation with chief controller.
f)	Collect and disseminate information as required to all concerned.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

g)	Keep detailed records of the incident and progress of operations to fight the emergency.
h)	Prepare F.I.R. within 24 hours after controlling the emergency, jointly with unit in-charge.
i)	Prepare within the next 48 hours, investigation report, jointly with chief coordinator.
LIAISON OFFICER	
a)	On receiving the information reach the ECC and receive the instructions from Chief controller.
b)	Maintain liaison with the press, government agencies and the neighborhood regarding the emergency under instructions from Chief Controller.
c)	Disclose all the necessary information in the warehouse so as to avoid rumors and confusion.
MEDICAL OFFICER	
a)	Provide medical assistance and treatment during the emergency.
b)	Provide ambulance services and medical facilities from outside agencies and hospitals, if so required.
WELFARE TEAM	
a)	On receiving the information reaches the site and report to the chief coordinator.
b)	Take a head count at assembly point and give feedback of rescue team. Prepare the list of injured people.
c)	Organize transport for shifting the injured persons to the medical centre.
d)	Arrange tea and snacks as and when required.
e)	In case where hospital treatment is required, the leader will arrange for transport through the Medical Officer and will inform the hospitals in advance so that they are prepared for the Emergency.
f)	Communicate to all people when emergency is over.
g)	Co-ordinate for all transportation throughout emergency.
RESCUE & EVACUATION TEAM	
a)	On hearing the emergency siren, the chief coordinator will direct all his team members to the emergency site.
b)	The team will carry out evacuation from the emergency area.
c)	The chief coordinator will be the team leader, and various team members for controlling the emergency will assist him.
d)	They will rescue any person trapped or handicapped from emergency declared area.
e)	They will hand over all injured people to first aid team.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

MAINTENANCE TEAM	
a)	Ensure that the remaining part of the warehouse is safe, by shutting down the equipment under unit in charge's guidance.
b)	Carry out the necessary civil work.
c)	Arrange water under maximum pressure for fire fighting.
d)	Carry out electrical / electronic shut down procedures.
e)	Mobilize necessary tools and tackles to handle any repair work on emergency basis.
f)	When emergency is called off, assess & report whether operation can be started.
FIRST AID TEAM	
a)	Report at the emergency declared area with first aid kits.
b)	Administer first aid to all people needing it.
c)	Get in touch with the welfare team & arrange for transportation to hospital.
d)	Assist doctors in treatment till the emergency is called off.
SECURITY TEAM	
a)	To assist the site controller in carrying out his duties.
b)	The team will provide the necessary security coverage.
c)	The team will effectively cordon off the emergency area and will prevent the unauthorized people entering the scene.
d)	The site controller or the security officer will be the team leader.
TELEPHONE OPERATORS (for Branches)	
a)	On hearing the emergency on 555 extension, immediately inform Chief controller Chief coordinator Unit in-charge.
b)	Follow instructions from Chief Controller / Site Controller / Chief coordinator.
c)	Keep the telephone board free for urgent communications.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

ALARM RAISING SYSTEM

- A special siren installed in the warehouse will be used for raising the alarm.
- The wailing alarm (Three times) will sound (intermittently at fixed intervals) for a period of one minute in case of an emergency as instructed by chief coordinator.
- Such alarm will signify the employees that an emergency has occurred
- Warehouse must be evacuated, and the emergency services would be put into operation.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

ALL CLEAR SIGNAL

- All clear signal will be sounded through continuous siren for at least one minute as instructed by chief coordinator.
- The all clear signal indicates to the employees that the emergency is over
- They should return to their normal place of work and wait for further instructions from the departmental supervisors.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

MOCK DRILLS

Mock drill will be conducted as per schedule. The success of this plan is very much dependent on planned and unplanned mock drills.

- To be familiar about emergency.
- For advance signaling to all employees.
- Guidance for coverage of drill.
- Schedule with or without intimation.
- Appoint observers for rectification and realignment.
- OEP guidelines to follow, based on feedback review OEP.



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

OEP - GENERAL RULES

- While informing about the emergency on 555 from land Line or 9167511555 from Mobile, indicate the location of the emergency, nearby extension number and your name. / **If this is not applicable then shout and Clearly "HELP".**
- As a team member, report to your team leader and pay attention to all the instructions.
- In the absence of the team leader, one level below should be officiating as a team leader.
- Only qualified First Aiders shall render first aid.
- Do not communicate with external agencies, unless, instructed by Chief Controller, Site Controller or Chief coordinator.
- Do not spread unauthorized or exaggerated information to others.
- Do not approach the Emergency Site as a spectator.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

GUIDELINES FOR EMERGENCY MITIGATION


- Identify the location of emergency.
- Remove all combustible material.
- Cordon-off the area near the Emergency Location.
- Inform all the team members of fire fighters & First aiders to get ready.
- Select the appropriate Fire Extinguisher for operation.
- Wear Personal Protective Equipment.
- Operate the fire Extinguisher.
- Ensure that entire Fire is extinguished.
- Clean the area of Emergency Site.
- Put Identification Tag on Used Fire Extinguisher.
- Allow the people to restart the Work.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

OEP - Important Helpline Numbers

24 x 7 Call us on


 - 555

 - 9167511555

	Address	Telephone Nos.
Police Station	Padgha, Bhiwandi, Thane - 421302	02522-25423666
Fire Brigade	Fire control Department - Bhiwandi	02522-254453
Fire Brigade	Kalyan	0251-2315101
Civil Defense	Thane	0222-25432288/ 9420479579
Traffic - Police	Thane	02522-250700


	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Annex-II (A)



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Annex-II (B)



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Annex-III

Head Count Matching Board In Case Of Emergency

Manpower Board (Warehouse-N1)					Date:	
S.N	Organization	Employees	1 st Shift	2 nd Shift	Total	Remark
1.	G&B	Staff				
2.	Elisha/FM	Marshal				
		Office Staff				
		Sr. Supervisors				
		Supervisors				
		Team Leader				
		Pantry				
		Daily wedges				
		Other				
3.	Geekey/ Spot	Security staff				
		Main gate				
		Wh gates				
4.	Magana	All				
5.	Visitors	All				Only mention in case of emergency situation for matching head count.
	Total		*****	*****	*****	

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022


Annex-IV (Summary of Fire Extinguisher)

WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
AB	0	0	82	0	4	8	0	36	6	136	10
M1	0	0	28	0	13	2	0	23	8	74	14
N1	0	0	33	0	9	7	2	29	6	86	14
C	0	0	42	0	16	1	0	34	10	103	14
D	0	0	23	0	16	1	0	20	8	68	15
E	0	0	20	0	12	1	0	22	6	61	14
I	0	0	16	0	13	2	1	7	7	46	0
J	0	0	16	0	1	11	6	16	3	53	0
K	2	0	3	0	1	1	4 (22.5ltr 2nos)	0	28	41	3
L	0	0	36	0	0	7	2	13	2(45ltr 3no)	63	2
O	0	0	70	0	5	0	2	17	12	106	3
H	0	0	3	0	0	0	1	5	13 (45ltr 2)	24	1
P	0	0	1	0	0	0	0	1	3	5	0

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Annex-V (Fire Extinguisher Mapping)

Warehouse-“AB”




	Sand Bucket
	Water Fireextinguisher
	ABC Fireextinguisher
	CO2 Fireextinguisher

WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
AB	0	0	82	0	4	8	0	36	6	136	10

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022


Warehouse-“M-1”



WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
M1	0	0	28	0	13	2	0	23	8	74	14


	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Warehouse-“N-1”

											
 Sand Bucket  Water Fireextinguisher  ABC Fireextinguisher  CO2 Fireextinguisher											
WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
N1	0	0	33	0	9	7	2	29	6	86	14

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022


Warehouse-“C”



WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
C	0	0	42	0	16	1	0	34	10	103	14

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Warehouse-“D”



WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
D	0	0	23	0	16	1	0	20	8	68	15



Godrej & Boyce Mfg. Co. Ltd.

Doc No.

OEP / G&B / WH-Saidhara


Revision No.

06

Effective Date

01/02/2022


Warehouse-“E”



WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
E	0	0	20	0	12	1	0	22	6	61	14

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022


Warehouse-“I”



WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
I	0	0	16	0	13	2	1	7	7	46	0

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022


Warehouse-“J”



WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
J	0	0	16	0	1	11	6	16	3	53	0

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022


Warehouse-“K”



WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
K	2	0	3	0	1	1	4 (22.5ltr 2nos)	0	28	41	3

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022


Warehouse-“L”



WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
L	0	0	36	0	0	7	2	13	2(45ltr 3no)	63	2

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Warehouse-“O”




	Sand Bucket
	Water Fire extinguisher
	ABC Fire extinguisher
	CO2 Fire extinguisher

WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
WH	2	5	6	9	25	4.5	6.5	9	50		
O	0	0	70	0	5	0	2	17	12	106	3

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Warehouse-"H-14"




	Sand Bucket
	Water Fire extinguisher
	ABC Fire extinguisher
	CO2 Fire extinguisher

WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
H	0	0	3	0	0	0	1	5	13 (45ltr 2)	24	1

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Warehouse-“P”



WH	Types of Fire Extinguishers									Total	Sand Buckets Stand
	ABC					CO2		Water			
	Capacity in Kgs					Capacity in Kgs		Capacity in Lts			
	2	5	6	9	25	4.5	6.5	9	50		
P	0	0	1	0	0	0	1	1	3 (45ltr 2)	5	0


	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Annex-VI (Materials in Warehouse)


Sr.No	WH	Materials	Details
1.	AB	Appliances Spares	Plastics, Foam, Gas cylinders/cans, Cartons, Metal & Electronics.
2.	C	Interio- Home, lab, hospital, navy	Wooden, Metal, Plastics & Cartons.
3.	D	Interio- Desking, Office tables, CPU Trolley	Wooden, Metal, Plastics & Cartons.
4.	E	Interio –Sofa, KD, Cupboard, Spears	Wooden, Metal, Plastics & Cartons.
5.	J	Interio	Wooden, Metal, Plastics & Cartons
6.	K/L/O	Appliances-FG	Plastics, Metals, Cartons, Gas & Electronics
7.	H	MHE Spares	Plastics, Metals, Cartons, Gas, Electronics & MHE Items.
8.	M-1	Interio- Sitting , Home manufactured	Metal , Foam , Wooden, Plastic, Cartons,
9.	N-1	Locks, SSD , Prima , E&E	<u>Prima</u> :- Metal, Batteries (dry cells), Plastics, electronics, Cartons & Food Items <u>SSD</u>:- Metal, Plastics, Cartons, Electronics, & wooden. <u>Locks</u>: - Metals, Plastics, Cartons & Electronics. <u>E&E</u>: - Metals, Plastics, Oil (Non-Flammable), Cartons, cables.
10.	I	SSD, Interio, Appliances Spares	Metals, Plastics, Wood, Foam, Gas
11	P	Interio- Sitting, Cupboard	Wooden, Metal, Plastics & Cartons.

Annex-VII

FLOW CHART FOR FIRE INCIDENT SITUATION



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Annex-VIII

SOP FOR FIRE TENDER VEHICLE


Communication



- In case of a Fire Incident, the concern person from the affected site will inform on 555 if he calls through intercom or he will call on Mobile No. 9167511555 and will provide below details in a précised manner
- Name
- Warehouse
- Inside WH or Outside WH
- Nearest accessible Dock if it is Inside WH
- Exact affected location e.g. C WH – Inside WH - Dock No. 9 - Back Side
- Immediately Fire Tender Team will rush towards the Site along with the Mobile Water Tanker.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- Immediate after the disconnection of Phone, available Security Guard of Emergency Control Centre will inform about the incident to all other stake holders mentioned below
 - Chief Controller
 - Nearest Fire Station in consultation with Chief Controller
 - Chief Co-Ordinator
 - Unit In-charge
 - Site Controller
 - Security Team
- Unit In-charge will make necessary arrangement to open the nearest accessible dock in case of Fire Incident inside the WH during working Hours.
- In case of Fire Incident inside the WH during Non-working hours available Security Guard or in-charge will follow Fire Tender Team along with a set of emergency Keys available in the Locker inside security room(N WH main gate).



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Responsibilities



- Immediate after reporting to Emergency Control Centre, Unit In-charge will make necessary arrangement for side clearance of the affected area in case of Fire Incident in working hours.
- Local Security Guard to make sure the clearance of Traffic and accessibility leading to minimization of time for Fire Tender Team to reach out to the actual affected location.
- Local Security Guard will also make sure that the Main Electrical Connection is disconnected immediate after the reporting of Incident.
- Local Security Guard to make sure clearance of nearby area of Local Water Reservoir, so that in case of additional


	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

water requirement, Fire Tender Vehicle gets the Water from Reservoir in less time.

- Warehouse Rescue and Evacuation Team will make necessary arrangement for Safe Rescue and Evacuation of all the Man force.
- First Aider Team to take necessary actions in case of any misshapen.
- For all other related activities OEP to be referred in consultation with Chief Controller.
- After having a complete control over the Situation, Chief Controller will declare SITUATION UNDER CONTROL to all the stake holders.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Training



- List of Rescue Team to be updated as per training record/Training Imparted
- Fire Fighter Rescue Team knowledge to be updated frequently (Once in a year external agency)
- Effectiveness of training program to be assessed through mock drill
- And tabletop exercise.
- Training calendar to be incorporated accordingly to satisfy above requirement.

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

Scope

- Firefighting team (Fire Tender operator and Warehouse fire fighter rescue team)

Reliability of Fire Tender





- Reliability of fire tender to be ensured through frequent checks. (Daily / Weekly / Monthly)
- Reliability of Fire tender to be ensured by keeping clear access around warehouse approach road. (Avoid Traffic Congestion Material Blockage due to material storage/Scrap)

	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

- Reliability of fire tender to be ensured through clear communication to Fire tender team to reach at emergency place. (Display of way finding signage's/workplaces/Dock numbers etc.)
- Reliability of Fire tender to be ensured by refilling water through sump tank facility. (5 Nos. X 20000 Ltrs) and also through water bowler capacity.
- Reliability of fire tender to be ensured through building competency of firefighting team through regular mock drill, skill development program from Internal/External resources.
- Continuous improvement by working on observation noted during mock drills supported with action plan.

Annex-IX (Warehouse accessibility)



	Godrej & Boyce Mfg. Co. Ltd.	Doc No.	OEP / G&B / WH-Saidhara
		Revision No.	06
		Effective Date	01/02/2022

