

Procedure for Dispatching Material against Sales Orders / Warehouse Order.


This procedure establishes the methodology to be adopted for Despatching Material from Warehouse

Scope	All Branch Warehouses , Mother Warehouses and Warehousing Hubs of Godrej & Boyce Mfg Co. Ltd. 1. Sales delivery to customers 2. Transfer Orders (Inter-branch, Intra-branch , On-loan, Exhibition etc)
Responsibility	Warehouse Head
Performance Indicator	Challan to Bill Cycle report.....80% despatches in 2 days rest with in 7 days from the date of Challan.(as per SLA with division) * {Divisional SLAs to be included at bottom} Multilocation order – 100% despatches within 24 hrs. for local and within 72 hrs for upcountry. Bill to Deliver – within TAT (Branch Transit Times) 100% compliance with respect to Despatch documentation Retail customer feedback rating : > 85% aggregate
Risk Identification	Pilferage / Wrong Despatch

Rev 03 to Rev 04 – Interio SLA related points Incorporated

PROCESS

Flow of Activities {FT/Non-FT different flowcharts to be incorporated}



Release to warehouse is done by Branch CST.

Delete Unexecuted Plan of Previous Day and Deliverable Freight Order Line History

This is daily activity to be performed before starting of new Plans for the day

Generate Deliverable Freight Orders Lines

System run is to be taken by warehouse team as per requirement.

Submit Freight order line

List created by above session is submitted in the system through this session.

Generate Plan

Global Run to be taken, route planning is done by the system for standard routes.

Before performing the step “**Actualise Plan**” – System entry team has to enter Carrier / LSP code, Vehicle Type (TMG), Vehicle Number, GCN number and check the correct Freight Costs.

Actualise Plan

1. Review of actual executable loads is done and for the loads not to be executed are deleted from the plan.
2. Intimation is sent to the transporters for supply of vehicles and Vehicle Call Sheet is to be maintained

Generate Outbound Advice

Hard allocation of inventory to the orders is done through this system run. In case of lot items generate outbound advice, print is to be taken for lot numbers to be picked.

Release outbound Advice & Generate Pick list – Auto Step done by system

Loading Sheet

Loading Sheets are generated and handed over to location supervisors for picking of goods from the respective storage locations

1. Location supervisor picks up items from the storage locations as per pick list / loading sheets.
2. Manual Corrections may be done by hand on Loading Sheets by Location supervisor depending upon the SKU availability on the storage location.
3. These final corrected sheets are handed over to Loading Supervisor

Pick Advice / Pick Mission / Pick Run (to be accomplished through FT)

Pick Advice – for specific lines to be picked up

Pick Mission – Warehouse wise picking

Pick Run – Pick all the lines in loading sheet.

Staging

1. All warehouses must have staging area for
 - a. Cross verification of Material
 - b. To increase Throughput
2. Picked material is counted and handed over to loading Supervisor & is stored at staging area before despatch or Actual Loading of Vehicle.
3. Due care is taken for Multipart items while counting so to ship them together.
4. A sign off is done on Loading Sheet for quantities between Location supervisor and Loading Supervisor.
5. These Signed off Loading Sheets are sent to Computer operator for system Entry and Invoicing.

Physical Loading of Vehicles:

1. Vehicle inspection for the physical condition of the truck is done by the person nominated by WLM and Vehicle Inspection Check List is filled up (REFER – Check List for Vehicle Inspection).
2. WHS prepares Counting Sheets in Duplicate.
3. Handover Counting Sheet to Security Guard on Duty. A carbon copy of counting sheet of the Security Guard to be kept as an office record.
4. Standard format of unloading Counting Sheet is used to capture the details of material loaded (format No. BR/WH/F/COUNTING SHEET).
5. During physical Loading Security Guard in the presence of Driver, counts the numbers of packets getting loaded on the vehicle.
6. Loading Supervisor to ensure that Loading is done as per stacking norms with specified MHEs. (U1 - COMM_WH_SOP_025 _Procedure for Loading - Unloading)
7. After Loading gets completed, all blank number boxes on the counting sheet are to be struck off after the last counted number.
8. Total number of boxes to be clearly mentioned at the Bottom of the counting sheet in the specific field provided.
9. Security Guard and Driver both sign on the security guard copy of the counting sheet, after tallying the quantities.

10. Security Guard gives back the signed Counting Sheet to the WH Supervisor.
11. WH Supervisor submits these copies to the Computer Operator.
12. 2 levels of checking are to be carried out as follows:
 - a. Signed Copy of Counting Sheets by Security Guard & Truck Driver.
 - b. Loading Supervisor using physical Loading Sheet checks the correct SKUs physically loaded.

Freeze and Confirm Shipment (to be done through FT)

1. This step is to be performed only after physical loading of vehicle. (This step is performed after packing of item, if these are to be sent by Courier)
2. Inventory gets reduced from the system (equivalent to maintain delivery)
3. This is trigger from Warehousing module to Sales Module that material has been shipped.

Release to Invoice (Automated step)

All shipped lines released to Invoice.

Print Invoice

Following activities are performed in the system

Compose / Print / Post – invoice

(Subsequently this step shall be integrated with third party systems to generate E-Way Bill. Process to incorporate: **New E-invoicing / E-waybill generation through IRN link**)

Print Commercial Invoice

E-Way Bill number Printed on the Invoice.

Lot number annexure for Interio Vending Premix and Locks; Serial Number annexure for Appliances FG.

Releasing of vehicle (Physical Despatching)

1. All the despatches to accompany following documents:
 - a. Tax invoice / Delivery Challan
 - b. E-waybill.
 - c. Transporter LR / GCN
 - d. *{Data flow process to Fareye/ Yoryo / equivalent satellite system to be incorporated}*
2. Security Guard to make entries in Material Outward Register.

Review Points

1. Freight Shipments – No shipment should be on status “ignored”.
2. Costing of Loads – No Load should have default value as Estimated Freight Cost
3. Freight Loads – No Load should be on status “ignored” / “planned” / “actual” for past dates.
4. For “No-room” freight orders to be de-coupled by WHS from the existing Load Plan.
5. Delete the freight order lines from history.

6. For no show cases (stock not found) - freight orders to be de-coupled by WHS from the existing Load Plan and stock correction (IAR) to be initiated by the WLM (Following the IAR raising Process).
7. Invoices – No invoice should be on status “Printed”. If any invoice pending, report to Finance.
8. Warehouse Location – No item should be on Staging/Receiving Location.
9. Deliverable Freight order lines history – No Expected status freight order should be lying in this session with Past date.
10. No billable lines pending in the system from previous dates
11. No Sales order line to be on Status – ‘Release to Invoicing’
12. E-Way bill number printed on the invoice to be checked and verified (once linkage to GST portal is operational).
13. No material should be dispatched on manual invoice or any other format invoice other than the Tax invoice format approved from Corporate Finance & generated by LN.
14. Before Confirming Shipment – System entry team has to ensure that Carrier / LSP code, Vehicle Type (TMG), Vehicle Number and Freight Cost is correct.

Depending upon the need Following activities are also carried out before despatch:

- c. **FG requiring assembly:** This activity is done by service for individual retail customers, where a knock down product is assembled to form a complete FG.
- d. **FG requiring PDI :** Ensure Pre Despatch Inspection is done by division service for all FG to be delivered to individual retail customers. WLM to ensure that items for PDI to be handed over to Service team by 04:00 pm, that are to be despatched next day.
- e. Spares requiring marshalling (bulk breaking & packing).

Delivery & Acknowledgement

13. The transporter delivers the material to the customer and obtain acknowledgement from the customer on the ‘sign & return copy’ of the invoice / GCN.
14. IOD to be maintained in the Web Based Module for the deliveries made previous day.
15. POD for local deliveries must be collected within 4 days and within 15 days for upcountry.
16. After POD is received, ‘POD submitted on time’ check box to be ticked in ‘Loads’ Session und configurable field
17. Discrepancies/adverse remarks on the GCN are to be handled as follows:
 - a. Intimation to the transporters and WLM
 - b. Recovery from transporter by debit note
 - c. Raising insurance claim
 - d. Replacement of material
18. A feedback to be taken from the retail customer either on Pre-printed form (already in place) or through Fareye Application subject to willingness of the customer.

Handling of Cash in case of Appliance Direct Sales

1. WLM or Nominee of WLM to check & acknowledge cash received from the transporter for Appliance Direct Sales deliveries.
2. WLM or Nominee of WLM to keep the Cash in an envelope and keep it in Cash box / Safe at warehouse till the time it's being deposited to Branch Accountant or Bank Collection Agent.
3. WLM or Nominee of WLM to deposit the cash collected, with Branch Accountant or Bank collection agent and obtain acknowledgement.
4. {Digital payment process to be incorporated}

Clarification regarding Project Sites:

1. Deployment of Labour at project sites within municipal limits of the branch town:
 - a. Based on requirement to unload trucks at Project sites, WLM to deploy sufficient labour for Unloading of material only.
 - b. For upcountry location for Interio, Service team to liaison with WLM for the unloading of material. Unloading will be done by the commercial approved contractor under supervision of divisional service team at project site.
 - c. POD of material to be taken by Transporter on GCN / return copy of invoice.
 - d. POD to be signed by nominated person of Customer, which has been intimated to WLM by the division. For upcountry: Above responsibility lies with divisional service team.
2. Disposing of scrap at project site is responsibility of divisional Service team at Project Site.

Special Note for Interio Service Spare Deliveries

All spares booked for repairs should be despatched within 24 hours of receipt at warehouse. Despatch accuracy with respected to spares is limited to box in – box out only.

Inter Branch Stock Transfer

Approval for IBST for Interio and from PSI in case of Appliances must be obtained from Head OEC & Respective BBH of both sending and receiving branch.

Authorisations	1. All Invoices to be signed by WLM / Nominee of BCM.
Check Points	<u>Check Points</u> 1. Material to move out on System Generated Invoice only. 2. Security Guard cross checks and puts his initials on all Invoice Copies along with number of Packets in that consignment. 3. Driver Signatures and Security Guard signatures on Counting Sheets. 4. Invoice Numbers on GCN. 5. Cash deposit receipt from Bank / branch accounts 6. Reconcile sales register of items billed vs. trip register vs. outward gate register.

	7. Pending PODs / Acknowledgements. 8. Material Billed but Not Despatched.
References	1. Material Outward Register format no. COMM_BR_WH_F_Material Outward Register

Records

S. No	Title	Ref. No.	Custodian	Ret.Pd.
1.	Material Outward Register			
2.	GCN Copy			
3.	POD / Acknowledgement copies			