

Zone 5S AUDIT SHEET

Zone Name :- Assembly

Auditor :- Dhruv Verma

Date of audit :- 10/06/2026

Sr.No.	Parameters	Max Points	Points scored	Observations / Remarks
1	Is working and walking Area clearly defined at all place of Zone . Aisle marking is proper and sufficient displays everywhere .	2	1.5	Area clearly defined , proper aisle marking .
2	Are there any unnecessary things kept on gauge / Pallette	2	2	NO there is no unnecessary things kept on
3	Is there any oil, coolant, metal, garbage, dust on ground and on the gauge and work area	2	1.5	dust on ground floor .
4	Is Shopfloor walls, pillars, fans and light fittings free from dust, stains, cobwebs, paint peel off.	2	2.	yes . All clear .
5	Is Gangway clean and free from obstacles	2	1.	obstacles on floor. dust to spare is less
6	Space and identification of material defined for the area	2	NA.	
7	Fire Extinguishers are accessible and due date and Refilling date needs to be displayed.	2	2	easy accessible .
8	Team members and leaders name displayed	2	NA.	
9	Are weak points identified and action plan is made for weak points	2	2.	yes . action plan made for weak points
10	All fans are at height and all tools in good condition .	2	2	All fans in good condition and suitable height .
11	Display and Records of stock maintained in good condition . (Rack Area)	2	NA.	
TOTAL AUDIT SCORE:		22	14	
Auditor		Auditee		

(Scoring Guidelines)

Excellent (100 % conformance)	100 %
Good (80 to 100 % conformance)	75 %
Satisfactory (50 to 80 % Conformance)	60%
Poor (Less than 50 % conformance)	< 50 %