

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

TEST REPORT

Date – 02/12/2025

Sample/Report No.	GE/LAB/AAQ/FM1			
Name Of Customer	M/s. FM India Supply Chain Pvt. Ltd.			
Address Of Customer	B2, Karanje Emerald Industrial Park, Gat Nos.356,369,370,372,402, 403, 404,405,406,407,408, Village Karanje Vihire, Tal- Khed, Pune - 410501			
Sample Drawn By	Vendor on 26/11/2025	Sample Received On	27/11/2025	
Start of Analysis	28/11/2025	End Of Analysis	30/11/2025	
Monitoring For	Ambient Air Monitoring	Sampling Location	Loreal Gate	
Sampling Duration	24 Hrly	Receptor Height	2.00 meter from G.L.	
Ambient Temperature	Max- 29.3 °C, Min-13.5°C	Relative Humidity	Max- 63.2%, Min- 54.6%	
Limits	National Ambient Air Quality Standards Vide GSR 826(E)16.11.2009			
Parameters	Unit	Result	Limits	Method of Analysis
General Parameters				
Particulate matter less than 10 micron	µg/m³	72.49	100	EPA/625/R-96/010a (Compendium Method IO-2.1): 2017
Particulate matter less than2.5 micron	µg/m³	38.15	60	USEPA Method Aerosol Science Tech FRM 35(4)339-342: 2017
Sulphur Dioxide	µg/m³	18.90	80	IS 5182 (part II) 2001,Reaff: 2017
Oxides of Nitrogen	µg/m³	22.63	80	IS 5182 (part VI) 2006,Reaff:2017
Carbon Monoxide	mg/m³	0.54	2.0	IS 5182 (part X) 1999,Reaff: 2014
Lead	µg/m³	BDL	1	IS 5182 (part XXII) 2004,Reaff:2014
Ozone	µg/m³	20.09	100	IS 5182 (part IX) 1974, Reaff: 2014
Ammonia	µg/m³	BDL	400	APHA 2nd Edition Method No. 401
Benzene	µg/m³	BDL	5	IS 5182 (part XI) 2006, Reaff- 2017
Benzo (a) Pyrene - Particulate Phase only	ng/m³	BDL	1	IS 5182 (Part 12):2004,Reaff: 2014
Arsenic	ng/m³	BDL	6	APHA 2nd Edition Method No. 822
Nickel	ng/m³	BDL	20	APHA 2nd Edition Method No. 822

●BDL: - Below Detection Limits

●Remarks: - Monitoring Results are well within the limits prescribed by NAAQS.


For GREEN ENVIRO



Authorized Signatory



For GREEN ENVIRO



Quality Manager

Note – 1.Results relate only to the sample tested.

2.Test report shall not be reproduced except in full, without written approval of the laboratory

3.This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

TEST REPORT

Date – 02/12/2025

Sample/Report No.	GE/LAB/AAQ/FM2			
Name Of Customer	M/s. FM India Supply Chain Pvt. Ltd.			
Address Of Customer	B2, Karanje Emerald Industrial Park, Gat Nos.356,369,370,372,402, 403, 404,405,406,407,408, Village Karanje Vihire, Tal- Khed, Pune – 410501			
Sample Drawn By	Vendor on 26/11/2025	Sample Received On	27/11/2025	
Start of Analysis	28/11/2025	End Of Analysis	30/11/2025	
Monitoring For	Ambient Air Monitoring	Sampling Location	SBD Section Gate	
Sampling Duration	24 Hrly	Receptor Height	2.00 meter from G.L.	
Ambient Temperature	Max- 29.1 °C, Min-13.2°C	Relative Humidity	Max- 63.5%, Min- 54.8%	
Limits	National Ambient Air Quality Standards Vide GSR 826(E)16.11.2009			
Parameters	Unit	Result	Limits	Method of Analysis
General Parameters				
Particulate matter less than 10 micron	µg/m³	75.58	100	EPA/625/R-96/010a (Compendium Method IO-2.1): 2017
Particulate matter less than2.5 micron	µg/m³	40.13	60	USEPA Method Aerosol Science Tech FRM 35(4)339-342: 2017
Sulphur Dioxide	µg/m³	20.76	80	IS 5182 (part II) 2001,Reaff: 2017
Oxides of Nitrogen	µg/m³	24.40	80	IS 5182 (part VI) 2006,Reaff:2017
Carbon Monoxide	mg/m³	0.59	2.0	IS 5182 (part X) 1999,Reaff: 2014
Lead	µg/m³	BDL	1	IS 5182 (part XXII) 2004,Reaff:2014
Ozone	µg/m³	22.61	100	IS 5182 (part IX) 1974, Reaff: 2014
Ammonia	µg/m³	BDL	400	APHA 2nd Edition Method No. 401
Benzene	µg/m³	BDL	5	IS 5182 (part XI) 2006, Reaff- 2017
Benzo (a) Pyrene - Particulate Phase only	ng/m³	BDL	1	IS 5182 (Part 12):2004,Reaff: 2014
Arsenic	ng/m³	BDL	6	APHA 2nd Edition Method No. 822
Nickel	ng/m³	BDL	20	APHA 2nd Edition Method No. 822

●BDL: - Below Detection Limits

●Remarks: - Monitoring Results are well within the limits prescribed by NAAQS.

For GREEN ENVIRO



Authorized Signatory



For GREEN ENVIRO



Quality Manager

Note – 1.Results relate only to the sample tested.

2.Test report shall not be reproduced except in full, without written approval of the laboratory

3.This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/ANM/FM1
Name Of Customer	M/s. FM India Supply Chain Pvt. Ltd.
Address Of Customer	B2, Karanje Emerald Industrial Park, Gat Nos.356,369,370,372, 402, 403, 404,405,406,407,408, Village Karanje Vihire, Tal- Khed, Pune - 410501
Report Dated	02/12/2025
Date Of Sampling	Vendor on 26/11/2025
Date Of Analysis	27/11/2025
Monitoring For	Ambient Noise Monitoring
Sampling Location	Reception Lobby
Limits*	Maharashtra Pollution Control Board has prescribed 75 dB(A) as an upper limit of Noise Level during day time & 70 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M.

RESULTS OF ANALYSIS (DAY TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	56.3	75

RESULTS OF ANALYSIS (NIGHT TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	48.6	70

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

- Note –**
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/ANM/FM2
Name Of Customer	M/s. FM India Supply Chain Pvt. Ltd.
Address Of Customer	B2, Karanje Emerald Industrial Park, Gat Nos.356,369,370,372, 402, 403, 404,405,406,407,408, Village Karanje Vihire, Tal- Khed, Pune – 410501
Report Dated	02/12/2025
Date Of Sampling	Vendor on 26/11/2025
Date Of Analysis	27/11/2025
Monitoring For	Ambient Noise Monitoring
Sampling Location	SBD Gate
Limits*	Maharashtra Pollution Control Board has prescribed 75 dB(A) as an upper limit of Noise Level during day time & 70 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M.

RESULTS OF ANALYSIS (DAY TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	61.9	75

RESULTS OF ANALYSIS (NIGHT TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	50.4	70

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

- Note –**
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/ANM/FM3
Name Of Customer	M/s. FM India Supply Chain Pvt. Ltd.
Address Of Customer	B2, Karanje Emerald Industrial Park, Gat Nos.356,369,370,372, 402, 403, 404,405,406,407,408, Village Karanje Vihire, Tal- Khed, Pune – 410501
Report Dated	02/12/2025
Date Of Sampling	Vendor on 26/11/2025
Date Of Analysis	27/11/2025
Monitoring For	Ambient Noise Monitoring
Sampling Location	Main Gate Area
Limits*	Maharashtra Pollution Control Board has prescribed 75 dB(A) as an upper limit of Noise Level during day time & 70 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M.

RESULTS OF ANALYSIS (DAY TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	63.7	75

RESULTS OF ANALYSIS (NIGHT TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	52.1	70

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

- Note –**
- Results relate only to the sample tested.
 - Test report shall not be reproduced except in full, without written approval of the laboratory
 - This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

WORKZONE AIR MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. FM India Supply Chain Pvt. Ltd.
CLIENT'S ADDRESS	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501
REPORT NO.	GE/LAB/WAM/FM1
DATED	02/12/2025
LAB REFERENCE NO	GE/LAB/WAM/FM01
DATE OF SAMPLING	26/11/2025
DATE OF ANALYSIS	27/11/2025
MONITORING FOR	Work Zone Air Monitoring
SAMPLING LOCATION	SBD Goods Area

RESULTS OF ANALYSIS

TEST DESCRIPTION	UNIT	RESULTS
Ambient Temperature (Max)	Deg C	29.1
Relative Humidity	% RH	62.3
Duration Of Sampling	Min	60
Suspended Particulate Matter	$\mu\text{g}/\text{m}^3$	47.35
Respirable Suspended Particulate Matter	$\mu\text{g}/\text{m}^3$	28.68
Sulphur Dioxide	$\mu\text{g}/\text{m}^3$	15.64
Oxides Of Nitrogen	$\mu\text{g}/\text{m}^3$	19.23

For GREEN ENVIRO



Authorized Signatory



For GREEN ENVIRO



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

WORKZONE AIR MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. FM India Supply Chain Pvt. Ltd.
CLIENT'S ADDRESS	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501
REPORT NO.	GE/LAB/WAM/FM2
DATED	02/12/2025
LAB REFERENCE NO	GE/LAB/WAM/FM02
DATE OF SAMPLING	26/11/2025
DATE OF ANALYSIS	27/11/2025
MONITORING FOR	Work Zone Air Monitoring
SAMPLING LOCATION	Loreal Goods Area

RESULTS OF ANALYSIS

TEST DESCRIPTION	UNIT	RESULTS
Ambient Temperature (Max)	Deg C	29.0
Relative Humidity	% RH	62.5
Duration Of Sampling	Min	60
Suspended Particulate Matter	$\mu\text{g}/\text{m}^3$	50.27
Respirable Suspended Particulate Matter	$\mu\text{g}/\text{m}^3$	34.53
Sulphur Dioxide	$\mu\text{g}/\text{m}^3$	16.79
Oxides Of Nitrogen	$\mu\text{g}/\text{m}^3$	20.46

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

WORK ZONE NOISE MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. FM India Supply Chain Pvt. Ltd.
CLIENT'S ADDRESS	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501
REPORT NO.	GE/LAB/WZNM/FM 1
Report Dated	02/12/2025
Date Of Sampling	Vendor on 26/11/2025
Date Of Analysis	27/11/2025
Monitoring For	Work Zone Noise Monitoring
Limits*	The Factories Act, 1948, has prescribed 90 dB (A) as an upper limit of noise level for 08 hours exposure

INTENSITY OF LIGHT

TEST DESCRIPTION	UNIT	RESULT - (Day Time)	LIMITS
SBD Goods Area	dB(A)	62.4	90
Loreal Goods Area	dB(A)	64.1	90
Loreal Zone 1	dB(A)	57.3	90
Quarantine Area	dB(A)	59.8	90

REMARK/OBSERVATIONS:

Monitoring Results are well within the limits prescribed by Factory Act.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Note – 1. Results relate only to the sample tested.

2. Test report shall not be reproduced except in full, without written approval of the laboratory

3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

ILLUMINATION SURVEY MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. FM India Supply Chain Pvt. Ltd.
CLIENT'S ADDRESS	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501
REPORT NO.	GE/LAB/IS/FM1
DATED	02/12/2025
LAB REFERENCE NO	GE/LAB/IS/FM01
DATE OF SAMPLING	Vendor On 26/11/2025
DATE OF ANALYSIS	27/11/2025
TIME OF SURVEY	16:24 P.M. To 17:30 P.M.

INTENSITY OF LIGHT

TEST DESCRIPTION	UNIT	RESULT - (Day Time)	LIMITS
1) Office Area	Lux	367	100 Minimum
2) Loreal Zone 1	Lux	289	100 Minimum
3) Loreal Manager cabin	Lux	264	100 Minimum
4) Quarantine Area	Lux	313	100 Minimum
5) Emergency Exit no.20	Lux	342	100 Minimum
6) Distillation Water Area	Lux	223	100 Minimum
7) SBD Area	Lux	326	100 Minimum
8) Chemical Store area	Lux	249	100 Minimum
9) SBD Office Area	Lux	354	100 Minimum
10) SBD Reception Lobby	Lux	301	100 Minimum

REMARK/OBSERVATIONS: - As Per Factory Act

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

- Note** – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

SOURCE EMISSION MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. FM India Supply Chain Pvt. Ltd.
CLIENT'S ADDRESS	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501
REPORT NO.	GE/LAB/A/FM1
DATED	02/12/2025
LAB REFERENCE NO	GE/LAB/A/FM01
DATE OF SAMPLING	26/11/2025
DATE OF ANALYSIS	27/11/2025

RESULTS OF ANALYSIS

TEST DESCRIPTION	UNIT	RESULT	MPCB LIMITS	METHOD OF ANALYSIS
Nature of Sample	----	DG Stack Monitoring		
Test Location	----	DG Set No.1-200 KVA-S-1		
Duration Of Sampling	Min	20		
Material Of Stack	----	MS		
Stack Height	Mtr	2.50		
Shape Of Stack	----	Round		
Fuel Consumption	----	HSD		
Fuel quantity	Kg/Hr	18-20		
Flue Gas Temperature	Deg C	96		
Average Velocity	M/Sec	5.62		
Gas Volume	NM ³ /Hr	513		
Diameter	(M)	0.10		
Cross Sectional Area	(M ²)	0.0275		
Total Particulate Matter	Mg/NM ³	65.24	150	IS11255 (part 1)1985,2014
Sulphur Dioxide	Kg/Day	1.07	N.S.	IS11255 (part 2)1985,2014
Sulphur	%	0.32	N.S.	IS11255 (part 2)1985,2014

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

- Note –**
- Results relate only to the sample tested.
 - Test report shall not be reproduced except in full, without written approval of the laboratory
 - This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

DG NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/DGNM/FM1
Name Of Customer	M/s. FM India Supply Chain Pvt. Ltd.
Address Of Customer	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501
Report Dated	02/12/2025
Date Of Sampling	Vendor on 26/11/2025
Date Of Analysis	27/11/2025
Monitoring For	DG Noise Monitoring
Sampling Location	DG Stack S-1, (200 KVA)
Limits*	1) Maharashtra Pollution Control Board has prescribed in consent, acoustic enclosure / acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standard, whichever is on higher side. 2) Maharashtra Pollution Control Board has prescribed 75 dB(A) as an upper limit of Noise Level during day time & 70 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M

RESULTS OF ANALYSIS

Description	Test Location	Unit	READINGS		Insertion Loss ≥ 25 Db	
			16:50 Hrs. Day Time	22:00 Hrs. Night Time	16:50 Hrs. Day Time	22:00 Hrs. Night Time
DG Set No.1 (200 KVA)	DG Set# 200KVA Inside Acoustic Enclosure	dB(A)	99.1	94.5	26.0	26.2
	DG Set#200KVA Outside Acoustic Enclosure from 0.5 meter away	dB(A)	73.1	68.3		

REMARK/OBSERVATIONS: All above Results are within MPCB Limits.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

- Note –**
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

SOURCE EMISSION MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. FM India Supply Chain Pvt. Ltd.
CLIENT'S ADDRESS	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501
REPORT NO.	GE/LAB/A/FM2
DATED	02/12/2025
LAB REFERENCE NO	GE/LAB/A/FM02
DATE OF SAMPLING	26/11/2025
DATE OF ANALYSIS	27/11/2025

RESULTS OF ANALYSIS

TEST DESCRIPTION	UNIT	RESULT	MPCB LIMITS	METHOD OF ANALYSIS
Nature of Sample	----	DG Stack Monitoring		
Test Location	----	DG Set No.1-125 KVA-S-2		
Duration Of Sampling	Min	20		
Material Of Stack	----	MS		
Stack Height	Mtr	2.50		
Shape Of Stack	----	Round		
Fuel Consumption	----	HSD		
Fuel quantity	Kg/Hr	12-15		
Flue Gas Temperature	Deg C	90		
Average Velocity	M/Sec	5.13		
Gas Volume	NM ³ /Hr	482		
Diameter	(M)	0.10		
Cross Sectional Area	(M ²)	0.0250		
Total Particulate Matter	Mg/NM ³	61.48	150	IS11255 (part 1)1985,2014
Sulphur Dioxide	Kg/Day	0.92	N.S.	IS11255 (part 2)1985,2014
Sulphur	%	0.27	N.S.	IS11255 (part 2)1985,2014

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

- Note –**
- Results relate only to the sample tested.
 - Test report shall not be reproduced except in full, without written approval of the laboratory
 - This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

DG NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/DGNM/FM2
Name Of Customer	M/s. FM India Supply Chain Pvt. Ltd.
Address Of Customer	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501
Report Dated	02/12/2025
Date Of Sampling	Vendor on 26/11/2025
Date Of Analysis	27/11/2025
Monitoring For	DG Noise Monitoring
Sampling Location	DG Stack S-2, (125 KVA)
Limits*	1) Maharashtra Pollution Control Board has prescribed in consent, acoustic enclosure / acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standard, whichever is on higher side. 2) Maharashtra Pollution Control Board has prescribed 75 dB(A) as an upper limit of Noise Level during day time & 70 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M

RESULTS OF ANALYSIS

Description	Test Location	Unit	READINGS		Insertion Loss ≥ 25 Db	
			17:13 Hrs. Day Time	22:08 Hrs. Night Time	17:13 Hrs. Day Time	22:08 Hrs. Night Time
DG Set No.2 (125 KVA)	DG Set# 125KVA Inside Acoustic Enclosure	dB(A)	98.5	94.0	25.7	25.9
	DG Set#125KVA Outside Acoustic Enclosure from 0.5 meter away	dB(A)	72.8	68.1		

REMARK/OBSERVATIONS: All above Results are within MPCB Limits.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

- Note –**
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

VENTILLATON SURVEY REPORT			
CLIENT'S NAME	M/s. FM India Supply Chain Pvt. Ltd.		
CLIENT'S ADDRESS	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501		
REPORT NO.	GE/LAB/AA/FM1		
DATED	02/12/2025		
LAB REFERENCE NO	GE/LAB/AA/FM01		
DATE OF SURVEY	26/11/2025		
TIME OF SURVEY	16:10 P.M.		
MONITORING FOR	Ventillaton Survey		
RESULTS OF ANALYSIS			
TEST DESCRIPTION	UNIT	READINGS	Average Air Movement (m/s)
SBD Goods Area	Unit Of Measurement	4.3	As Per Factories Act 1948, Air Movement Should be 0.5 m/s.
FACTORIES ACT LIMITS: - As Per Factories Act 1948, The amount of fresh air supplied by mechanical means of ventilation in an hour shall be equivalent to at least six times the cubic capacity of the workroom & Air Velocity Should be at least 0.5 m/s As Per the Factories Act 1948			
For GREEN ENVIRO			For GREEN ENVIRO
 Authorized Signatory			 Quality Manager

Note –

1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

VENTILLATON SURVEY REPORT			
CLIENT'S NAME	M/s. FM India Supply Chain Pvt. Ltd.		
CLIENT'S ADDRESS	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501		
REPORT NO.	GE/LAB/AA/FM2		
DATED	02/12/2025		
LAB REFERENCE NO	GE/LAB/AA/FM02		
DATE OF SURVEY	26/11/2025		
TIME OF SURVEY	16:50 P.M.		
MONITORING FOR	Ventillaton Survey		
RESULTS OF ANALYSIS			
TEST DESCRIPTION	UNIT	READINGS	Average Air Movement (m/s)
Loreal Goods Area	Unit Of Measurement	4.7	As Per Factories Act 1948, Air Movement Should be 0.5 m/s.
FACTORIES ACT LIMITS: - As Per Factories Act 1948, The amount of fresh air supplied by mechanical means of ventilation in an hour shall be equivalent to at least six times the cubic capacity of the workroom & Air Velocity Should be at least 0.5 m/s As Per the Factories Act 1948			
For GREEN ENVIRO			For GREEN ENVIRO
 Authorized Signatory			 Quality Manager

Note –

1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

DRINKING WATER SAMPLE ANALYSIS REPORT

CLIENT'S NAME	M/s. FM India Supply Chain Pvt. Ltd.
CLIENT'S ADDRESS	B2, Karanje Emerald Industrial Park, Gat Nos.356,369, 370,372, 402, 403, 404,405,406,407, 408, Village Karanje Vihire, Tal- Khed, Pune - 410501
Report No – GE/LAB/W/FM1	Dated:- 02/12/2025
Lab Reference No –GE/LAB/W/FM01	Date Of Sampling: - 26/11/2025
Date Of Analysis – 27/11/2025	Sample Collected By – Vendor
Details Of Sample – Drinking Water	Location – SBD Goods Area
Sample Container – Sterilized Bottle	Quantity of Sample Received – 2 Lit

RESULTS OF ANALYSIS

Parameter	Unit	Result	Standard : (IS 10500:2012)	Methods of Analysis
pH	Value	7.32	6.5 - 8.5	IS 3025 (Part II) 1983, Reaff: 2017
Total Dissolved Solids	mg/lit	59.68	500	IS 3025 (Part XVI) 1984, Reaff: 2017
Total Suspended Solids	mg/lit	01.39	Not Specified	IS 3025 (Part XVII) 1984, Reaff- 2017
Colour	----	Colorless	Colorless	IS 3025 (Part IV) 1983
Odour	----	Odorless	Odorless	APHA 23 rd Edition(Part 2150B)
Turbidity	NTU	< 0.43	< 5	IS 3025 (Part X) 1984, Reaff: 2017
Total Hardness	mg/lit	37.61	200	IS 3025 (Part XXI) 2009, Reaff: 2019
Calcium Hardness	mg/lit	19.25	Not Specified	IS 3025 (Part 40) 1991, Reaff: 2019
Magnesium Hardness	mg/lit	18.36	Not Specified	IS 3025 (Part 46) 1994, Reaff: 2019
Chlorides	mg/lit	8.30	250	IS 3025 (Part 32) 1998, Reaff: 2019



DRINKING WATER SAMPLE ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Sulphate	mg/lit	01.93	200	IS 3025 (Part 24) 1986, Reaff: 2019
Total alkalinity	mg/lit	53.57	200	IS 3025 (Part 23) 1986, Reaff: 2019
Fluoride	mg/lit	BDL	1.0	IS 3025 (Part 60) 2008
Nitrate	mg/lit	BDL	45	APHA 23 rd Edition, (Part 4500-NO ₃ - B)
Residual free chlorine	mg/lit	0.2	0.2	APHA 23 rd Edition, (Part 4500-Cl B)
Iron	mg/lit	BDL	0.3	IS 3025 (Part 53) 2003, Reaff – 2019
Most Probable Number	/100ml	Absent	0/100ml	IS: 1622-1981 Multiple tube technique
E. coli	/100ml	Absent	0-1/100ml	IS: 5887 -1 & IS15186:2002 Multiple tube technique
Total Coliform	/100ml	Absent	0-1/100ml	IS:1622-1981, Multiple tube technique
Total Viable Count	/100ml	Absent	0-1/100ml	IS: 5402 : 2012

● BDL: - Below Detection Limits

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page.No.2

- Note –**
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---