

Biophysics
Reviews

First Articles Now Online!

READ NOW >>>

AIP Physics of Fluids

HOME

BROWSE

MORE ▼

[Home](#) > [Physics of Fluids](#) > [Volume 32, Issue 8](#) > [10.1063/5.0021450](#)

< PREV

NEXT >



Free

Published Online: 18 August 2020

Accepted: July 2020

Virus transmission from urinals

Physics of Fluids **32**, 081703 (2020); <https://doi.org/10.1063/5.0021450> Ji-Xiang Wang (王霁翔)¹, Yun-Yun Li (李云云)²,  Xiang-Dong Liu (刘向东)^{1,a}, and Xiang Cao (曹祥)[View Affiliations](#)

PDF

Help

Topics ▼



PDF

A virus-laden particle movement from urinal flushing is simulated. Similar to the toilet-induced flushing, results indicate that the trajectory of the particles triggered by the urinal flushing manifests an external spread type. Even more alarmingly, the particle can reach 0.84 m (man's thigh) in 5.5 s when compared with the diffusion performance of the toilet-induced one (around 0.93 m in 35 s). A more violent climbing tendency is discovered in this Letter. Wearing masks should be made mandatory in public washrooms, and anti-diffusion improvements of facilities in public washrooms are urgently needed, especially in the current "SARS-CoV-2" crisis.

Late last year, a huge outbreak of the COVID-19 occurred across the world.¹ At this point, millions of people have been confirmed to be infected by the novel corona virus called "SARS-CoV-2," causing huge economic loss and panic worldwide. It has been confirmed that one of the main transmission approaches of the SARS-CoV-2 is the respiratory droplet transmission.^{2,3} In addition, many recent publications are devoted to blocking of such transmission.^{4,5} In addition, fecal-oral transmission has been identified as a probable transmission route for the "SARS-CoV-2" as the virus can be detected from feces of confirmed cases,⁶ which arouses public attention for better toilet usage. Li *et al.*⁷ integrated Volume of Fluids (VOF) and Discrete Phase Model (DPM) to investigate the toilet flushing process. The results show that the strong turbulent caused by the flushing flow would lift the virus originally in the toilet bowl to a high position. It implies that the toilet-based "SARS-CoV-2" could cause cross-infection among people and teaching the public to use the toilet properly is mandatory. What is worse, two of the COVID-19 reemerging confirmed

PDF

Help

which practically proves the danger from the public restroom.

Recently, researchers extracted the virus particle of “SARS-CoV-2” from urine of a confirmed case of COVID-19, which means urine-based transmission could be a previously ignored transmission route.⁹ It means that besides the toilet, the male-oriented urinal, which is a common facility in the male public restroom, could become another dangerous item.

However, there are few relevant studies focusing on the health problems brought from the urinal. “Can a male-oriented urinal promote the virus transmission?” is the question needed to be answered with the assistance of computational fluid dynamics (CFD) in this Letter as urinal flushing, where turbulence can be observed from daily life experiences, occurs frequently as well.

Figure 1 presents the outline and size information of the focused urinal and its adjacent air region. The black line in Fig. 1 shows the outline of the urinal, and the red lines mark the boundary of the adjacent air region. The wall represents the interface of the solid urinal surface and its internal air. The gray and purple surfaces in Fig. 1 are the flushing inlet and outlet 1, respectively, where the flushing water is poured in and drained out of the urinal correspondingly. Outlet 2 is composed of the faces composed of red line. The overall structured mesh condition of the object is displayed in Fig. 2, where the local enlarged images of the encrypted meshes of the wall, the inlet, and outlet 2 are also given. The total mesh number is 901466. Mesh sensitivity analysis was conducted, which shows that a mesh number of 901466 can obtain both computational accuracy and relative economy.






FIG. 1. Structure and size information of the focused urinal and adjacent air region.

[↓ PPT](#) | [High-resolution](#)




FIG. 2. Mesh condition of the focused object.

[↓ PPT](#) | [High-resolution](#)

[↓ PDF](#)

PDF

Help

Similar to the flushing of the toilet, the flushing process of the urinal involves significant interactions between the gas and liquid interfaces. Therefore, this Letter adopts the VOF model¹⁰ to track and characterize the two-phase interface¹¹ in which the realizable $k-\varepsilon$ turbulence model is accepted. In addition, the flow pattern of virus aerosols under the urinal flushing is reflected by the DPM model, a Lagrangian scheme, which has successfully simulated the human cough-induced flow¹² and sprayed droplet flow.^{13,14} Please refer to the work by Li⁷ for the detailed math formulations.

During simulation, several assumptions are adopted: (1) there are no heat and mass (evaporation) interactions between the particles and the air and liquid phases; (2) generation of the aerosol particles during the flushing is ignored; (3) physical properties and size of the aerosol particles are constant; and (4) the temperature remains to be 20 °C. The initial condition of the aerosol particle distribution in the urinal is shown in [Fig. 3](#). Information on the CFD simulation relations and boundary conditions is the subject of our previous study.⁷




FIG. 3. Initial condition of the aerosol particle distribution of the focused urinal



PDF

Figure 4(a) shows that there are strong Y-component velocity fluctuations for the focused point as violent liquid-flow interactions occur when the water touches the bottom. In addition, as shown in Fig. 4(b), a large amount of vorticity is formed with the maximum vorticity magnitude up to 2007.74^{-1} , manifesting a strong turbulence. The vorticity also moves out of the urinal due to the effect of the vorticity diffusion effect. As shown in Fig. 4(a), the maximum Y-component velocity can reach $+4.62$ m/s for point I $(0, -0.64, 0.04)$ at 0.9 s, which appears to be the maximum vorticity magnitude at that time. The results here suggest that an alarming upward flow with strong turbulence can be generated.



FIG. 4. Results of urinal flushing: (a) transient Y-component velocity and (b) vorticity magnitude distribution at 0.9 s.

Y-Z velocity, which is presented in Fig. 5, can quantitatively describe the outward spread trend of the airflow from the urinal. The gravity-induced



wall of the vertical urinal. The effects of inertial force and centrifugal force make a positive Y-Z velocity in the lower domain inside the urinal.

Comparing the images of Figs. 5(a)–5(d) along the time line, the area with positive Y-Z velocity expands continuously. The maximum Y-Z velocity value of 3.61 m/s appears at 0.5 s. It is reasonable to predict that the urinal flushing would cause a large spread of potential aerosol particles residing in the urinal originally.




FIG. 5. Transient Y-Z velocity at different times: (a) 0.5 s, (b) 0.6 s, (c) 0.9 s, and (d) 1.45 s.

[↓ PPT](#) | [High-resolution](#)

PDF

Help

Transient virus particle movement during and after urinal flushing is provided in Fig. 6 (multimedia view), where the flushing was initiated at 0 s and finished at 2.6 s. The particle distribution at 2.6 s is illustrated in Fig. 7, where numerous particles have been spread out of the interior–exterior interface (IEI) of the urinal. At the time of 3.8 s, that is, in the post-flushing



[↓ PDF](#)

has touched the edge of the computational domain, meaning the farthest particle has traveled nearly 0.04 m in the Z-position. At the time of 5.5 s, the highest vertical position can be 0.84 m, assuming that the distance between the urinal bottom and the ground is 0.05 m. The outward velocity (Z-component velocity) and climbing velocity (Y-component velocity) can reach 0.186 m/s and 0.235 m/s, respectively, at the end of the simulation (5.5 s) when more than 57% of the total number of particles have passed through the IEI. It can be predicted that in public restrooms, especially those in densely populated areas, urinals are used more frequently and particles will travel faster and fly farther, which poses a great challenge to the public health.





FIG. 6. Dynamic virus movement during and after a 2.6 s urinal flushing with a total duration of 5.5 s. Multimedia view:

<https://doi.org/10.1063/5.0021450.1>



[↓ PPT](#) | [High-resolution](#)



PDF

Help

 FIG. 7. Discrete particle distribution of the urinal flushing at 2.6 s.

[↓](#) PDF

In summary, enlightened and invited by Editor Alan Jeffrey Giacomini, a virus-laden particle movement with urinal flushing is simulated in this Letter. Similar to toilet flushing, alarming results are discovered: (1) more than 57% of the particles have traveled away from the urinal; (2) constant diffusion tendency is uncovered due to relatively considerable diffusion velocity; (3) only in 5.5 s, the highest position of 0.84 m is reached, where the climbing speed is significantly higher than in the toilet-induced diffusion. According to this Letter and our previous contribution,⁷ wearing masks when in public washrooms should be mandatorily implemented.

DATA AVAILABILITY

The data that support the findings of this study are available from the corresponding author upon reasonable request.

This work was supported by the Chinese Postdoctoral Science Foundation (Grant No. 2020M671618) and National Natural Science Foundation of China (Grant No. 51876184). The authors would like to express special thanks to the Editor Alan Jeffrey Giacomini for his constructive suggestions and support.

PDF

Help

REFERENCES



PDF

1. W. Fan and C. Fan, “Transmission of COVID-19 from patients with pneumonia in China, 2019,” N. Engl. J. Med. **382**, 727–733 (2020).

<https://doi.org/10.1056/nejmoa2001017>, [Google Scholar](#), [Crossref](#)

2. X. Peng *et al.*, “Transmission routes of 2019-nCoV and controls in dental practice,” Int. J. Oral Sci. **12**(1), 9 (2020).

<https://doi.org/10.1038/s41368-020-0075-9>, [Google Scholar](#), [Crossref](#)

3. T. Dbouk and D. Drikakis, “On respiratory droplets and face masks,” Phys. Fluids **32**, 063303 (2020). <https://doi.org/10.1063/5.0015044>, [Google Scholar](#), [Scitation](#), [ISI](#)

4. S. Chaudhuri, S. Basu, P. Kabi, V. R. Unni, and A. Saha, “Modeling the role of respiratory droplets in COVID-19 type pandemics,” Phys. Fluids **32**, 063309 (2020). <https://doi.org/10.1063/5.0015984>, [Google Scholar](#), [Scitation](#), [ISI](#)

5. S. Verma, M. Dhanak, and J. Frankenfield, “Visualizing the effectiveness of face masks in obstructing respiratory jets,” Phys. Fluids **32**, 061707 (2020). <https://doi.org/10.1063/5.0016018>, [Google Scholar](#), [Scitation](#), [ISI](#)

6. E. S. Amirian, “Potential fecal transmission of SARS-CoV-2: Current evidence and implications for public health,” Int. J. Infect. Dis. **95**, 363–370 (2020). <https://doi.org/10.1016/j.ijid.2020.04.057>, [Google Scholar](#), [Crossref](#)



7. Y.-y. Li, J.-X. Wang, and X. Chen, “Can a toilet promote virus transmission? From a fluid dynamics perspective,” *Phys. Fluids* **32**, 065107 (2020). <https://doi.org/10.1063/5.0013318>, [Google Scholar](#), [Scitation](#), [ISI](#)

8. Global Times, Two of Beijing’s COVID-19 cases infected from a public toilet, <https://www.globaltimes.cn/content/1192683.shtml>, accessed on 26 June 2020. [Google Scholar](#)

9. J. Sun, A. Zhu, H. Li, K. Zheng *et al.*, “Isolation of infectious SARS-CoV-2 from urine of a COVID-19 patient,” *Emerg. Microb. Infect.* **9**(1), 991–993 (2020). <https://doi.org/10.1080/22221751.2020.1760144>, [Google Scholar](#), [Crossref](#)

10. C. W. Hirt and B. D. Nichols, “Volume of fluid (VOF) method for the dynamics of free boundaries,” *J. Comput. Phys.* **39**(1), 201–225 (1981). [https://doi.org/10.1016/0021-9991\(81\)90145-5](https://doi.org/10.1016/0021-9991(81)90145-5), [Google Scholar](#), [Crossref](#)

11. Y. Chen and Z. Deng, “Hydrodynamics of a droplet passing through a microfluidic T-junction,” *J. Fluid Mech.* **819**, 401–434 (2017). <https://doi.org/10.1017/jfm.2017.181>, [Google Scholar](#), [Crossref](#)

12. T. Dbouk and D. Drikakis, “On coughing and airborne droplet transmission to humans,” *Phys. Fluids* **32**, 053310 (2020).



PDF

PDF

Help

-
13. Y. Sun, A. M. Alkhedhair, Z. Guan, and K. Hooman, “Numerical and experimental study on the spray characteristics of full-cone pressure swirl atomizers,” *Energy* **160**, 678–692 (2018).
<https://doi.org/10.1016/j.energy.2018.07.060>, [Google Scholar](#), [Crossref](#)
-
14. J.-X. Wang, Y.-Z. Li, J.-X. Li, C. Li, Y. Zhang, and X.-W. Ning, “A gas-atomized spray cooling system integrated with an ejector loop: Ejector modeling and thermal performance analysis,” *Energy Convers. Manage.* **180**, 106–118 (2019).
<https://doi.org/10.1016/j.enconman.2018.10.095>, [Google Scholar](#), [Crossref](#)
-

© 2020 Author(s). Published under license by AIP Publishing.



PDF

Help

Resources

AUTHOR



PDF

LIBRARIAN

ADVERTISER

General Information

ABOUT

CONTACT

HELP

PRIVACY POLICY

TERMS OF USE

FOLLOW AIP PUBLISHING:



Website © 2021 AIP Publishing LLC.

Article copyright remains as
specified within the article.

Scitation

PDF

Help



PDF