

SLIDING GATE MOTOR

SMARTIE 2500KG SL

- Power Supply 220V - A/C
- Motor Power 24VDC
- Power 280W
- Gate moving Speed 12m/min
- Maximum Capacity: upto 2500kg
- Remote control distance: 80m +/-
- Remote control mode: single button mode
- Remote control record: upto 50+
- Frequency : 433.92 MHz
- Working temperature: -45C ~ +75C
- Package weight: 19.5kg
- limit switch model :magnetic / Electromechanical

2 years MFG defects Warranty

Quality assurance

Member of



CONTACT US



+91 808080 7220

+91 8976 101021



WWW.SMARTIE.IN



PRODUCT CATALOGUE

MOTORS, OPERATORS & SPARES

SMART INDIA ENTERPRISES · SMARTIE.IN



ENTRANCE AUTOMATION · SINCE 1980

Motors, Operators & Spares

The complete SIE drive ecosystem — swing, sliding, shutter, sectional and high-speed door motors, control boards, rolling-code remotes, photocells, loops and genuine spares with pan-India support.

THE RANGE

Gate Motors

Swing (21 models) and sliding operators with control boards and receivers.

Shutter & Door Motors

Tubular, side and central shutter motors; SIE16/36 sectional openers; SIE40–100 high-speed drives.

Access Accessories

Remotes, keypads, photocells, flashers, GSM/Wi-Fi modules, UHF readers, loop detectors.

Genuine Spares

Boards, arms, racks, springs, curtains and gaskets ex-stock Mumbai.

APPLICATIONS

Dealers & installers	Facility teams	OEM fabricators	AMC clients
----------------------	----------------	-----------------	-------------

Get a same-day quotation

WhatsApp your opening size and a photo to +91 80808 07220

or email info@smartie.in



TRUSTED BY

Reliance Industries

Adani

Cummins

POSCO

DP World

Croma · A Tata Enterprise

BARC

IIT Bombay

Smiths Detection

ORRA Fine Jewellery

Khosla Profil Pvt Ltd

JE&VEE;

SMART INDIA ENTERPRISES

Jijamata Nagar, A-1 Bakery Road, Goregaon West, Mumbai 400104, Maharashtra, India

+91 80808 07220 · +91 76663 07880 · info@smartie.in

www.smartie.in

ISO 9001:2015 · MSME · GeM Seller · FIEO Member · RIFAH CCI · IndiaMART TrustSEAL