

Roomlie API 1.0.0 OAS 3.0

/openapi.json

REST API for the Roomlie table booking system.

Servers

http://localhost:3000

Authorize 

Auth ^

POST

/api/v1/auth/register

Register a new user

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "name": "John Doe",
  "email": "john@example.com",
  "password": "secret123"
}
```

Responses

Code	Description	Links
201	User created	No links

Media type

application/json

Controls Accept header.

Example Value

Schema

Code	Description	Links
	<pre>{ "user": { "id": 1, "name": "John Doe", "email": "john@example.com", "role": "user" }}</pre>	
409	Email already taken	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "message": "string"}</pre>	

POST

/api/v1/auth/login

Login and receive a Bearer token

Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{  "email": "admin@example.com",  "password": "admin"}
```

Responses

Code	Description	Links
200	Login successful	No links
	Media type application/json	
	Controls Accept header.	
	Example Value Schema	

Code	Description	Links
	<pre>{ "token": "string", "user": { "id": 1, "name": "John Doe", "email": "john@example.com", "role": "user" } }</pre>	
401	Invalid credentials	No links
	Media type	
	application/json	
	Example Value	Schema
	<pre>{ "message": "string" }</pre>	

POST

/api/v1/auth/logout

Logout and invalidate token



Parameters

Try it out

No parameters

Responses

Code	Description	Links
204	Logged out	No links
401	Unauthorized	No links
	Media type	
	application/json	
	Example Value	Schema
	<pre>{ "message": "string" }</pre>	

GET

/api/v1/auth/me

Get current authenticated user



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Current user Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 1, "name": "John Doe", "email": "john@example.com", "role": "user"}</pre>	No links
401	Unauthorized Media type application/json Example Value Schema <pre>{ "message": "string"}</pre>	No links

Tables



GET /api/v1/tables Get all tables

Try it out

No parameters

Responses

Code	Description	Links
200	List of tables Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": 1, "name": "Biliárd 1", "type": "snooker", "category": "competition", "color": "red", "status": 8, "position": { "x": 0, "y": 0 }, "isLocked": true }]</pre>	No links

POST /api/v1/tables Create a new table (admin)

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "name": "Biliárd 1",
  "type": "snooker",
  "category": "competition",
  "color": "red",
  "status": 8,
  "position": {
    "x": 0,
    "y": 0
  },
  "isLocked": true
}
```

Responses

Code	Description	Links
201	Table created Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 1, "name": "Biliárd 1", "type": "snooker", "category": "competition", "color": "red", "status": 8, "position": { "x": 0, "y": 0 }, "isLocked": true}</pre>	No links
401	Unauthorized Media type application/json Example Value Schema <pre>{ "message": "string"}</pre>	No links
403	Forbidden Media type application/json Example Value Schema <pre>{ "message": "string"}</pre>	No links

PATCH /api/v1/tables/{id} Update table details (admin)



Parameters

Try it out

NameDescription

id
integer
(path)

1

Request body

application/json

Example ValueSchema

```
{
  "name": "string",
  "type": "snooker",
  "category": "competition",
  "color": "red",
  "status": 10,
  "isLocked": true
}
```

Responses

Code	Description	Links
200	Updated table Media type application/json Controls Accept header. Example ValueSchema <pre>{ "id": 1, "name": "Biliárd 1", "type": "snooker", "category": "competition", "color": "red", "status": 8, "position": { "x": 0, "y": 0 }, "isLocked": true }</pre>	No links
401	Unauthorized Media type application/json Example ValueSchema	No links

Code	Description	Links
	<pre>{ "message": "string"}</pre>	
403	Forbidden	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "message": "string"}</pre>	
404	Not found	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "message": "string"}</pre>	

DELETE

/api/v1/tables/{id}

Delete a table (admin)



Parameters

Try it out

Name	Description
id	
integer	
(path)	1

Responses

Code	Description	Links
204	Deleted	No links
401	Unauthorized	No links

Code	Description	Links
	Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	
403	Forbidden	No links
	Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	
404	Not found	No links
	Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	

PATCH /api/v1/tables/{id}/position Update table position via drag-and-drop (admin)  

Parameters

Try it out

Name	Description
id integer (path)	1

Request body

application/json

Example Value Schema

```
{
  "x": 120,
  "y": 80
}
```

Responses

Code	Description	Links
200	Updated table Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 1, "name": "Biliárd 1", "type": "snooker", "category": "competition", "color": "red", "status": 8, "position": { "x": 0, "y": 0 }, "isLocked": true }</pre>	No links
401	Unauthorized Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	No links
403	Forbidden Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	No links
404	Not found	No links

Code	Description	Links
	Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	
409	Table is locked	No links
	Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	

GET /api/v1/tables/{id}/timeslots Get available timeslots for a table on a given date ^

Parameters

Try it out

Name	Description
id integer (path)	1
date * required string (query)	2026-06-01

Responses

Code	Description	Links
200	Timeslots	No links
	Media type application/json Controls Accept header.	

Code	Description	Links
	Example ValueSchema <pre>[{ "startTime": "10:00", "endTime": "12:00", "isAvailable": true }]</pre>	
404	Table not found Media type application/json Example ValueSchema <pre>{ "message": "string" }</pre>	No links

Bookings



GET

/api/v1/bookings/my

Get current user's bookings



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	User bookings Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": 1, "tableId": 0, "tableName": "string", "userId": 0, "date": "2026-06-01", }]</pre>	

 No links |

Code	Description	Links
	<pre>"startTime": "10:00", "endTime": "12:00", "name": "string", "email": "string", "phone": "string", "headcount": 0, "notes": "string", "status": "pending" }]</pre>	
401	Unauthorized	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "message": "string" }</pre>	

GET

/api/v1/bookings

Get all bookings (admin)

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	All bookings	No links
	Media type application/json Controls Accept header.	
	Example Value Schema	
	<pre>[{ "id": 1, "tableId": 0, "tableName": "string", "userId": 0, "date": "2026-06-01", "startTime": "10:00", "endTime": "12:00", "name": "string", "email": "string", "phone": "string", </pre>	

Code	Description	Links
	<pre>"headcount": 0, "notes": "string", "status": "pending" }]</pre>	
401	Unauthorized	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "message": "string" }</pre>	
403	Forbidden	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "message": "string" }</pre>	

POST

/api/v1/bookings

Create a booking



Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "tableId": 0,
  "date": "2026-06-01",
  "startTime": "10:00",
  "endTime": "12:00",
  "name": "string",
  "email": "user@example.com",
  "phone": "string",
  "headcount": 1,
  "notes": "string"
}
```

Responses

Code	Description	Links
201	Booking created Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 1, "tableId": 0, "tableName": "string", "userId": 0, "date": "2026-06-01", "startTime": "10:00", "endTime": "12:00", "name": "string", "email": "string", "phone": "string", "headcount": 0, "notes": "string", "status": "pending" }</pre>	No links
400	Invalid timeslot Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	No links
401	Unauthorized Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	No links
404	Table not found Media type application/json Example Value Schema	No links

Code	Description	Links
	<pre>{ "message": "string" }</pre>	
409	Timeslot already taken	No links
	Media type application/json	
	Example Value Schema	
	<pre>{ "message": "string" }</pre>	

PATCH

/api/v1/bookings/{id}/status

Accept or decline a booking (admin)



Parameters

Try it out

Name	Description
id integer (path)	1

Request body

application/json

Example Value

Schema

```
{  
  "status": "accepted"  
}
```

Responses

Code	Description	Links
200	Updated booking	No links
	Media type application/json	

Code	Description	Links
	Controls Accept header. Example Value Schema <pre>{ "id": 1, "tableId": 0, "tableName": "string", "userId": 0, "date": "2026-06-01", "startTime": "10:00", "endTime": "12:00", "name": "string", "email": "string", "phone": "string", "headcount": 0, "notes": "string", "status": "pending" }</pre>	
401	Unauthorized Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	No links
403	Forbidden Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	No links
404	Not found Media type application/json Example Value Schema <pre>{ "message": "string" }</pre>	No links

Schemas



User	{		
	id*		
		number	
		example: 1	
	name*	string	
		example: John Doe	
	email*	string	
		example: john@example.com	
	role*	string	
		example: user	
		Enum:	
		Array [2]	
	}		
Error	{		
	message*	string	
	}		
Table	{		
	id*	number	
		example: 1	
	name*	string	
		example: Biliárd 1	
	type*	string	
		Enum:	
		[snooker, air-hockey, foosball]	
	category*	string	
		Enum:	
		[competition, normal, kids]	
	color*	string	
		Enum:	
		[red, green, blue, yellow, purple]	
	status*	number	
		minimum: 1	
		maximum: 10	
		example: 8	
	position*	{	
		x*	number
		y*	number
		}	
	isLocked*	boolean	
	}		

Timeslot	{
startTime*	string example: 10:00
endTime*	string example: 12:00
isAvailable*	boolean
	}
Booking	{
id*	number example: 1
tableId*	number
tableName*	string
userId*	number
date*	string example: 2026-06-01
startTime*	string example: 10:00
endTime*	string example: 12:00
name*	string
email*	string
phone*	string
headcount*	number
notes	string
status*	string Enum: [pending, accepted, declined]
	}