



- 8 Population and Household Profile 8. Population living in households with an improved drinking-water source1 (%)
- 9 Population and Household Profile 9. Population living in households that use an improved sanitation facility2 (%)





- 67 Child Feeding Practices and Nutritional Status of Children 67. Children under age 3 years breastfed within one hour of birth15 (%)
- 68 Child Feeding Practices and Nutritional Status of Children 68. Children under age 6 months exclusively breastfed16 (%)
- 69 Child Feeding Practices and Nutritional Status of Children 69. Children age 6-8 months receiving solid or semi-solid food and breastmilk16 (%)
- 70 Child Feeding Practices and Nutritional Status of Children 70. Breastfeeding children age 6-23 months receiving an adequate diet16, 17 (%)
- 71 Child Feeding Practices and Nutritional Status of Children 71. Non-breastfeeding children age 6-23 months receiving an adequate diet16, 17 (%)
- 72 Child Feeding Practices and Nutritional Status of Children 72. Total children age 6-23 months receiving an adequate diet16, 17 (%)
- 73 Child Feeding Practices and Nutritional Status of Children 73. Children under 5 years who are stunted (height-for-age)18 (%)
- 74 Child Feeding Practices and Nutritional Status of Children 74. Children under 5 years who are wasted (weight-for-height)18 (%)
- 75 Child Feeding Practices and Nutritional Status of Children 75. Children under 5 years who are severely wasted (weight-for-height)19 (%)
- 76 Child Feeding Practices and Nutritional Status of Children 76. Children under 5 years who are underweight (weight-for-age)18 (%)
- 77 Child Feeding Practices and Nutritional Status of Children 77. Children under 5 years who are overweight (weight-for-height)20 (%)