

SI-GuidedProject-100379-1658832426

Smart internz id: SI2022IBM01421

Fertilizers Recommendation System For Disease Prediction

1. Introduction:

1.1 Overview:

Agriculture is the most important sector in today's life. Most plants are affected by a wide variety of bacterial and fungal diseases. Diseases on plants placed a major constraint on the production and a major threat to food security. Hence, early and accurate identification of plant diseases is essential to ensure high quantity and best quality. In recent years, the number of diseases on plants and the degree of harm caused has increased due to the variation in pathogen varieties, changes in cultivation methods, and inadequate plant protection techniques.

An automated system is introduced to identify different diseases on plants by checking the symptoms shown on the leaves of the plant. Deep learning techniques are used to identify the diseases and suggest the precautions that can be taken for those diseases.

1.2 Purpose:

To Detect and recognize the plant diseases and to **recommend fertilizer**, it is necessary to provide symptoms in identifying the disease at its earliest. Hence the authors proposed and implemented new **fertilizers Recommendation System** for crop **disease prediction**.

2. LITERATURE SURVEY:

2.1 Existing problem:

Adequate mineral nutrition is central to crop production. However, it can also exert considerable influence on disease development. Fertilizer application can increase or decrease development of diseases caused by different pathogens, and the mechanisms responsible are complex, including effects of nutrients on plant growth, plant resistance mechanisms and direct effects on the pathogen. The effects of mineral nutrition on plant disease and the mechanisms responsible for those effects have been dealt with comprehensively elsewhere. In India, around 40% of land is kept and grown using reliable irrigation technologies, while the rest relies on the monsoon environment for water. Irrigation decreases reliance on the monsoon, increases food security, and boosts agricultural production.

Most research articles use humidity, moisture, and temperature sensors near the plant's root, with an external device handling all of the data provided by the sensors and transmitting it directly to an external display or an Android application. The application was created to measure the approximate values of temperature, humidity, and moisture sensors that were programmed into a microcontroller to manage the amount of water.


2.2 Proposed solution:

Web Application is built where :

1. Farmers interact with the portal build
2. Interacts with the user interface to upload images of diseased leaf
3. Our model built analyses the Disease and suggests the farmer with fertilizers are to be used

3 THEORITICAL ANALYSIS :

3.1 Block diagram :



3.2 Hardware / Software designing:

To complete this project you should have the following software and packages.

Softwares:

- Anaconda Navigator
- py charm
- Visual studio code
- Jupiter notebook
- IBM watson studio

Packages:

- Tensor flow
- Keras
- Flask
- numpy
- Pandas


By using the above listed softwares and packages ,we build this application to take the input (image) from the farmer and detects whether the plant is infected or not. Here we use Deep learning techniques and give the output to the user (Farmer).

4 EXPERIMENTAL INVESTIGATIONS :

Agriculture is the most important sector in today's life. Most plants are affected by a wide variety of bacterial and fungal diseases. Diseases on plants placed a major constraint on the production and a major threat to food security. Hence, early and accurate identification of plant diseases is essential to ensure high quantity and best quality. In recent years, the number of diseases on plants and the degree of harm caused has increased due to the variation in pathogen varieties, changes in cultivation methods, and inadequate plant protection techniques.

An automated system is introduced to identify different diseases on plants by checking the symptoms shown on the leaves of the plant. Deep learning techniques are used to identify the diseases and suggest the precautions that can be taken for those diseases. Analysis or the investigation made while working on the solution.

5 FLOWCHART :




To accomplish the above task you must complete the below activities and tasks :


- Download the dataset.
- Classify the dataset into train and test sets.
- Add the neural network layers.
- Load the trained images and fit the model.
- Test the model.
- Save the model and its dependencies.
- Build a Web application using a flask that integrates with the model built.

6 RESULT:

Home Page:



Prediction Page:



Result Page:

The screenshot shows a web browser window titled "Plant Disease Prediction". The URL in the address bar is "127.0.0.1:5000/prediction". The main content area has a header "Plant Disease Prediction" and a sub-instruction "Drop in the image to get the prediction". A dropdown menu is set to "Fruit". Below it is a "Choose..." button and a placeholder image of a green leaf with brown spots. To the left is a cartoon illustration of a person kneeling by a plant, with molecular structures floating above them. A text box provides a prediction for an apple plant.

Prediction: Ooops!! Your apple plant is infected by Black Rots. This infection is a fungal infection. To control balck rot, remove the cankers by pruning at least 15 inches below the end and burn or bury them. Treating the sites with the antibiotic streptomycin or a copper-based fungicide will be helpful.

The screenshot shows a web browser window titled "Plant Disease Prediction". The URL in the address bar is "127.0.0.1:5000/prediction". The main content area has a header "Plant Disease Prediction" and a sub-instruction "Drop in the image to get the prediction". A dropdown menu is set to "Vegetable". Below it is a "Choose..." button and a placeholder image of a green leaf with brown spots. To the left is a cartoon illustration of a person kneeling by a plant, with molecular structures floating above them. A text box provides a prediction for a pepper plant.

Prediction: Yaayy!! Your pepper plant is healthy. But, take the necessary precautions like, putting the plant where it gets at least 10 hours of direct sunlight. Keep soil evenly moist for good growth. Peppers need well draining soil that is rich and loamy, but avoid too much nitrogen in the soil. Too much nitrogen can cause plenty of leaves and little to no peppers. Your soil should have a pH between 6.0 and 6.5.

7 ADVANTAGES & DISADVANTAGES:

ADVANTAGES:

- The proposed model could predict the disease just from the image of a particular plant
- Easy to use UI
- Model has some good accuracy in detecting the plant just by taking the input(leaf).

DISADVANTAGES:

- Prediction is limited to few plants as we havent trained all the plants .

8 APPLICATIONS :

This webapplication can be used by farmers or users to check whether their plant is infected or not and can also show the remedy so thatthe user can take necessary precautions.

These kind of web applications can be used in the agricultural sectoras well as for small house hold plants as well.

9 CONCLUSION :

Agriculture is the most important sector in today's life. Most plants are affected by a wide variety of bacterial and fungal diseases. Diseases on plants placed a major constraint on the production and a major threat to food security. Hence, early and accurate identification of plant diseases is essential to ensure high quantity and best quality.

In recent years, the number of diseases on plants and the degree of harm caused has increased due to the variation in pathogen varieties, changes in cultivation methods, and inadequate plant protection techniques. Usage of such applications could help the farmers to necessary precautions so that they don't face any loss as such.

10 FUTURE SCOPE :

As of now we have just built the web application which apparently takes the input as an image and then predict the output in the near future we can develop an application which uses computer vision and AI techniques to predict the infection once you keep the camera near the plant or leaf this could make our project even more usable.

11 BIBLIOGRAPHY :

- <http://www.ijstr.org/final-print/nov2019/Fertilizers-Recommendation-SystemFor-Disease-Prediction-In-Tree-Leave.pdf>
- <https://www.sciencedirect.com/science/article/pii/S0168169921004245>
- <http://www.ijetajournal.org/volume-8/issue-2/IJETA-V8I2P1.pdf>
- <https://www.semanticscholar.org/paper/Fertilizers-Recommendation-SystemFor-Disease-In-Neela-Nithya/495379d3ef2b461fabd2de8d0605c164cb1e396f>
- <https://ieeexplore.ieee.org/document/8878781>
- <https://www.irjet.net/archives/V7/i10/IRJET-V7I1004.pdf>

APPENDIX:

A. Source Code:

Image Augmentation

```
In [1]: from tensorflow.keras.preprocessing.image import ImageDataGenerator  
  
In [2]: train_datagen = ImageDataGenerator(rescale = 1./255,shear_range = 0.2,zoom_range = 0.2,horizontal_flip = True)  
test_datagen = ImageDataGenerator(rescale = 1./255)  
  
In [3]: x_train = train_datagen.flow_from_directory('D:\\Project Buildathon\\Fertilizers_Recommendation_System_For_Disease_Prediction\\Dataset Plant Disease\\fruit-dataset\\fruits-340x256',  
x_test = test_datagen.flow_from_directory('D:\\Project Buildathon\\Fertilizers_Recommendation_System_For_Disease_Prediction\\Dataset Plant Disease\\fruit-dataset\\fruits-340x256')  
Found 5384 images belonging to 6 classes.  
Found 1686 images belonging to 6 classes.  
  
In [4]: x_train.class_indices  
Out[4]: {'Apple__Black_rot': 0,  
'Apple__healthy': 1,  
'Corn_(maize)___Northern_Leaf_Blight': 2,  
'Corn_(maize)___healthy': 3,  
'Peach__Bacterial_spot': 4,  
'Peach__healthy': 5}
```

CNN

```
In [5]: from keras.models import Sequential  
from keras.layers import Dense  
from keras.layers import Convolution2D  
from keras.layers import MaxPooling2D  
from keras.layers import Flatten  
  
In [6]: model = Sequential()  
  
In [7]: model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))  
  
In [8]: model.add(MaxPooling2D(pool_size=(2,2)))  
  
In [9]: model.add(Flatten())
```

Hidden Layers

```
In [10]: model.add(Dense(128 ,activation='relu'))  
model.add(Dense(64,activation = 'relu'))
```

Output Layer

```
In [11]: model.add(Dense(6,activation = 'softmax'))  
  
In [12]: model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])  
  
In [13]: model.summary()
```

```

Model: "sequential"
-----  

Layer (type)          Output Shape       Param #
-----  

conv2d (Conv2D)        (None, 126, 126, 32)    896  

max_pooling2d (MaxPooling2D) (None, 63, 63, 32)    0  

)                      

flatten (Flatten)      (None, 127008)      0  

dense (Dense)          (None, 128)         16257152  

dense_1 (Dense)        (None, 64)          8256  

dense_2 (Dense)        (None, 6)           390  

-----  

Total params: 16,266,694  

Trainable params: 16,266,694  

Non-trainable params: 0

```

```

In [14]: model.fit_generator(x_train,steps_per_epoch=5384//8,validation_data=x_test,validation_steps=1686//8,epochs=10)

C:\Users\VISHWANTH BAVIREDDY\AppData\Local\Temp\ipykernel_8872\1515256012.py:1: UserWarning: `Model.fit_generator` is deprecated and will be removed in a future version.
Please use `Model.fit`, which supports generators.
  model.fit_generator(x_train,steps_per_epoch=5384//8,validation_data=x_test,validation_steps=1686//8,epochs=10)
Epoch 1/10
673/673 [=====] - 175s 250ms/step - loss: 0.4570 - accuracy: 0.8423 - val_loss: 0.2609 - val_accuracy: 0.9167
Epoch 2/10
673/673 [=====] - 121s 179ms/step - loss: 0.2536 - accuracy: 0.9120 - val_loss: 0.2470 - val_accuracy: 0.9220
Epoch 3/10
673/673 [=====] - 124s 184ms/step - loss: 0.2021 - accuracy: 0.9318 - val_loss: 0.1411 - val_accuracy: 0.9571
Epoch 4/10
673/673 [=====] - 128s 190ms/step - loss: 0.1801 - accuracy: 0.9411 - val_loss: 0.1480 - val_accuracy: 0.9565
Epoch 5/10
673/673 [=====] - 131s 195ms/step - loss: 0.1693 - accuracy: 0.9426 - val_loss: 0.1298 - val_accuracy: 0.9643
Epoch 6/10
673/673 [=====] - 130s 195ms/step - loss: 0.1496 - accuracy: 0.9487 - val_loss: 0.1553 - val_accuracy: 0.9548
Epoch 7/10
673/673 [=====] - 131s 195ms/step - loss: 0.1366 - accuracy: 0.9547 - val_loss: 0.1290 - val_accuracy: 0.9643
Epoch 8/10
673/673 [=====] - 131s 194ms/step - loss: 0.1050 - accuracy: 0.9627 - val_loss: 0.1366 - val_accuracy: 0.9565
Epoch 9/10
673/673 [=====] - 130s 192ms/step - loss: 0.1193 - accuracy: 0.9582 - val_loss: 0.1769 - val_accuracy: 0.9506
Epoch 10/10
673/673 [=====] - 137s 204ms/step - loss: 0.0994 - accuracy: 0.9658 - val_loss: 0.1493 - val_accuracy: 0.9607
<keras.callbacks.History at 0x1a82019af0>
Out[14]:

```

Saving The Model

```
In [15]: model.save("fruit.h5")
```

Test the model

```

In [35]: import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image

In [36]: #Load the model
model =load_model("fruit.h5")

In [37]: img = image.load_img("D:\\Project Buildathon\\Fertilizers_Recommendation_System_For_Disease_Prediction\\Dataset Plant Disease\\fruit-dataset\\test\\Apple_0.jpg")
In [38]: img
Out[38]:

```



```
In [39]: img = image.load_img("D:\\Project Buildathon\\Fertilizers_Recommendation_System_For_Disease_Prediction\\Dataset Plant Disease\\fruit-dataset\\fruit-dataset\\test\\Apple_1.jpg")
Out[39]: 
In [40]: x=image.img_to_array(img)
In [41]: x
Out[41]: array([[[165., 153., 189.],
   [165., 153., 189.],
   [165., 153., 189.],
   ...,
   [176., 170., 206.],
   [176., 170., 206.],
   [176., 170., 206.]],

   [[164., 152., 188.],
   [164., 152., 188.],
   [164., 152., 188.],
   ...,
   [173., 167., 203.],
   [172., 166., 202.],
   [172., 166., 202.]],

   [[163., 151., 187.],
   [163., 151., 187.],
   [163., 151., 187.],
   ...,
   [172., 166., 202.],
   [170., 164., 200.],
   [169., 163., 199.]],

   ...,

   [[135., 119., 156.],
   [139., 123., 160.],
   [134., 118., 155.],
   ...,
   [143., 133., 168.],
   [138., 128., 163.],
   [141., 131., 166.]],

   [[136., 120., 157.],
   [134., 118., 155.],
   [134., 118., 155.],
   ...,
   [141., 131., 166.],
   [141., 131., 166.],
   [146., 136., 171.]],

   [[135., 119., 156.],
   [140., 124., 161.],
   [143., 127., 164.],
   ...,
   [145., 135., 170.],
   [151., 141., 176.],
   [140., 130., 165.]]], dtype=float32)
```

```
In [42]: x=np.expand_dims(x,axis=0)

In [43]: x
Out[43]: array([[[[165., 153., 189.],
   [165., 153., 189.],
   [165., 153., 189.],
   ...,
   [176., 170., 206.],
   [176., 170., 206.],
   [176., 170., 206.]],

   [[164., 152., 188.],
   [164., 152., 188.],
   [164., 152., 188.],
   ...,
   [173., 167., 201.],
   [172., 166., 202.],
   [172., 166., 202.]],

   [[[163., 151., 187.],
   [163., 151., 187.],
   [163., 151., 187.],
   ...,
   [172., 166., 202.],
   [170., 164., 200.],
   [169., 163., 199.]],

   ...,

   [[135., 119., 156.],
   [139., 123., 160.],
   [134., 118., 155.],
   ...,
   [143., 133., 168.],
   [138., 128., 163.],
   [141., 131., 166.]],

   [[136., 120., 157.],
   [134., 118., 155.],
   [134., 118., 155.],
   ...,
   [141., 131., 166.],
   [141., 131., 166.],
   [146., 136., 171.]],

   [[135., 119., 156.],
   [140., 124., 161.],
   [143., 127., 164.],
   ...,
   [145., 135., 170.],
   [151., 141., 176.],
   [140., 130., 165.]]], dtype=float32)

In [46]: pred = np.argmax(model.predict(x),axis=1)

In [47]: pred
Out[47]: array([1], dtype=int64)

In [48]: x_test.class_indices
Out[48]: {'Apple__Black_rot': 0,
 'Apple__healthy': 1,
 'Corn_(maize)_Northern_Leaf_Blight': 2,
 'Corn_(maize)_healthy': 3,
 'Peach__Bacterial_spot': 4,
 'Peach__healthy': 5}

In [49]: index=['Apple__Black_rot',
 'Apple__healthy',
 'Corn_(maize)_Northern_Leaf_Blight',
 'Corn_(maize)_healthy',
 'Peach__Bacterial_spot',
 'Peach__healthy']

In [50]: index[pred[0]]
Out[50]: 'Apple__healthy'
```

```
In [65]: img = image.load_img("D:\\Project Buildathon\\Fertilizers_Recommendation_System_For_Disease_Prediction\\Dataset Plant Disease\\fruit-dataset\\fruit-dataset\\test\\Apple_healthy.jpg")
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred = np.argmax(model.predict(x),axis=1)

index=['Apple__Black_rot',
'Apple__healthy',
'Corn_(maize)__Northern_Leaf_Blight',
'Corn_(maize)__healthy',
'Peach__Bacterial_spot',
'Peach__healthy']

index[pred[0]]

Out[65]: 'Apple__healthy'

In [63]: img = image.load_img("D:\\Project Buildathon\\Fertilizers_Recommendation_System_For_Disease_Prediction\\Dataset Plant Disease\\fruit-dataset\\fruit-dataset\\train\\Apple_healthy.jpg")
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred = np.argmax(model.predict(x),axis=1)

index=['Apple__Black_rot',
'Apple__healthy',
'Corn_(maize)__Northern_Leaf_Blight',
'Corn_(maize)__healthy',
'Peach__Bacterial_spot',
'Peach__healthy']

index[pred[0]]

Out[63]: 'Apple__healthy'

In [60]: img = image.load_img("D:\\Project Buildathon\\Fertilizers_Recommendation_System_For_Disease_Prediction\\Dataset Plant Disease\\fruit-dataset\\fruit-dataset\\train\\Peach_Bacterial_spot.jpg")
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred = np.argmax(model.predict(x),axis=1)

index=['Apple__Black_rot',
'Apple__healthy',
'Corn_(maize)__Northern_Leaf_Blight',
'Corn_(maize)__healthy',
'Peach__Bacterial_spot',
'Peach__healthy']

index[pred[0]]

Out[60]: 'Peach__Bacterial_spot'

In [62]: img = image.load_img("D:\\Project Buildathon\\Fertilizers_Recommendation_System_For_Disease_Prediction\\Dataset Plant Disease\\fruit-dataset\\fruit-dataset\\train\\Peach_healthy.jpg")
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred = np.argmax(model.predict(x),axis=1)

index=['Apple__Black_rot',
'Apple__healthy',
'Corn_(maize)__Northern_Leaf_Blight',
'Corn_(maize)__healthy',
'Peach__Bacterial_spot',
'Peach__healthy']

index[pred[0]]

Out[62]: 'Peach__healthy'
```