## Assignment-4

Develop a mobile application that takes the user input and sends it to IoT device (python code). print the received data in python shell. Keep a text box to accept the user input.integrate a submit button. whenever user enters the text input in text box and clicks the button the data should be sent to IBM cloud using URL(HTTP API).

### Code:

```
import ibmiotf.application
import ibmiotf.device
import random
import json
import time
#Provide your IBM Watson Device Credentials
organization = "frtx4v"
deviceType = "iotdevice"
deviceId = "1001"
authMethod = "token"
authToken = "1234567890"
# Initialize the device client.
T=0
H=0
```

```
def myCommandCallback(cmd):
   print("Command received: % s" % cmd.data['command'])
   if cmd.data['command'] == 'lighton':
       print("LIGHT ON IS RECEIVED")
   elif cmd.data['command']=='lightoff':
       print("LIGHT OFF IS RECEIVED")
   if cmd.command == "setInterval":
       if 'interval' not in cmd.data:
           print("Error - command is missing required information: 'interval'")
       else:
           interval = cmd.data['interval']
   elif cmd.command == "print":
       if 'message' not in cmd.data:
           print("Error - command is missing required information: 'message'")
       else:
           print(cmd.data['message'])
```


```
try:
deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method":
authMethod, "auth-token": authToken}
deviceCli = ibmiotf.device.Client(deviceOptions)
#.....
except Exception as e:
print("Caught exception connecting device: % s" % str(e))
sys.exit()
# Connect and send a datapoint "hello" with value "world" into the cloud as an event of
type "greeting" 10 times
deviceCli.connect()
while True:
   T=23
   H = 45
   #Send Temperature & Humidity to IBM Watson
   data = {"d":{ 'temperature' : T, 'humidity': H }}
   #print (data)
   def myOnPublishCallback():
     print ("Published Temperature = % s C" % T, "Humidity = % s % % " % H, "to IBM
Watson")
   success = deviceCli.publishEvent("Data", "json", data, qos=0,
on_publish=myOnPublishCallback)
```

if not success:
 print("Not connected to IoTF")
time.sleep(1)

deviceCli.commandCallback = myCommandCallback


# Disconnect the device and application from the cloud deviceCli.disconnect()

### Node Red:



#### MIT APP INVENTOR:





# **Python Output:**