Project Document

Trailhead URL : https://trailblazer.me/id/ktejashwini

Apex Triggers

Get started with Apex Triggers:

AccountAddressTigger:

```
trigger AccountAddressTrigger on Account (before insert,before update) {
    for(Account account:Trigger.New){
        if(account.Match_Billing_Address_c==True){
            account.ShippingPostalCode=account.BillingPostalCode;
        }
    }
}
```

Bulk Apex Triggers:

ClosedOpportunityTigger:

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
            List<Task> tasklist =new List<Task>();
    for(Opportunity opp:Trigger.New){
        if(opp.StageName=='Closed Won'){
            tasklist.add(new Task(Subject='Follow Up Test Task',WhatId=opp.Id));
        }
    }
    if(tasklist.size()>0){
        insert tasklist;
    }
}
```

Apex Testing

Get Started with Apex Unit Tests:

VerifyDate

```
public class VerifyDate {
```

```
        public static Date CheckDates(Date date1, Date date2) {if(DateWithin30Days(date1,date2)) {
                        return date2;
                } else {
                        return  SetEndOfMonthDate(date1);
                }
        }
        @TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) {if(
        date2 < date1) { return false; }
        Date date30Days = date1.addDays(30);
                if( date2 >= date30Days ) { return false; }else {
                return true; }
        }
        @TestVisible private static Date SetEndOfMonthDate(Date date1) {
                Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
                Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays); return
                lastDay;
        }
}

TestVerifyDate

@isTest
private class TestVerifyDate {
        @isTest static void Test_CheckDates_case1()
   {
      Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('01/05/2020'));
                System.assertEquals(date.parse('01/05/2020'),D);
   }
   @isTest static void Test_CheckDates_case2()
   {
      Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('05/05/2020'));
                System.assertEquals(date.parse('01/31/2020'),D);
   }
   @isTest static void Test_DateWithin30Days_case1()
   {
      Boolean flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('12/30/2019'));
      System.assertEquals(false, flag);
   }
   @isTest static void Test_DateWithin30Days_case2()
```

```
    {
        Boolean
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('02/02/2020'));
        System.assertEquals(false, flag);
    }
    @isTest static void Test_DateWithin30Days_case3()
    {
        Boolean flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('01/15/2020'));
        System.assertEquals(true,  flag);
    }
    @isTest static void Test_SetEndOfMonthDate(){
        Date returndate=VerifyDate.SetEndOfMonthDate(date.parse('01/01/2022'));
    }
}
```

Test Apex Triggers

RestrictContactByName

```
trigger RestrictContactByName on Contact (before insert, before update) {For
        (Contact c : Trigger.New) {
                if(c.LastName == 'INVALIDNAME') {
                        c.AddError('The Last Name "'+c.LastName+'" is not allowed for DML');
                }
        }
}
```

TestRestrictContactByName

```
@isTest
public class TestRestrictContactByName {
        @isTest static void Test_insertupdateContact()
    {
        Contact cnt= new Contact();
        cnt.LastName='INVALIDNAME';
        Test.startTest();
        Database.SaveResult result=Database.insert(cnt,false);
        Test.stopTest();
        System.assert(!result.isSuccess());  System.assert(result.getErrors().size()>0);
```

```
        System.assertEquals('The Last Name "INVALIDNAME" is not allowed for
DML',result.getErrors()[0].getMessage());
            }
}
```

Create Test Data for Apex Testes

RandomContactFactory

```
public class RandomContactFactory {
    public static List<Contact> generateRandomContacts(Integer numcnt,string lastname){List
        <Contact> contacts= new List<Contact>();
        for(Integer i=0;i<numcnt;i++){
            Contact cnt=new Contact(FirstName='Test'+i,LastName=lastname);
            contacts.add(cnt);
        }
        return contacts;
    }
}
```

Asynchronous Apex

Use Future Methods

AccountProcessor

```
public class AccountProcessor {
@future
    public static void countContacts(List<Id> accountIds){
        List<Account> accountToUpdate = new List<Account>();
        List<Account> accounts=[Select Id, Name,(Select Id from Contacts) from Account where Id in
:accountIds];
        for(Account acc:accounts){
            List<Contact> contactList=acc.Contacts;
            acc.Number_Of_Contacts_c=contactList.size();
            accountToUpdate.add(acc);
        }
        Update accountToUpdate;
    }
}
```

AccountProcessorTest

```
@isTest
public class AccountProcessorTest {@isTest
   private static void testCountContacts(){
      Account newAccount=new Account(Name='Test Account'); insert
      newAccount;

      Contact newContact1=new Contact(FirstName='John',LastName='Doe',AccountId=newAccount.Id);
      insert newContact1;

      Contact newContact2=new Contact(FirstName='Jane',LastName='Doe',AccountId=newAccount.Id);
      insert newContact2;
      List<Id> accountIds=new List<Id>();
      accountIds.add(newAccount.Id); Test.startTest();
      AccountProcessor.countContacts(accountIds);
      Test.stopTest();
   }
}
```

Use Batch Apex

LeadProcessor

```
global class LeadProcessor implements Database.Batchable<sObject> {global Integer
count = 0;
   global Database.QueryLocator start(Database.BatchableContext bc){ return
      Database.getQueryLocator('SELECT ID, LeadSource From Lead');
   }
   global void execute(Database.BatchableContext bc,List<Lead> L_list){List<lead>
      L_list_new=new List<lead>();
      for(lead L:L_list){
         L.leadsource='Dreamforce';
         L_list_new.add(L);
         count+=1;
      }
      update L_list_new;
```

```
    }
    global void finish(Database.BatchableContext bc){
        System.debug('count = '+count);
    }
}
LeadProcessorTest

@isTest
public class LeadProcessorTest {
@isTest
    public static void testit(){ List<lead>L_list
        =new  List<lead>();for(Integer
        i=0;i<200;i++){
            Lead L=new lead();
            L.LastName='name'+i;
            L.Company='Company';
            L.Status='Random Status';
            L_list.add(L);
        }
        insert L_list;
        Test.startTest();
        LeadProcessor lp=new LeadProcessor();Id
        batchId=Database.executeBatch(lp);
        Test.stopTest();
    }
}
```

Control Processes with Queueable Apex

AddPrimaryContact

```
public class AddPrimaryContact implements Queueable{private
Contact con;
    private String state;
    public AddPrimaryContact(Contact con, String state){
        this.con=con;
        this.state=state;
    }
    public void execute(QueueableContext context){
        List<Account> accounts= [Select Id,Name,(Select FirstName,LastName,Id from contacts)
```

```
from Account where BillingState = :state Limit 200];
        List<Contact> primaryContacts=new List<Contact>();

        for(Account acc:accounts){
            Contact c=con.clone();
            c.AccountId=acc.Id;
            primaryContacts.add(c);
        }
        if(primaryContacts.size()>0){
            insert primaryContacts;
        }
    }
}
```

AddPrimaryContactTest

```
@isTest
public class AddPrimaryContactTest { static
    testmethod void testQueueable(){
        List<Account> testAccounts=new List<Account>();
        for(Integer i=0;i<50;i++){
            testAccounts.add(new Account(Name='Account'+i,BillingState='CA'));
        }
        for(Integer j=0;j<50;j++){
            testAccounts.add(new Account(Name='Account'+j,BillingState='NY'));
        }
        insert testAccounts;
        Contact testContact = new Contact(FirstName='John',LastName='Doe');insert
        testContact;
        AddPrimaryContact addit= new addPrimaryContact(testContact,'CA');
        Test.startTest();
        system.enqueueJob(addit);
        Test.stopTest();
        System.assertEquals(50,[Select count() from Contact where accountId in (Select Id from Account
where BillingState='CA')]);
    }
}
```

Schedule jobs Using the Apex Scheduler

DailyLeadProcessor

```
global class DailyLeadProcessor implements Schedulable {global void
   execute(SchedulableContext ctx){
      List<lead> leadstoupdate=new  List<lead>();
      List <Lead> leads=[Select id from Lead where LeadSource=NULL Limit 200];for(Lead
      l:leads){
         l.LeadSource='Dreamforce';
         leadstoupdate.add(l);
      }
   update  leadstoupdate;
   }
}
```

DailyLeadProcessorTest

```
@isTest
public class DailyLeadProcessorTest {

   static testMethod void testMethod1(){
      Test.startTest();
      List<Lead> lstLead = new List<Lead>();for(Integer i
      = 0; i<200;i++){
         Lead led = new Lead();
         led.FirstName ='FirstName';
         led.LastName ='LastName'+i;
         led.Company ='demo'+i;
         lstLead.add(led);
      }
      insert lstLead;

      DailyLeadProcessor ab = new DailyLeadProcessor(); String
      jobId = System.schedule('jobName', '0 5 * * * ?',ab);

      Test.stopTest();
   }
}
```

Apex Integration Services

Apex REST Callouts

AnimalLocator

```
public class AnimalLocator{
   public static String getAnimalNameById(Integer x){Http
      http = new Http();
      HttpRequest req = new HttpRequest();
      req.setEndpoint('https:/  th-apex-http-callout.herokuapp.com/animals/'  + x); req.setMethod('GET');
      Map<String, Object> animal= new Map<String, Object>();
      HttpResponse res = http.send(req);
         if (res.getStatusCode() == 200) { Map<String,
      Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody()); animal =
     (Map<String, Object>) results.get('animal');
      }
return (String)animal.get('name');
   }
}
```

AnimalLocatorTest

```
@isTest
private class AnimalLocatorTest{
   @isTest static void AnimalLocatorMock1() {
      Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());string
      result = AnimalLocator.getAnimalNameById(3);
      String expectedResult = 'chicken'; System.assertEquals(result,expectedResult  );
   }
}
```

AnimalLocatorMock

```
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {global
   HTTPResponse respond(HTTPRequest request) {
```

```
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');
        response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken", "mighty
moose"]}');
        response.setStatusCode(200);
        return response;
    }
}
```

Apex Web Services

AccountManager

```
@RestResource(urlMapping='/Accounts/*/contacts') global
class AccountManager {
    @HttpGet
    global static Account getAccount() {
        RestRequest req = RestContext.request;
        String accId = req.requestURI.substringBetween('Accounts/', '/contacts'); Account
        acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
                    FROM Account WHERE Id = :accId];return
        acc;
    }
}
```

AccountManagerTest

```
@isTest
private class AccountManagerTest {

    private static testMethod void getAccountTest1() {Id
        recordId = createTestRecord();
        RestRequest request = new RestRequest();
        request.requestUri = 'https:/ na1.salesforce.com/services/apexrest/Accounts/'+ recordId
+'/contacts' ;
        request.httpMethod = 'GET';
        RestContext.request = request;

        Account thisAccount = AccountManager.getAccount();
```

```
        System.assert(thisAccount != null); System.assertEquals('Test
        record', thisAccount.Name);

    }

        static Id createTestRecord() { Account
        TestAcc = new Account(Name='Test
        record');
        insert TestAcc;
        Contact TestCon= new Contact(
        LastName='Test',
        AccountId = TestAcc.id);
        return TestAcc.Id;
    }
}
```

Apex Specialist Superbadge

MaintenanceRequest

```
trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}
```

MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){if
                (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
```

```
    if (!validIds.isEmpty()){
        List<Case> newCases = new List<Case>();
        Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle_c, Equipment_
c, Equipment_r.Maintenance_Cycle_c,(SELECT Id,Equipment_c,Quantity_c FROM
Equipment_Maintenance_Items_r)
                                        FROM Case WHERE Id IN :validIds]);
        Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
        AggregateResult[] results = [SELECT Maintenance_Request_c,
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item_cWHERE
Maintenance_Request_c IN :ValidIds GROUP BY Maintenance_Request_c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request_c'), (Decimal) ar.get('cycle'));
    }

        for(Case cc : closedCasesM.values()){
            Case nc = new Case (
                ParentId = cc.Id,
            Status = 'New',
                Subject = 'Routine Maintenance',
                Type = 'Routine Maintenance',
                Vehicle_c = cc.Vehicle_c, Equipment_
                c =cc.Equipment_c,Origin = 'Web',
                Date_Reported_c = Date.Today()

            );

            If (maintenanceCycles.containskey(cc.Id)){
                nc.Date_Due_c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
            }

            newCases.add(nc);
        }

        insert newCases;

        List<Equipment_Maintenance_Item_c> clonedWPs = newList<Equipment_Maintenance_Item_c>();
        for (Case nc : newCases){
            for (Equipment_Maintenance_Item_c wp :
```

```
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
                Equipment_Maintenance_Item__c wpClone = wp.clone();
                wpClone.Maintenance_Request__c = nc.Id; ClonedWPs.add(wpClone);

            }
        }
        insert ClonedWPs;
    }
  }
}
MaintenanceRequestHelperTest

@istest
public with sharing class MaintenanceRequestHelperTest {

  private static final string STATUS_NEW = 'New';private
  static final string WORKING = 'Working';private static
  final string CLOSED = 'Closed'; private static final
  string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  private static final string REQUEST_TYPE = 'Routine Maintenance'; private
  static final string REQUEST_SUBJECT = 'Testing subject';

  PRIVATE STATIC Vehicle__c createVehicle(){
    Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');return
    Vehicle;
  }

  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',lifespan_months__
                C = 10,
                maintenance_cycle__C = 10,
                replacement_part__c = true);
    return equipment;
  }

  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){case cs =
    new case(Type=REPAIR,
          Status=STATUS_NEW,
          Origin=REQUEST_ORIGIN,
```

```
                Subject=REQUEST_SUBJECT,
                Equipment_c=equipmentId,
                Vehicle_c=vehicleId);
    return cs;
  }

  PRIVATE STATIC Equipment_Maintenance_Item_c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item_c wp = new Equipment_Maintenance_Item
c(Equipment_c = equipmentId,
                                        Maintenance_Request_c = requestId);
    return wp;
  }


  @istest
  private static void testMaintenanceRequestPositive(){Vehicle
    c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEq();insert
    equipment;
    id equipmentId = equipment.Id;

    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);insert
    somethingToUpdate;

    Equipment_Maintenance_Item_c workP = createWorkPart(equipmentId,somethingToUpdate.id);
    insert workP;

    test.startTest();  somethingToUpdate.status
    = CLOSED;update somethingToUpdate;
    test.stopTest();

    Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c, Vehicle_c,
Date_Due_c
            from case
            where status =:STATUS_NEW];
```

```
    Equipment_Maintenance_Item c workPart = [select id
                                from Equipment_Maintenance_Item c
                                where Maintenance_Request c =:newReq.Id];

    system.assert(workPart != null); system.assert(newReq.Subject !=
    null); system.assertEquals(newReq.Type, REQUEST_TYPE);
    SYSTEM.assertEquals(newReq.Equipment c, equipmentId);
    SYSTEM.assertEquals(newReq.Vehicle_c, vehicleId);
    SYSTEM.assertEquals(newReq.Date_Reported c, system.today());
}

@istest
private static void testMaintenanceRequestNegative(){Vehicle
    C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    product2 equipment = createEq();insert
    equipment;
    id equipmentId = equipment.Id;

    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);insert
    emptyReq;

    Equipment_Maintenance_Item c workP = createWorkPart(equipmentId, emptyReq.Id);insert
    workP;

    test.startTest(); emptyReq.Status =
    WORKING;update emptyReq;
    test.stopTest();

    list<case> allRequest = [select id
                        from case];

    Equipment_Maintenance_Item c workPart = [select id
                                from Equipment_Maintenance_Item c
                                where Maintenance_Request _c = :emptyReq.Id];
```

```
        system.assert(workPart != null);
        system.assert(allRequest.size() == 1);
    }

    @istest
    private static void testMaintenanceRequestBulk(){ list<Vehicle_C>
        vehicleList = new list<Vehicle_C>(); list<Product2>
        equipmentList = new list<Product2>();
        list<Equipment_Maintenance_Item_c> workPartList = new
list<Equipment_Maintenance_Item_c>(); list<case>
        requestList = new list<case>();list<id>
        oldRequestIds = new list<id>();

        for(integer i = 0; i < 300; i++){
          vehicleList.add(createVehicle());
          equipmentList.add(createEq());
        }
        insert vehicleList; insert
        equipmentList;

        for(integer i = 0; i < 300; i++){ requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
          equipmentList.get(i).id));
        }
        insert requestList;

        for(integer i = 0; i < 300; i++){ workPartList.add(createWorkPart(equipmentList.get(i).id,
          requestList.get(i).id));
        }
        insert workPartList;

        test.startTest();
        for(case req : requestList){
          req.Status = CLOSED;
          oldRequestIds.add(req.Id);
        }
        update requestList;test.stopTest();

        list<case> allRequests = [select id
                                  from case
                                  where status =: STATUS_NEW];
```

```
        list<Equipment_Maintenance_Item_c> workParts = [select id
                                                from Equipment_Maintenance_Item_c
                                                where Maintenance_Request_c in: oldRequestIds];

        system.assert(allRequests.size() == 300);
    }
}
```

WarehouseCalloutService

```
public with sharing class WarehouseCalloutService {

    private static final String WAREHOUSE_URL = 'https:/ th-superbadge- apex.herokuapp.com/equipment';

    / @future(callout=true)
    public static void runWarehouseEquipmentSync(){

        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);


        List<Product2> warehouseEq = new List<Product2>();if

        (response.getStatusCode() == 200){
            List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            for (Object eq : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)eq; Product2
                myEq = new Product2();
                myEq.Replacement_Part_c = (Boolean) mapJson.get('replacement');myEq.Name =
                (String) mapJson.get('name');
```

```
            myEq.Maintenance_Cycle_c = (Integer) mapJson.get('maintenanceperiod');
            myEq.Lifespan_Months_c = (Integer) mapJson.get('lifespan');
            myEq.Cost_c = (Decimal) mapJson.get('lifespan'); myEq.Warehouse_SKU
            c = (String) mapJson.get('sku'); myEq.Current_Inventory_c = (Double)
            mapJson.get('quantity');warehouseEq.add(myEq);
        }

        if (warehouseEq.size() > 0){
            upsert warehouseEq;
            System.debug('Your equipment was synced with the warehouse one');
            System.debug(warehouseEq);
        }

    }
  }
}
```

WarehouseCalloutServiceMock

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {global
  static HttpResponse respond(HttpRequest request){

    System.assertEquals('https:/ th-superbadge-apex.herokuapp.com/equipment', request.getEndpoint());
    System.assertEquals('GET', request.getMethod());
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');

response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name": "Generator
1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
    response.setStatusCode(200);
    return response;
  }
}
```

WarehouseCalloutServiceTest

```
@isTest
```

```
private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout(){
        Test.startTest();
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}
```

WarehouseSyncSchedule

```
global class WarehouseSyncSchedule implements Schedulable {global void
    execute(SchedulableContext ctx) {
        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}
```

WarehouseSyncScheduleTest

```
@isTest
public class WarehouseSyncScheduleTest {

    @isTest static void WarehousescheduleTest(){String
        scheduleTime = '00 00 01 * * ?'; Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
        Test.stopTest();
        CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
        System.assertEquals(jobID, a.Id,'Schedule ');
    }
}
```