Project Document

Apex Triggers

Get started with Apex Triggers:

AccountAddressTigger:

```
trigger AccountAddressTrigger on Account (before insert,before update) {
    for(Account account:Trigger.New){
        if(account.Match_Billing_Address__c==True){
            account.ShippingPostalCode=account.BillingPostalCode;
        }
    }
}
```

Bulk Apex Triggers:

ClosedOpportunityTigger:

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) { List<Task> tasklist
            =new List<Task>();
    for(Opportunity opp:Trigger.New){
        if(opp.StageName=='Closed Won'){
            tasklist.add(new Task(Subject='Follow Up Test Task',WhatId=opp.Id));
        }
    }
    if(tasklist.size()>0){
        insert tasklist;
    }
}
```

Apex Testing

Get Started with Apex Unit Tests:

VerifyDate

```
public class VerifyDate {
	public static Date CheckDates(Date date1, Date date2) {
		if(DateWithin30Days(date1,date2)) { return date2;
		} else {
			return SetEndOfMonthDate(date1);
		}
	}
	@TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) { if( date2
	< date1) { return false; }
	Date date30Days = date1.addDays(30);  if( date2 >=
		date30Days ) { return false; }
		else { return true; }
	}
	@TestVisible private static Date SetEndOfMonthDate(Date date1) {
		Integer totalDays = Date.daysInMonth(date1.year(), date1.month()); Date
		lastDay = Date.newInstance(date1.year(), date1.month(), totalDays); return
		lastDay;
	}
}
TestVerifyDate

@isTest
private class TestVerifyDate {
	@isTest static void Test_CheckDates_case1()
  {
    Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('01/05/2020'));
		System.assertEquals(date.parse('01/05/2020'),D);
  }
  @isTest static void Test_CheckDates_case2()
  {
    Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('05/05/2020'));
		System.assertEquals(date.parse('01/31/2020'),D);
  }
  @isTest static void Test_DateWithin30Days_case1()
  {
    Boolean flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('12/30/2019'));
System.assertEquals(false, flag);
  }
  @isTest static void Test_DateWithin30Days_case2()
```

```
  {
    Boolean flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('02/02/2020'));
System.assertEquals(false, flag);
  }
  @isTest static void Test_DateWithin30Days_case3()
  {
    Boolean flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('01/15/2020'));
System.assertEquals(true, flag);
  }
  @isTest static void Test_SetEndOfMonthDate(){
    Date returndate=VerifyDate.SetEndOfMonthDate(date.parse('01/01/2022'));
  }
}
```

Test Apex Triggers

RestrictContactByName

```
trigger RestrictContactByName on Contact (before insert, before update) {
        For (Contact c : Trigger.New) { if(c.LastName ==
                'INVALIDNAME') {
                        c.AddError('The Last Name "'+c.LastName+'" is not allowed for DML');
                }
        }
}
```

TestRestrictContactByName

```
@isTest
public class TestRestrictContactByName {
        @isTest static void Test_insertupdateContact()
  {
    Contact cnt= new Contact();
    cnt.LastName='INVALIDNAME';
    Test.startTest();
    Database.SaveResult result=Database.insert(cnt,false);
    Test.stopTest();
    System.assert(!result.isSuccess());
    System.assert(result.getErrors().size()>0);
    System.assertEquals('The Last Name "INVALIDNAME" is not allowed for
```

```
DML',result.getErrors()[0].getMessage());
            }
}
```

Create Test Data for Apex Testes

RandomContactFactory

```
public class RandomContactFactory {
   public static List<Contact> generateRandomContacts(Integer numcnt,string lastname){
      List <Contact> contacts= new List<Contact>();
      for(Integer i=0;i<numcnt;i++){
         Contact cnt=new Contact(FirstName='Test'+i,LastName=lastname);            contacts.add(cnt);
      }
      return contacts;
   }
}
```

Asynchronous Apex

Use Future Methods

AccountProcessor

```
public class AccountProcessor {
@future
   public static void countContacts(List<Id> accountIds){
      List<Account> accountToUpdate = new List<Account>();
      List<Account> accounts=[Select Id, Name,(Select Id from Contacts) from Account where Id in
:accountIds];
      for(Account acc:accounts){
         List<Contact> contactList=acc.Contacts;
         acc.Number_Of_Contacts__c=contactList.size();
         accountToUpdate.add(acc);
      }
      Update accountToUpdate;
   }
}
```

AccountProcessorTest

```
@isTest
public class AccountProcessorTest {
@isTest
   private static void testCountContacts(){
      Account newAccount=new Account(Name='Test Account');
      insert newAccount;

      Contact newContact1=new
Contact(FirstName='John',LastName='Doe',AccountId=newAccount.Id);
      insert newContact1;

      Contact newContact2=new
Contact(FirstName='Jane',LastName='Doe',AccountId=newAccount.Id);
      insert newContact2;
      List<Id> accountIds=new List<Id>();
      accountIds.add(newAccount.Id);
      Test.startTest();
      AccountProcessor.countContacts(accountIds);
      Test.stopTest();
   }
}
```

Use Batch Apex

LeadProcessor

```
global class LeadProcessor implements Database.Batchable<sObject> { global Integer
count = 0;
   global Database.QueryLocator start(Database.BatchableContext bc){
      return Database.getQueryLocator('SELECT ID, LeadSource From Lead');
   }
   global void execute(Database.BatchableContext bc,List<Lead> L_list){
      List<lead> L_list_new=new List<lead>();
      for(lead L:L_list){
         L.leadsource='Dreamforce';
         L_list_new.add(L);
```

```
        count+=1;
      }
      update L_list_new;
   }
   global void finish(Database.BatchableContext bc){
      System.debug('count = '+count);
   }
}
LeadProcessorTest

@isTest
public class LeadProcessorTest {
@isTest
   public static void testit(){
      List<lead>L_list =new List<lead>();
      for(Integer i=0;i<200;i++){
         Lead L=new lead();
         L.LastName='name'+i;
         L.Company='Company';
         L.Status='Random Status';
         L_list.add(L);
      }
      insert L_list;
      Test.startTest();
      LeadProcessor lp=new LeadProcessor();
      Id batchId=Database.executeBatch(lp);
      Test.stopTest();
   }
}
```

Control Processes with Queueable Apex

AddPrimaryContact

```
public class AddPrimaryContact implements Queueable{ private
Contact con;
   private String state;
```

```
    public AddPrimaryContact(Contact con, String state){
      this.con=con;
      this.state=state;
    }
    public void execute(QueueableContext context){
          List<Account> accounts= [Select Id,Name,(Select FirstName,LastName,Id from contacts) from
Account where BillingState = :state Limit 200];       List<Contact> primaryContacts=new List<Contact>();

      for(Account acc:accounts){
        Contact c=con.clone();
        c.AccountId=acc.Id;
        primaryContacts.add(c);
      }
      if(primaryContacts.size()>0){
        insert primaryContacts;
      }
    }
}
AddPrimaryContactTest

@isTest
public class AddPrimaryContactTest {
    static testmethod void testQueueable(){
      List<Account> testAccounts=new List<Account>();
      for(Integer i=0;i<50;i++){
        testAccounts.add(new Account(Name='Account'+i,BillingState='CA'));
      }
      for(Integer j=0;j<50;j++){
        testAccounts.add(new Account(Name='Account'+j,BillingState='NY'));
      }
      insert testAccounts;
      Contact testContact = new Contact(FirstName='John',LastName='Doe');       insert
testContact;
      AddPrimaryContact addit= new addPrimaryContact(testContact,'CA');
      Test.startTest();
      system.enqueueJob(addit);
      Test.stopTest();
      System.assertEquals(50,[Select count() from Contact where accountId in (Select Id from
```

```
Account where BillingState='CA')]);
    }
}
```

Schedule jobs Using the Apex Scheduler

DailyLeadProcessor

```
global class DailyLeadProcessor implements Schedulable {
    global void execute(SchedulableContext ctx){
        List<lead> leadstoupdate=new List<lead>();
        List <Lead> leads=[Select id from Lead where LeadSource=NULL Limit 200];
        for(Lead l:leads){
            l.LeadSource='Dreamforce';
            leadstoupdate.add(l);
        }
    update leadstoupdate;
    }
}
```

DailyLeadProcessorTest

```
@isTest
public class DailyLeadProcessorTest {

    static testMethod void testMethod1(){
        Test.startTest();
        List<Lead> lstLead = new List<Lead>();
        for(Integer i = 0; i<200;i++){
            Lead led = new Lead();
            led.FirstName ='FirstName';
            led.LastName ='LastName'+i;
            led.Company ='demo'+i;
            lstLead.add(led);
        }
        insert lstLead;
```

```
        DailyLeadProcessor ab = new DailyLeadProcessor();
        String jobId = System.schedule('jobName', '0 5 * * * ?',ab);

        Test.stopTest();
    }
}
```

Apex Integration Services

Apex REST Callouts

AnimalLocator

```
public class AnimalLocator{
    public static String getAnimalNameById(Integer x){
        Http http = new Http();
        HttpRequest req = new HttpRequest();
        req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + x);
        req.setMethod('GET');
        Map<String, Object> animal= new Map<String, Object>();
        HttpResponse res = http.send(req);
           if (res.getStatusCode() == 200) {
        Map<String, Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody());
      animal = (Map<String, Object>) results.get('animal');
        }
return (String)animal.get('name');
    }
}
```

AnimalLocatorTest

```
@isTest
private class AnimalLocatorTest{
    @isTest static void AnimalLocatorMock1() {
        Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
```

```
        string result = AnimalLocator.getAnimalNameById(3);
        String expectedResult = 'chicken';
        System.assertEquals(result,expectedResult );
    }
}
```

AnimalLocatorMock

```
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {     global
HTTPResponse respond(HTTPRequest request) {         HttpResponse response
= new HttpResponse();
        response.setHeader('Content-Type', 'application/json');
        response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken", "mighty
moose"]}');
        response.setStatusCode(200);
        return response;
    }
}
```

Apex Web Services

AccountManager

```
@RestResource(urlMapping='/Accounts/*/contacts') global class
AccountManager {
    @HttpGet
    global static Account getAccount() {
        RestRequest req = RestContext.request;
        String accId = req.requestURI.substringBetween('Accounts/', '/contacts');
        Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
                FROM Account WHERE Id = :accId];
        return acc;
    }
}
```

AccountManagerTest

```
@isTest
private class AccountManagerTest {
```

```
    private static testMethod void getAccountTest1() {
        Id recordId = createTestRecord();
        RestRequest request = new RestRequest();
        request.requestUri = 'https://na1.salesforce.com/services/apexrest/Accounts/'+ recordId
+'/contacts' ;
        request.httpMethod = 'GET';
        RestContext.request = request;

        Account thisAccount = AccountManager.getAccount();

        System.assert(thisAccount != null);
        System.assertEquals('Test record', thisAccount.Name);

    }

        static Id createTestRecord() {
        Account TestAcc = new Account(
          Name='Test record');
        insert TestAcc;
        Contact TestCon= new Contact(
        LastName='Test',
        AccountId = TestAcc.id);
        return TestAcc.Id;
    }
}
```

Apex Specialist Superbadge

MaintenanceRequest

```
trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}
```

MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
        if (!validIds.isEmpty()){
            List<Case> newCases = new List<Case>();
            Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c
FROM Equipment_Maintenance_Items__r)
                                                FROM Case WHERE Id IN :validIds]);
            Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
            AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

        for (AggregateResult ar : results){
            maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
        }

            for(Case cc : closedCasesM.values()){
                Case nc = new Case (
                    ParentId = cc.Id,
                Status = 'New',
                    Subject = 'Routine Maintenance',
                    Type = 'Routine Maintenance',
                    Vehicle__c = cc.Vehicle__c,
                    Equipment__c =cc.Equipment__c,
                    Origin = 'Web',
                    Date_Reported__c = Date.Today()

                );
```

```
            If (maintenanceCycles.containskey(cc.Id)){
                nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
            }

            newCases.add(nc);
        }

        insert newCases;

        List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
        for (Case nc : newCases){
            for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
                Equipment_Maintenance_Item__c wpClone = wp.clone();
                wpClone.Maintenance_Request__c = nc.Id;
                ClonedWPs.add(wpClone);

            }
        }
        insert ClonedWPs;
    }
  }
}
```

MaintenanceRequestHelperTest

```
@istest
public with sharing class MaintenanceRequestHelperTest {

  private static final string STATUS_NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
  private static final string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  private static final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';

  PRIVATE STATIC Vehicle__c createVehicle(){
    Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
```

```
    return Vehicle;
  }
  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                        lifespan_months__C = 10,
                        maintenance_cycle__C = 10,
                        replacement_part__c = true);
    return equipment;
  }

  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
              Status=STATUS_NEW,
              Origin=REQUEST_ORIGIN,
              Subject=REQUEST_SUBJECT,
              Equipment__c=equipmentId,
              Vehicle__c=vehicleId);
    return cs;
  }

  PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                    Maintenance_Request__c = requestId);
    return wp;
  }


  @istest
  private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
```

```
        insert somethingToUpdate;

        Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
        insert workP;

        test.startTest();
        somethingToUpdate.status = CLOSED;
        update somethingToUpdate;
        test.stopTest();

        Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c, Vehicle__c,
Date_Due__c
                from case
                where status =:STATUS_NEW];

        Equipment_Maintenance_Item__c workPart = [select id
                                from Equipment_Maintenance_Item__c
where Maintenance_Request__c =:newReq.Id];

        system.assert(workPart != null);
        system.assert(newReq.Subject != null);
        system.assertEquals(newReq.Type, REQUEST_TYPE);
        SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
        SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
        SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
    }

    @istest
    private static void testMaintenanceRequestNegative(){
        Vehicle__C vehicle = createVehicle();
        insert vehicle;
        id vehicleId = vehicle.Id;

        product2 equipment = createEq();
        insert equipment;
        id equipmentId = equipment.Id;

        case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
```

```
        insert emptyReq;

        Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
        insert workP;

        test.startTest();
        emptyReq.Status = WORKING;
        update emptyReq;
        test.stopTest();

        list<case> allRequest = [select id
                                 from case];
        Equipment_Maintenance_Item__c workPart = [select id
                                                  from Equipment_Maintenance_Item__c
                                                  where Maintenance_Request__c = :emptyReq.Id];
system.assert(workPart != null);
        system.assert(allRequest.size() == 1);
    }

    @istest
    private static void testMaintenanceRequestBulk(){
        list<Vehicle__C> vehicleList = new list<Vehicle__C>();
        list<Product2> equipmentList = new list<Product2>();
list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();        list<case> requestList
= new list<case>();
        list<id> oldRequestIds = new list<id>();

        for(integer i = 0; i < 300; i++){
            vehicleList.add(createVehicle());
             equipmentList.add(createEq());
        }
        insert vehicleList;
        insert equipmentList;

        for(integer i = 0; i < 300; i++){
             requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
        }
        insert requestList;
```

```
        for(integer i = 0; i < 300; i++){
            workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
        }
        insert workPartList;

        test.startTest();
        for(case req : requestList){
            req.Status = CLOSED;
            oldRequestIds.add(req.Id);
        }
        update requestList;
        test.stopTest();

        list<case> allRequests = [select id
                                  from case
                                  where status =: STATUS_NEW];

        list<Equipment_Maintenance_Item__c> workParts = [select id
                                                         from Equipment_Maintenance_Item__c
                                                         where Maintenance_Request__c in: oldRequestIds];

        system.assert(allRequests.size() == 300);
    }
}
```

WarehouseCalloutService

```
public with sharing class WarehouseCalloutService {

    private static final String WAREHOUSE_URL = 'https://th-superbadgeapex.herokuapp.com/equipment';

    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){

        Http http = new Http();
        HttpRequest request = new HttpRequest();
```

```
        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);


        List<Product2> warehouseEq = new List<Product2>();

        if (response.getStatusCode() == 200){
            List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            for (Object eq : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)eq;
                Product2 myEq = new Product2();
                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                myEq.Name = (String) mapJson.get('name');
                myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
                myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
                myEq.Cost__c = (Decimal) mapJson.get('lifespan');
                myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
                myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
warehouseEq.add(myEq);
            }

            if (warehouseEq.size() > 0){
                upsert warehouseEq;
                System.debug('Your equipment was synced with the warehouse one');
System.debug(warehouseEq);
            }
        }
    }
}
```

WarehouseCalloutServiceMock

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    global static HttpResponse respond(HttpRequest request){
```

```
        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
        System.assertEquals('GET', request.getMethod());
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":
"Generator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
response.setStatusCode(200);
        return response;
    }
}
WarehouseCalloutServiceTest

@isTest

private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout(){
        Test.startTest();
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}
WarehouseSyncSchedule

global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {
        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}
WarehouseSyncScheduleTest

@isTest
public class WarehouseSyncScheduleTest {
```

```
    @isTest static void WarehousescheduleTest(){
        String scheduleTime = '00 00 01 * * ?';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
        Test.stopTest();
        CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
        System.assertEquals(jobID, a.Id,'Schedule ');
    }
}
```