```
Apex Triggers
Get started with Apex Triggers:
AccountAddressTigger:
trigger AccountAddressTrigger on Account (before insert,before update) {
for(Account account:Trigger.New){
if(account.Match_Billing_Address__c==True){
account. Shipping Postal Code = account. Billing Postal Code; \\
Bulk Apex Triggers:
ClosedOpportunityTigger:
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
List<Task> tasklist = new List<Task>();
for(Opportunity opp:Trigger.New){
if(opp.StageName=='Closed Won'){
tasklist.add(new Task(Subject='Follow Up Test Task',WhatId=opp.Id));
}
if(tasklist.size()>0){
insert tasklist;
}
Apex Testing
Get Started with Apex Unit Tests:
VerifyDate
public class VerifyDate {
public static Date CheckDates(Date date1, Date date2) {
if(DateWithin30Days(date1,date2)) {
return date2;
} else {
return SetEndOfMonthDate(date1);
}
@TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) {
if( date2 < date1) { return false; }</pre>
Date date30Days = date1.addDays(30);
```

```
if( date2 >= date30Days ) { return false; }
else { return true; }
}
@TestVisible private static Date SetEndOfMonthDate(Date date1) {
Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
return lastDay;
TestVerifyDate
@isTest
private class TestVerifyDate {
@isTest static void Test_CheckDates_case1()
{
Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('01/05/2020'));
System.assertEquals(date.parse('01/05/2020'),D);
@isTest static void Test_CheckDates_case2()
Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('05/05/2020'));
System.assertEquals(date.parse('01/31/2020'),D);
@isTest static void Test_DateWithin30Days_case1()
Boolean
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('12/30/2019'));
System.assertEquals(false, flag);
@isTest static void Test_DateWithin30Days_case2()
Boolean
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('02/02/2020'));
System.assertEquals(false, flag);
@isTest static void Test_DateWithin30Days_case3()
Boolean
```

```
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('01/15/2020'));
System.assertEquals(true, flag);
}
@isTest static void Test_SetEndOfMonthDate(){
Date returndate=VerifyDate.SetEndOfMonthDate(date.parse('01/01/2022'));
Test Apex Triggers
RestrictContactByName
trigger RestrictContactByName on Contact (before insert, before update) {
For (Contact c : Trigger.New) {
if(c.LastName == 'INVALIDNAME') {
c.AddError('The Last Name "'+c.LastName+" is not allowed for DML');
TestRestrictContactByName
@isTest
public class TestRestrictContactByName {
@isTest static void Test_insertupdateContact()
Contact cnt= new Contact();
cnt.LastName='INVALIDNAME';
Test.startTest();
Database.SaveResult result=Database.insert(cnt,false);
Test.stopTest();
System.assert(!result.isSuccess());
System.assert(result.getErrors().size()>0);
System.assertEquals('The Last Name "INVALIDNAME" is not allowed for
DML',result.getErrors()[0].getMessage());
Create Test Data for Apex Testes
RandomContactFactory
public class RandomContactFactory {
public static List<Contact> generateRandomContacts(Integer nument, string lastname){
List <Contact> contacts= new List<Contact>();
```

```
for(Integer i=0;i<numcnt;i++){
Contact cnt=new Contact(FirstName='Test'+i,LastName=lastname);
contacts.add(cnt);
return contacts;
Asynchronous Apex
Use Future Methods
AccountProcessor
public class AccountProcessor {
@future
public static void countContacts(List<Id> accountIds){
List<Account> accountToUpdate = new List<Account>();
List<Account> accounts=[Select Id, Name,(Select Id from Contacts) from Account
where Id
in :accountIds];
for(Account acc:accounts){
List<Contact> contactList=acc.Contacts;
acc.Number_Of_Contacts__c=contactList.size();
accountToUpdate.add(acc);
Update accountToUpdate;
AccountProcessorTest
@isTest
public class AccountProcessorTest {
@isTest
private static void testCountContacts(){
Account newAccount=new Account(Name='Test Account');
insert newAccount;
Contact newContact1=new
Contact(FirstName='John',LastName='Doe',AccountId=newAccount.Id);
insert newContact1;
Contact newContact2=new
Contact(FirstName='Jane',LastName='Doe',AccountId=newAccount.Id);
```

```
insert newContact2;
List<Id> accountIds=new List<Id>();
accountIds.add(newAccount.Id);
Test.startTest();
AccountProcessor.countContacts(accountIds);
Test.stopTest();
Use Batch Apex
LeadProcessor
global class LeadProcessor implements Database.Batchable<sObject> {
global Integer count = 0;
global Database.QueryLocator start(Database.BatchableContext bc){
return Database.getQueryLocator('SELECT ID, LeadSource From Lead');
global void execute(Database.BatchableContext bc,List<Lead> L_list){
List<lead> L_list_new=new List<lead>();
for(lead L:L_list){
L.leadsource='Dreamforce';
L_list_new.add(L);
count+=1;
update L_list_new;
global void finish(Database.BatchableContext bc){
System.debug('count = '+count);
}
LeadProcessorTest
@isTest
public class LeadProcessorTest {
@isTest
public static void testit(){
List<lead>L_list =new List<lead>();
for(Integer i=0;i<200;i++){
Lead L=new lead();
L.LastName='name'+i;
```

```
L.Company='Company';
L.Status='Random Status';
L_list.add(L);
insert L_list;
Test.startTest();
LeadProcessor();
Id batchId=Database.executeBatch(lp);
Test.stopTest();
Control Processes with Queueable Apex
AddPrimaryContact
public class AddPrimaryContact implements Queueable{
private Contact con;
private String state;
public AddPrimaryContact(Contact con, String state){
this.con=con;
this.state=state;
public void execute(QueueableContext context){
List<Account> accounts= [Select Id,Name,(Select FirstName,LastName,Id from
contacts)
from Account where BillingState = :state Limit 200];
List<Contact> primaryContacts=new List<Contact>();
for(Account acc:accounts){
Contact c=con.clone();
c.AccountId=acc.Id;
primaryContacts.add(c);
if(primaryContacts.size()>0){
insert primaryContacts;
}
AddPrimaryContactTest
@isTest
```

```
public class AddPrimaryContactTest {
static testmethod void testQueueable(){
List<Account> testAccounts=new List<Account>();
for(Integer i=0;i<50;i++){
testAccounts.add(new Account(Name='Account'+i,BillingState='CA'));
for(Integer j=0;j<50;j++){
testAccounts.add(new Account(Name='Account'+j,BillingState='NY'));
}
insert testAccounts;
Contact testContact = new Contact(FirstName='John',LastName='Doe');
insert testContact;
AddPrimaryContact addit= new addPrimaryContact(testContact,'CA');
Test.startTest();
system.enqueueJob(addit);
Test.stopTest();
System.assertEquals(50,[Select count() from Contact where accounted in (Select Id
Account where BillingState='CA')]);
Schedule jobs Using the Apex Scheduler
DailyLeadProcessor
global class DailyLeadProcessor implements Schedulable {
global void execute(SchedulableContext ctx){
List<lead> leadstoupdate=new List<lead>();
List <Lead> leads=[Select id from Lead where LeadSource=NULL Limit 200];
for(Lead I:leads){
I.LeadSource='Dreamforce';
leadstoupdate.add(I);
update leadstoupdate;
}
DailyLeadProcessorTest
@isTest
public class DailyLeadProcessorTest {
```

```
static testMethod void testMethod1(){
Test.startTest();
List<Lead> IstLead = new List<Lead>();
for(Integer i = 0; i < 200; i++){
Lead led = new Lead();
led.FirstName ='FirstName';
led.LastName ='LastName'+i;
led.Company ='demo'+i;
lstLead.add(led);
}
insert lstLead;
DailyLeadProcessor ab = new DailyLeadProcessor();
String jobId = System.schedule('jobName', '0 5 * * * ?',ab);
Test.stopTest();
Apex Integration Services
Apex REST Callouts
AnimalLocator
public class AnimalLocator{
public static String getAnimalNameById(Integer x){
Http http = new Http();
HttpRequest req = new HttpRequest();
req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + x);
req.setMethod('GET');
Map<String, Object> animal= new Map<String, Object>();
HttpResponse res = http.send(req);
if (res.getStatusCode() == 200) {
Map<String, Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody());
animal = (Map<String, Object>) results.get('animal');
}
return (String)animal.get('name');
}
AnimalLocatorTest
@isTest
```

```
private class AnimalLocatorTest{
@isTest static void AnimalLocatorMock1() {
Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
string result = AnimalLocator.getAnimalNameById(3);
String expectedResult = 'chicken';
System.assertEquals(result,expectedResult);
AnimalLocatorMock
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
global HTTPResponse respond(HTTPRequest request) {
HttpResponse response = new HttpResponse();
response.setHeader('Content-Type', 'application/json');
response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken",
"mighty moose"]}');
response.setStatusCode(200);
return response;
}
Apex Web Services
AccountManager
@RestResource(urlMapping='/Accounts/*/contacts')
global class AccountManager {
@HttpGet
global static Account getAccount() {
RestRequest req = RestContext.request;
String accid = reg.requestURI.substringBetween('Accounts/', '/contacts');
Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
FROM Account WHERE Id = :accld];
return acc;
}
AccountManagerTest
@isTest
private class AccountManagerTest {
private static testMethod void getAccountTest1() {
```

```
Id recordId = createTestRecord();
RestRequest request = new RestRequest();
request.requestUri = 'https://na1.salesforce.com/services/apexrest/Accounts/'+
recordId
+'/contacts';
request.httpMethod = 'GET';
RestContext.request = request;
Account this Account = Account Manager.get Account();
System.assert(thisAccount != null);
System.assertEquals('Test record', thisAccount.Name);
static Id createTestRecord() {
Account TestAcc = new Account(
Name='Test record'):
insert TestAcc:
Contact TestCon= new Contact(
LastName='Test',
AccountId = TestAcc.id);
return TestAcc.Id;
Apex Specialist Superbadge
MaintenanceRequest
trigger MaintenanceRequest on Case (before update, after update) {
if(Trigger.isUpdate && Trigger.isAfter){
MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
}
MaintenanceRequestHelper
public with sharing class MaintenanceRequestHelper {
public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
Set<Id> validIds = new Set<Id>();
For (Case c : updWorkOrders){
if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
validIds.add(c.Id);
```

```
}
}
}
if (!validIds.isEmpty()){
List<Case> newCases = new List<Case>();
Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT
Id,Equipment_c,Quantity_c
FROM Equipment_Maintenance_Items__r)
FROM Case WHERE Id IN :validIds]);
Map<ld,Decimal> maintenanceCycles = new Map<lD,Decimal>();
AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM
Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
for (AggregateResult ar : results){
maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
for(Case cc : closedCasesM.values()){
Case nc = new Case (
ParentId = cc.Id,
Status = 'New'.
Subject = 'Routine Maintenance',
Type = 'Routine Maintenance',
Vehicle_c = cc.Vehicle_c,
Equipment_c = cc. Equipment_c,
Origin = 'Web',
Date_Reported__c = Date.Today()
);
If (maintenanceCycles.containskey(cc.ld)){
nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
}
newCases.add(nc);
insert newCases;
List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
```

```
for (Case nc : newCases){
for (Equipment_Maintenance_Item__c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
Equipment_Maintenance_Item__c wpClone = wp.clone();
wpClone.Maintenance_Request__c = nc.ld;
ClonedWPs.add(wpClone);
insert ClonedWPs;
}
MaintenanceRequestHelperTest
@istest
public with sharing class MaintenanceRequestHelperTest {
private static final string STATUS_NEW = 'New';
private static final string WORKING = 'Working';
private static final string CLOSED = 'Closed';
private static final string REPAIR = 'Repair';
private static final string REQUEST_ORIGIN = 'Web';
private static final string REQUEST_TYPE = 'Routine Maintenance';
private static final string REQUEST_SUBJECT = 'Testing subject';
PRIVATE STATIC Vehicle_c createVehicle(){
Vehicle_c Vehicle = new Vehicle_C(name = 'SuperTruck');
return Vehicle;
PRIVATE STATIC Product2 createEq(){
product2 equipment = new product2(name = 'SuperEquipment',
lifespan_months__C = 10,
maintenance_cycle__C = 10,
replacement_part__c = true);
return equipment;
}
PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
case cs = new case(Type=REPAIR,
Status=STATUS_NEW,
Origin=REQUEST_ORIGIN,
```

```
Subject=REQUEST_SUBJECT,
Equipment_c=equipmentId,
Vehicle_c=vehicleId);
return cs;
PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
Maintenance_Request__c = requestId);
return wp;
@istest
private static void testMaintenanceRequestPositive(){
Vehicle__c vehicle = createVehicle();
insert vehicle:
id vehicleId = vehicle.Id;
Product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
insert somethingToUpdate;
Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
insert workP;
test.startTest();
somethingToUpdate.status = CLOSED;
update somethingToUpdate;
test.stopTest();
Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c, Vehicle_c,
Date_Due__c
from case
where status =:STATUS_NEW];
Equipment_Maintenance_Item__c workPart = [select id
from Equipment_Maintenance_Item__c
where Maintenance_Request__c =:newReg.Id];
system.assert(workPart != null);
```

```
system.assert(newReg.Subject != null);
system.assertEquals(newReq.Type, REQUEST_TYPE);
SYSTEM.assertEquals(newReq.Equipment_c, equipmentId);
SYSTEM.assertEquals(newReq.Vehicle_c, vehicleId);
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
@istest
private static void testMaintenanceRequestNegative(){
Vehicle__C vehicle = createVehicle();
insert vehicle:
id vehicleId = vehicle.Id;
product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
insert emptyReg;
Equipment_Maintenance_Item_c workP = createWorkPart(equipmentId, emptyReq.Id);
insert workP;
test.startTest();
emptyReg.Status = WORKING;
update emptyReq;
test.stopTest();
list<case> allRequest = [select id
from casel;
Equipment_Maintenance_Item__c workPart = [select id
from Equipment_Maintenance_Item__c
where Maintenance_Request__c = :emptyReq.Id];
system.assert(workPart != null);
system.assert(allRequest.size() == 1);
}
@istest
private static void testMaintenanceRequestBulk(){
list<Vehicle_C> vehicleList = new list<Vehicle_C>();
list<Product2> equipmentList = new list<Product2>();
list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
list<case> requestList = new list<case>();
```

```
list<id> oldRequestIds = new list<id>();
for(integer i = 0; i < 300; i++){
vehicleList.add(createVehicle());
equipmentList.add(createEq());
insert vehicleList;
insert equipmentList;
for(integer i = 0; i < 300; i++){
requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
}
insert requestList;
for(integer i = 0; i < 300; i++){
workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
insert workPartList;
test.startTest();
for(case req : requestList){
req.Status = CLOSED;
oldRequestIds.add(req.ld);
}
update requestList;
test.stopTest();
list<case> allRequests = [select id
from case
where status =: STATUS_NEW];
list<Equipment_Maintenance_Item__c> workParts = [select id
from Equipment_Maintenance_Item__c
where Maintenance_Request__c in: oldRequestIds];
system.assert(allRequests.size() == 300);
WarehouseCalloutService
public with sharing class WarehouseCalloutService {
private static final String WAREHOUSE_URL = 'https://th-superbadgeapex.
herokuapp.com/equipment';
//@future(callout=true)
```

```
public static void runWarehouseEquipmentSync(){
Http http = new Http();
HttpRequest request = new HttpRequest();
request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);
List<Product2> warehouseEq = new List<Product2>();
if (response.getStatusCode() == 200){
List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
System.debug(response.getBody());
for (Object eq : jsonResponse){
Map<String,Object> mapJson = (Map<String,Object>)eg;
Product2 myEq = new Product2();
myEq.Replacement_Part_c = (Boolean) mapJson.get('replacement');
myEq.Name = (String) mapJson.get('name');
myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
myEq.Cost_c = (Decimal) mapJson.get('lifespan');
myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
warehouseEq.add(myEq);
if (warehouseEq.size() > 0){
upsert warehouseEq;
System.debug('Your equipment was synced with the warehouse one');
System.debug(warehouseEq);
WarehouseCalloutServiceMock
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
global static HttpResponse respond(HttpReguest reguest){
System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
```

```
System.assertEquals('GET', request.getMethod());
HttpResponse response = new HttpResponse();
response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":
"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
response.setStatusCode(200);
return response;
WarehouseCalloutServiceTest
@isTest
private class WarehouseCalloutServiceTest {
@isTest
static void testWareHouseCallout(){
Test.startTest();
Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
WarehouseCalloutService.runWarehouseEquipmentSync();
Test.stopTest();
System.assertEquals(1, [SELECT count() FROM Product2]);
}
WarehouseSyncSchedule
global class WarehouseSyncSchedule implements Schedulable {
global void execute(SchedulableContext ctx) {
WarehouseCalloutService.runWarehouseEquipmentSync();
}
WarehouseSyncScheduleTest
@isTest
public class WarehouseSyncScheduleTest {
@isTest static void WarehousescheduleTest(){
String scheduleTime = '00 00 01 * * ?';
Test.startTest();
Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime,
```

```
new
WarehouseSyncSchedule());
Test.stopTest();
CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
System.assertEquals(jobID, a.Id,'Schedule ');
}
```