MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
   Set<Id> validIds = new Set<Id>():
   For (Case c : updWorkOrders){
     if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
       if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
         validIds.add(c.Id);
if (!validIds.isEmpty()){
     List<Case> newCases = newList<Case>();
     Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle_c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT Id,Equipment_c,Quantity_c
FROM Equipment_Maintenance_Items__r)
                          FROM Case WHERE Id IN :validIds]);
     Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
     AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item_c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
   for (AggregateResult ar : results){
     maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
     for(Case cc : closedCasesM.values()){
       Case\ nc = new\ Case\ (
        ParentId = cc.Id.
       Status = 'New',
         Subject = 'Routine Maintenance',
         Type = 'Routine Maintenance',
```

```
Vehicle\_c = cc.Vehicle\_c,
         Equipment_c = cc. Equipment_c,
         Origin = 'Web',
         Date\_Reported\_\_c = Date.Today()
       If (maintenanceCycles.containskey(cc.Id)){
         nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
         nc.Date\_Due\_\_c = Date.today().addDays((Integer))
cc.Equipment__r.maintenance_Cycle__c);
       newCases.add(nc);
     insert newCases;
     List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
    for (Case nc : newCases){
       for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
         Equipment_Maintenance_Item__c wpClone = wp.clone();
         wpClone.Maintenance_Request__c = nc.Id;
         ClonedWPs.add(wpClone);
     insert ClonedWPs;
}
```

```
trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}
```

WarehouseCalloutService

```
public with sharing class WarehouseCalloutService implements Queueable {
 private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
 //class that makes a REST callout to an external warehouse system to get a list of
equipment that needs to be updated.
 //The callout's JSON response returns the equipment records that you upsert in
Salesforce.
 @future(callout=true)
 public static void runWarehouseEquipmentSync(){
    Http http = new Http();
   HttpRequest request = new HttpRequest();
   request.setEndpoint(WAREHOUSE_URL);
   request.setMethod('GET');
   HttpResponse response = http.send(request);
   List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
     List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
     System.debug(response.getBody());
      //class maps the following fields: replacement part (always true), cost, current
inventory, lifespan, maintenance cycle, and warehouse SKU
      //warehouse SKU will be external ID for identifying which equipment records to
```

```
update within Salesforce
     for (Object eq : jsonResponse){
       Map<String,Object> mapJson = (Map<String,Object>)eq;
       Product2 myEq = new Product2();
       myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
       myEq.Name = (String) mapJson.get('name');
       myEq.Maintenance Cycle c = (Integer) mapJson.get('maintenanceperiod');
       myEq.Lifespan Months c = (Integer) mapJson.get('lifespan');
       myEq.Cost__c = (Integer) mapJson.get('cost');
       myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
       myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
       myEq.ProductCode = (String) mapJson.get(' id');
       warehouseEq.add(myEq);
     if (warehouseEq.size() > 0){
       upsert warehouseEq;
       System.debug('Your equipment was synced with the warehouse one');
}
 public static void execute (QueueableContext context){
   runWarehouseEquipmentSync();
}
```

WarehouseSyncSchedule

```
global with sharing class WarehouseSyncSchedule implements Schedulable{
    global void execute(SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}
```

```
@istest
public with sharing class MaintenanceRequestHelperTest {
 private static final string STATUS_NEW = 'New';
 private static final string WORKING = 'Working';
 private static final string CLOSED = 'Closed';
 private static final string REPAIR = 'Repair';
 private static final string REQUEST_ORIGIN = 'Web';
 private static final string REQUEST_TYPE = 'Routine Maintenance';
 private static final string REQUEST_SUBJECT = 'Testing subject';
 PRIVATE STATIC Vehicle_c createVehicle(){
   Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
   return Vehicle;
}
 PRIVATE STATIC Product2 createEq(){
   product2 equipment = new product2(name = 'SuperEquipment',
                    lifespan_months_C = 10,
                    maintenance\_cycle\_\_C = 10,
                    replacement_part__c = true);
   return equipment;
 PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
   case cs = new case(Type=REPAIR,
            Status=STATUS_NEW,
            Origin=REQUEST_ORIGIN,
            Subject=REQUEST_SUBJECT,
            Equipment_c=equipmentId,
            Vehicle__c=vehicleId);
   return cs;
}
```

```
PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                    Maintenance_Request__c = requestId);
   return wp;
}
  @istest
  private static void testMaintenanceRequestPositive(){
   Vehicle__c vehicle = createVehicle();
   insert vehicle;
   id vehicleId = vehicle.Id;
Product2 equipment = createEq();
   insert equipment;
   id equipmentId = equipment.Id;
   case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
   insert somethingToUpdate;
    Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
   insert workP;
   test.startTest();
   somethingToUpdate.status = CLOSED;
   update somethingToUpdate;
   test.stopTest();
    Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c,
Vehicle__c, Date_Due__c
          from case
          where status =: STATUS_NEW];
    Equipment_Maintenance_Item__c workPart = [select id
                       from Equipment_Maintenance_Item__c
                       where Maintenance_Request__c =:newReq.Id];
```

```
system.assert(workPart != null);
   system.assert(newReq.Subject != null);
   system.assertEquals(newReq.Type, REQUEST_TYPE);
   SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
   SYSTEM.assertEquals(newReq.Vehicle_c, vehicleId);
   SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
 @istest
 private static void testMaintenanceRequestNegative(){
   Vehicle__C vehicle = createVehicle();
   insert vehicle;
   id vehicleId = vehicle.Id;
  product2 equipment = createEq();
   insert equipment;
   id equipmentId = equipment.Id;
   case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
   insert emptyReq;
   Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,
emptyReq.Id);
   insert workP;
   test.startTest();
   emptyReq.Status = WORKING;
   update emptyReq;
   test.stopTest();
   list<case> allRequest = [select id
                from case];
   Equipment_Maintenance_Item__c workPart = [select id
                        from Equipment_Maintenance_Item__c
                        where Maintenance_Request__c = :emptyReq.Id];
   system.assert(workPart != null);
```

```
system.assert(allRequest.size() == 1);
  @istest
  private static void testMaintenanceRequestBulk(){
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment Maintenance Item c> workPartList = new
list<Equipment_Maintenance_Item__c>();
    list<case> requestList = new list<case>();
    list<id> oldRequestIds = new list<id>();
    for(integer i = 0; i < 300; i++){
     vehicleList.add(createVehicle());
      equipmentList.add(createEq());
   insert vehicleList:
   insert equipmentList;
    for(integer i = 0; i < 300; i++){
      requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
    insert requestList;
    for(integer i = 0; i < 300; i++){
      workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
   insert workPartList;
    test.startTest();
    for(case req : requestList){
      req.Status = CLOSED;
      oldRequestIds.add(req.Id);
   update requestList;
   test.stopTest();
   list<case> allRequests = [select id
```

Maintenance Request Helper

```
public with sharing class MaintenanceRequestHelper {
 public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
   Set<Id> validIds = new Set<Id>();
   For (Case c : updWorkOrders){
     if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
       if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
         validIds.add(c.Id);
   if (!validIds.isEmpty()){
     List<Case> newCases = new List<Case>();
     Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment_c,Quantity_c FROM Equipment_Maintenance_Items_r)
                          FROM Case WHERE Id IN: validIds]);
     Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
     AggregateResult[] results = [SELECT Maintenance_Request__c,
```

```
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item__c
WHERE Maintenance Request c IN: ValidIds GROUP BY Maintenance Request c];
   for (AggregateResult ar : results){
     maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
   }
     for(Case cc : closedCasesM.values()){
       Case nc = new Case (
         ParentId = cc.Id.
       Status = 'New'.
         Subject = 'Routine Maintenance',
         Type = 'Routine Maintenance',
         Vehicle c = cc. Vehicle c,
         Equipment_c = cc. Equipment_c,
         Origin = 'Web',
         Date_Reported__c = Date.Today()
       );
       If (maintenanceCycles.containskey(cc.Id)){
         nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
       }
       newCases.add(nc);
     }
     insert newCases:
     List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment Maintenance Item c>();
     for (Case nc : newCases){
       for (Equipment_Maintenance_Item__c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
         Equipment_Maintenance_Item__c wpClone = wp.clone();
         wpClone.Maintenance_Request__c = nc.Id;
         ClonedWPs.add(wpClone);
```

```
}
insert ClonedWPs;
}
}
```

MaintenanceRequest

```
trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}
```

WarehouseCalloutService

```
public with sharing class WarehouseCalloutService {
private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

//@future(callout=true)
public static void runWarehouseEquipmentSync(){

Http http = new Http();
HttpRequest request = new HttpRequest();

request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);

List<Product2> warehouseEq = new List<Product2>();

if (response.getStatusCode() == 200){
    List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
```

```
System.debug(response.getBody());
for (Object eq: jsonResponse){
 Map<String,Object> mapJson = (Map<String,Object>)eq;
 Product2 myEq = new Product2();
 myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
 myEq.Name = (String) mapJson.get('name');
 myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
 myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
 myEq.Cost_c = (Decimal) mapJson.get('lifespan');
 myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
 myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
 warehouseEq.add(myEq);
}
if (warehouseEq.size() > 0){
 upsert warehouseEq;
 System.debug('Your equipment was synced with the warehouse one');
 System.debug(warehouseEq);
}
```

Warehouse Callout Service Test

```
@isTest
private class WarehouseCalloutServiceTest {
  @isTest
  static void testWareHouseCallout() {
    Test.startTest();
    // implement mock callout test here
    Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
```

```
WarehouseCalloutService.runWarehouseEquipmentSync();
  Test.stopTest();
  System.assertEquals(1, [SELECT count() FROM Product2]);
}
```

WarehouseCalloutServiceMock

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
 global static HttpResponse respond(HttpRequest request){
    System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
    System.assertEquals('GET', request.getMethod());
    // Create a fake response
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
    response.setStatusCode(200);
   return response;
 }
```

WarehouseSyncSchedule

global class WarehouseSyncSchedule implements Schedulable {

```
global void execute(SchedulableContext ctx) {
    WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}
```

Warehouse Sync Schedule Test

```
@isTest
public class WarehouseSyncScheduleTest {

@isTest static void WarehousescheduleTest(){
    String scheduleTime = '00 00 01 * * ?';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime,
    new WarehouseSyncSchedule());
    Test.stopTest();
    //Contains schedule information for a scheduled job. CronTrigger is similar to a cron
    job on UNIX systems.
    // This object is available in API version 17.0 and later.
    CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
    System.assertEquals(jobID, a.Id, 'Schedule ');
}
```