

Salesforce Developer Catalyst

Apex Triggers

Get Started with Apex Triggers

Apex trigger

[AccountAddressTrigger](#)

```
trigger AccountAddressTrigger on Account (before insert, before update) {

    for(Account account:Trigger.New){
        if(account.Match_Billing_Address__c == True){
            account.ShippingPostalCode = account.BillingPostalCode;
        }
    }
}
```

Bulk Apex Triggers

Apex trigger

[ClosedOpportunityTrigger](#)

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
    List<Task> tasklist = new List<Task>();

    for(Opportunity opp: Trigger.New){
        if(opp.Stagename == 'Closed won'){
            tasklist.add(new Task(Subject = 'Follow up Test Task', WhatId = opp.Id));
        }
    }

    if(tasklist.size()>0){
        insert tasklist;
    }
}
```

Salesforce Developer Catalyst

Apex Testing

Get Started with Apex Unit Tests

VerifyDate

```
public class VerifyDate {

    public static Date CheckDates(Date date1, Date date2) {
        if(DateWithin30Days(date1,date2)) {
            return date2;
        } else {
            return SetEndOfMonthDate(date1);
        }
    }

    @TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) {
        if( date2 < date1) { return false; }

        Date date30Days = date1.addDays(30);
        if( date2 >= date30Days ) { return false; }
        else { return true; }
    }

    @TestVisible private static Date SetEndOfMonthDate(Date date1) {
        Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
        Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
        return lastDay;
    }
}
```

Salesforce Developer Catalyst

TestVerifyDate

```
@isTest
public class TestVerifyDate {

    @isTest static void Test_CheckDates_case1(){
        Date D = VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('01/05/2020'));
        System.assertEquals(date.parse('01/05/2020'), D);
    }

    @isTest static void Test_CheckDates_case2(){
        Date D = VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('05/05/2020'));
        System.assertEquals(date.parse('01/31/2020'), D);
    }

    @isTest static void Test_DateWithin30Days_case1(){
        Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'),
date.parse('12/30/2019'));
        System.assertEquals(false, flag);
    }

    @isTest static void Test_DateWithin30Days_case2(){
        Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'),
date.parse('02/02/2020'));
        System.assertEquals(false, flag);
    }

    @isTest static void Test_DateWithin30Days_case3(){
        Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'),
date.parse('01/15/2020'));
        System.assertEquals(True, flag);
    }

    @isTest static void Test_SetEndOfMonthDate(){
        Date returndate = VerifyDate.SetEndOfMonthDate(date.parse('01/01/2020'));
    }
}
```

Salesforce Developer Catalyst

Test Apex Triggers

RestrictContactByName

```
trigger RestrictContactByName on Contact (before insert, before update) {

    //check contacts prior to insert or update for invalid data
    For (Contact c : Trigger.New) {
        if(c.LastName == 'INVALIDNAME') { //invalidname is invalid
            c.AddError('The Last Name "' + c.LastName + '" is not allowed for DML');
        }
    }
}
```

TestRestrictContactByName

```
@isTest
public class TestRestrictContactByName {

    @isTest static void Test_insertupdateContact(){
        Contact cnt = new Contact();
        cnt.LastName = 'INVALIDNAME';

        Test.startTest();
        Database.SaveResult result = Database.insert(cnt, false);
        Test.stopTest();

        System.assert(!result.isSuccess());
        System.assert(result.getErrors().size() > 0);
        System.assertEquals('The Last Name "INVALIDNAME" is not allowed for DML',
result.getErrors()[0].getMessage());
    }
}
```

Create Test Data for Apex Tests

RandomContactFactory

```
public class RandomContactFactory {
    public static List<Contact> generateRandomContacts(Integer numcnt, string lastname){
```

Salesforce Developer Catalyst

```
List<Contact> contacts = new List<Contact>();
for(Integer i=0;i<numcnt;i++){
    Contact cnt = new Contact(FirstName = 'Test '+i, Lastname = lastname);
    contacts.add(cnt);
}
return contacts;
}
}
```

Asynchronous Apex

Use Future Methods

AccountProcessor

```
public class AccountProcessor {
    @future
    public static void countContacts(List<Id> accountIds){

        List<Account> accountsToUpdate = new List<Account>();
        List<Account> accounts = [Select Id, Name, (Select Id from Contacts) from Account Where
        Id in :accountIds];

        For(Account acc:accounts){
            List<Contact> contactList = acc.Contacts;
            acc.Number_of_Contacts__c = contactList.size();
            accountstoUpdate.add(acc);
        }
        update accountsToUpdate;
    }
}
```

AccountProcessorTest

```
@IsTest
public class AccountProcessorTest {
    @IsTest
    private static void testCountContacts(){
        Account newAccount = new Account(Name='Test Account');
```

Salesforce Developer Catalyst

```
insert newAccount;

Contact newContact1 = new Contact(FirstName='John',Lastname='Doe',AccountId =
newAccount.Id);
insert newContact1;

Contact newContact2 = new Contact(FirstName='Jane',Lastname='Doe',AccountId =
newAccount.Id);
insert newContact2;

List<Id> accountIds = new List<Id>();
accountIds.add(newAccount.Id);

Test.startTest();
AccountProcessor.countContacts(accountIds);
Test.stopTest();
}
}
```

Use Batch Apex

LeadProcessor

```
global class LeadProcessor implements Database.Batchable<sObject> {
    global Integer count = 0;

    global Database.QueryLocator start(Database.BatchableContext bc){
        return Database.getQueryLocator('SELECT ID, LeadSource FROM Lead');
    }

    global void execute (Database.BatchableContext bc, List<Lead> L_list){
        List<lead> L_list_new = new List<lead>();

        for(lead L:L_list){
            L.leadsource = 'Dreamforce';
            L_list_new.add(L);
            count += 1;
        }
        update L_list_new;
    }
}
```

Salesforce Developer Catalyst

```
}  
global void finish(Database.BatchableContext bc){  
    system.debug('count = '+ count);  
}  
}
```

LeadProcessorTest

```
@isTest  
public class LeadProcessorTest {  
  
    @isTest  
    public static void testit(){  
        List<lead> L_list = new List<lead>();  
  
        for(Integer i=0; i<200; i++){  
            Lead L = new lead();  
            L.LastName = 'name' + i;  
            L.company = 'Company';  
            L.Status = 'Random Status';  
            L_list.add(L);  
        }  
        insert L_list;  
  
        Test.startTest();  
        LeadProcessor lp= new LeadProcessor();  
        Id batchId = Database.executeBatch(lp);  
        Test.stopTest();  
    }  
}
```

Control Processes with Queueable Apex

AddPrimaryContact

```
public class AddPrimaryContact implements Queueable {  
    public contact c;  
    public String state;
```

Salesforce Developer Catalyst

```
public AddPrimaryContact(Contact c, String state) {
    this.c = c;
    this.state = state;
}

public void execute(QueueableContext qc) {
    system.debug('this.c = '+this.c+' this.state = '+this.state);
    List<Account> acc_lst = new List<account>([select id, name, BillingState from account
where account.BillingState = :this.state limit 200]);
    List<contact> c_lst = new List<contact>();
    for(account a: acc_lst) {
        contact c = new contact();
        c = this.c.clone(false, false, false, false);
        c.AccountId = a.Id;
        c_lst.add(c);
    }
    insert c_lst;
}
}
```

AddPrimaryContactTest

```
@IsTest
public class AddPrimaryContactTest {

    @IsTest
    public static void testing() {
        List<account> acc_lst = new List<account>();
        for (Integer i=0; i<50;i++) {
            account a = new account(name=string.valueOf(i),billingstate='NY');
            system.debug('account a = '+a);
            acc_lst.add(a);
        }
        for (Integer i=0; i<50;i++) {
            account a = new account(name=string.valueOf(50+i),billingstate='CA');
            system.debug('account a = '+a);
            acc_lst.add(a);
        }
        insert acc_lst;
    }
}
```


Salesforce Developer Catalyst

```
Test.startTest();
contact c = new contact(lastname='alex');
AddPrimaryContact apc = new AddPrimaryContact(c,'CA');
system.debug('apc = '+apc);
System.enqueueJob(apc);
Test.stopTest();
List<contact> c_lst = new List<contact>([select id from contact]);
Integer size = c_lst.size();
system.assertEquals(50, size);
}
}
```

Schedule Jobs Using the Apex Scheduler

DailyLeadProcessor

```
public class DailyLeadProcessor implements Schedulable {
    Public void execute(SchedulableContext SC){
        List<Lead> LeadObj=[SELECT Id from Lead where LeadSource=null limit 200];
        for(Lead l:LeadObj){
            l.LeadSource='Dreamforce';
            update l;
        }
    }
}
```

DailyLeadProcessorTest

```
@isTest
private class DailyLeadProcessorTest {
    static testMethod void testDailyLeadProcessor() {
        String CRON_EXP = '0 0 1 * * ?';
        List<Lead> IList = new List<Lead>();
        for (Integer i = 0; i < 200; i++) {
            IList.add(new Lead(LastName='Dreamforce'+i, Company='Test1 Inc.',
            Status='Open - Not Contacted'));
        }
        insert IList;
    }
}
```

Salesforce Developer Catalyst

```
        Test.startTest();
        String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
    }
}
```

Apex Integration Services

Apex REST Callouts

AnimalLocator

```
public class AnimalLocator{
    public static String getAnimalNameById(Integer x){
        Http http = new Http();
        HttpRequest req = new HttpRequest();
        req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + x);
        req.setMethod('GET');
        Map<String, Object> animal= new Map<String, Object>();
        HttpResponse res = http.send(req);
        if (res.getStatusCode() == 200) {
            Map<String, Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody());
            animal = (Map<String, Object>) results.get('animal');
        }
        return (String)animal.get('name');
    }
}
```

AnimalLocatorTest

```
@isTest
private class AnimalLocatorTest{
    @isTest static void AnimalLocatorMock1() {
        Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
        string result = AnimalLocator.getAnimalNameById(3);
        String expectedResult = 'chicken';
        System.assertEquals(result,expectedResult );
    }
}
```

Salesforce Developer Catalyst

```
}
```

AnimalLocatorMock

```
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
    global HTTPResponse respond(HTTPRequest request) {
        HTTPResponse response = new HTTPResponse();
        response.setHeader('Content-Type', 'application/json');
        response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken",
"mighty moose"]}');
        response.setStatusCode(200);
        return response;
    }
}
```

Apex SOAP Callouts

ParkService

//Generated by wsdl2apex

```
public class ParkService {
    public class byCountryResponse {
        public String[] return_x;
        private String[] return_x_type_info = new String[]{'return','http://parks.services/',null,'0';-
1','false'};
        private String[] apex_schema_type_info = new String[]{'http://parks.services/',false,false};
        private String[] field_order_type_info = new String[]{'return_x'};
    }
    public class byCountry {
        public String arg0;
        private String[] arg0_type_info = new String[]{'arg0','http://parks.services/',null,'0';1','false'};
        private String[] apex_schema_type_info = new String[]{'http://parks.services/',false,false};
        private String[] field_order_type_info = new String[]{'arg0'};
    }
}
```

Salesforce Developer Catalyst

```
}  
public class ParksImplPort {  
    public String endpoint_x = 'https://th-apex-soap-service.herokuapp.com/service/parks';  
    public Map<String,String> inputHttpHeaders_x;  
    public Map<String,String> outputHttpHeaders_x;  
    public String clientCertName_x;  
    public String clientCert_x;  
    public String clientCertPasswd_x;  
    public Integer timeout_x;  
    private String[] ns_map_type_info = new String[]{ 'http://parks.services/', 'ParkService' };  
    public String[] byCountry(String arg0) {  
        ParkService.byCountry request_x = new ParkService.byCountry();  
        request_x.arg0 = arg0;  
        ParkService.byCountryResponse response_x;  
        Map<String, ParkService.byCountryResponse> response_map_x = new Map<String,  
ParkService.byCountryResponse>();  
        response_map_x.put('response_x', response_x);  
        WebServiceCallout.invoke(  
            this,  
            request_x,  
            response_map_x,  
            new String[]{ endpoint_x,  
                ",  
                'http://parks.services/',  
                'byCountry',  
                'http://parks.services/',  
                'byCountryResponse',  
                'ParkService.byCountryResponse' }  
        );  
        response_x = response_map_x.get('response_x');  
        return response_x.return_x;  
    }  
}  
}
```

ParkLocator

```
public class ParkLocator {  
    public static string[] country(string theCountry) {
```

Salesforce Developer Catalyst

```
ParkService.ParksImplPort parkSvc = new ParkService.ParksImplPort(); // remove space
return parkSvc.byCountry(theCountry);
}
}
```

ParkLocatorTest

```
@isTest
private class ParkLocatorTest {
    @isTest static void testCallout() {
        Test.setMock(WebServiceMock.class, new ParkServiceMock ());
        String country = 'United States';
        List<String> result = ParkLocator.country(country);
        List<String> parks = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};
        System.assertEquals(parks, result);
    }
}
```

Apex Web Services

AccountManager

```
@RestResource(urlMapping='/Accounts/*/contacts')
global class AccountManager {
    @HttpGet
    global static Account getAccount() {
        RestRequest req = RestContext.request;
        String accId = req.requestURI.substringBetween('Accounts/', '/contacts');
        Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
                      FROM Account WHERE Id = :accId];
        return acc;
    }
}
```

AccountManagerTest

```
@isTest
private class AccountManagerTest {
```

Salesforce Developer Catalyst

```
private static testMethod void getAccountTest1() {
    Id recordId = createTestRecord();
    RestRequest request = new RestRequest();
    request.requestUri = 'https://na1.salesforce.com/services/apexrest/Accounts/'+ recordId
+ '/contacts';
    request.httpMethod = 'GET';
    RestContext.request = request;
    Account thisAccount = AccountManager.getAccount();
    // Verify results
    System.assert(thisAccount != null);
    System.assertEquals('Test record', thisAccount.Name);
}

static Id createTestRecord() {
    // Create test record
    Account TestAcc = new Account(
        Name='Test record');
    insert TestAcc;
    Contact TestCon= new Contact(
        LastName='Test',
        AccountId = TestAcc.id);
    return TestAcc.Id;
}
}
```

Apex Specialist SUPERBADGE

Automated Record Creation (Step 2)

MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
```

Salesforce Developer Catalyst

```
For (Case c : updWorkOrders){
    if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
            validIds.add(c.Id);
        }
    }
}

if (!validIds.isEmpty()){
    List<Case> newCases = new List<Case>();
    Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c
FROM Equipment_Maintenance_Items__r)
                                FROM Case WHERE Id IN :validIds]);
    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
    AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }

    for(Case cc : closedCasesM.values()){
        Case nc = new Case (
            ParentId = cc.Id,
            Status = 'New',
            Subject = 'Routine Maintenance',
            Type = 'Routine Maintenance',
            Vehicle__c = cc.Vehicle__c,
            Equipment__c =cc.Equipment__c,
            Origin = 'Web',
            Date_Reported__c = Date.Today()
        );

        If (maintenanceCycles.containsKey(cc.Id)){
            nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
        } else {
            nc.Date_Due__c = Date.today().addDays((Integer)
```

Salesforce Developer Catalyst

```
cc.Equipment__r.maintenance_Cycle__c);
    }

    newCases.add(nc);
}

insert newCases;

List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
    for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
        Equipment_Maintenance_Item__c wpClone = wp.clone();
        wpClone.Maintenance_Request__c = nc.Id;
        ClonedWPs.add(wpClone);
    }
}
insert ClonedWPs;
}
}
```

MaintenanceRequest

```
trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}
```

Synchronize Salesforce data with an external system (Step 3).

WarehouseCalloutService

```
public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
```


Salesforce Developer Catalyst

```
@future(callout=true)
public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();

    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);

    List<Product2> warehouseEq = new List<Product2>();

    if (response.getStatusCode() == 200){
        List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
        System.debug(response.getBody());

        for (Object eq : jsonResponse){
            Map<String,Object> mapJson = (Map<String,Object>)eq;
            Product2 myEq = new Product2();
            myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
            myEq.Name = (String) mapJson.get('name');
            myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
            myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
            myEq.Cost__c = (Integer) mapJson.get('cost');
            myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
            myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
            myEq.ProductCode = (String) mapJson.get('_id');
            warehouseEq.add(myEq);
        }

        if (warehouseEq.size() > 0){
            upsert warehouseEq;
            System.debug('Your equipment was synced with the warehouse one');
        }
    }
}

public static void execute (QueueableContext context){
```

Salesforce Developer Catalyst

```
        runWarehouseEquipmentSync();
    }

}
```

Schedule synchronization using Apex code (Step 4)

WarehouseSyncSchedule

```
global with sharing class WarehouseSyncSchedule implements Schedulable{
    global void execute(SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}
```

Test automation logic (Step 5)

MaintenanceRequestHelperTest

```
@istest
public with sharing class MaintenanceRequestHelperTest {

    private static final string STATUS_NEW = 'New';
    private static final string WORKING = 'Working';
    private static final string CLOSED = 'Closed';
    private static final string REPAIR = 'Repair';
    private static final string REQUEST_ORIGIN = 'Web';
    private static final string REQUEST_TYPE = 'Routine Maintenance';
    private static final string REQUEST_SUBJECT = 'Testing subject';

    PRIVATE STATIC Vehicle__c createVehicle(){
        Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
        return Vehicle;
    }

    PRIVATE STATIC Product2 createEq(){
        product2 equipment = new product2(name = 'SuperEquipment',
                                            lifespan_months__C = 10,
                                            maintenance_cycle__C = 10,
```

Salesforce Developer Catalyst

```
        replacement_part__c = true);
    return equipment;
}

PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
        Status=STATUS_NEW,
        Origin=REQUEST_ORIGIN,
        Subject=REQUEST_SUBJECT,
        Equipment__c=equipmentId,
        Vehicle__c=vehicleId);
    return cs;
}

PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId, id
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
        Maintenance_Request__c = requestId);
    return wp;
}

@istest
private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;

    Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
    insert workP;
```

Salesforce Developer Catalyst

```
test.startTest();
somethingToUpdate.status = CLOSED;
update somethingToUpdate;
test.stopTest();
```

```
Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c, Vehicle__c,
Date_Due__c
               from case
               where status =:STATUS_NEW];
```

```
Equipment_Maintenance_Item__c workPart = [select id
                                             from Equipment_Maintenance_Item__c
                                             where Maintenance_Request__c =:newReq.Id];
```

```
system.assert(workPart != null);
system.assert(newReq.Subject != null);
system.assertEquals(newReq.Type, REQUEST_TYPE);
SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
```

@istest

```
private static void testMaintenanceRequestNegative(){
```

```
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
```

```
    product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;
```

```
    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
    insert emptyReq;
```

```
    Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
    insert workP;
```

Salesforce Developer Catalyst

```
test.startTest();
emptyReq.Status = WORKING;
update emptyReq;
test.stopTest();

list<case> allRequest = [select id
                        from case];

Equipment_Maintenance_Item__c workPart = [select id
                                           from Equipment_Maintenance_Item__c
                                           where Maintenance_Request__c = :emptyReq.Id];

system.assert(workPart != null);
system.assert(allRequest.size() == 1);
}

@istest
private static void testMaintenanceRequestBulk(){
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
    list<case> requestList = new list<case>();
    list<id> oldRequestIds = new list<id>();

    for(integer i = 0; i < 300; i++){
        vehicleList.add(createVehicle());
        equipmentList.add(createEq());
    }
    insert vehicleList;
    insert equipmentList;

    for(integer i = 0; i < 300; i++){
        requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
    }
    insert requestList;

    for(integer i = 0; i < 300; i++){
```

Salesforce Developer Catalyst

```
        workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
    }
    insert workPartList;

    test.startTest();
    for(case req : requestList){
        req.Status = CLOSED;
        oldRequestIds.add(req.Id);
    }
    update requestList;
    test.stopTest();

    list<case> allRequests = [select id
                             from case
                             where status =: STATUS_NEW];

    list<Equipment_Maintenance_Item__c> workParts = [select id
                                                       from Equipment_Maintenance_Item__c
                                                       where Maintenance_Request__c in: oldRequestIds];

    system.assert(allRequests.size() == 300);
}
}
```

MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();

        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
    }
}
```

Salesforce Developer Catalyst

```
if (!validIds.isEmpty()){
    List<Case> newCases = new List<Case>();
    Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c
FROM Equipment_Maintenance_Items__r)
                                FROM Case WHERE Id IN :validIds]);
    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
    AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }

    for(Case cc : closedCasesM.values()){
        Case nc = new Case (
            ParentId = cc.Id,
            Status = 'New',
            Subject = 'Routine Maintenance',
            Type = 'Routine Maintenance',
            Vehicle__c = cc.Vehicle__c,
            Equipment__c =cc.Equipment__c,
            Origin = 'Web',
            Date_Reported__c = Date.Today()

        );

        If (maintenanceCycles.containsKey(cc.Id)){
            nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
        }

        newCases.add(nc);
    }

    insert newCases;

    List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
```

Salesforce Developer Catalyst

```
        for (Case nc : newCases){
            for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
                Equipment_Maintenance_Item__c wpClone = wp.clone();
                wpClone.Maintenance_Request__c = nc.Id;
                ClonedWPs.add(wpClone);
            }
        }
        insert ClonedWPs;
    }
}
```

MaintenanceRequest

```
trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}
```

Test callout logic (Step 6)

WarehouseCalloutService

```
public with sharing class WarehouseCalloutService {

    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){

        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);
    }
}
```


Salesforce Developer Catalyst

```
List<Product2> warehouseEq = new List<Product2>();

if (response.getStatusCode() == 200){
    List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
    System.debug(response.getBody());

    for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;
        Product2 myEq = new Product2();
        myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
        myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        myEq.Cost__c = (Decimal) mapJson.get('lifespan');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        warehouseEq.add(myEq);
    }

    if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
        System.debug(warehouseEq);
    }

}
}
```

WarehouseCalloutServiceTest

@isTest

```
private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout(){
        Test.startTest();

        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
    }
}
```

Salesforce Developer Catalyst

```
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}
```

WarehouseCalloutServiceMock

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request){

        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
            request.getEndpoint());
        System.assertEquals('GET', request.getMethod());

        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

        response.setBody('{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"Generator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}');
        response.setStatusCode(200);
        return response;
    }
}
```

Test scheduling logic (Step 7)

WarehouseSyncSchedule

```
global with sharing class WarehouseSyncSchedule implements Schedulable {
    global void execute (SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}
```

WarehouseSyncScheduleTest

```
@isTest
public with sharing class WarehouseSyncScheduleTest {
    @isTest static void test() {
```

Salesforce Developer Catalyst

```
String scheduleTime = '00 00 00 * * ? *';
Test.startTest();
Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
String jobId = System.schedule('Warehouse Time to Schedule to test', scheduleTime,
new WarehouseSyncSchedule());
CronTrigger c = [SELECT State FROM CronTrigger WHERE Id =: jobId];
System.assertEquals('WAITING', String.valueOf(c.State), 'JobId does not match');

Test.stopTest();
}
}
```

WarehouseCalloutServiceMock

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    global static HttpResponse respond(HttpRequest request) {

        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

        response.setBody('{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":
"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226726b611
100aaf742","replacement":true,"quantity":183,"name":"Cooling
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b611100a
af743","replacement":true,"quantity":143,"name":"Fuse
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}');
        response.setStatusCode(200);
        return response;
    }
}
```

Salesforce Developer Catalyst

THANK YOU,

Sincerely

AJAY DANASEKARAN