

# **1.INTRODUCTION**

## **1.1 Overview**

Forests, which are diverse centres of flora and wildlife and create 1/3 of the world's oxygen, are at risk of forest fires, both natural and man-made. The precaution of averting such a massive devastating flare can save many animals and the environment. Protecting forests before they are harmed is a method of repaying Mother Nature's everlasting gift.

Wildfires are one of the biggest catastrophes faced by our society today causing irrevocable damages. These forest fires can be man-made or caused by mother nature by different weather conditions, torrential winds. These fires cause damages not only to the environment they also destroy vast homes and property.

## **1.2 Purpose**

Forest fires have become a major threat around the world, causing many negative impacts on human habitats and forest ecosystems. Climatic changes and the greenhouse effect are some of the consequences of such destruction. Interestingly, a higher percentage of forest fires occur due to human activities.

The goal of the project is to develop a forest fire detection system that can identify forest fires in their early phases.

# **2.Literature survey**

## **2.1 Existing problem**

Every year, there are an estimated 340,000 premature deaths from respiratory and cardiovascular issues attributed to wildfire smoke.

The increasing frequency and severity of wildfires pose a growing threat to biodiversity globally. Individuals, companies and public authorities bear great economic costs due to fires. In order to reduce all these, we need to detect the forest fire at an early stage and prevent it.

Some of the existing solutions for solving this problem are:

### **Technology**

The present technology includes particle and smoke detection systems, which are commonly used in facilities and families. These systems detect moisture in a space and determine whether the

current atmosphere is safe or if an alarm should be triggered. The same way that a fire alarm works by spraying water throughout the room to put out the fire.

## **Fire fighter**

To tackle fire problems, highly trained humans are used. Firefighters employ techniques and trucks to suppress forest fires throughout the conditions.

The priority of a firefighter is to protect people and reduce the number of people killed or injured by fire. Firefighting and property damage are the second and third priorities, respectively.


## **2.2 Proposed solution**

The following paper describes the system to detect fire before becoming a big flame of destruction:


1. To build a system to detect the fire in woods through image processing.
2. To overcome the physically and molecular dynamic to detect fire for faster response.
3. A conventional neural network is being used to develop a model used to train through various images. This system will help to detect fire with before response system to prevent huge destruction.

### 3.Theoritical Analysis

#### 3.1 Block Diagram



#### Architecture:



### 3.2 Hardware/Software Designing

#### Hardware Requirements:

Operating System	Windows, Mac, Linux
CPU (for training)	Multi Core Processors (i3 or above/equivalent)
GPU (for training)	NVIDIA AI Capable / Google's TPU
Webcam	Integrated or External with Full HD Support

#### Software Requirements:

Python	v3.9.0 or Above
Python Packages	flask, tensorflow, opencv-python, keras, numpy, pandas, VirtualNet, pillow
Web Browser	Google Chrome or any modern web browser.
IBM Cloud (for training)	Watson Studio- Model Training & Deployment as Machine Learning Instance

## 4.Experimental Investigations

Training and Testing using Dataset Provided:

### ▼ Creating the model

```
✓ [12] import tensorflow
0s      from tensorflow.keras.models import Sequential
      from tensorflow.keras import layers
      from tensorflow.keras.layers import Dense, Flatten
      from tensorflow.keras.layers import Conv2D, MaxPooling2D
      from tensorflow.keras.preprocessing.image import ImageDataGenerator
```

```
✓ [13] #initializing the model
0s      model=Sequential()
```

```
✓ [14] #adding convolution layer
0s      model.add(Convolution2D(32,(3,3),input_shape=(64,64,3),activation='relu'))
```


```
✓ [15] #adding maxpooling layer
0s      model.add(MaxPooling2D(pool_size=(2,2)))
```

```
✓ [16] #adding flatten layer
0s      model.add(Flatten())
```

```
✓ [17] #adding hidden layer
0s      model.add(Dense(32))
```

```
✓ [18] #adding output layer
0s      model.add(Dense(2,activation='softmax'))
```

## 5. Flowchart



## 6.Result

The proposed procedure was implemented and tested with set of images. The sets of images of forest with fire and normal for training dataset and set of images of forest fire and normal for testing dataset. Once the model recognises the appropriate result on the screen.

**Some examples images of the output are provided below:**

### ▾ Saving our model

```
[ ] model.save('forest1 (2).h5')
```

### ▾ Predicting our results

```
[ ] from tensorflow.keras.models import load_model
    from tensorflow.keras.preprocessing import image
    model = load_model("forest1 (2).h5")
```

```
[ ] img = image.load_img(r"/content/drive/MyDrive/forest fire/Dataset/train_set/with fire/with fire (14).jpg",target_size= (64,64))#loading of the image
    x = image.img_to_array(img)
    x = np.expand_dims(x,axis = 0)#changing the shape
    #pred = model.predict_classes(x)#predicting the classes
    preds=model.predict(x)
    preds=np.argmax(preds,axis=1)
    preds
```

```
1/1 [=====] - 0s 128ms/step
array([1])
```

▶ img



```
[ ] index=['Forest','With Fire']  
result = str(index[preds[0]])  
result
```

'With Fire'

```
[ ] img = image.load_img(r"/content/drive/MyDrive/forest fire/Dataset/test_set/forest/0.64133000_1519374442_forest_deep.jpg",target_size= (64,64))#loading of the image  
x = image.img_to_array(img)  
x = np.expand_dims(x,axis = 0)  
preds=model.predict(x)  
preds=np.argmax(preds,axis=1)  
preds
```

1/1 [=====] - 0s 31ms/step  
array([0])

```
[ ] img
```



```
▶ index=['Forest','With Fire']  
result=str(index[preds[0]])  
result
```

🔗 'Forest'

```
[ ] img = image.load_img(r"/content/drive/MyDrive/forest fire/Dataset/test_set/with fire/Forest_Fire (4).jpg",target_size= (64,64))#loading of the image  
x = image.img_to_array(img)  
x = np.expand_dims(x,axis = 0)
```


Flask - Google D...Video-Model-Ter...opency-python...twilio - PyPi...Mini-project...Telegram...Meet - vwo...Early Detection...+  
localhost:5000  
Prime VideoMX Player - Play M...wallpapers pixelsTelegramGithubAmazon shoppinghackerrank.comTalent BattlesmartinternzExternship Drug Cla...Twilio

EARLY DETECTION OF FOREST FIRES

VIDEO ANALYSIS

Forest fires are a major environmental issue, creating economic and ecological damage while endangering human lives.



DROP THE IMAGE NOW!



Type here to search

29°C Sunny16:5229-10-2022






Forest\_Fire.py - Colaboratory x (42) WhatsApp x Early Detection of Forest Fires x +

localhost:5000/#section2

Prime Video MX Player - Play M... wallpapers pixels Telegram Github Amazon shopping hackerrank.com Talent Battle smartinternz Externship Drug Cla... Twilio

# EARLY DETECTION OF FOREST FIRES


## VIDEO ANALYSIS



Click on choose and upload the image...

Upload your image

Choose...



Prediction: forest

Type here to search 25°C Mostly clear 13:42 11-11-2022


Flask - Google Di x Video-Model-Tei x opencv-python x twilio - PyPI x Mini-project.py x Telegram x Meet - vwo-v x Early Detection o x +

localhost:5000/#section2

Prime Video MX Player - Play M... wallpapers pixels Telegram Github Amazon shopping hackerrank.com Talent Battle smartinternz Externship Drug Cla... Twilio

# EARLY DETECTION OF FOREST FIRES

## VIDEO ANALYSIS




Click on choose and upload the image...


Upload your image

Choose...

Type here to search 29°C Sunny 16:52 29-10-2022



- In Video Analysis we can capture the image of forest through OpenCV window:



- But when we try to show the fire video the OpenCV window does not open and simply send SMS to phone number that registered

Sent from your Twilio trial account - fire detected please take an immediate action

Sent from your Twilio trial account - fire detected please take an immediate action

## 7. Advantages and Disadvantages

- **Advantages:**

1. The proposed model can be used in combination with a night camera and a thermal camera in a forest to identify tiny fire signs.
2. More datasets and images can be used to train for a more accurate outcome when detecting flame destruction on ability.
3. model can be implemented in mobile applications for camping experience enthusiasts.

- **Disadvantages:**

1. The model works for limited information.
2. The accuracy is low because to the limited quantity/quality of photos in the dataset, but this may easily be increased by changing the dataset.
3. The small amount of fire amount detection can also cause to trigger the alarm.

## **8. Applications:**

1. Will contribute to surveillance technology that improves the accuracy and predictability of fire detection.
2. Able to detect the fire forest more precisely, as well as some forest plants and wildlife.
3. Detect the number of dangers that should be treated and those that should not. extra assistance  
In contacting fire fighters for assistance system

## **9. Conclusion**

Forest fires are a major cause of rain forest and savanna degradation. This model will aid in minimising destruction by anticipating it to the system, allowing individuals to react more quickly and prevent it.

The proposed methodology would deconstruct the threat to the environment by converting the image collected into signals that will trigger an alarm.

This system transmits video images to a model, which recognises them and determines whether or not to send a threat alert. The model extracts data from video feeds and defines image processing into RGB data for signal response modelling.

## 10. Future Scope

The availability of fire-fighting technology brings us one step closer to new AI for detection and security in the forest and at home. With the addition of a motion sensor, the technology can simply expand to compact decision-making with the addition of new software and hardware.

The system is utilized as a drone and surveillance system UAV to expand the surveillance area and detect heat signatures in order to identify human from fire plasma signatures.

## 11.BIBLOGRAPY

1. Environment Setup:<https://www.youtube.com/watch?v=5mDYijMfSzs>
2. Forest fire Dataset:  
<https://drive.google.com/drive/folders/1vq8TRFWE7WH7> [https://drive.google.com/drive/folders/1vq8TRFWE7WH7\\_-dsqKAmvjJAsaxx-kPQ?usp=sharing](https://drive.google.com/drive/folders/1vq8TRFWE7WH7_-dsqKAmvjJAsaxx-kPQ?usp=sharing)
3. Keras Image Processing Doc: <https://keras.io/api/preprocessing/image/>
4. Keras Image Dataset from Directory Doc:  
<https://keras.io/api/preprocessing/image/#imagedatasetfromdirectory-function>
5. CNN using TensorFlow: [https://www.youtube.com/watch?v=umGJ30-15\\_A](https://www.youtube.com/watch?v=umGJ30-15_A)
6. OpenCV Basics of Processing  
Image:<https://www.youtube.com/watch?v=mjKd1Tzl70I>
7. Flask Basics:[https://www.youtube.com/watch?v=lj4I\\_CvBnt0](https://www.youtube.com/watch?v=lj4I_CvBnt0)
8. IBM Academic Partner Account Creation: <https://www.youtube.com/watch?v=x6i43M7BAqE>
9. CNN Deployment and Download through IBM Cloud:  
<https://www.youtube.com/watch?v=BzouqMGJ41k>

## 12. Appendix

### App.py

```
from __future__ import division, print_function
import os
import numpy as np
import tensorflow as tf
from tensorflow.keras.preprocessing import image
from tensorflow.keras.models import load_model
from flask import Flask, request, render_template, url_for
from werkzeug.utils import secure_filename
import cv2
import smtplib
from twilio.rest import Client

global graph
#graph=tf.get_default_graph()
# Define a flask app
app = Flask(__name__)
model = load_model('forest1 (2).h5')

print('Model loaded. Check http://127.0.0.1:5000/')

@app.route('/', methods=['GET'])
def index():
    # Main page
    return render_template('digital.html')

@app.route('/predict', methods=['GET', 'POST'])
def upload():
    if request.method == 'POST':
```

```

# Get the file from post request
f = request.files['image']

# Save the file to ./uploads
basepath = os.path.dirname(__file__)
file_path = os.path.join(
    basepath, 'uploads', secure_filename(f.filename))
f.save(file_path)
img = image.load_img(file_path, target_size=(64,64))

x = image.img_to_array(img)
x = np.expand_dims(x, axis=0)

#with graph.as_default():
preds = np.argmax(model.predict(x))
index = ["forest", "with fire"]
print(preds)
text = index[preds]
return text

@app.route('/video', methods=['GET', 'POST'])
def opencv():
    video = cv2.VideoCapture(0)
    name = ['forest', 'with fire']

    while(1):
        success, frame = video.read()
        cv2.imwrite("image.jpg", frame)
        img = image.load_img("image.jpg", target_size = (64,64))
        x = image.img_to_array(img)
        x = np.expand_dims(x, axis = 0)
        pred = np.argmax(model.predict(x), axis=1)
        #pred = model.predict_classes(x)
        pred = model.predict(x)
        #p = pred[0]
        p = int(pred[0][0])
        print(pred)
        #cv2.putText(frame, "predicted class = "+str(name[p]), (100,100),
cv2.FONT_HERSHEY_SIMPLEX, 1, (0,0,0), 1)

```



```

pred = model.predict(x)
pred=np.argmax(model.predict(x),axis=1)
print(pred)
#cv2.putText(frame, "predicted class = "+str(name[pred]), (100,100),
cv2.FONT_HERSHEY_SIMPLEX, 1, (0,0,0), 1)
if pred[0]==1:

    cv2.putText(frame, "predicted class = Fire Detected" ,(100,100),
cv2.FONT_HERSHEY_SIMPLEX, 1, (0,0,0), 1)
    account_sid = 'AC8b5221b34406db8b4cc42c18afb15901'
    auth_token = '17f628fc77996909ec040b321b771173'
    client = Client(account_sid, auth_token)

    message = client.messages.create(
        messaging_service_sid='MGaf95938e5e0ffcf0cae9f7732329b67d',
        body='fire detected please take an immediate action',
        to='+919347657960' )
    print(message.sid)

    print('Fire Detected')
    print ('SMS sent!')
    #return 'Fire Detected'
    return render_template('video.html',pred="Fire Detected Alert Notification Sent")
    break
else:
    cv2.putText(frame, "predicted class = No Danger",(100,100),
cv2.FONT_HERSHEY_SIMPLEX, 1, (0,0,0), 1)
    print("no danger")
    #break
    cv2.imshow("image",frame)

    if cv2.waitKey(1) & 0xFF == ord('a'):
        break

video.release()
cv2.destroyAllWindows()
return render_template('digital.html')

if __name__ == '__main__':
    app.run(threaded = False)

```

## Digital.html

```
<html>
  <head>
    <title>Early Detection of Forest Fires</title>

    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link                                     rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link href='https://fonts.googleapis.com/css?family=Josefin+Sans' rel='stylesheet'>
    <link href='https://fonts.googleapis.com/css?family=Merriweather' rel='stylesheet'>
      <script
src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></script>
      <script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
      <script
src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
    <style>
      .header {
        top:0px;
        margin:0px;
        left: 0px;
        right: 0px;
        position: fixed;
        background: #161616;
        text-transform:uppercase;
        letter-spacing:3px;
        color: white;
        overflow: hidden;
        padding-bottom: 10px;
        font-size: 2.25vw;
        width: 100%;
        padding-left:0px;
        text-align: center;
        padding-top:5px;
        font-family: 'Merriweather';
```

```
}  
.second{  
    top:60px;  
    bottom:0px;  
    margin:0px;  
    left: 0px;  
    right: 0%;  
    position: absolute;  
    padding: 0px;  
    width: 100%;  
  
    background-  
image:url({ {url_for('static',filename="images/12.png")} });  
    background-repeat:no-repeat;  
    background-size: cover;  
    background-position:center;  
    background-attachment:absolute;  
  
}  
.inside{  
    top:7%;  
    bottom:0px;  
    margin:0px;  
    left: 5%;  
    right: 55%;  
    position: absolute;  
    padding-left: 40px;  
    padding-top:8%;  
    padding-right:5%;  
    background-color:transparent;  
    font-family:Merriweather;  
    color:#563F31;  
    font-size:18px;  
    text-align:justify;  
    line-height:32px;  
margin:auto;  
overflow:hidden;
```

```

    }
    .myButton{
        border: none;
        text-align: center;
        cursor: pointer;
        text-transform: uppercase;
        outline: none;
        overflow: hidden;
        color: #fff;
        font-weight: 700;
        font-size: 12px;
        background-color: #161616;
        padding: 10px 15px;
        margin: 0 auto;
        box-shadow: 0 5px 15px rgba(0,0,0,0.20);
    }
    .predicting{
        background-
image:url({ {url_for('static',filename="images/img.png")} });
        background-repeat:no-repeat;
        background-size: cover;
        background-position:center;
        background-attachment:absolute;
        height:100%;
        margin-top:49.6%;
        text-align:center;
    }
    #showcase{
        height:300px;
        margin-bottom:30px;
    }
html {
    scroll-behavior: smooth;
}
#main{
    float:center;
    color:black;

```

```
width:100%;  
padding:0 30px;  
padding-top:7%;  
box-sizing: border-box;  
font-family:Georgia, serif;  
text-align:center;  
}
```

```
#sidebar{  
    float:right;  
    width:50%;  
    background-color: transparent;  
    color:#000;  
    font-family:Georgia, serif;  
    padding-left:0px;  
    padding-right:0px;  
    padding-top:1px;  
    box-sizing: border-box;  
}  
.img-preview {  
    width: 300px;  
    height: 300px;  
    position: relative;  
    border: 5px solid #F8F8F8;  
    box-shadow: 0px 2px 4px 0px rgba(0, 0, 0, 0.1);  
    margin-top: 1em;  
    margin-bottom: 1em;  
}  
.topnav-right a.active {  
    background-color: #565961;  
    color: white;  
}
```

```
.topnav-right {  
  float: right;  
  padding-right: 100px;  
}
```

```
.img-preview>div {  
  width: 100%;  
  height: 100%;  
  background-size: 300px 300px;  
  background-repeat: no-repeat;  
  background-position: center;  
}
```

```
input[type="file"] {  
  display: none;  
}
```

```
.upload-label {  
  display: inline-block;  
  padding: 12px 30px;  
  background: #161616;  
  color: #fff;  
  font-size: 1em;  
  transition: all .4s;  
  cursor: pointer;  
  font-weight: bold;  
}
```

```
.upload-label:hover {  
  background: #3A3A3A;  
  color: white;  
  font-weight: bold;  
}
```

```
.loader {  
  border: 8px solid #f3f3f3; /* Light grey */  
  border-top: 8px solid #161616;
```

```

border-radius: 50%;
width: 50px;
height: 50px;
animation: spin 1s linear infinite;
}

@keyframes spin {
  0% { transform: rotate(0deg); }
  100% { transform: rotate(360deg); }
}

</style>
</head>
<body>
  <!-- <div class="header">Early Detection of Forest Fires</div> -->
  <div class="header">
    <div
      style="width:50%;float:left;font-size:2vw;text-
align:left;color:white; padding-top:1%">Early Detection of Forest Fires</div>
    <div class="topnav-right" style="padding-top:0.5%;">

      <a href="{ { url_for('opencv') } }">Video Analysis</a>

    </div>
  </div>
  <div class="second">
    <div class="inside">Forest fires are a major environmental issue,
creating economic and ecological damage while endangering human
lives.<br><br><center></center>
    <section id="showcase">
      <br>
      <div style="margin-left:32.5%">
        <a href="#section2"><button type="button" class="myButton" >Drop
the image now!</button></a>
      </div>
    </div>
  </div>
</div>

```

```

        <div class="predictimg" id="section2" >
            <section id="main">
                <div style="text-align:left;width:100%;padding-left:56%;">
                    <p><h3 style=font-size:25px> Click on choose and upload the
image...<br><br></h3></p>

                </div>

            </section>
            <div style="margin-top:0%;padding-top:0%;padding-left:40%;font-
family:Georgia, serif;width:100%;">
                <div>
                    <h4 style=font-size:19px>Upload your image</h4>
                    <form action = "http://localhost:5000/" id="upload-file"
method="post" enctype="multipart/form-data">
                        <label for="imageUpload" class="upload-label">
                            Choose...
                        </label>
                        <input type="file" name="image" id="imageUpload"
accept=".png, .jpg, .jpeg">
                    </form>

                <div class="image-section" style="display:none;padding-
left:35%;">
                    <div class="img-preview">
                        <div id="imagePreview">
                            </div>
                        </div>
                    </div>
                    <div class="image-section" style="display:none;">
                        <div>
                            <button type="button" class="btn btn-lg upload-
label" id="btn-predict">Predict!</button>
                        </div>
                    </div>
                </div>

```



```

<div class="loader" style="display:none;"></div>
<div style="width:70%;text-align:justify;margin-left:20%;">
<h4>
    <span id="result"> </span>
</h4></div>

```

```

</div>

```

```

</div></div>

```

```

<script>

```

```

window.onscroll = function() {myFunction()};

```

```

$(document).ready(function () {

```

```

    // Init

```

```

    $('.image-section').hide();

```

```

    $('.loader').hide();

```

```

    $('#result').hide();

```

```

    // Upload Preview

```

```

    function readURL(input) {

```

```

        if (input.files && input.files[0]) {

```

```

            var reader = new FileReader();

```

```

            reader.onload = function (e) {

```

```

                $('#imagePreview').css('background-image', 'url(' + e.target.result + ')');

```

```

                $('#imagePreview').hide();

```

```

                $('#imagePreview').fadeIn(650);

```

```

            }

```

```

            reader.readAsDataURL(input.files[0]);

```

```

        }

```

```

    }

```

```

    $("#imageUpload").change(function () {

```

```

        $('.image-section').show();

```

```

        $('#btn-predict').show();

```

```

        $('#result').text("");

```

```

        $('#result').hide();

```

```

        readURL(this);

```

```

});

// Predict
$('#btn-predict').click(function () {
    var form_data = new FormData($('#upload-file')[0]);

    // Show loading animation
    $(this).hide();
    $('#loader').show();

    // Make prediction by calling api /predict
    $.ajax({
        type: 'POST',
        url: '/predict',
        data: form_data,
        contentType: false,
        cache: false,
        processData: false,
        async: true,
        success: function (data) {
            // Get and display the result
            $('#loader').hide();
            $('#result').fadeIn(600);
            $('#result').text('Prediction: '+data);
            console.log('Success!');
        },
    });
});

});
</script>

</body>
</html>

```

## Video.html

```
<html>
  <head>
    <title>Early Detection of Forest Fires</title>

    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css" rel="stylesheet"
    <link href='https://fonts.googleapis.com/css?family=Josefin+Sans' rel='stylesheet'>
    <link href='https://fonts.googleapis.com/css?family=Merriweather' rel='stylesheet'>
      <script src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></script>
      <script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
      <script src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
    <style>
      .header {
        top:0px;
        margin:0px;
        left: 0px;
        right: 0px;
        position: fixed;
        background: #161616;
        text-transform:uppercase;
        letter-spacing:3px;
        color: white;
        overflow: hidden;
        padding-bottom: 10px;
        font-size: 2.25vw;
        width: 100%;
        padding-left:0px;
        text-align: center;
        padding-top:5px;
        font-family: 'Merriweather';
      }
      .second{
        top:60px;
        bottom:0px;
        margin:0px;
        left: 0px;
        right: 0%;
        position: absolute;
        padding: 0px;
```

```

width: 100%;

background-image:url({ {url_for('static',filename="images/12.png")} });
background-repeat:no-repeat;
background-size: cover;
background-position:center;
background-attachment:absolute;

}
.inside{
    top:7%;
    bottom:0px;
    margin:0px;
    left: 5%;
    right: 55%;
    position: absolute;
    padding-left: 40px;
    padding-top:8%;
    padding-right:5%;
    background-color:transparent;
    font-family:Merriweather;
    color:#563F31;
    font-size:18px;
    text-align:justify;
    line-height:32px;
margin:auto;
overflow:hidden;
}
.myButton{
    border: none;
    text-align: center;
    cursor: pointer;
    text-transform: uppercase;
    outline: none;
    overflow: hidden;
    color: #fff;
    font-weight: 700;
    font-size: 12px;
    background-color: #161616;
    padding: 10px 15px;
    margin: 0 auto;
    box-shadow: 0 5px 15px rgba(0,0,0,0.20);
}

```

```

        .predictimg{
            background-image:url({ { url_for('static',filename="images/img.png") } });
            background-repeat:no-repeat;
            background-size: cover;
            background-position:center;
            background-attachment:absolute;
            height:100%;
            margin-top:49.6%;
            text-align:center;
        }
        #showcase{
            height:300px;
            margin-bottom:30px;
        }
    html {
        scroll-behavior: smooth;
    }
    #main{
        float:center;
        color:black;
        width:100%;
        padding:0 30px;
        padding-top:7%;
        box-sizing: border-box;
        font-family:Georgia, serif;
        text-align:center;
    }

    #sidebar{
        float:right;
        width:50%;
        background-color: transparent;
        color:#000;
        font-family:Georgia, serif;
        padding-left:0px;
        padding-right:0px;
        padding-top:1px;
        box-sizing: border-box;
    }
    .img-preview {

```

```
width: 300px;
height: 300px;
position: relative;
border: 5px solid #F8F8F8;
box-shadow: 0px 2px 4px 0px rgba(0, 0, 0, 0.1);
margin-top: 1em;
margin-bottom: 1em;
}
```

```
.img-preview>div {
width: 100%;
height: 100%;
background-size: 300px 300px;
background-repeat: no-repeat;
background-position: center;
}
```

```
input[type="file"] {
display: none;
}
```

```
.upload-label{
display: inline-block;
padding: 12px 30px;
background: #161616;
color: #fff;
font-size: 1em;
transition: all .4s;
cursor: pointer;
font-weight:bold;
}
```

```
.upload-label:hover{
background: #3A3A3A;
color: white;
font-weight:bold;
}
```

```
.loader {
border: 8px solid #f3f3f3; /* Light grey */
border-top: 8px solid #161616;
border-radius: 50%;
width: 50px;
```

```

height: 50px;
animation: spin 1s linear infinite;
}

@keyframes spin {
  0% { transform: rotate(0deg); }
  100% { transform: rotate(360deg); }
}

</style>
</head>
<body>
  <div class="header">Early Detection of Forest Fires</div>
  <div class="second">
    <div class="inside"><a href="#section2"><button class="myButton"
>{ {pred}} </button></a>.<br><br><center></center>
    <section id="showcase">
      <br>
      <div style="margin-left:32.5%">

      </div>
      </div>
    </section>

    </div>

    </div></div>
  <script>
window.onload = function() {myFunction()};

$(document).ready(function () {
  // Init
  $('.image-section').hide();
  $('.loader').hide();
  $('#result').hide();

  // Upload Preview
  function readURL(input) {
    if (input.files && input.files[0]) {
      var reader = new FileReader();
      reader.onload = function (e) {

```

```

        $('#imagePreview').css('background-image', 'url(' + e.target.result + ')');
        $('#imagePreview').hide();
        $('#imagePreview').fadeIn(650);
    }
    reader.readAsDataURL(input.files[0]);
}
}
$("#imageUpload").change(function () {
    $('.image-section').show();
    $('#btn-predict').show();
    $('#result').text("");
    $('#result').hide();
    readURL(this);
});

// Predict
$('#btn-predict').click(function () {
    var form_data = new FormData($('#upload-file')[0]);

    // Show loading animation
    $(this).hide();
    $('.loader').show();

    // Make prediction by calling api /predict
    $.ajax({
        type: 'POST',
        url: '/predict',
        data: form_data,
        contentType: false,
        cache: false,
        processData: false,
        async: true,
        success: function (data) {
            // Get and display the result
            $('.loader').hide();
            $('#result').fadeIn(600);
            $('#result').text('Prediction: '+data);
            console.log('Success!');
        },
    });
});
});

```



</script>

</body>

</html>