Assignment-6

RAVULAKOLANU JITENDRA PRASAD

jitendra.prasad2019@vitstudent.ac.in

python code:

```
A general position of the detected ease of the dete
```

import cv2

import datetime

```
eye_classifier=cv2.CascadeClassifier("haarcascade_eye.xml")
smile_classifier=cv2.CascadeClassifier("haarcascade_smile.xml")
#It will read the first frame/image of the video
video=cv2.VideoCapture(0)
```

while True:

```
#capture the first frame

check,frame=video.read()

gray=cv2.cvtColor(frame, cv2.COLOR_BGR2GRAY)

cv2.imshow('video',gray)

#detect the faces from the video using detectMultiScale function

eyes=eye_classifier.detectMultiScale(gray,1.3,5)
```

```
smiles=smile_classifier.detectMultiScale(gray,1.3,5)
print(eyes)
#drawing rectangle boundries for the detected face
for(x,y,w,h) in eyes:
  cv2.rectangle(frame, (x,y), (x+w,y+h), (127,0,255), 2)
  cv2.imshow('eye detection', frame)
  cv2.putText(frame, 'eye', (x,y-10), cv2.FONT_HERSHEY_COMPLEX_SMALL, 1, (255,0,0), 4)
  picname=datetime.datetime.now().strftime("rjp_%y-%m-%d-%H-%M")
  cv2.imwrite(picname+".jpg",frame)
#drawing rectangle boundries for the detected eyes
for(ex,ey,ew,eh) in smiles:
  cv2.rectangle(frame, (ex,ey), (ex+ew,ey+eh), (127,0,255), 2)
  cv2.imshow('smile detection', frame)
#waitKey(1)- for every 1 millisecond new frame will be captured
Key=cv2.waitKey(1)
if Key==ord('q'):
  #release the camera
  video.release()
  #destroy all windows
  cv2.destroyAllWindows()
  break
```

