VIT-IOT(INDUSTRY CERTIFICATE INTERNSHIP PROGRAM)

ASSIGNMENT-3

NAME: ABHISHEK SWAMY

RREG.NO:-19MIM10117

MAIL ID: swamy.abhishek2019@vitbhopal.ac.in

Assignment-3:

Develop a code to upload the water tank level and light intensity values to the IBM IoT platform and visualize them in the web application.

Python Code:

```
import wiotp.sdk.device
import time
import random
myConfig = {
    "identity": {
        "orgId": "d9cbnt",
        "typeId": "FirstDevice",
        "deviceId": "14831"
    },
    "auth": {
        "token": "SaiVardhan14831"
   }
}
def myCommandCallback(cmd):
    print("Message received from IBM IoT Platform: %s" % cmd.data['command'])
    m=cmd.data['command']
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
while True:
    wlevel=random.randint(0,100)
    light=random.randint(0,100)
    myData={'Water Level':wlevel, 'Light Intensity':light}
    client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0,
    print("Published data Successfully: %s", myData)
    client.commandCallback = myCommandCallback
    time.sleep(2)
client.disconnect()
```

Fig.1Python code editor window

CODE:

```
import wiotp.sdk.device
import time import
random myConfig = {
    "identity": {
```

```
"orgld": "d9cbnt",
    "typeId": "FirstDevice",
    "deviceId":"14831"
  },
  "auth": {
    "token": "SaiVardhan14831"
}
def myCommandCallback(cmd):
         print("Message received from IBM IoT Platform: %s" %
cmd.data['command'])
  m=cmd.data['command']
           wiotp.sdk.device.DeviceClient(config=myConfig,
client =
logHandlers=None) client.connect()
while True:
  wlevel=random.randint(0,100)
  light=random.randint(0,100)
  myData={'Water_Level':wlevel, 'Light_Intensity':light}
    client.publishEvent(eventId="status", msgFormat="json", data=myData,
qos=0, onPublish=None) print("Published data
Successfully: %s", myData)
client.commandCallback = myCommandCallback
time.sleep(2) client.disconnect()
```

Fig2.Output of the python code→ It is sending some random data values to the device




Fig3.Node Red flow chart → In this The IBM IoT Node connects the Device with python code

```
iot-2/type/FirstDevice/id/14831/evt/status/fmt/json:
msg.payload: number
89
7/17/2021, 5:18:33 PM node: 9afd775f.270c98
iot-2/type/FirstDevice/id/14831/evt/status/fmt/json:
msg.payload: number
1
7/17/2021, 5:18:33 PM node: 9afd775f.270c98
iot-2/type/FirstDevice/id/14831/evt/status/fmt/json:
msg.payload: number
54
7/17/2021, 5:18:35 PM node: 9afd775f.270c98
iot-2/type/FirstDevice/id/14831/evt/status/fmt/json:
msg.payload : number
52
7/17/2021, 5:18:35 PM node: 9afd775f.270c98
iot-2/type/FirstDevice/id/14831/evt/status/fmt/json:
msg.payload: number
97
7/17/2021, 5:18:37 PM node: 9afd775f.270c98
iot-2/type/FirstDevice/id/14831/evt/status/fmt/json:
msg.payload: number
99
7/17/2021/ 5/18/37/RM node/9afd775f.270c98
iot-2/type/FirstDevice/id/14831/evt/status/fmt/json:
med pauload - number
```

Fig4.Data received successfully from python code




Fig5.Final webpage it aslo receiving the same data produced by the random variables in python