





The screenshot shows the Cloudant Data API interface. The top navigation bar includes tabs for Application Dev, Node-RED Dev, Service Details, Cloudant Data, IBM Cloud Dev, Platform Inst., Student Dash, WhatsApp, and a '+' button. The main area displays a document titled 'praveena7136'. The left sidebar has sections for All Documents, Query, Permissions, Changes, and Design Documents. The right panel shows a JSON representation of a document with the ID '0c3d9f00525b51838ec94358297fd3e2'. The JSON content is as follows:

```
{  
  "_id": "0c3d9f00525b51838ec94358297fd3e2",  
  "_key": "8c3d9f00525b51838ec94358297fd3e2",  
  "value": {  
    "rev": "1-b9aa866c2a2c82e65637682bf2128115"  
  },  
  "doc": {  
    "_id": "0c3d9f00525b51838ec94358297fd3e2",  
    "_rev": "1-b9aa866c2a2c82e65637682bf2128115",  
    "payload": {  
      "date": "2021-07-17T18:20:00.000Z",  
      "time": "1970-01-01T00:00:00Z"  
    },  
    "socketid": "L8876lx32WVUExAAA0"  
  }  
}
```

At the bottom, it says 'Showing documents of 1 - 2' and 'Documents per page: 20' with navigation arrows.

