APEX SPECIALIST SUPERBADGE

Submitted by Kuhuk Agarwal

Maintenance Request Helper public with sharing class MaintenanceRequestHelper { public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) { Set<Id> validIds = new Set<Id>(); For (Case c : updWorkOrders){ if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){ if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){ validIds.add(c.ld); } } } //When an existing maintenance request of type Repair or Routine Maintenance is closed, //create a new maintenance request for a future routine checkup. if (!validIds.isEmpty()){ Map<ld,Case> closedCases = new Map<ld,Case>([SELECT Id, Vehicle_c, Equipment_c, Equipment__r.Maintenance_Cycle__c, (SELECT Id,Equipment_c,Quantity_c FROM Equipment_Maintenance_Items__r) FROM Case WHERE Id IN :validIds]); Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>(); //calculate the maintenance request due dates by using the maintenance cycle defined on the related equipment records. AggregateResult[] results = [SELECT Maintenance_Request__c, MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c]; for (AggregateResult ar : results){ maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)

```
ar.get('cycle'));
      }
      List<Case> newCases = new List<Case>();
      for(Case cc : closedCases.values()){
        Case nc = new Case (
          ParentId = cc.Id,
          Status = 'New',
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle_c = cc.Vehicle_c,
          Equipment_c = cc. Equipment_c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()
        );
        //If multiple pieces of equipment are used in the maintenance request,
        //define the due date by applying the shortest maintenance cycle to today's date.
        //If (maintenanceCycles.containskey(cc.ld)){
          nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.ld));
        //} else {
        // nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
        //}
        newCases.add(nc);
      }
      insert newCases:
      List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
      for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c clonedListItem :
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
          Equipment_Maintenance_Item__c item = clonedListItem.clone();
          item.Maintenance_Request__c = nc.ld;
          clonedList.add(item);
        }
      insert clonedList;
```

```
}
 }
Maintenance Request
trigger MaintenanceRequest on Case (before update, after update) {
if(Trigger.isUpdate && Trigger.isAfter){
  MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
}
}
Warehouse Callout Service
public with sharing class WarehouseCalloutService implements Queueable {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //Write a class that makes a REST callout to an external warehouse system to get a list of
equipment that needs to be updated.
  //The callout's JSON response returns the equipment records that you upsert in Salesforce.
  @future(callout=true)
  public static void runWarehouseEquipmentSync(){
    System.debug('go into runWarehouseEquipmentSync');
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> product2List = new List<Product2>();
    System.debug(response.getStatusCode());
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      //class maps the following fields:
```

```
//warehouse SKU will be external ID for identifying which equipment records to update
within Salesforce
      for (Object jR : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)jR;
        Product2 product2 = new Product2();
        //replacement part (always true),
        product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        //cost
        product2.Cost__c = (Integer) mapJson.get('cost');
        //current inventory
        product2.Current_Inventory__c = (Double) mapJson.get('quantity');
        //lifespan
        product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        //maintenance cycle
        product2.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        //warehouse SKU
        product2.Warehouse_SKU__c = (String) mapJson.get('sku');
        product2.Name = (String) mapJson.get('name');
        product2.ProductCode = (String) mapJson.get('_id');
        product2List.add(product2);
      }
      if (product2List.size() > 0){
        upsert product2List;
        System.debug('Your equipment was synced with the warehouse one');
      }
    }
  }
  public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
  }
}
```

Warehouse Sync Schedule

```
global with sharing class WarehouseSyncSchedule implements Schedulable { // implement scheduled code here
```

```
global void execute (SchedulableContext ctx){
    System.engueueJob(new WarehouseCalloutService());
 }
}
Maintenance Request Helper Test
@isTest
public with sharing class MaintenanceRequestHelperTest {
  // createVehicle
  private static Vehicle__c createVehicle(){
    Vehicle_c vehicle = new Vehicle_C(name = 'Testing Vehicle');
    return vehicle;
  }
  // createEquipment
  private static Product2 createEquipment(){
    product2 equipment = new product2(name = 'Testing equipment',
                      lifespan_months__c = 10,
                      maintenance_cycle__c = 10,
                      replacement_part__c = true);
    return equipment;
  }
  // createMaintenanceRequest
  private static Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cse = new case(Type='Repair',
              Status='New',
              Origin='Web',
              Subject='Testing subject',
              Equipment_c=equipmentId,
              Vehicle_c=vehicleId);
    return cse;
  }
  // createEquipmentMaintenanceItem
  private static Equipment_Maintenance_Item__c createEquipmentMaintenanceItem(id
equipmentId,id requestId){
    Equipment_Maintenance_Item__c equipmentMaintenanceItem = new
Equipment_Maintenance_Item__c(
      Equipment_c = equipmentId,
      Maintenance_Request__c = requestId);
```

```
return equipmentMaintenanceItem;
  }
  @isTest
  private static void testPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle:
    id vehicleId = vehicle.Id;
    Product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;
    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase:
    Equipment_Maintenance_Item__c equipmentMaintenanceItem =
createEquipmentMaintenanceItem(equipmentId,createdCase.id);
    insert equipmentMaintenanceItem;
    test.startTest();
    createdCase.status = 'Closed';
    update createdCase;
    test.stopTest();
    Case newCase = [Select id,
            subject,
            type,
            Equipment__c,
            Date_Reported__c,
            Vehicle__c,
            Date_Due__c
            from case
            where status ='New'];
    Equipment_Maintenance_Item__c workPart = [select id
                          from Equipment_Maintenance_Item__c
                           where Maintenance_Request__c =:newCase.ld];
    list<case> allCase = [select id from case];
    system.assert(allCase.size() == 2);
```

```
system.assert(newCase != null);
    system.assert(newCase.Subject != null);
    system.assertEquals(newCase.Type, 'Routine Maintenance');
    SYSTEM.assertEquals(newCase.Equipment_c, equipmentId);
    SYSTEM.assertEquals(newCase.Vehicle_c, vehicleId);
    SYSTEM.assertEquals(newCase.Date_Reported__c, system.today());
  }
  @isTest
  private static void testNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
    product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;
    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase:
    Equipment_Maintenance_Item_c workP = createEquipmentMaintenanceItem(equipmentId,
createdCase.ld);
    insert workP;
    test.startTest();
    createdCase.Status = 'Working';
    update createdCase;
    test.stopTest();
    list<case> allCase = [select id from case];
    Equipment_Maintenance_Item__c equipmentMaintenanceItem = [select id
                          from Equipment_Maintenance_Item__c
                          where Maintenance_Request__c = :createdCase.Id];
    system.assert(equipmentMaintenanceItem != null);
    system.assert(allCase.size() == 1);
  }
  @isTest
```

```
private static void testBulk(){
    list<Vehicle_C> vehicleList = new list<Vehicle_C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> equipmentMaintenanceItemList = new
list<Equipment_Maintenance_Item__c>();
    list<case> caseList = new list<case>();
    list<id> oldCaseIds = new list<id>();
    for(integer i = 0; i < 300; i++){
      vehicleList.add(createVehicle());
      equipmentList.add(createEquipment());
    }
    insert vehicleList;
    insert equipmentList;
    for(integer i = 0; i < 300; i++){
      caseList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
    }
    insert caseList;
    for(integer i = 0; i < 300; i++){
equipmentMaintenanceItemList.add(createEquipmentMaintenanceItem(equipmentList.get(i).id,
caseList.get(i).id));
    insert equipmentMaintenanceItemList;
    test.startTest();
    for(case cs : caseList){
      cs.Status = 'Closed';
      oldCaseIds.add(cs.Id);
    }
    update caseList;
    test.stopTest();
    list<case> newCase = [select id
                  from case
                   where status ='New'];
```

```
list<Equipment_Maintenance_Item__c> workParts = [select id
                              from Equipment_Maintenance_Item__c
                              where Maintenance_Request__c in: oldCaseIds];
    system.assert(newCase.size() == 300);
    list<case> allCase = [select id from case];
    system.assert(allCase.size() == 600);
 }
}
Warehouse Callout Service Mock
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
  global static HttpResponse respond(HttpRequest request) {
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":
"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226726b611
100aaf742","replacement":true,"quantity":183,"name":"Cooling
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b611100a
af743","replacement":true,"quantity":143,"name":"Fuse
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]');
    response.setStatusCode(200);
    return response;
}
Warehouse callout service test
@lsTest
private class WarehouseCalloutServiceTest {
  // implement your mock callout test here
       @isTest
  static void testWarehouseCallout() {
    test.startTest();
    test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
```

```
WarehouseCalloutService.execute(null);
    test.stopTest();
    List<Product2> product2List = new List<Product2>();
    product2List = [SELECT ProductCode FROM Product2];
    System.assertEquals(3, product2List.size());
    System.assertEquals('55d66226726b611100aaf741', product2List.get(0).ProductCode);
    System.assertEquals('55d66226726b611100aaf742', product2List.get(1).ProductCode);
    System.assertEquals('55d66226726b611100aaf743', product2List.get(2).ProductCode);
}
Warehouse sync schedule test
@isTest
public with sharing class WarehouseSyncScheduleTest {
  // implement scheduled code here
  //
  @isTest static void test() {
    String scheduleTime = '00 00 00 * * ? *';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobId = System.schedule('Warehouse Time to Schedule to test', scheduleTime, new
WarehouseSyncSchedule());
    CronTrigger c = [SELECT State FROM CronTrigger WHERE Id =: jobId];
    System.assertEquals('WAITING', String.valueOf(c.State), 'JobId does not match');
    Test.stopTest();
 }
```

}

APEX MODULES

Account address trigger

```
trigger AccountAddressTrigger on Account (before insert, before update) {
  for(Account account:Trigger.New){
    if(account.Match_Billing_Address__c == True){
      account.ShippingPostalCode = account.BillingPostalCode;
    }
  }
}
```

Restrict Contact by name

Closed Opportunity trigger

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, before update) {
  List<Task> tasklist = new List<Task>();

  for(Opportunity opp: Trigger.New){
    if(opp.StageName == 'Closed Won'){
      tasklist.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
    }
  }
  if(tasklist.size()>0){
```

```
insert tasklist;
 }
}
Lead Processor
global class LeadProcessor implements Database.Batchable<sObject> {
  global Integer count = 0;
  global Database.QueryLocator start(Database.BatchableContext bc){
    return Database.getQueryLocator('SELECT ID, LeadSource FROM Lead');
  }
  global void execute (Database.BatchableContext bc, List<Lead> L_list){
    List<lead> L_list_new = new List<lead>();
    for(lead L:L_list){
      L.leadsource = 'Dreamforce';
      L_list_new.add(L);
      count+=1;
    }
    update L_list_new;
  global void finish(Database.BatchableContext bc){
    system.debug('count= '+count);
  }
}
Lead processor test
@isTest
public class LeadProcessorTest {
  @isTest
  public static void testit(){
    List<lead> L_list = new List<lead>();
    for(Integer i=0;i<200;i++){
      Lead L = new lead();
      L.LastName = 'name'+i;
      L.company = 'Company';
```

```
L.status = 'Random Status';
      L_List.add(L);
    }
    insert L_list;
    Test.startTest();
    LeadProcessor();
    Id batchId = Database.executeBatch(Ip);
    Test.stopTest();
  }
}
Add primary contact test
@isTest
public class AddPrimaryContactTest {
  static testMethod void testQueueable(){
    List<account>testAccounts = new List<Account>();
    for(Integer i=0;i<50;i++){}
      testAccounts.add(new Account(Name='Account'+i,BillingState='CA'));
    }
    for(Integer j=0;j<50;j++){
      testAccounts.add(new Account(Name='Account'+j,BillingState='NY'));
    }
    insert testAccounts;
    Contact testContact = new Contact(FirstName = 'John',LastName='Doe');
    insert testContact;
    AddPrimaryContact addit = new addPrimaryContact(testContact,'CA');
    Test.startTest();
    system.enqueueJob(addit);
    Test.stopTest();
    System.assertEquals(50,[Select count() from Contact where accounted in (Select Id from
Account where BillingState='CA')]);
  }
```

```
}
Account processor test
@lstest
private class AccountProcessorTest {
  @lsTest
  private static void testCountContacts(){
    Account newAccount = new Account(Name='Test Account');
    insert newAccount:
    Contact newContact1 = new
Contact(FirstName='John',LastName='Doe',AccountId=newAccount.Id);
    insert newContact1;
    Contact newContact2 = new Contact(FirstName='Jane',LastName='Doe',AccountId =
newAccount.Id);
    insert newContact2;
    List<Id> accountIds = new List<Id>();
    accountIds.add(newAccount.Id);
    Test.startTest();
    AccountProcessor.countContacts(accountIds);
    Test.stopTest();
 }
}
Daily lead processor test
@isTest
private class DailyLeadProcessorTest {
       static testMethod void testDailyLeadProcessor() {
              String CRON_EXP = '0 0 1 * * ?';
              List<Lead> |List = new List<Lead>();
```

IList.add(new Lead(LastName='Dreamforce'+i, Company='Test1 Inc.',

for (Integer i = 0; i < 200; i++) {

Status='Open - Not Contacted'));

```
insert lList;
              Test.startTest();
              String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
       }
}
Daily lead processor
global class DailyLeadProcessor implements Schedulable {
  global void execute(SchedulableContext ctx) {
    List<Lead> IList = [Select Id, LeadSource from Lead where LeadSource = null];
    if(!lList.isEmpty()) {
                      for(Lead I: IList) {
                             I.LeadSource = 'Dreamforce';
                      }
                      update IList;
              }
 }
Random Contact factory
public class RandomContactFactory {
  public static List<Contact> generateRandomContacts(Integer nument, string lastname){
    List<Contact> contacts = new List<Contact>();
    for(Integer i=0;i<numcnt;i++){</pre>
      Contact cnt = new Contact(FirstName = 'Test'+i, LastName = lastname);
      contacts.add(cnt);
    return contacts;
}
```

Test restrict contact by name

@isTest

```
public class TestRestrictContactByName {
  @isTest static void Test_insertupdateContact(){
    Contact cnt = new Contact();
    cnt.LastName = 'INVALIDNAME';
    Test.startTest();
    Database.SaveResult result = Database.insert(cnt,false);
    Test.stopTest();
    System.assert(!result.isSuccess());
    System.assert(result.getErrors().size()>0);
    System.assertEquals('The Last Name "INVALIDNAME" is not allowed for DML',
result.getErrors()[0].getMessage());
  }
}
Test verify date
@isTest
public class TestVerifyDate {
  @isTest static void Test_CheckDates_case1(){
    Date D = VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('01/05/2020'));
    System.assertEquals(date.parse('01/05/2020'),D);
  }
  @isTest static void Test_CheckDates_case2(){
    Date D = VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('05/05/2020'));
    System.assertEquals(date.parse('01/31/2020'),D);
  }
  @isTest static void Test_DateWithin30Days_case1(){
    Boolean flag =
VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('12/30/2019'));
    System.assertEquals(false,flag);
  }
   @isTest static void Test_DateWithin30Days_case2(){
    Boolean flag =
VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('02/02/2019'));
```

```
System.assertEquals(false,flag);
  }
   @isTest static void Test_DateWithin30Days_case3(){
    Boolean flag =
VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('01/15/2020'));
    System.assertEquals(true,flag);
  }
  @isTest static void Test_SetEndOfMonthDate(){
    Date returndate = VerifyDate.SetEndOfMonthDate(date.parse('01/01/2020'));
  }
}
Verify date
public class VerifyDate {
  //method to handle potential checks against two dates
       public static Date CheckDates(Date date1, Date date2) {
              //if date2 is within the next 30 days of date1, use date2. Otherwise use the end
of the month
              if(DateWithin30Days(date1,date2)) {
                      return date2;
              } else {
                      return SetEndOfMonthDate(date1);
              }
       }
       //method to check if date2 is within the next 30 days of date1
       @TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) {
              //check for date2 being in the past
       if( date2 < date1) { return false; }</pre>
       //check that date2 is within (>=) 30 days of date1
       Date date30Days = date1.addDays(30); //create a date 30 days away from date1
               if( date2 >= date30Days ) { return false; }
              else { return true; }
       }
```

```
//method to return the end of the month of a given date
    @TestVisible private static Date SetEndOfMonthDate(Date date1) {
        Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
        Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
        return lastDay;
}
```